Contents

| Contents | Page |
|---|------|
| Introduction and Aim of the work | 1 |
| Review of Literature: | |
| • Chapter 1: Anatomy | 3 |
| • Chapter 2: MR Anatomy of the brachial plexus | 16 |
| Chapter.3: Pathological changes of Brachial plexopathy | 26 |
| Chapter.4: Techniques and protocol of MRI examination | 54 |
| Chapter.5: Manifestations of MRI in Brachial Plexopathy | 70 |
| Summary and Conclusion | 106 |
| References | 111 |
| Arabic Summary | 1 |

List of Figures

| Figure No. | Description | Page |
|-------------|---|------|
| Figure (1) | brachial plexus nerve throw muscle | 5 |
| Figure (2) | anatomy of The Scalene Muscles | 6 |
| Figure (3) | anatomy of The brachial plexus | 7 |
| Figure (4) | Relations of the brachial plexus In the neck | 10 |
| Figure (5) | Normal MR anatomy of the brachial plexus in the sagittal plane | 18 |
| Figure (6) | Normal MR anatomy of the brachial plexus | 20 |
| Figure (7) | Normal anatomy of the brachial plexus in the coronal plane | 22 |
| Figure (8) | Normal anatomy of the brachial plexus Coronal T1 and STIR | 23 |
| Figure (9) | Normal sagittal anatomy of the brachial plexus | 24 |
| Figure (10) | Normal coronal anatomy of the brachial plexus | 25 |
| Figure (11) | Neurofibromatosis, brahial plexus | 40 |
| Figure (12) | A typical interface between a schwannoma and its parent nerve | 41 |
| Figure (13) | Intraoperative photographs showing the tumor's appearance | 42 |
| Figure (14) | Photomicrograph showing perineural invasion by metastatic carcinoma | 44 |
| Figure (15) | Photomicrograph demonstrating intraneural invasion by metastatic carcinoma | 44 |
| Figure (16) | Pancoast's tumor . | 45 |
| Figure (17) | Dedicated phased array radio frequency receiver coils of brachial plexus imaging | 55 |
| Figure (18) | Coronal T1-weighted image of a normal brachial plexus obtained using the coils | 56 |
| Figure (19) | Commercially available "integrated arrays" of coils which can be combined to image the entire course of the brachial plexus | 57 |
| Figure (20) | MR myelographic technique shows a left C6-7 pseudomeningocele | 61 |
| Figure (21) | Diffusion-wieghted neurogram | 62 |
| Figure (22) | Brachial plexus injury with avulsion within the spinal cord | 71 |
| Figure (23) | Root avulsion injury | 72 |
| Figure (24) | Root avulsion injury | 72 |
| Figure (25) | Traumatic pseudomeningocele of the right brachial plexus. Coronal T1-weighted spin-echo (A) and STIR (B) | 73 |
| Figure (26) | Subacute supraclavicular hematoma | 74 |

| Figure (27) | Chronic hematoma after direct trauma to shoulder | 74 |
|---------------------|---|----|
| Figure (28) | Traumatic nerve root avulsion | |
| Figure (29) | Traumatic disruption of brachial plexus | 75 |
| | | |
| Figure (30) | An example for post traumatic neuromas near the junction of the trunks and divisions of the brachial plexus | 76 |
| Figure (31) | An example for post traumatic neuromas | 76 |
| Figure (32) | A clavicle fracture with extensive callus formation which is contiguous with the brachial plexus | 77 |
| Figure (33) | Traumatic pseudomeningocele of Erb's palsy. | 78 |
| Figure (34) | | |
| <i>Figure (35)</i> | Large schwannoma originating from the root C8 | 80 |
| <i>Figure (36)</i> | Ganglioneuroma of the sympathetic chain | 81 |
| Figure (37) | A mass in the right brachial plexus showing the "target" sign typically of neurogenic tumours | 82 |
| <i>Figure (38)</i> | Neurogenic tumor: neurofibromatosis type I in a 23-year-old man | 82 |
| Figure (39) | Pathologically proved neurofibroma elongating between the anterior and middle scalene muscles | 83 |
| Figure (40) | An extensive plexiform neurofibromas involving the bilateral brachial plexi, axialla, and left chest wall | 83 |
| Figure (41) | An example for shwannoma | 84 |
| Figure (42) | An example for benign shwannoma | 84 |
| Figure (43) | An example for malignant neurogenic tumor neurofibrosarcoma in a 32-year-old woman | 86 |
| Figure (44) | example for metastases from breast carcinoma in 58-year-old woman | 87 |
| Figure (45) | An example for metastases from breast carcinoma | 87 |
| Figure (46) | Precontrast coronal T1-weighted view shows metastatic nodules | 88 |
| Figure (47) | Pancoast's tumour (adenocarcinoma) with involvement of the ventral rami of roots C8 and T1 | 88 |
| Figure (48) | Small left Pancoast's tumor in 60- year-old woman with preservation of normal interscalene fat pad | 89 |
| Figure (49) | An example for left Pancoast's tumor with preservation of normal interscalene fat pad | 90 |
| Figure (50) | Superior sulcus carcinoma of apex of left lung extending anteriorly and invading brachial plexus | 91 |
| Figure (51) | Non-Hodgkin lymphoma involving the right brachial plexus | 92 |
| Figure (52) | Melanoma in the right axilla congituous to and displacing the right brachial plexus | 92 |
| Figure (53) | Benign non-neurogenic tumor, aggressive fibromatosis of the right brachial plexus | 93 |
| Figure (54) | Benign non-neurogenic tumor, large lipoma displacing the brachial plexus and subcl | 94 |

| Figure (55) | A perineurinoma of the brachial plexus | 95 |
|--------------------|---|------|
| | | Page |
| <i>Figure (56)</i> | Radiation fibrosis | 96 |
| Figure (57) | Tumor infiltration of medial cord of left brachial plexus from recurrent breast carcinoma | 98 |
| Figure (58) | Radiation injury of the left brachial plexus | 99 |
| Figure (59) | Neurologic thoracic outlet syndrome in a patient with a left cervical rib | 101 |
| Figure (60) | Interscalene triangle | 102 |
| Figure (61) | An example for MR findings in brachial neuritis (Parsonage - Turner Syndrome) | 105 |
| | | |

List of Tables

| Table No. | Description | Page |
|-----------|--|------|
| Table (1) | Supra scapular branches of brachial plexus | 11 |
| Table (2) | Infraclavicular branches of the brachial plexus | 12 |
| Table (3) | The segmental cutoneous innervation of the upper limb | 13 |
| Table (4) | The segmental innervation of the muscles of the upper limb | 14 |

List of Abbreviations

| Abbreviation | Description |
|--------------|---|
| AA | axillary artery |
| SA | scalenus anterior |
| AV | axillary vein |
| BP | brachial plexus |
| BPP | brachial plexus palsy |
| CNS | central nervous system |
| CIDP | Chronic inflammatory demyelinating polyneuropathy |
| DRG | dorsal root ganglia |
| FOV | field of view |
| MRA | Magnetic Resonance Angiogram |
| NEX | number of excitations |
| NF1 | neurofibromatosis type1 |
| OBPP | obstetric brachial plexus palsy |
| PNS | peripheral nervous system |
| PMA | pectoralis major |
| SNR | signal to noise ratio |
| SC | spinal cord |
| VA | vertebral artery |
| VB | Vertebral body |