

REFERENCES

-Adler B , Paddley S , Miller RR and Muller NL (1992): High resolution CT for bronchioloalveolar carcinoma : 159:275-277 .

-Alf Kolbenst vedt , Arnulf Skjenneld and Charles B. Higgins (1995) :
A Global Text Book of Radiology : 18: 673-685 .

-Arita T , Matsumoto T and Kuramitsu T (1996) : Is it possible to differentiate malignant mediastinal nodes from benign nodes by size ?
Reevaluation by CT , transesophageal echocardiography , and nodal specimen. Chest : 110: 1004-08 .

-Armstrong P (1992) : The normal chest in diagnostic radiology. Edited by Grainger RG and Allison D. Published by Churchill Livingstone. Second edition. Vol I : 127-147 .

-Bains MS (1991): Surgical treatment of lung cancer. Chest: 100:826-37 .

-Barnes GT and Laskshminarayanan AV (1998) : Conventional and Spiral Computed Tomography : Physical Principles and Image Quality Considerations. In Computed Body Tomography with MR Correlation. Edited by Lee JKT , Sagel SS, Stanley RJ, Heiken JP and Lippincott-Raven, third edition, chapter 1, P: 1-21 .

-Bielaski HK , Bueno de Mesqueta B and Chesson A (1998) : European consensus statement on lung cancer , risk factors and prevention .
CA cancer cli : 48:167-178 .

-**Black LF (1972)** : The pleural space and the pleural fluid . Mayo clin. Proc : 47:493-506 .

-**Bonomo L (1996)** : Lung cancer staging : the role of computed tomography and magnetic resonance imaging. Eur J Radiol 23 : 35-45 .

- **Brink JA, Heiken JP and Bafle DM (1995)** : Technical aspects of spiral CT . In radiologic clinics of North America. Volume 33. 5:825-842 .

- **Brink JA, Heiken JP and Bafle DM (1994)** : Spiral CT principles and technical consideration . radiographics : 887-892 .

-**Brink JA, Heiken JP and Bafle DM (1992)** : Spiral CT : decreased spatial resolution in vivo due to broadening of section sensitivity profile. Radiology 185: 469-474 .

-**Calhoun PS, Kuszyk BS, Heath DG, Carley JC and Fishman EK (1999)** : Three dimensional volume rendering of spiral CT data : theory and method. Radiographics : 19:745-764 .

-**Carucci LR, Maki DD and Miller WT (2001)** : Clustered pulmonary nodules, highly suggestive of benign disease. J Thoracic Imaging : 16:103-105 .

-**Chartrand-lefevre C, Chalmers N and Best JK (1998)** : Association of small cell lung cancer and the anti-Hu paraneoplastic syndrome: radiographic and CT findings. AJR 170:1513-1517 .

-Choe DH (1998) : Obliteration of the pulmonary vein in lung cancer. Significance in assessing local extent with CT . J Computed Assist Tomography: 22 (4) 587-591.

-Clifton F.Mountain, Hermer I.Libshitz and Kay E.Hermes (2003) : Lung cancer A handbook for Staging, Imaging and Lymph Node classification : 9- 45 .

-Colby TV, Koss MN and Travis WD (1995) : Carcinoid and other neuroendocrine tumors in Colby TV, Koss MN and Travis WD Atlas of tumor pathology : 287-317 .

-Coppage L, Shaw C and Curits AM (1987) : Metastatic disease to the chest in patients with extrathoracic malignancy. J Thoracic 4: 24-37 .

-Correa, Souto, Tahoces, Malagari, Lakrin, Toker, Carry, Fraser and Vidal (1995) : Digital Chest Radiography. Comparison of unprocessed and processed images in the detection of solitary pulmonary Nodules, Radiology 195: 253-258 .

-Costello P (1994) : Thoracic helical CT. Radiographics : 14:913-918 .

-Emerson P (1981) : T.B in Emerson (ed) Thoracic Medicine. Batterworth : 723-739 .

-Erasmus JJ (1998) : Evaluation of primary pulmonary carcinoid tumors using FDG PET . AJR 170: 1369-1373 .

-Erasmus JJ, Cannolly JE and Me Adams HP (2000) : Solitary nodule (coin lesion) of the lung. Part I Morphologic evaluation. Radiographics : 20-43 .

-Eur Respir J (2002): ERS Journals New imaging techniques in the treatment guidelines for lung cancer 19:71S-83S.

-Fraser RS, Muller NL and Coleman N (1999) : Pulmonary carcinoma . In Fraeser and Pare S : Diagnosis of disease of the chest (4th edition) Philadilphia, WB Saunders, P 1069 .

-Fraser RG, Khulman, Branes and Vidal (1989): Plumonary abnormalities of developmental origin In : Diagnosis of diseases of chest (3rd edition) Philadiliphia Saunders : 695-773.

-Garvey CJ and Hanlon R (2002) : Computed tomography in clinical practice. BMJ : 324:1077-1080 .

-Grover FL (1994) : The role of CT and MRI in staging of the mediastinum :106:391S-96S .

-Goodman PC, Patz EF and Lowe VJ (1995) : thoracic nodal staging with PET imaging with 18-FDG in patients with bronchogenic carcinoma: 108:1617-21 .

-Gulhlmann A, Strek M and Kötzerke J (1997) : Lymph node staging in non-small cell lung cancer: evaluation by (18F) FDG positron emission tomography (PET). Thorax 52: 438-441 .

-Gurney JW, Lyddon DM and McKay JA (1993) : Determining the likelihood of malignancy in solitary pulmonary nodules with Bayesian analysis. Part I and II. Appl Radiology :186:405 .

-Hake AK (1991) : Pathology of carcinoma of the lung, an update on current concepts. J Thoracic Imaging 7:9-20 .

-Hatter J, Kohman LJ and Mosea RS (1994): Preoperative evaluation of stage I and stage II non-small cell lung cancer. Ann Thoracic surgery 58:1738-41 .

-Heiken JP, Brink J and Vannier MW (1993) : Spiral Helical CT Radiology 189:647-656 .

-Henschke CI, McCauley DI and Yankelevitz DF (1999) : Early lung cancer action project: Overall designs and findings from baseline screening. Lancet :345:99 .

-Higashi K, Nishikawa T and Seki H (1998) : Comparison of fluorine-18-FDG PET and Thallium-201 SPECT in evaluation of lung cancer. J. Nucl Med : 39:9-15 .

-Hoh CK, Schiepers C and Seltzer MA (1997) : PET in oncology: Will it replace the other modalities? Semin Nucl Med 27:94-106 .

-Jeryl C. Jones (2005) : CT applications , www.veterinaryimaging.com/ctApplications.asp .

-Jones EC, Chezmar JL and Nelson RC (1992) : The frequency and significance of small (less than or equal to 15 mm) hepatic lesions detected by CT. AJR 158:535-39 .

-Kaneko M, Zerhouni EA and Stitik FP, et al. (1996) : Peripheral lung cancer; screening and detection with low-dose spiral CT, radiology 201:798-802 .

-Klein JS and Wand A (1999) : Pulmonary neoplasm's . In Brant WE, Helms CA. Fundamentals of diagnostic radiology, edition 2.Baltimore, Williams and Wilkins : page 377 .

-Kolata G (2002) : Lung cancer test is much in demand, but benefit is murky. New York Times. June 21,2000. Available via the New York Times. Premium Archive at www.nytimes.com . Accessed March 14,2002 .

-Kono M, Adachi S and Kusumoto M (1993) : Clinical utility of Gd-DTPA-enhanced magnetic resonance imaging in lung cancer. J Thoracic Imaging 8: 18-26 .

-Kuhlman JE (1998) : Spiral CT: Thorax Applications. In: Spiral CT, Principles, Techniques and Clinical Applications, edited by Fishman EK and Jeffrey RB. Lippincott-Raven, second edition, chapter 5,p(71-94) .

-Landis SH, Murray T, Boldin S and Wingo PA (1998) : cancer statistics. CA cancer J clin 48:6-27 .

- **Landis SH, Murray T, Boldin S and Wingo PA (1999)** : cancer statistics. CA cancer J clin 49:8-31 .

-**Lee JM, Siegelman SS, Leo FP, Donner MW and Heuck F (2004)** : Percutaneous radiofrequency ablation for in operable non small cell lung cancer and metastasis preliminary report : 230:125 134 .

-**Leeuwen MS, Polman LJ, Noordzij J, Velthuis B and Waes PFGM (1995)** : Computed Tomographic Angiography. In: Computed tomography, State of the Art and Future Application, edited by Claub W, Yeon Km, Zhen LG and Vogl T Springer, first edition, chapter 32, p 244-270 .

-**Lewis JW, Pearberg JL and Beute GH (1990)** : Can computed tomography of the chest stage lung cancer? Yes and no . Ann Thoracic surgery 49:591-96.

-**NickOldnall(2005)**:www.e-radiography.net/ibases/1_Normal/index2.htm.

-**Mentzer SJ (1997)** : Mediastinoscopy, thoracoscopy and video-assisted thoracic surgery in the diagnosis and staging of the lung cancer. Heme-One Clinics of North Am 11:435-47 .

-**Moran CA Templeton PA and McAdams (1993)** : Benign localized fibrous tumor of the pleura :CT features . Radiology 189(P) Suppl: 153 .

-**Murata K, Takahashi M and Mori M (1996)** : peribronchovascular interstistium of the pulmonary hilum: Normal and abnormal findings on thin-section electron-beam CT . AJR 166:309-12 .

-Murfitt J (1993) : The normal Chest, methods of investigations and differential diagnosis. In text book of radiology and medical imaging. Edited by Sutton D, Isherwood I and Forbes ES. Fifth edition Vol I : 289-336 .

-Mushine JL and Smith RA (2002): Lung cancer 2: screening and early diagnosis of lung cancer :57:1071-1078 .

-Otto H.Wegener, Regine Fassel, Doris Welger and Suzyon O Neal Wondary (2002) : Whole Body Computed Tomography :6:137-67 .

-Prasad A , BKS and Chavhan (2001) : Computerised Tomographic evaluation of mediastinal lesions, Ind J Radiological Imaging : 11:2: 65-70 .

-Primack SL, Lee KS and Logan PM (1994) : Bronchogenic carcinoma : Utility of CT in the evaluation of patients with suspected lesions. Radiology 193:795-800 .

-Pugatch RD (1995) : Radiologic evaluation in chest malignancies. A review of imaging modalities: 107:294S-97S .

-Ratto GB, Piacenza G and Frola C (1991) : Chest wall involvement by lung cancer : Computed Tomographic detection and results of operation. Ann Thoracic Surgery 51:182-88 .

-Redina A,Munden RF,Pugatch RD and Liptay MJ(1988) : Computerised Tomographic staging of anterior mediastinal neoplasms, thorax 43: 441-45 .

-Salvatierra A, Baamonde C and Lamas JM (1990): Extrathoracic staging of bronchogenic carcinoma. Chest 97: 1052-58 .

-Salbeck R, Grau H and Artmann H (1990) : Cerebral tumor staging in patients with bronchial carcinoma by computed tomography. Cancer 66:2007-11 .

-Sat sharma and Bruce Mycher (2005) : Lung Cancer non-small cell, www.emedicine.com/RADIO/topic 406.htm .

-Sawyer TE, Bonner JA and Gould PM (1997) : Effectiveness of postoperative in stage IIIA non-small cell lung cancer according to regression tree analyses of recurrence risks . Ann Thoracic Surgery : 64:1402-08 .

-Shaffer K (1997) : Imaging and medical staging of lung cancer. Heme-Onc Clinics of North Am 11:197-213 .

-Shimoyama K, Murata K and Takahashi M (1997) : Pulmonary hilar lymph node metastases from lung cancer : Evaluation based on morphology at thin-section, incremental, dynamic CT . Radiology 203:187-95 .

-Simon G. and Hamilton WJ (1978) : The Thorax in X-ray Anatomy . Published by Butterworths : London and Boston. 194-200 .

-**Stortro ML (1998)** : Neoplastic extension across pulmonary fissures : Value of spiral computed tomography and multiplanar reformations. J Thoracic Imaging 13:204-210 .

-**Suzuki N, Saitoh T and Kitamura S (1993)** : Tumor invasion of the chest wall in lung cancer diagnosis with US. Radiology 187:39-24 .

-**Tohki Y (1993)** : Physical characteristics and principles of helical scanning. In: Basic principles and clinical applications of helical scanning. Edited by Kamura K and Koga S, first edition: 110-120 .

-**Touliopoulos P and Costello P (1995)** : Helical (spiral) CT of the Thorax. Radio Clinc. North Am 33:861 .

-**Urban BA, Fishman EK and Kuhlman JE (1993)** : Detection of focal hepatic lesions with spiral CT: comparison of 4mm and 8mm interscan spacing. AJR 160:783-785 .

-**Vansteenkiste JF, DeLeyn PR and Deneffe GJ (1997)** : Survival and prognostic factors in resected N2 non-small cell lung cancer : A study of 140 cases. Ann Thoracic surgery 63:1441-50 .

- **Vansteenkiste JF, Stroobants SG and Deleyn PR (1997)** : Mediastinal lymph nodes staging with FDG-PET scan in patients with potentially operable non small cell cancer. A prospective analysis of 50 cases : 112:1480-86 .

-**Villafana T, Lee HL, Rao KCVG and Zimmerman (1999)** : Physics and Instrumentation. In: Cranial MRI and CT, McGraw-Hill, fourth edition, chapter 1, p 1-45 .

-**Webb WR (1990)** : Radiological evaluation of solitary pulmonary nodule
AJR :154:701 .

-**Webb WR (1993)** : Interobserver variability in CT and MR staging of lung cancer. J Compute Assist Tomography 17:841-46.

-**Webb WR (1995)** : CT and MR imaging in staging non-small cell bronchogenic carcinoma: report of the radiologic diagnostic oncology group. Radiology;148:705–713.

-**Weder W (1998)** : Detection of extrathoracic metastases by positron emission tomography in lung cancer . Ann Thoracic surgery :66:886-893 .

-**Scott C. Williams (2002):** Reference Thoracic Imaging,
www.auntminnie.com/index.asp?sec=ref&sub=thi&pag=tum&itemid=54543.

-**Yankelevitz DF, Henschke CI and Altorki NK (1996)** : Cost analysis of competing strategies for evaluating and treating solitary pulmonary nodules :201-251 .

-**Yankelevitz DF, Reeves AP and Kostis WJ (2000)** : Small nodules: volumetrically determined growth rates based on CT evaluation. Radiology: 201-269 .

-**Yokoi K, Mori k and Miyazawa N (1991)** : Tumor invasion of the chest wall and mediastinum in lung cancer : Evaluation with pneumothorax CT : 181:1617-21 .

-Zeman RK, Fox SH and Silverman PM (1993) : Helical (spiral CT) of the abdomen. AJR : 160:719-725 .

-Zwirewich CV, Vedal S and Miller RR (1991) : Solitary pulmonary nodule. High resolution CT and radiologic pathologic correlation. Radiology: 179-469.