

REFERENCES

- Abbasakoor, F., M. Nelson, J. Beynon, B. Patel and N.D. Carr
1998. Anal endosonography in patients with anorectal
symptoms after haemorrhoidectomy. *Br J. Surg* 85: 1522
– 1524.
- Alam, F, K. Naito, J. Horiguchi, H. Fukuda, T. Tachikake and K.
Ito K. 2008. Accuracy of sonographic elastography in
the differential diagnosis of enlarged cervical lymph
nodes: comparison with conventional B-mode
sonography. *AJR Am J. Roentgenol* 191: 604 – 10.
- Allgayer, H, A. Ignee and C.F. Dietrich 2010. Endosonographic
elastography of the anal sphincter in patients with fecal
incontinence. *Scand J. Gastroenterol.* 45(1): 30 - 8.
- Bamber, J.C. 2008. Comment on new technology–ultrasound
elastography. *Ultraschall Med* 29: 319 – 20.
- Barleben, A. and S. Mills 2010. Anorectal anatomy and
physiology. *Surg Clin North Am.* Feb; 90(1): 1 – 15.
- Bartram, C., and S. Halligan 2000. Endoanal MR is really
complementary to endoanal US. *Radiology* 224: 918 –
20.
- Bartram, CI., 2003. Ultrasound. In: Bartram CI, DeLancey JO,
Halligan S, Kelvin FM, Stoker J (eds) *Imaging pelvic
floor disorders*. Springer, Berlin Heidelberg New York.

- Bauer, J.J., I.M. Gelernt, B. Salky, *et al.* 1983. Sexual dysfunction following proctocolectomy for benign disease of the colon and rectum. *Ann Surg*;197 : 363 – 7.
- Beets-Tan, R.G., G.L. Beets, A.G. van der Hoop *et al.* 2001. Preoperative MR imaging of anal fistulas: does it really help the surgeon? *Radiology* 218: 75 – 84.
- Bertschinger, K.M., F.H. Hetzer, J.E. Roos, K. Treiber, B. Marincek and P.R. Hilfiker 2002. Dynamic MR imaging of the pelvic floor performed with patient sitting in an open-magnet unit versus with patient supine in a closed-magnet unit. *Radiology* 223: 501 – 508.
- Bharucha, A.E. 2004. Outcome measures for fecal incontinence: anorectal structure and function. *Gastroenterology*; 126 (Suppl 1): S90 – S98.
- Bharucha, A.E., J.G. Fletcher, C.M. Harper, *et al.* 2005. Relationship between symptoms and disordered continence mechanisms in women with idiopathic faecal incontinence. *Gut* 54: 546 – 555.
- Bharucha, A.E., R.E. Blandon, P.J. Lunniss and S.M. Scott 2007. Anatomy and Physiology of Continence. In: Ratto C, Doglietto GB, Lowry AC, Pahlman L, Romano G. *Fecal Incontinence: Diagnosis and Treatment*. Springer Milan.

- Briel, J.W., J. Stoker, E. Rociu and J.S. Lameris, W.C.J. Hop and W.R. Schouten 1999. External anal sphincter atrophy on endoanal magnetic resonance imaging adversely affects continence after sphincteroplasty. *Br J. Surg.* 86: 1322 – 1327.
- Carroli, G. and J. Belizan 2000. Episiotomy for vaginal birth. *Cochrane Database of Systematic Reviews*; Issue 2. Art. No.: CD000081. DOI: 10.1002/14651858. CD000081.
- Cazemier, M., M.P. Terra, J. Stoker *et al.* 2006. Atrophy and defects detection of the external anal sphincter: comparison between three-dimensional anal endosonography and endoanal magnetic resonance imaging. *Dis Colon Rectum* 49: 20 – 27.
- Chassagne, P., I. Landrin, C. Neveu, P. Czernichow, M. Bouaniche, J. Doucet, *et al.* 1999. Faecal incontinence in the institutionalized elderly: incidence, risk factors, and prognosis. *Am J. Med.*; 106: 185 – 190.
- Chatoor, D.R., S.J. Taylor, C.R. Cohen and A.V. Emmanuel 2007. Faecal incontinence. *Br J. Surg.* Feb; 94(2): 134 - 144.
- Cherry, D.A. and D.A. Rothenberger 1988. Pelvic floor physiology. *Surg Clin North Am.*; 68: 1217 – 1230.

- Colaiacono, M.C., G. Masselli, E. Polettini, S. Lanciotti, E. Casciani, L. Bertini and G. Gualdi 2009. Dynamic MR imaging of the pelvic floor: a pictorial review. *Radiographics*. May - Jun; 29(3): e35.
- Cooper, Z.R. and S. Rose 2000. Fecal incontinence: a clinical approach. *Mt Sinai J Med* 67: 96 – 105.
- Dasari, B.V., K. Khosraviani, T.S. Irwin and M. Scott 2007. Perianal leiomyoma involving the anal sphincter. *Ulster Med J*. Sep.; 76(3): 173 - 174.
- Deutekom, M., M.P. Terra, M.G. Dijkgraaf, A.C. Dobben, J. Stoker, G.E. Boeckxstaens and P.M. Bossuyt 2006. Patients' perception of tests in the assessment of faecal incontinence. *Br J Radiol*. Feb.; 79(938): 94 - 100.
- Devroede, G., P. Arhan, J.C. Schang, *et al.* 1985. Orderly and disorderly fecal continence. In: Kodner IJ, Fry RD, Roe JP, editors. *Colon, rectal and anal surgery: current techniques and controversies*. St Louis (MO): CV Mosby Co; p. 40 – 62.
- Diamant, N.E., M.A. Kamm, A. Wald and W.E. Whitehead 1999. AGA technical review on anorectal testing techniques. *Gastroenterology*; 116: 735 – 760.
- DiDio, L.J., C. Diaz-Franco, R. Schemainda, *et al.* 1986. Morphology of the middle rectal arteries. A study of 30 cadaveric dissections. *Surg Radiol Anat*; 8: 229 – 236.

- Dobben, A.C., R.J. Felt-Bersma, F.J. ten Kate and J. Stoker 2008. Cross-sectional imaging of the anal sphincter in fecal incontinence. *AJR Am J. Roentgenol.* Mar.; 190(3): 671 - 682.
- Dobben, A.C., T.G. Wiersma, L.W. Janssen, *et al*, 2005. Prospective assessment of interobserver agreement for defecography in fecal incontinence. *AJR Am J. Roentgenol* 185: 1166 – 1172.
- Donovan, J., R. Bosch, M. Gotoh, S. Jackson, M. Naughton, S. Radley, *et al.* 2005. Symptom and quality of life assessment. In *Incontinence*, Abrams P, Cardozo L, Khoury S, Wein AJ (eds), Vol. 1. Health Publications: Plymouth; 267 – 316.
- Fletcher, J.G., R.F. Busse, S.J. Riederer, *et al.* 2003. Magnetic resonance imaging of anatomic and dynamic defects of the pelvic floor in defecatory disorders. *Am J. Gastroenterol*; 98: 399 – 411.
- Frey, H. and C.F. Dietrich 2008. Sonoelastography: a new ultrasound modality for assessing tissue elasticity. In: Dietrich CF, editor. *Endoscopic ultrasound*. Stuttgart, Germany: Thieme Verlag; p. 56 – 69.
- Frudinger, A, S. Halligan, C.I. Bartram, *et al.* 2002. Female anal sphincter: age related differences in asymptomatic

- volunteers with high frequency endoanal US. *Radiology*; 224: 417 – 423.
- Fuchsjager, M. and A. Maier 2003. Imaging fecal incontinence. *Eur J. Radiol*; 47: 108 – 116.
- Fynes, M, V. Donnelly, M. Behan, P.R. O’Connell and C. O’Herlihy 1999. Effect of second vaginal delivery on anorectal physiology and faecal continence: a prospective study. *Lancet*; 354: 983 – 986.
- Gold, D.M., C.I. Bartram, S. Halligan, K.N. Humphries, M.A. Kamm and W.A. Kmiot 1999. Three-dimensional endoanal sonography in assessing anal canal injury. *Br J. Surg* 86: 365 – 370.
- Gold, D.M., S. Halligan W.A. Kmiot and C.I. Bartram 1999. Intraobserver and interobserver agreement in anal endosonography. *Br J. Surg* 86: 371 – 375.
- Gordon PH, Nivatvongs S. 2007. Principles and practice of surgery for the colon, rectum, and anus. 3rd edition. Informa Healthcare.
- Grigorescu, B.A., G. Lazarou, T.R. Olson, *et al.* 2008. Innervation of the levator ani muscles: description of the nerve branches to the pubococcygeus, iliococcygeus, and puborectalis muscles. *Int. Urogynecol J. Pelvic Floor Dysfunct*; 19: 107 –116.

- Hetzer, F.H., G.A. Andreisek, C. Tsagari, U. Sahrbacher and D. Weishaupt 2006. MR defecography in patients with faecal incontinence: imaging findings and their effects on surgical management. *Radiology*; 240: 449 - 457.
- Hill, K., S. Fanning, M.B. Fennerty and D.O. Faigel 2006. Endoanal ultrasound compared to anorectal manometry for the evaluation of fecal incontinence: a study of the effect these tests have on clinical outcome. *Dig Dis Sci*. Feb.; 51(2): 235 - 240.
- Hoyt, K., T. Kneezel, B. Castaneda and K.J. Parker 2008. Quantitative sonoelastography for the in vivo assessment of skeletal muscle viscoelasticity. *Phys Med Biol*; 53: 4063 – 4080.
- Jackson, S.L., A.M. Weber, T.L. Hull, A.R. Mitchinson and M.D. Walters 1997. Faecal incontinence in women with urinary incontinence and pelvic organ prolapse. *Obstet Gynecol*; 89: 423 – 427.
- Janssen, J. 2008. [(E)US elastography: current status and perspectives]. *Z Gastroenterol*; 46: 572 – 579.
- Kelvin, F.M., D.D. Maglinte, D.S. Hale and J.T. Benson 2000. Female pelvic organ prolapse: a comparison of triphasic dynamic MR imaging and triphasic fluoroscopic cystocolpoproctography. *AJR Am J. Roentgenol* 174: 81 – 88.

- Kinney, T.P. and M.L. Freeman 2008. Recent advances and novel methods in pancreatic imaging. *Minerva Gastroenterol Dietol*; 54: 85 – 95.
- Kirschner, M.H. 1989. [Vascular anatomy of the anorectal transition]. *Langenbecks Arch Chir*; 374: 245 – 50.
- Kumar, D., D. Waldron, N.S. Williams, *et al.* 1990. Prolonged anorectal manometry and external anal sphincter electromyography in ambulant human subjects. *Dig. Dis. Sci.*; 35: 641 – 648.
- Lienemann, A., C. Anthuber, A. Baron and M. Reiser 2000. Diagnosing enteroceles using dynamic magnetic resonance imaging. *Dis. Colon Rectum* 43: 205 – 212.
- Macmillan, A.K., A.E. Merrie, R.J. Marshall and B.R. Parry 2004. The prevalence of faecal incontinence in community-dwelling adults: a systematic review of the literature. *Dis. Colon Rectum*; 47: 1341 – 1349.
- Madoff, R.D. 2004. Surgical treatment options for fecal incontinence. *Gastroenterology* 126: S48 – S54.
- Madoff, R.D., S.C. Parker, M.G. Varma and A.C.Lowry 2004. Faecal incontinence in adults. *Lancet* 364: 621 – 632.
- Malouf, A.J., A.B. Williams, S. Halligan, C.I. Bartram, S. Dhillon and M.A. Kamm 2000. Prospective assessment of accuracy of endoanal MR imaging and

- endosonography in patients with fecal incontinence. *AJR Am J. Roentgenol* 175: 741 – 745.
- Meyenberger, C., P. Bertschinger, G.F. Zala and P. Buchmann 1996. Anal sphincter defects in fecal incontinence: correlation between endosonography and surgery. *Endoscopy* 28: 217 – 224.
- Miscusi, G., L. Masoni, A. Dell'Anna, *et al.* 1987. Normal lymphatic drainage of the rectum and the anal canal revealed by lymphoscintigraphy. *Coloproctology*; 9: 171 – 4.
- Morren, G.L., R.G. Beets-Tan and J.M. van Engelshoven 2001. Anatomy of the anal canal and perianal structures as defined by phased-array magnetic resonance imaging. *Br J. Surg* 88: 1506 – 1512.
- Mortele, K.J. and J. Fairhurst 2007. Dynamic MR defecography of the posterior compartment: Indications, techniques and MRI features. *Eur. J. Radiol. Mar.*; 61(3): 462 - 472.
- Norton, C. and M.A. Kamm 1999. Outcome of biofeedback for faecal incontinence. *Br J. Surg* 86: 1159 – 1163.
- Norton, C., W.E. Whitehead, D.Z. Bliss and J. Tries 2005. Conservative and pharmacological management of faecal incontinence in adults. In *Incontinence*, Abrams P, Cardozo L, Khoury S, Wein AJ (eds), Vol. 2. Health Publications: Plymouth; 1521 – 1563.

- Pallwein, L., M. Mitterberger, A. Pelzer, G. Bartsch, H. Strasser, G.M. Pinggera, *et al.* 2008. Ultrasound of prostate cancer: recent advances. *Eur Radiol*; 18: 707 – 715.
- Pannu, H.K. 2004. MRI of pelvic organ prolapse. *Eur Radiol* 14: 1456 – 1464.
- Park, H.J., W.H. Kim, J.S. Woo, K.H. Han, S.I. Lee, I.S. Park, J.Y. Han and C.I. Park 1994. Solitary rectal ulcer syndrome. *Yonsei Med J.*; Jun.; 35(2): 223 - 230.
- Perry, S., C. Shaw, C. McGrother, R.J. Matthews, R.P. Assassa, H. Dallosso, *et al.* 2002. Leicestershire MRC Incontinence Study Team. Prevalence of faecal incontinence in adults aged 40 years or more living in the community. *Gut*; 50: 480 – 484.
- Pinta, T., M.L. Kylanpaa, P. Luukkonen, E. Tapani, A. Kivisaari and L. Kivisaari 2004. Anal incontinence: diagnosis by endoanal US or endovaginal MRI. *Eur Radiol* 14: 1472 – 1477.
- Rao, S.S. 2004. Pathophysiology of adult fecal incontinence. *Gastroenterology* 126: S14 – S22.
- Reddymasu, S.C., S. Singh, S. Waheed, M. Oropeza-Vail, R.W. McCallum and M. Olyaei 2009. Comparison of anorectal manometry to endoanal ultrasound in the

- evaluation of fecal incontinence. *Am J. Med. Sci.* May; 337(5): 336 - 339.
- Rociu, E., J. Stoker, A.W. Zwamborn and J.S. Lameris 1999. Endoanal MR imaging of the anal sphincter in fecal incontinence. *Radiographics* 19: S171 – S177.
- Rociu, E., J. Stoker, M.J. Eijkemans, W.R. Schouten and J.S. Lameris 1999. Fecal incontinence: endoanal US versus endoanal MR imaging. *Radiology* 212: 453 – 458.
- Rociu, E., J. Stoker, M.J.C. Eijkemans and J.S. Lameris 2000. Normal anal sphincter anatomy and age- and sex-related variations at high-spatialresolution endoanal MR imaging. *Radiology* 217: 395 – 401.
- Roos, J.E., D. Weishaupt, S. Wildermuth, *et al.* 2002. Experience of 4 years with open MRdefecography: pictorial review of anorectal anatomy and disease. *RadioGraphics*; 22: 817 – 832.
- Rubaltelli, L, S. Corradin, A. Dorigo, M. Stabilito, A. Tregnaghi, S. Borsato, *et al.* 2009. Differential diagnosis of benign and malignant thyroid nodules at elastosonography. *Ultraschall Med*; 30: 175 – 179.
- Ruhl, A., M. Thewissen, H.G. Ross, *et al.* 1998. Discharge patterns of intramural mechanoreceptive afferents

- during selective distension of the cat's rectum. *Neurogastroenterol Motil*; 10: 219 – 225.
- Sajid, M.S., K. Khatri, M.R. Siddiqui and M.K. Baig. 2010. Endo-anal ultrasound versus endo-anal magnetic resonance imaging for the depiction of external anal sphincter pathology in patients with faecal incontinence: a systematic review. *Magy Seb. Feb.*; 63(1): 9 - 15.
- Salvans, S., D. Parés, M. Pera, M. Pascual, S. Alonso, R. Courtier, M.J. Gil, Y. Maestre, I. Ibañez-Zafón, S. Delgado-Aros and L. Grande 2009. [Endoanal ultrasound findings in patients with faecal incontinence using a scoring system]. *Cir Esp. Nov.*; 86(5): 290 - 295.
- Saranovic, D., G. Barisic, Z. Krivokapic, D. Masulovic and A. Djuric-Stefanovic 2007. Endoanal ultrasound evaluation of anorectal diseases and disorders: technique, indications, results and limitations. *Eur J. Radiol. Mar*; 61(3): 480 - 489.
- Schiedeck, T.H., O. Schwandner, J. Scheele, S. Farke, H.P. Bruch 2005. Rectal prolapse: which surgical option is appropriate? *Langenbecks Arch Surg*; 390: 8 – 14.
- Schlegel, P.N. and P.C. Walsh 1987. Neuroanatomical approach to radical cystoprostatectomy with preservation of sexual function. *J. Urol*; 138: 1402 – 1406.

- Schoenenberger, A.W., J.F. Debatin, I. Guldenschuh, T.F. Hany, P. Steiner and G.P. Krestin 1998. Dynamic MR defecography with a superconducting, open-configuration MR system. *Radiology* 206: 641 – 646.
- Shorvon, P.J. and M.M. Marshall 2005. Evacuation proctography. In: Wexner SD, Zbar AP, Pescatori M (eds) *Complex anorectal disorders: investigation and management*. Springer, Berlin Heidelberg New York.
- Spyrou, M. and P. De Nardi 2005. The last images. Fecal incontinence after stapled transanal rectotomy managed with Durasphere injection. *Tech Coloproctol*. Apr; 9(1): 87.
- Steele, R.J. and K.L. Campbell 2005. Managing faecal incontinence. *BMJ*. Jan. 29; 330(7485): 207 - 208.
- Stoker, J. 2003. The anatomy of the pelvic floor and sphincters. In: Bartram CI, DeLancey JO, Halligan S, Kelvin FM, Stoker J (eds.) *Imaging pelvic floor disorders*. Springer, Berlin Heidelberg New York.
- Stoker, J. 2008. Magnetic resonance imaging in fecal incontinence. *Semin Ultrasound CT MR*. Dec.; 29(6): 409 - 413.
- Stoker, J., C.I. Bartram and S. Halligan 2002. Imaging of the posterior pelvic floor. *Eur Radiol* 12: 779 – 788.

- Stoker, J., S. Halligan and C. Bartram 2001. Pelvic floor imaging: state of the art. *Radiology*; 218: 621 – 641.
- Sudakoff, G.S., F. Quiroz and W. Dennis Foley 2002. Sonography of anorectal, rectal and perirectal abnormalities. *AJR*; 179: 131 – 136.
- Sultan, A.H., M.A. Kamm, C.N. Hudson and C.I. Bartram 1994. Third degree obstetric anal sphincter tears: risk factors and outcome of primary repair. *BMJ* 308: 887 – 891.
- Sultan, A.H., M.A. Kamm, C.N. Hudson, J.M. Thomas and C.I. Bartram 1993. Anal-sphincter disruption during vaginal delivery. *N Engl JMed*; 329: 1905 – 1911.
- Sun, W.M., N.W. Read, A. Prior, *et al.* 1990. Sensory and motor responses to rectal distention vary according to rate and pattern of balloon inflation. *Gastroenterology*; 99: 1008 – 1015.
- Tejada Cabrera, M., A. López Cano and A. Muñoz Benvenuty 2005. Anal incontinence: evaluation of the anal sphincter by endoscopic ultrasound. *Rev Esp Enferm Dig. May*; 97(5): 375 - 376.
- Terra, M.P. and J. Stoker 2006. The current role of imaging techniques in faecal incontinence. *Eur Radiol. Aug.*; 16(8): 1727 - 1736.

- Terra, M.P., M. Deutekom, R.G. Beets-Tan, A.F. Engel, L.W. Janssen, G.E. Boeckxstaens, A.C. Dobben, C.G. Baeten, J.A. de Priester, P.M. Bossuyt and J. Stoker 2006. Relationship between external anal sphincter atrophy at endoanal magnetic resonance imaging and clinical, functional, and anatomic characteristics in patients with fecal incontinence. *Dis Colon Rectum*. May; 49(5): 668 - 678.
- Terra, M.P., R.G. Beets-Tan, V.P. van Der Hulst, M.G. Dijkgraaf, P.M. Bossuyt, A.C. Dobben, C.G. Baeten and J. Stoker 2005. Anal sphincter defects in patients with fecal incontinence: endoanal versus external phased-array MR imaging. *Radiology*. Sep.; 236(3): 886 - 895.
- Tjandra, J.J., J.W. Milsom, T. Schroeder and V.W. Fazio 1993. Endoluminal ultrasound is preferable to electromyography in mapping anal sphincteric defects. *Dis Colon Rectum*; 36: 689 – 692.
- Unterweger, M., B. Marincek, N. Gottstein-Aalame, *et al.* 2001. Ultrafast MR imaging of the pelvic floor. *AJR Am J. Roentgenol*; 176: 959 - 963.
- Vaizey, C.J., M.A. Kamm and C.I. Bartram 1997. Primary degeneration of the internal anal sphincter as a cause of passive faecal incontinence. *Lancet* 349: 612 – 615.

- West, R.L., S. Dwarkasing, J.W. Briel, *et al.* 2005. Can three-dimensional endoanal ultrasonography detect external anal sphincter atrophy? A comparison with endoanal magnetic resonance imaging. *Int. J. Colorectal Dis.*
- Weyandt, G.H., A.O. Eggert, E.B. Brocker, *et al.* 2004. The sonographic appearance of the anal canal by endoanal sonography with a 7 mm probe. *Coloproctology*; 26: 15 – 20.
- Williams, A.B., C.I. Bartram, D. Modhwadia, *et al.* 2001. Endocoil magnetic resonance imaging quantification of external anal sphincter atrophy. *Br J. Surg* 88: 853 – 859.
- Williams, A.B., C.I. Bartram, S. Halligan, M.M. Marshall, R.J. Nicholls and W.A. Kmiot 2001. Multiplanar anal endosonography: normal anal canal anatomy. *Colorectal Dis.* 3: 169 – 174.
- Zetterstrom, J.P., A. Mellgren, R.D. Madoff, *et al.* 1998. Perineal body measurement improves evaluation of anterior sphincter lesions during endoanal ultrasonography. *Dis. Colon Rectum*; 41: 705 – 713.
- Zhi, H., B. Ou, B.M. Luo, X. Feng, Y.L. Wen and H.Y. Yang 2007. Comparison of ultrasound elastography, mammography, and sonography in the diagnosis of solid breast lesions. *J. Ultrasound Med*; 26: 807 – 815.