

REFERENCES

- Antal EA, Loberg EM, Bracht P, et al.** Evidence for intraaxonal spread of *Listeria monocytogenes* from the periphery to the central nervous system. *Brain Pathol.* 2001;11:432-438
- Argiris A, Karamouzis MV, Raben D, et al.** Head and neck cancer. *Lancet.* May 17 2008;371(9625):1695-709
- Arnautovic K, Al-Mefty O.** Primary meningiomas of the jugular fossa. *J Neurosurg* 2002; 97:12 –20
- Bajwa ZH.** Trigeminal neuralgia. [http:// www. Uptodate . com/ home/ index. html](http://www.Uptodate.com/home/index.html). Accessed Feb. 18, 2010.
- Bakshi R, Ariyaratana S, Benedict RH, Jacobs L.** Fluid-attenuated inversion recovery magnetic resonance imaging detects cortical and juxtacortical multiple sclerosis lesions. *Arch Neurol* 2001;58:742–748.
- Barkovich AJ.** Pediatric Neuroimaging. 3rd edition. Philadelphia: Lippincott, Williams and Wilkins, 2000; 423-424
- Batsakis JG:** Tumors of the Head and Neck: Clinical and Pathological Considerations. In Baltihouse Z (4): Baltimore, Williams & Wilkins, 1979, pp 177-178.
- Bendel P, Koivisto T, Könönen M, Hänninen T, Hurskainen H, Saari T, et al.** MR imaging of the brain 1 year after aneurysmal subarachnoid hemorrhage: randomized study comparing surgical with endovascular treatment. *Radiology.* Feb 2008;246(2):543-52
- Bilaniuk LT, Molloy PT, Zimmerman RA, Phillips PC, Vaughan SN and Liu GT.(2000):** Neurofibromatosis type 1: brain stem tumours. *Neuroradiology* 7;39:642–53.
- Blumenfeld H.** Neuroanatomy Through Clinical Cases. Sinauer Associates, Inc. 2002
- Bonneville F, Savatovsky J, Chiras J.** Imaging of cerebellopontine angle lesions: an update. Part 2: intra-axial lesions, skull base lesions that may invade the CPA region, and non-enhancing extra-axial lesions. *Eur Radiol* 2007;17:2908-2920

- Boockvar JA, Shafa R, Forman MS, O'Rourke DM.** Symptomatic lateral ventricular ependymal cysts: criteria for distinguishing these rare cysts from other symptomatic cysts of the ventricles—case report. *Neurosurgery* 2000; 46(5): 1229–1233
- Brisman JL, Song JK, Newell DW.** Cerebral aneurysms. *N Engl J Med.* Aug 31 2006;355(9):928-39
- Brodal P.** The Central Nervous System. Oxford University Press, 2004.
- Broggi G, Ferroli P, Franzini A, Servello D, Dones I.** Microvascular decompression for trigeminal neuralgia: comments on a series of 250 cases including 10 cases with multiple sclerosis. *J Neurol Neurosurg Psychiatry* 2000;68:59–64.
- Bürk K, Skalej M, Dichgans J.** Pontine MRI hyperintensities ("the cross sign") are not pathognomonic for multiple system atrophy (MSA). *Mov Disord* 2001; 16 :535 –536
- Burchiel KJ.** "A new classification for facial pain". *Neurosurgery* 53 (5): 1164–6; discussion 1166–7. 2003.
- Burrows FE et al:** Venous variations of the brain and cranial vault. *Neuroimaging Clin N Am* 13:13-26, 2003.
- Caldemeyer KS, Mathews VP, Righi PD and Smith RR.(2003):** Imaging features and clinical significance of perineural spread or extension of head and neck tumors. *RadioGraphics* 1998;18 : 97-110
- Caplan LR:** Vertebrobasilar Territory Ischemia: An Overview. *Posterior Circulation Disease: Clinical Findings, Diagnosis and Management.* Cambridge, Blackwell Science Ltd, 1996, pp 179–197
- Charbel F, Hyun H, Misra M, Gueyikian S, Mafee R.** Juxtaorbital en plaque meningiomas: report of four cases and review of the literature. *Radiol Clin North Am* 1999; 37:89 –100
- Chaudhry IA, Al-Barry MA.** Pediatric orbital pseudotumor. *Saudi J Ophthalmol* 2003;17:248-250.
- Cho Th, Nighoghossian N, Tahon F, et al.** Brain stem diffusion-weighted imaging lesion score:a potential marker of outcome in acute basilar srtery occlusion.*AJNR Am J Neuroradiol.*2009;30:194-8.

- Chong J, Hinckley LK, Ginsberg LE.** Masticator space abnormalities associated with mandibular osteoradionecrosis: MR and CT findings in five patients. *Am J Neuroradiol* 2000;21:175-8.
- Choo D, Shotland L, Mastroianni M, et al.** Endolymphatic sac tumors in von Hippel-Lindau disease. *J Neurosurg* 2004;100:480-487
- Chow M, Clarke DB, Maloney WJ, Sangalang V.** Meningeal melanocytoma of the planum sphenoidale. Case report and review of the literature. *J Neurosurg.* 2001;94:841–845
- Chuchat A, Broome V.** Infection caused by *Listeria monocytogenes*. In: Kasper DL, Braunwald E, Fauci AS, et al, eds. *Harrison's Principles of Internal Medicine*, 16th edition. New York, NY: McGraw-Hill; 2004: 915-918
- Coley SC, Romanowski CAJ, Hodgson TJ, Griffiths PD.** Dural arteriovenous fistulae: noninvasive diagnosis with dynamic MR digital subtraction angiography. *AJNR* 2002; 23:404 –407
- Collie DA, Brush JP, Lammie GA, et al.** Imaging features of leptomeningeal metastases. *Clin Radiol.* 1999; 54:765–771.
- Colreavy MP, Lacy PD, Hughes J, et al.** Head and neck schwannomas--a 10 year review. *J Laryngol Otol.* Feb 2000;114(2):119-24
- Connor SE, Davitt SM.** Masticator space masses and pseudomasses. *Clin Radiol* 2004;59:237-45.
- Conway JE, Chou D, Clatterbuck RE, et al.** Hemangioblastomas of the central nervous system in von Hippel-Lindau syndrome and sporadic disease. *Neurosurgery.* Jan 2001;48(1):55-62; discussion 62-3
- Cottier JP, Destrieux C, Brunereau L, et al.** Cavernous sinus invasion by pituitary adenoma: MR imaging. *Radiology.* May 2000; 215(2):463-9.
- Coutinho JM, Ferro JM, Canhã P, Barinagarrementeria F, Cantú C, Bousser MG, et al.** Cerebral venous and sinus thrombosis in women. *Stroke.* Jul 2009;40(7):2356-61
- Cruccu G, Biasiotta A, Di Rezze S, et al.** "Trigeminal neuralgia and pain related to multiple sclerosis". *Pain* 143 (3): 186–91. 2009.

- Dahlen RT, Johnson CE, Harnsberger HR et-al.** CT and MR imaging characteristics of intravestibular lipoma. *AJNR Am J Neuroradiol.* 2002;23 (8): 1413-7
- Dammann F, Horger M, Mueller-Berg M, et al.** Rational diagnosis of squamous cell carcinoma of the head and neck region: comparative evaluation of CT, MRI, and 18FDG PET. *AJR Am J Roentgenol.* Apr 2005;184(4):1326-31
- Davis S.B., Mathews V.P. and Williams DW.** Masticator muscle enhancement in subacute denervation atrophy. *AJNR Am J Neuroradiol* 1995;16:1292–1294
- Devaney KO, Ferlito A, Rinaldo A.** Endolymphatic sac tumor (low-grade papillary adenocarcinoma) of the temporal bone. *Acta Otolaryngol* 2003;123:1022–1026
- Drevets DA, Leenen PJ, Greenfield RA.** Invasion of the central nervous system by intracellular bacteria. *Clin Microbiol Rev.* 2004;17:323-347
- Ducatman BS, Scheihauer BW, Piepgras DG, et al.** Malignant peripheral nerve sheath tumors: a clinicopathologic study of 120 cases. *Cancer* 1986;57: 2006–21.
- Eisenberg MB, Haddad G, Al-Mefty O.** Petrous apex cholesterol granulomas: evolution and management. *J Neurosurg.* 1997 May;86(5): 822-9.
- Eldevik P, Gabrielsen T, Jacobsen E.** Imaging findings in schwannomas of the jugular foramen. *AJNR* 2000; 21:1139 –1144
- Erdem E, Angtuaco EC, Van Hemert R, Park JS, Al-Mefty O.** Comprehensive review of intracranial chordoma. *Radiographics*, 2003; 23: 995-1009.
- Fernandez C, Girard N, Paz Paredes A et-al.** The usefulness of MR imaging in the diagnosis of dysembryoplastic neuroepithelial tumor in children: a study of 14 cases. *AJNR Am J Neuroradiol.* 2003;24 (5): 829-34
- Ferreira Filho AF, Cardoso F, Di Leo A, Awada A, da Silva VD, Tovar RB, et al.** Carcinomatous meningitis as a clinical manifestation of pancreatic carcinoma. *Ann Oncol* 2001;12:1757-9.

- Fink JR.** Imaging of cerebellopontine angle masses: self-assessment module. *AJR Am J Roentgenol.* 2010;195 (3): S15-21
- Fischbein NJ, Kaplan MJ, Holliday RA, Dillon WP.** Recurrence of clival chordoma along the surgical pathway. *AJNR.* 2000, 21: 578-583.
- Gerstner E, Batchelor T.** Primary CNS lymphoma. *Expert Rev Anticancer Ther.* May 2007;7(5):689-700
- Go J.L., Kim P.E., Zee C.S.:** The trigeminal nerve. *Semin Ultrasound CT MR,* 2001, 22: 502-520
- Gomori JM, Grossman RI, Goldberg HI, Hackney DB, Zimmerman RA and Bilaniuk LT. (2002):** Occult cerebral vascular malformations—high-field MR imaging. *Radiology;*158:707–13.
- Gonzalez-Lois C, Cuevas C, Abdullah O. and Ricoy J. R.** Intracranial extraskeletal myxoid chondrosarcoma: case report and review of the literature. *Acta Neurochir (Wien)* 2002; 144: 735- 740.
- Grainger R, Allison D, Andreas A, et al, eds.** Grainger & Allison's Diagnostic Radiology: A Textbook of Medical Imaging. *4th ed.* London: Churchill Livingstone;2001.
- Greenberg MS. SAH and aneurysms. In: Greenberg MS, ed.** Handbook of Neurosurgery. 5th ed. New York: Thieme Medical Publishers; 2001:754-803
- Gronseth G, Cruccu G, Alksne J, Argoff C, Brainin M, Burchiel K, et al.** Practice parameter: the diagnostic evaluation and treatment of trigeminal neuralgia (an evidence-based review): report of the Quality Standards Subcommittee of the American Academy of Neurology and the European Federation of Neurological Societies. *Neurology.* Oct 7 2008;71(15):1183-90
- Hakyemez B, Yildiz H, Ergin N, Uysal S, Parlak M.** Flair and diffusion weighted MR imaging in differentiating epidermoid cysts from arachnoid cysts. *Tani Girisim Radyol* 2003; 9: 418-426
- Hao SP, Ng SH.** Magnetic resonance imaging versus clinical palpation in evaluating cervical metastasis from head and neck cancer. *Otolaryngol Head Neck Surg.* Sep 2000;123(3):324-7.

- Harkness KA, Manford MA.** Metastatic malignant melanoma presenting as a cavernous sinus syndrome. *J Neurol* 2004; 251: 224-5
- Harnsberger HR, Osborn AG, MacDonald J, et al., editors.** Diagnostic and surgical imaging anatomy: brain, head & neck, spine. Salt Lake City (UT): Amirsys 2006
- Harnsberger HR.** Head and neck digital teaching file. Salt Lake City, UT: Advanced Medical Imaging Reference Systems, 2003
- Hatayama T, Manabe H, Hasegawa S, Baba S, Sekiya T, Suzuki S.** Electrophysiological mapping of the trigeminal nerve root during micro vascular decompression for trigeminal neuralgia. *No Shinkei Geka* 2000; 28:127–134
- Hauck EF, Barnett SL, White JA, Samson D.** Symptomatic brainstem cavernomas. *Neurosurgery*. Jan 2009;64(1):61-70; discussion 70-1.
- Hentschel S, Durity F.** Petrous apex granulomas: CT and MR imaging *Can J Neurol Sci* 2002;29:196-170
- Herman-Sucharska I, Urbanik A.** MRI of fetal central nervous system malformations. *Przegl Lek.* 2007;64(11):917-22
- Hochberg FH, Baehring JM, Hochberg EP.** Primary CNS lymphoma. *Nat Clin Pract Neurol.* Jan 2007;3(1):24-35
- Hsu YY.** Metabolism, perfusion and diffusion MR images of cerebral gliomas. *Acta Neurol Taiwan.* 2002;11:173-180
- Hu XY, Hu CH, Fang XM, Cui L, Zhang QH.** Intraparenchymal epidermoid cysts in the brain: diagnostic value of MR diffusion-weighted imaging. *Clin Radiol.* Jul 2008;63(7):813-8
- Hutchins LG, Harnsberger HR, Jacobs JM and Apfelbaum RI.(2001):** Trigeminal neuralgia (Tic Dolooureux): MR imaging assessment. *Radiology*;175:837–41.
- Ide C, De Coene B, Baudrez V.** MR features of cavernous angioma. *JBR-BTR.* Dec 2000;83(6):320.

- Iwao YAMAKAMI, Eiichi KOBAYASHI, Shinji HIRAI, Akira YAMAURA.** Preoperative Assessment of Trigeminal Neuralgia and Hemifacial Spasm Using Constructive Interference in Steady State-Three-dimensional Fourier Transformation Magnetic Resonance Imaging.. *Neurologia medico-chirurgica* 40:11, 545-556. 2000.
- Jacobs D, Galetta S.** Diagnosis and management of orbital pseudotumor. *Curr Opin Ophthalmol* 2002;13:347-351
- James F. M. Meaney, F.R.C.R., Paul R. Eldridge, F.R.C.S., Lawrence T. Dunn, F.R.C.S., Thomas E. Nixon, F.R.C.R., Graham H. Whitehouse, F.R.C.R., and John B. Miles, F.R.C.S.** Demonstration of neurovascular compression in trigeminal neuralgia with magnetic resonance imaging. *Journal of Neurosurgery* 83:5, 799-805. 1995.
- Janne PA, Janicek MJ, Brown F.** Meningeal Carcinomatosis in lung cancer. *J Clin Oncol* 2000; 18 (15): 2927–29.
- Jessica Mandrioli, Giorgio Frank, Patrizia Sola, Maria Ernesta Leone, Giovanni Guaraldi, Pietro Guaraldi, Guido Collina, Federico Roncaroli, Pietro Cortelli.** Tolosa-Hunt Syndrome Due to Actinomyces of the Cavernous Sinus: The Infectious Hypothesis Revisited. *Headache: The Journal of Head and Face Pain* 44:8, 806-811. 2004.
- Jolapara M, Kesavadas C, Radhakrishnan VV, Saini J, Patro SN, Gupta AK, et al.** Diffusion tensor mode in imaging of intracranial epidermoid cysts: one step ahead of fractional anisotropy. *Neuroradiology*. Feb 2009;51(2):123-9.
- Kallmes DF, Provenzale JM, Cloft HJ.** Typical and atypical MR imaging features of intracranial epidermoid tumors. *AJR Am J Roentgenol*. Sep 1997;169(3):883-7.
- Kandel ER, Schwartz JH, Jessell TM.** Principles of Neural Science, 4th ed. McGraw-Hill, 2000
- Kaufmann M. and Patel M.** Centre for Cranial Nerve Disorders Winnipeg, Manitoba, Canada, 2001
- King AD, Lei IK, Ahuja AT.** MR imaging of primary non-Hodgkin's lymphoma of the palatine tonsil. *Br J Radiol* 2001;74:226–9

- Kioumehr F, Dadsetan MR, Feldman N, Mathison G, Moosavi H, Rooholamini SA, et al.** Postcontrast MRI of cranial meninges: Leptomeningitis versus pachymeningitis. *J Comput Assist Tomogr* 1995;19:713-20.
- Kline LB, Hoyt WF.** The Tolosa-Hunt syndrome. *J Neurol Neurosurg Psychiatry*. Nov 2001;71(5):577-82
- Krafft RM.** Trigeminal neuralgia. *American Family Physician*. 2008;77:1291
- Kress B., Schindler M., Rasche D., et al.:** Trigeminal neuralgia: how often are trigeminal nerve-vessel contacts found by MRI in normal volunteers. *Röfo*, 2006, 178: 313-315.
- Kubitz PK, Wijdicks EF, Bolton CF.** Tic douloureux or "tic dentaire". *Neurology*. Jan 27 2004;62(2):333
- Leclerc X, Lucas C, Godefroy O, et al.** Preliminary experience using contrast-enhanced MR angiography to assess vertebral artery structure for the follow-up of suspected dissection. *AJNR Am J Neuroradiol*. Sep 1999;20(8):1482-90
- Lee C, Watson RE, Given II CA.** Evaluation of retrograde tumor spread via pterygomaxillary fissure and trigeminal nerve [paper]. *Am J Roentgenol*. 2000;174 (3):18.
- Lee J H, Kim K, Chung S W, Choi Y C, Lee A.** A case report of inflammatory pseudotumor involving the clivus: CT and MRI finding. *Korean J Radiol*. 2001;2:231–234
- Lee W, Chang KH, Choe G et-al.** MR imaging features of clear-cell meningioma with diffuse leptomeningeal seeding. *AJNR Am J Neuroradiol*. 2000;21 (1): 130-2
- Lee YH, Lee NJ, Kim JH, et al.** CT, MRI and gallium SPECT in the diagnosis and treatment of petrous apicitis presenting as multiple cranial neuropathies. *Br J Radiol*. Oct 2005; 78(934):948-51
- Lever N, Haas L.** Serial MRI in listeria mesenrhombencephalitis: a case report. *J Neurol Neurosurg Psychiatry*. 1995;59:524-527
- Liebig C, Ayala G, Wilks JA, Berger DH, Albo D.** Perineural invasion in cancer: a review of the literature. *Cancer*. Aug 1 2009;115(15):3379-91

- Linfante I, Llinas RH, Schlaug G, Chaves C, Warach S, Caplan LR:** Diffusion-weighted imaging and National Institutes of Health Stroke Scale in the acute phase of posterior-circulation stroke. *Arch Neurol* 2001;58:621–628
- Lovely TJ and Jannetta PJ.(2001):** Microvascular decompression for trigeminal neuralgia: surgical technique and long-term results. *Neurosurg Clin North Am*;8:11–29.
- Lusis E, Gutmann DH.** Meningioma: an update. *Curr Opin Neurol.* Dec 2004;17(6):687-92
- Mackle T, Rawluk D, Walsh RM.** Atypical clinical presentations of vestibular schwannomas. *Otol Neurotol.* Jun 2007;28(4):526-8
- Mafee MF, Raofi B, Kumar A, Muscato C.** Glomus faciale, glomus jugulare, glomus tympanicum, glomus vagale, carotid body tumors, and simulating lesions. Role of MR imaging. *Radiol Clin North Am.* Sep 2000;38(5):1059-76
- Majoie C.B., Verbeeten B. Jr., Dol J.A., Peeters F.L.:** Trigeminal neuropathy: evaluation with MR imaging. *Radiographics*, 1995, 15: 795-811.
- Martin JH.** *Neuroanatomy Text and Atlas*, 3rd ed. McGraw-Hill, 2003.
- Mnif N, Hmaied E, Oueslati S, et al.** Imaging of rhinocerebral mucormycosis. *J Radiol.* 2005;86:1017–1020
- Mori H et al:** Two-dimensional thick-slice MR digital subtraction angiography in the assessment of small to medium-size intracranial arteriovenous malformations. *Neuroradiol*45: 27-33, 2003.
- Morris DP, Ballagh RH, Hong A, Moffat DA, Hardy DG.** Thrombosed PICA aneurysm: a rare cerebellopontine angle tumor. *J Laryngol Otol.* 1995; 109:429–430.
- Naka H, Ohshita T, Murata Y, et al.** Characteristic MRI findings in multiple system atrophy: comparison of the three subtypes. *Neuroradiology*2002; 44 :204 –209
- Nowak DA and Widenka DC. (2004).** Neurosarcoidosis: a review of its intracranial manifestation. *J Neurol*2001; 248:363 -372

- Ojiri H.** Perineural spread in head and neck malignancies. *Radiat Med* 2006;24:18
- Ozsarlak O, Van Goethem JW, Maes M, Parizel PM.** MR angiography of the intracranial vessels: technical aspects and clinical applications. *Neuroradiology* 2004 Dec 4; Online.
- Packer RJ, Vezina G.** Management of and prognosis with medulloblastoma: therapy at a crossroads. *Arch. Neurol.* Nov 2008;65(11):1419-24
- Papadas T, Chorianopoulos D, Mastronikolis N.** Nasopharyngeal adenoid cystic carcinoma: a rare nasopharyngeal tumor. *European Review for Medical and Pharmacological Sciences*; 11:55-57.2007.
- Patten J.** Trigeminal neuralgia. In: *Neurological Differential Diagnosis*. 2nd ed. London: Springer; 1996:373-5.
- Paulo Roberto Lacerda Leal, Marc Hermier, Jean Claude Froment, Miguel Angelo Souza, Gerardo Cristino-Filho, Marc Sindou.** Preoperative demonstration of the neurovascular compression characteristics with special emphasis on the degree of compression, using high-resolution magnetic resonance imaging: a prospective study, with comparison to surgical findings, in 100 consecutive patients who underwent microvascular decompression for trigeminal neuralgia. *Acta Neurochirurgica* 152:5, 817-825. 2010.
- Petersilge CA, Pathria MN, Gentili A, et al.** Denervation hypertrophy of muscle: MR features. *J Comput Assist Tomogr* 1995;19: 595–600
- Pieper D, Al-Mefty O, Hanada Y, Buechner D.** Hyperostosis associated with meningioma of the cranial base: secondary changes or tumor invasion. *Neurosurgery*1999; 44:742 –746
- Poon PY, Tsang VH, Munk PL.** Tumor extent and T stage of nasopharyngeal carcinoma: a comparison of magnetic resonance imaging and computed tomographic findings. *Can Assoc Radiol J* 2000;51(5):287–95.

- Pratheesh R, Moorthy RK, Singh R, Rajshekhar V.** Choroid plexus papilloma presenting as a non-contrast-enhancing fourth ventricular mass in a child. *Neurol India*. Jul-Aug 2009;57(4):486-8
- Raco A, Piccirilli M, Landi A, Lenzi J, Delfini R, Cantore G.** High-grade intramedullary astrocytomas: 30 years' experience at the Neurosurgery Department of the University of Rome "Sapienza". *J Neurosurg Spine*. Feb 2010;12(2):144-53.
- Ramin Naraghi, M.D., Peter Hastreiter, , Dr. Ing., Bernd Tomandl, M.D., Agatha Bonk, M.S., Walter Huk, M.D., and Rudolf Fahlbusch, M.D.** Three-dimensional visualization of neurovascular relationships in the posterior fossa: technique and clinical application. *Journal of Neurosurgery* 100:6, 1025 – 1035 Online publication date: 1-Jun-2004.
- Rapacki TF, Brantley MJ, Furlow TW Jr, et al.** Heterogeneity of cerebral cavernous hemangiomas diagnosed by MR imaging. *J Comput Assist Tomogr*. Jan-Feb 1990;14(1):18-25.
- Rapini, Ronald P.; Bologna, Jean L.; Jorizzo, Joseph L.** *Dermatology: 2-Volume Set*. St. Louis: Mosby. pp. 101. ISBN 1-4160-2999-0. 2007.
- Raza S, Donach M.** Bevacizumab in adult malignant brainstem gliomas. *J Neurooncol*. Jun 9 2009
- Rhoton A.** The cavernous sinus, the cavernous venous plexus, and the carotid collar. *Neurosurgery* 2002; 51(4 suppl):S375–S410
- Riemenschneider MJ, Reifenberger G.** Astrocytic tumors. *Recent Results Cancer Res*. 2009;171:3-24.
- Righini CA, Karkas A, Morel N, Soriano E, Reyt E.** [Risk factors for cancers of the oral cavity, pharynx (cavity excluded) and larynx]. *Presse Med*. Sep 2008;37(9):1229-40
- Robert IG, David MY.** Congenital disorders of the brain and spine. *Neuroradiology: the requisites* 2nd edition. USA: Mosby 2003: 413-416
- Roberti F, Sekhar L, Kalavakonda C, Wright D.** Posterior fossa meningiomas: surgical experience in 161 cases. *Surg Neurol* 2001;56:8 –20

- Ropper, AH, Brown RH.** Adam's and Victor's Principles of Neurology, 8th ed. McGraw-Hill, 2001
- Rubenstein D, Stears RL, Stears JC.** Trigeminal nerve and ganglion in the Meckel cave: appearance at CT and MR imaging. *Radiology* 1994;193:155–159.
- Rucker JC et al:** Diffuse dural enhancement in cavernous sinus dural arteriovenous fistula. *Neuroradiology*. 45(2):88-9,2003.
- Rumboldt Z, Castillo M.** Indolent intracranial mucormycosis: case report. *AJNR Am J Neuroradiol*. 2002;23:932–934
- Russo CP, Smoker WRK, Weissman JL.** MR appearance of trigeminal and hypoglossal motor denervation. *AJNR Am J Neuroradiol* 1997;18:1375–1383
- Sarrazin JL, He'lie O, Le've'que C, Minvielle F, Cordoliani YS.** Tumeurs de la fosse ce'rébrale poste'rieure de l'adulte. *Encycl Med Chir, Radiodiagnostic—Neuroradiologie—Appareil Locomoteur*, 31-658-D-10, 1999, 16 p.
- Sato S et al:** Perinidal dilated capillary network in cerebral arteriovenous malformation. *Neurosurg* 54: 163-70, 2004.
- Schellinger PD, Fiebach JB, Jansen O, Ringleb PA, Mohr A, Steiner T, Heiland S, Schwab S, Pohlers O, Ryssel H, Orakcioglu B, Sartor K, Hacke W:** Stroke magnetic resonance imaging within 6 hours after onset of hyperacute cerebral ischemia. *Ann Neurol* 2001;49:460–469
- Shah GV, Wesolowski JR, Ansari SA, et al.** New directions in head and neck imaging. *J Surg Oncol* 2008;97:644-8..
- Shakudo M, Inoue Y, Ohata K, Tanaka S.** Neurenteric cyst with alteration of signal intensity on follow-up MR images. *AJNR Am J Neuroradiol* 2001;22:496–498
- Shang Han-bing, Zhao Wei-guo, Zhu Jun, Li Ning, Shen Jian-kang, Cai Yu.** Predicting the Outcome of Microvascular Decompression for Trigeminal Neuralgia Using Magnetic Resonance Tomographic Angiography. *Journal of Neuroimaging* no-no Online publication date: 1-Apr-2009.
- Snell RS.** Head and neck. Snell RS, ed. *Clinical Anatomy for Medical Students*. Boston: Little, Brown; 1995:662–664

- Sohn Williams L, Mancuso AA, Mendenhall WM.** Perineural spread of cutaneous squamous and basal cell carcinoma: CT and MR detection and its impact on patient management and prognosis. *Int J Radiation Oncology Biol Phys* 2001;49:1061–1069.
- Sohur US. Trigeminal neuralgia.** In: Ferri FF. *Ferri's Clinical Advisor* 2010. St. Louis, Mo.: Mosby; 2009.
- Som PM, Brandwein MS. Lymph nodes.** In: **Som PM, Curtin HD, editors.** *Head and Neck Imaging.* 4th ed. Vol 2. Mosby Inc, 2003: 1910-11.
- Spilberg G, Marchiori E, Gasparetto EL, Cabral RF, Takayassu TC, Batista RR, et al.** Magnetic resonance findings of neurofibromatosis type 2: a case report. *Cases J.* Jul 2 2009;2:6720
- Strady C, Ricciarelli A, Nasca S, Liautaud-Roger F, Coninx P.** Carcinomatous meningitis and solid tumours. *Oncol Rep.* 2000; 7: 203–07.
- Sung MW, Kim KH, Kim JW.** Clinicopathologic predictors and impact of distant metastasis from adenoid cystic carcinoma of the head and neck. *Arch Otolaryngol Head Neck Surg* 2003; 129:1193-1197.
- Suzuki M et al:** Contrast-enhanced MRA for investigation of cerebral arteriovenous malformations. *Neuroradiol* 45: 231-5, 2003.
- Tait MJ, Norris JS.** Intracranial aneurysm surgery and its future. *J R Soc Med.* Mar 2004;97(3):156
- Tew J.M.** Therapeutic Decisions in Facial Pain. *Clinical Neurosurgery* 46:410-431, 2000
- Tien RD, Dillon WP.** Herpes trigeminal neuritis and rhombencephalitis on Gd-DTPA-enhanced MR imaging. *AJNR* 1990;11:413–414.
- Uranishi R et al:** Vascular smooth muscle cell differentiation in human cerebral vascular malformations. *Neurosurg* 49: 671-80, 2001.
- Vaidyanathan, Mina; Burnham, Richard Mark; Bridle, Chris.** Childhood mucoepidermoid carcinoma—an interesting case *BMJ Case Reports.* 2009

- Van den Brekel MW.** Lymph node metastases: CT and MRI. *Eur J Radiol.* Mar 2000;33(3):230-8
- Van Hasselt CA, Gibb AG.** Nasopharyngeal Carcinoma. London: Greenwich Medical Media;1999
- Walrath JD, Engelbert M, Kazim M.** Magnetic resonance imaging evidence of optic nerve glioma progression into and beyond the optic chiasm. *Ophthal Plast Reconstr Surg.* Nov-Dec 2008;24(6):473-5
- Warren DJ et al:** Cerebral arteriovenous malformations: Comparison of novel MR techniques and conventional catheter angiography. *Neurosurg* 48: 973-83, 2001.
- Weber AL et al:** Hodgkin and non-hodgkin lymphoma of the head and neck: clinical, pathological, and imaging evaluation. *Neuroimaging Clin N Am.*13(3):371-92,2003
- West GA, Haynor DR, Goodkin R, et al.** Magnetic resonance imaging signal changes in denervated muscles after peripheral nerve injury. *Neurosurgery* 1994;35:1077–1085.
- Wetzel SG, Bilecen D, Lyrer P, et al.** Cerebral dural arteriovenous fistulas: detection by dynamic MR projection angiography. *AJR Am J Roentgenol.* May 2000;174(5):1293-5
- Whittle IR, Smith C, Navoo P, Collie D.** Meningiomas. *Lancet.* May 8 2004;363(9420):1535-43
- Wilhelm H.** Primary optic nerve tumours. *Curr Opin Neurol.* Feb 2009;22(1):11-8
- Williams LS, Schmalfuss IM and Siström CL,(2003):** MR imaging of the trigeminal ganglion, nerve, and the perineural vascular plexus: normal appearance and variants with correlation to cadaver specimens. *Am J Neuroradiol* 2003; 24:1317 -1323.
- Wilson-Pauwels L, Akesson E, Stewart P, Spacey S.** Trigeminal nerve. In: Wilson-Pauwels L, Akesson E, Stewart P, Spacey S, eds. *Cranial Nerves in Health and Disease.* Toronto: B.C. Decker Inc; 2001:50–69

- Wong JH, Mitha AP, Willson M, Hudon ME, Sevick RJ, Frayne R.** Assessment of brain aneurysms by using high-resolution magnetic resonance angiography after endovascular coil delivery. *J Neurosurg.* Aug 2007;107(2):283-9.
- Wu EH, Tang YS, Zhang YT et-al.** CT in diagnosis of acoustic neuromas. *AJNR Am J Neuroradiol.* 7 (2004): 645-50. *AJNR Am J Neuroradiol*
- Yamada K, Zoarski GH, Rothman MI, Zagardo MT, Nishimura T, Sun CCJ.** An intracranial aspergilloma with low signal on T2-weighted images corresponding to iron accumulation. *Neuroradiology* 2001;43:559–561.
- Yamamoto S, Takano H, Motoori K, Ueda T, Ikeda M, Kimura S, et al.** Detection of nasopharyngeal carcinoma: fast short time inversion recovery images compared with fat suppression, contrast enhanced T1 weighted spin echo images. *Brit J Radiol* 2001;74:805–10.
- Yoon DY, Hwang HS, Chang SK, Rho YS, Ahn HY, Kim JH, et al.** CT, MR, US,18F-FDG PET/CT, and their combined use for the assessment of cervical lymph node metastases in squamous cell carcinoma of the head and neck. *Eur Radiol.* Mar 2009;19(3):634-42
- Young RF.** Trigeminal neuralgia. In: Rakel RE, et al. *Conn's Current Therapy* 2008. 60th ed. Philadelphia, Pa.: Saunders Elsevier; 2008.
- Yousem DM, Kraut MA, Chalian AA.** Major salivary gland imaging. *Radiology.* 2000;216 (1): 19-29.
- Yousry TA, Filippi M, Becker C, Horsfield MA, Voltz R.** Comparison of MR pulse sequences in the detection of multiple sclerosis lesions. *AJNR Am J Neuroradiol* 1997;18: 959–963.
- Yue-Hui Ma, Ke Ye, Ren-Ya Zhan, Li-Jun Wang.** Primary choroid plexus papilloma of the sellar region. *Journal of Neuro-Oncology* 88:1, 51-55. Online publication date: 1-May-2008.
- Yuen SJ, Rubin PA.** Idiopathic orbital inflammation: distribution, clinical features, and treatment outcome. *Arch Ophthalmol* 2003;121:491-499.

- Yukinari Kakizawa, M.D., Ph.D., Tatsuya Seguchi, M.D., Kunihiro Kodama, M.D., Toshihiro Ogiwara, M.D., Tetsuo Sasaki, M.D., Tetsuya Goto, M.D., Ph.D., and Kazuhiro Hongo, M.D., Ph.D.** Anatomical study of the trigeminal and facial cranial nerves with the aid of 3.0-tesla magnetic resonance imaging. *Journal of Neurosurgery* 108:3, 483-490. 2008.
- Zacharoulis S, Moreno L.** Ependymoma: an update. *J Child Neurol.* Nov 2009;24(11):1431-8.
- Zeng L, Feng L, Wang J, Li J, Wang Y, Chen J, et al.** Comparative study on two surgical procedures for middle cranial fossa arachnoid cysts. *J Huazhong Univ Sci Technolog Med Sci.* Aug 2008;28(4):431-4.
- Zvartau-Hind M, Din MU, Gilani A, Lisak RP, Khan OA.** Topiramate relieves refractory trigeminal neuralgia in MS patients. *Neurology.* Nov 28 2000;55(10):1587-8