

References

A

- **Ahrar K, Wallace MJ, Matin SF. 2006.** Percutaneous radiofrequency ablation: minimally invasive therapy for renal tumors. *Expert Rev Anticancer Ther* 2006; 6:1735 –1744
- **Allaf ME, Varkorakis IM, Bhayeni SB, et al., 2005.** Pain control requirements for percutaneous ablation of renal tumors: cryoablation versus radiofrequency ablation—initial observations. *Radiology* 2005;237 : 366–370
- **Aron M, Koenig P, Kaouk JH, et al., 2008.** Robotic and laparoscopic partial nephrectomy: a matched-pair comparison from a high-volume centre. *BJU Int* 2008;102:86-92.
- **Aron M, Kamoi K, Remer E, et al., 2010.** Laparoscopic renal cryoablation: 8-year, single surgeon outcomes. *J Urol* 2010 January 18 (Epub ahead of print).
- **Arzola J, Baughman SM, Hernandez J, et al., 2006.** Computed tomography-guided, resistance-based, percutaneous radiofrequency ablation of renal malignancies under conscious sedation at two years of follow-up. *Urology* 2006; 68:983 –987
- **Atwell TD, Farrell MA, Callstrom MR, et al., 2007.** Percutaneous cryoablation of 40 solid renal tumors with US guidance and CT monitoring: initial experience. *Radiology* 2007;243 : 276–283
- **Atwell TD, Farrell MA, Callstrom MR, et al., 2007.** Percutaneous cryoablation of large renal masses: technical feasibility and short-term outcome. *AJR* 2007;188 :1195 –1200

B

- **Barocas DA, Mathew S, DelPizzo JJ, et al., 2007.** Renal cell carcinoma subtyping by histopathology and fluorescence in situ hybridization on a needle-biopsy specimen. *BJU Int* 2007;99:290-295.
- **Birnbaum BA, Hindman N, Lee J, et al., 2007.** Renal cyst pseudoenhancement: influence of multi-detector CT reconstruction algorithm and scanner type in phantom model. *Radiology* 2007;244:767-775.

- **Breen DJ, Rutherford EE, Stedman B, et al., 2007.** Management of renal tumors by image-guided radiofrequency ablation: experience in 105 tumors. *Cardiovasc Intervent Radiol* 2007;30:936-942.
- **Bosniak MA, Birnbaum BA, Krinsky GA, Waisman J. 1995,** Small renal parenchymal neoplasms: further observations on growth. *Radiology* 1995; 197:589-597.
- **Boss A, Clasen S, Kuczyk M, et al., 2005.** Thermal damage of the genitofemoral nerve due to radiofrequency ablation of renal cell carcinoma: a potentially avoidable complication. *AJR*2005; 185:1627 –1631
- **Breen DJ, Rutherford EE, Stedman B, et al., 2007.** Management of renal tumors by image-guided radiofrequency ablation: experience in 105 tumors. *Cardiovasc Intervent Radiol* 2007;30 : 936–942
- **Bruce A. Urban, MD and Elliot K. Fishman, MD. 2001,** Three-dimensional Volume-rendered CT Angiography of the Renal Arteries and Veins: Normal Anatomy, Variants, and Clinical Applications *Radiographics.* , 21:373-386; 2001.

C

- **Cantwell CP, Wah TM, Gervais DA, et al., 2008.** Protecting the ureter during radiofrequency ablation of renal cell cancer: a pilot study of retrograde pyeloperfusion with cooled dextrose 5% in water. *J Vasc Interv Radiol* 2008; 19:1034 –1040
- **Catalano CF, FraioliA, LaghiA, et al., 2003.** High Resolution Multidetector CT in the Preoperative Evaluation of Patients with Renal Cell Carcinoma *AJR, Am J Roentgenol* 180:1271–1277, 2003.
- **Chatterjee S, Nam R, Fleshner N, Klotz L. 2004,** Permanent flank bulge is a consequence of flank incision for radical nephrectomy in one half of patients. *Urol Oncol* 2004;22:36-39.
- **Chawla SN, Crispen PL, Hanlon AL, et al., 2006.** The natural history of observed enhancing renal masses: meta-analysis and review of the world literature. *J Urol* 2006;175:425-431.
- **Choyke PL. Gladys M. Glenn, McClellan M. Walther, et al., 2003.** Hereditary Renal Cancer. *Radiology* 226: 33-46; 2003.

- **Crispen PL, Viterbo R, Fox EB, et al., 2008.** Delayed intervention of sporadic renal masses undergoing active surveillance. *Cancer* 2008;112:1051-1057.

D

- **Dunnick NR, Sandler CM, Newhouse JH et al., 2001.** Renal transplantation In :Text book of Uroradiology., Lippincott Williams and wilkins, Chap .12: 242, 2001.

E

- **Eble JN, Sauter G, Epstein JI, et al., 2004.** Pathology and genetics of tumours of the urinarysystem and male genital organs. Lyon, France:IARC Press, 2004.
- **El-Galley RES and Keane TE. 2000,** Embryology, anatomy, and surgical applications of the kidney and ureter. *Surg Clin North Am*; 80:381-401; 2000.

F

- **Fang Fy, Caoili EM, Cohan RH et al., 2007.** Coronal VS standard axial image review CT urography. European society of Urogenital Radiology, meeting (ESUR 2005). *Eur Radiol*, 27: 25-28, 2007.
- **Farrell MA, Charboneau JW, Callstrom MR, et al., 2003.** Paranephric water instillation: a technique to prevent bowel injury during percutaneous renal radiofrequency ablation. *AJR Am J Roentgenol* 2003; 181:1315-1317.
- **Fergany AF, Hafez KS, Novick AC. 2000,** Long-term results of nephron-sparing surgery for localized renal cell carcinoma: 10-year follow up. *J Urol* 2000; 163:442-445.
- **Fennessy FM, Tuncali K, Morrison PR, Tempany CM. 2008,** MR imaging-guided interventions in the genitourinary tract: an evolving concept. *Radiol Clin North Am* 2008;46 : 149–166
- **Figlin RA. 1999,** Renal cell carcinoma: management of advanced disease. *J Urol* 1999; 161:381-387.
- **Frank I, Blute ML, Cheville JC, et al., 2003.** Solid renal tumors: an analysis of pathological features related to tumor size. *J Urol* 2003;170:2217-2220.
- **Frank I, Blute ML, Cheville JC, et al., 2003.** Solid renal tumors: an analysis of pathological features related to tumor size. *J Urol* 2003; 170:2217 –2220

- **Friedel G, Hurtgen M, Penzenstadler M, et al., 1999.** Resection of pulmonary metastases from renal cell carcinoma. *Anticancer Res* 1999; 19:1593-1596.

G

- **Gervais DA, McGovern FJ, Wood BJ, et al., 2000.** Radio-frequency ablation of renal cell carcinoma: early clinical experience. *Radiology* 2000; 217:665-672.
- **Gervais DA, McGovern FJ, Arellano RS, et al., 2003.** Renal cell carcinoma: clinical experience and technical success with radio-frequency ablation of 42 tumors. *Radiology* 2003; 226:417-424.
- **Gervais DA, McGovern FJ, Arellano RS, et al., 2005.** Radiofrequency ablation of renal cell carcinoma. Part I. Indications, results and role in patient management over a 6 year period and ablation of 100 tumors. *AJR Am J Roentgenol* 2005.
- **Gill IS, Remer EM, Hasan WA, et al., 2005.** Renal cryoablation: outcome at 3 years. *J Urol* 2005;173:1903-1907.
- **Gill IS, Kavoussi LR, Lane BR, et al., 2007.** Comparison of 1,800 laparoscopic and open partial nephrectomies for single renal tumors. *J Urol* 2007;178:41-46.
- **Gill IS, Kamoi K, Aron M, Desai MM. 2010,** Laparoscopic partial nephrectomies: a single surgeon series. *J Urol* 2010;183:34-41.
- **Goldberg SN, Gazelle GS. Radiofrequency tissue ablation. 2001,** Physical principles and techniques for increasing coagulation necrosis. *Hepatogastroenterology* 2001;48 : 359–367
- **Goldberg SN, Gazelle GS, Mueller PR. 2000,** Thermal ablation therapy for focal malignancy: a unified approach to underlying principles, techniques, and diagnostic imaging guidance. *AJR Am J Roentgenol* 2000; 174:323-331.
- **Goldberg SN, Grassi CJ, Cardella JF, et al., 2005.** Image-guided tumor ablation: standardization of terminology and reporting criteria. *Radiology* 2005;235:728-739.

H

- **Hartman DS. 2004**, Benign renal and adrenal tumors .Eur.radiol, 10:221-230; 2004.
- **Heilbrun ME, Zagoria RJ, Garvin AJ, et al., 2007**. CT-guided biopsy for the diagnosis of renal tumors before treatment with percutaneous ablation AJR 2007; 188:1500 –1505.
- **Helenon O., Chretien Y., Paraf F., et al., 1997**. Renal cell carcinoma containing fat: demonstration with CT. Radiology; 188: 429-430, 1997.
- **Herts BR, Baker ME. 1995**, The current role of percutaneous biopsy in the evaluation of renal masses. Semin Urol Oncol 1995; 13:254 –261
- **Hollingsworth JM, Miller DC, Daignault S, Hollenbeck BK. 2006**, Rising incidence of small renal masses: a need to reassess treatment effect. J Natl Cancer Inst 2006;98:1331-1334.
- **Hollingsworth JM, Miller DC, Daignault S, Hollenbeck BK. 2007**, Five-year survival after surgical treatment for kidney cancer: a population-based competing risk analysis. Cancer 2007;109:1763-1768.
- **Huang WC, Levey AS, Serio AM, et al., 2006**. Chronic kidney disease after nephrectomy in patients with renal cortical tumours: a retrospective cohort study. Lancet Oncol 2006;7:735-740.
- **Hui GC, Tuncali K, Tatli S, et al., 2008**. Comparison of percutaneous and surgical approaches to renal tumor ablation: metaanalysis of effectiveness and complication rates. J Vasc Interv Radiol 2008; 19:1311 –1320

I

- **Inderbir S. Gill, M.D., Monish Aron, M.D., Debra A. Gervais, M.D., and Michael A.S. Jewett, M.D. 2010**, Small renal masses. N England J MED, 2010.
- **Israel GM and Bosniak MA. 2002**, How I Do It: Evaluating Renal Masses . Radiology , 236:441-450 2002.
- **Israel GM, Bosniak MA. 2005**, How I do it: evaluating renal masses. Radiology 2005;236:441-450.

J

- **Janzen NK, Kim HL, Figlin RA, *et al.*, 2003.** Surveillance after radical or partial nephrectomy for localized renal cell carcinoma and management of recurrent disease. *Urol Clin North Am* 2003; 30:843 –852
- **Jinzaki M., Tanimoto A., Nari mastu Y., *et al.*, 1997.** Angiomyolipoma: Imaging findings in lesions with minimal fat. *Radiology*; 205: 497-502, 1997.

K

- **Kabalin JN, 2002.** Surgical anatomy of the retroperitoneum, Kidneys and ureters. In: Walsh PC, Retik AB, Wein AJ *et al.*,: Campbell's Urology: Saunders WB, 8th ed Philadelphia, chap. (3), PP: 1-80, 2002.
- **Kambadakone A, Samir A, Eisner B, *et al.*, 2008.** Subtraction CT enables improved characterization of the renal mass: impact of this new imaging paradigm's diagnostic utility. In: 31st annual course of the Society of Computed Body Tomography and Magnetic Resonance 2008. Charlestown, SC: SCBTMR, 2008
- **Kiuru M, Launonen V, Hiet M *et al.*, 2001.** Familial cutaneous leiomyomatosis is a two-hit condition associated with renal cell cancer of characteristic histopathology. *Am J Pathol*; 159:825-829, 2001.
- **Klatte T, Patard JJ, de Martino M, *et al.*, 2008.** Tumor size does not predict risk of metastatic disease or prognosis of small renal cell carcinomas. *J Urol* 2008;179:1719-1726.
- **Kunkle DA, Crispen PL, Chen DYT, *et al.*, 2007.** Enhancing renal masses with zero net growth during active surveillance. *J Urol* 2007;177:849-854.

L

- **Lane BR, Gill IS, 2010.** 7-Year oncological outcomes after laparoscopic and open partial nephrectomy. *J Urol* 2010;183:473-479.
- **Lee HS, Koh BH, Kim JW, *et al.*, 2007.** Radiological findings of renal haemangioma: report of three cases. *Radiology* 1:60-63; 2007.
- **Lee CT, Katz J, Fearn PA, Russo P., 2002.** Mode of presentation of renal cell carcinoma provides prognostic information. *Urol Oncol* 2002;7:135-140.
- **Lau WK, Blute ML, Weaver AL *et al.*, 2000.** Matched comparison of radical nephrectomy vs nephron-sparing surgery in patients with unilateral renal cell

carcinoma and a normal contralateral kidney. Mayo Clin Proc 2000;75:1236-1242.

- **Levinson AW, Su LM, Agarwal D, et al., 2008.** Long-term oncological and overall outcomes of percutaneous radio frequency ablation in high risk surgical patients with a solitary small renal mass. J Urol 2008; 180:499 –504
- **Littrup PJ, Ahmed A, Aoun HD, et al.,2007.** CT-guided percutaneous cryotherapy of renal masses. J Vasc Interv Radiol2007; 18:383 –392
- **Lokken RP, Gervais DA, Arellano RS, et al., 2007.** Inflammatory nodules mimic applicator track seeding after percutaneous ablation of renal tumors. AJR 2007; 189:845 –848
- **Lui KW, Gervais DA, Arellano RA, Mueller PR., 2003.**Radiofrequency ablation of renal cell carcinoma. Clin Radiol 2003; 58:905-913.

M

- **Matlaga BR, Zagoria RJ, Woodruff RD, et al., 2002.** Phase II trial of radio frequency ablation of renal cancer: evaluation of the kill zone. J Urol 2002; 168:2401-2405.
- **Mayo-Smith WW, Dupuy DE, Parikh PM, et al., 2003.** Imaging-guided percutaneous radiofrequency ablation of solid renal masses: techniques and outcomes of 38 treatment sessions in 32 consecutive patients. AJR Am J Roentgenol 2003; 180:1503-1508.
- **McDougal WS, Gervais DA, McGovern FJ, Mueller PR. 2005.** Long-term followup of patients with renal cell carcinoma treated with radio frequency ablation with curative intent. J Urol2005; 174:61 –63
- **McGahan JP, Browning PD, Brock JM, Teslik H., 1990.** Hepatic ablation using radiofrequency electrocautery. Invest Radiol 1990; 25:267-270.
- **McGovern FJ, Wood BJ, Goldberg SN, Mueller PR., 1999.** Radio frequency ablation of renal cell carcinoma via image guided needle electrodes. J Urol 1999; 161:599.
- **McLaughlin CA, Chen MY, Torti FM, et al., 2003.** Radiofrequency ablation of isolated local recurrence of renal cell carcinoma after radical nephrectomy. AJR Am J Roentgenol 2003; 181:93-94.

- **Mc Vay CB: The kidneys. 1984.** In: Anson and Mc Vay CB (eds). Test book of surgical anatomy, saunders WB, 6th ed. Philadelphia, chap (2): PP:40-48, 1984.
- **Merkle EM, Shonk JR, Duerk JL, *et al.*, 1999.** MR-guided RF thermal ablation of the kidney in a porcine model. AJR Am J Roentgenol 1999; 173:645-651.
- **Morrison PR, Silverman SG, Tuncali K. Tatli S., 2008.** MRI-guided cryotherapy. J Magn Reson Imaging 2008;27 : 410–420

N

- **Nguyen MM, Gill IS, Ellison LM., 2006.** The evolving presentation of renal carcinoma in the United States: trends from the Surveillance, Epidemiology, and End Results program. J Urol 2006;176:2397-2400.
- **Nguyen MM, Gill IS. 2009.** Effect of renal cancer tumor size on the prevalence of metastasis at diagnosis and mortality. J Urol 2009;181:1020-1027.
- **Nickerson ML, Warren MB, Toro JR, *et al.*, 2002.** Mutations in a novel gene lead to kidney tumors, lung wall defects and benign tumors of the hair follicle in patients with Birt-Hogg-Dube syndrome. Cancer Cell; 2:157-164, 2002.

O

- **Ogan K, Jacomides L, Dolmatch BL, *et al.*, 2002.** Percutaneous radiofrequency ablation of renal tumors: technique, limitations, and morbidity. Urology 2002; 60:954-958.

P

- **Park BK, Kim CK, Lee HM., 2008.** Image-guided radiofrequency ablation of Bosniak category III or IV cystic renal tumors: initial clinical experience. Eur Radiol 2008;18 :1519 –1525
- **Park BK, Kim CK, 2008.** Using an electrode as a lever to increase the distance between renal cell carcinoma and bowel during CT-guided radiofrequency ablation. Eur Radiol 2008;18 : 743–746

- **Pavlovich CP, McClellan MW, Choyke PL, et al., 2002.** Percutaneous radio frequency ablation of small renal tumors: initial results. J Urol 2002; 167:10-15.
- **Phillips JL, Pavlovich CP, Walther M, et al., 2001.** The genetic basis of renal epithelial tumors: advances in research and its impact on prognosis and therapy. Curr Opin Urol; 11:463-469, 2001.
- **Pickhardt PJ, Lonergan GJ, Davis CJ Jr, et al., 2001.** Infiltrative renal lesions: radiologic-pathologic correlation. RadioGraphics; 20: 215–243; 2001.
- **Prando A, Prando D and Prando P, 2003.** Renal cell carcinoma: unusual imaging manifestations Radiographics Jan Feb;26(1):233-44,2003 .
- **Prasad SR, Humphrey PA, Catena R, et al., 2006.** Common and Uncommon Histologic Subtypes of Renal Cell Carcinoma: Imaging Spectrum with Pathologic Correlation Radiographics 26:1795–1810,2006
- **Prasad SR, Humphrey PA, Catena R, et al., 2008.** Common and Uncommon Histologic Subtypes of Renal Cell Carcinoma: Imaging Spectrum with Pathologic Correlation Radiographics,2008

R

- **Raman JD, Stern JM, Zeltser I, et al., 2008.** Absence of viable renal carcinoma in biopsies performed more than 1 year following radio frequency ablation confirms reliability of axial imaging. J Urol 2008;179:2142-2145.
- **Raul N. Uppot, Stuart G. Silverman, Ronald J. Zagoria, et al., 2009.** Division of Abdominal Imaging and Intervention, Department of Radiology, Massachusetts General Hospital and Harvard Medical School, 55 Fruit St., White 270, Boston, MA 02114. Received February 13, 2009; accepted after revision February 16, 2009.
- **Rendon RA, Kachura JR, Sweet JM, et al.** The uncertainty of radio frequency treatment of renal cell carcinoma: findings at immediate and delayed nephrectomy. J Urol 2002; 167:1587-1592.
- **Renshaw AA, Henske EP, Loughlin KR, et al., 2002.** Aggressive variants of chromophobic renal cell carcinoma. Cancer78:1756-1761, 2002.

- **Rhim H, Dodd GD, III, Chintapalli KN, et al., 2004.** Radiofrequency thermal ablation of abdominal tumors: lessons learned from complications. *RadioGraphics* 2004; 24:41-52.
- **Richstone L, Montag S, Ost M, et al., 2008.** Laparoscopic partial nephrectomy for hilar tumors: evaluation of short-term oncologic outcome. *Urology* 2008;71:36-40.
- **Rodriguez-Rubio FI, Diez-Caballero F, Martin-Marquina A, et al., 1996.** Incidentally detected renal cell carcinoma. *Br J Urol* 1996; 78:29-32.
- **Rybicki FJ, Shu KM, Cibas ES, et al., 2003.** Percutaneous biopsy of renal masses: sensitivity and negative predictive value stratified by clinical setting and size of masses. *AJR Am J Roentgenol* 2003;180:1281-1287.

S

- **Schulz T and Hartschuh W., 1999.** Birt-Hogg-Dube syndrome and Hornstein-Knickenberg syndrome are the same: different sectioning technique as the cause of different histology. *J Cutan Pathol*; 26:55-61, 1999.
- **Shannon BA, Cohen RJ, de Bruto H, Davies RJ. 2008.** The value of preoperative needle core biopsy for diagnosing benign lesions among small, incidentally detected renal masses. *J Urol* 2008;180:1257-1261.
- **Sheth S, Scatarige J C, Horton KM, et al., 2006.** Current Concepts in the Diagnosis and Management of RenalCell Carcinoma: Role of Multidetector CT and Three-dimensional CT; 21:S237–S254, 2006.
- **Silverman SG, Gan YU, Morteale KJ, et al.,. 2006.** Renal masses in the adult patient: the role of percutaneous biopsy. *Radiology* 2006;240 : 6–22
- **Silverman SG, Tuncali K, Adams DF, et al., 1999.** CT fluoroscopy-guided abdominal interventions: techniques, results, and radiation exposure. *Radiology* 1999;212 : 673–681
- **Silverman SG, Tuncali K, vanSonnenberg E, et al., 2005.** Renal tumors: MR imaging-guided percutaneous cryotherapy—initial experience in 23 patients. *Radiology* 2005;236 : 716–724
- **Silverman SG, Israel GM, Herts BR, Richie JP. 2008.** Management of the incidental renal mass. *Radiology* 2008;249:16-31.

- **Siu W, Hafez KS, Johnston WK III, Wolf JS Jr. 2007.** Growth rates of renal cell carcinoma and oncocytoma under surveillance are similar. *Urol Oncol* 2007;25:115-119.

T

- **Tada S, Yamagishi J, Kobayashi H, Hata Y, Kobari T. 1983.** The incidence of simple renal cyst by computed tomography. *Clin Radiol* 1983;34:437-439.
- **Tanagho EA, 2000:** Anatomy of the genitourinary tract In : Smith's general urology ., McGraw - Hill companies, chap.1 : 1, 2000.
- **Torres VE, Zincke H, King BK, et al., 1998.** Renal manifestations of tuberous sclerosis complex. *Contrib Nephrol*; 122:64-75, 1998.
- **Turna B, Aron M, Gill IS. 2008.** Expanding indications for laparoscopic partial nephrectomy. *Urology* 2008;72:481-487.
- **Tuncali K, Morrison PR, Tatli S, et al., 2006.** MRI guided percutaneous cryoablation of renal tumors: use of external manual displacement of adjacent bowel loops. *Eur J Radiol* 2006;59 : 198–202
- **Tuncali K, vanSonnenberg E, Shankar S, et al., 2004.** Evaluation of patients referred for percutaneous ablation of renal tumors: importance of a preprocedure diagnosis. *AJR* 2004; 183:575 –582

U

- **Uzzo RG, Novick AC. 2001.** Nephron sparing surgery for renal tumors: indications, techniques and outcomes. *J Urol* 2001;166:6-18.

V

- **Van Poppel H, Da Pozzo L, Albrecht W, et al., 2007.** A prospective randomized EORTC intergroup phase 3 study comparing the complications of elective nephron-sparing surgery and radical nephrectomy for low-stage renal cell carcinoma. *Eur Urol* 2007;51:1606-1615.
- **Volpe A, Panzarella T, Rendon RA et al., 2004.** The natural history of incidentally detected small renal masses. *Cancer* 2004;100:738-745.
- **Volpe A, Jewett MA. 2007.** The role of surveillance for small renal masses. *Nat Clin Pract Urol* 2007;4:2-3.

- **Weirich G, Glenn G, Junker K, et al., 1998.** Familial renal oncocytoma: clinicopathological study of 5 families. J Urol; 160:335-340, 1998.

W

- **Wood BJ, Khan MA, McGovern F, et al., 1999.** Imaging guided biopsy of renal masses: indications, accuracy and impact on clinical management. J Urol 1999;161 :1470 –1474

Z

- **Zagoria RJ, Hawkins AD, Clark PE, et al.,2004.** Percutaneous CT-guided radiofrequency ablation of renal neoplasms: factors influencing success. AJR 2004; 183:201 –207
- **Zagoria RJ, Traver MA, Werle DM, et al., 2007.** Oncologic efficacy of CT-guided percutaneous radiofrequency ablation of renal cell carcinomas. AJR Am J Roentgenol 2007.
- **Zagoria RJ, Bechtold RE. 1997.** The role of imaging in staging renal adenocarcinoma. Semin Ultrasound CT MR 1997; 18:91-99.
- **Zagoria RJ. 2004.** Imaging-guided Radiofrequency Ablation of Renal Masses : the Department of Radiology, Wake Forest University Health Sciences, Medical Center Blvd, Winston-Salem. Radiographics 2004: 24;S59-S71.
- **Zagoria RJ. 200.** Imaging of small renal masses: a medical success story. AJR Am J Roentgenol 2000; 175:945-955.
- **Zlotta AR, Wildschutz T, Raviv G, et al., 1997.** Radiofrequency interstitial tumor ablation (RITA) is a possible new modality for treatment of renal cancer: ex vivo and in vivo experience. J Endourol 1997; 11:251-258.