

References

A

Aspelin P, Bellin MF, Jakobsen J et al. (2006)

Classification and Terminology In (ed) Thomsen HS : Contrast Media , Springer-Verlag Berlin Heidelberg .ch:1 , p:1-4 .

B

Bae KT (2003)

Peak contrast enhancement in CT and MR angiography: when does it occur and why ? Pharmacokinetic study in a porcine model . Radiology 227:809–816 .

Bae KT, Heiken JP and Brink JA (1998)

Aortic and hepatic contrast medium enhancement at CT. Part II: Effect of reduced cardiac output in a porcine model. Radiology 207:657–662 .

Baile EM, King GG, Muller NL et al. (2000)

Spiral computed tomography is comparable to angiography for the diagnosis of pulmonary embolism. Am J Respir Crit Care Med 161:1010–1015 .

Beigelman C, Chartrand-Lefebvre C, Howarth NO et al. (1998)

Pitfalls in diagnosis of pulmonary embolism with helical CT angiography. AJR Am J Roentgenol 171:579–585.

Bellin MF, Jakobsen JA, Tomassin I et al. (2002)

Contrast medium extravasation injury: guidelines for prevention and management. Eur Radiol 12:2807–2812 .

Birnbaum BA, Nelson RC, Chezmar JL et al. (1999)

Extravasation detection accessory: clinical evaluation in 500 patients. Radiology 212:431–438 .

Blachere H, Latrabe V, Montaudon M et al . (2000)

Pulmonary embolism revealed on helical CT angiography: Comparison with ventilation- perfusion radionuclide lung scanning.
AJR 174:1041-1047.

Boiselle PM, Hasegawa I, Nishino Met al. (2005)

Comparison of artifacts on coronal reformation and axial CT pulmonary angiography images using single-detector and 4- and 8-detector multidetector-row helical CT.

Acad Radiol 2005; 12:602–607 .

Boyden E (1955)

Segmental Anatomy of the Lungs. New York: McGraw-Hill . Quoted from : Remy-Jardin M , Szapiro D, Ghaye B et al., 2002 : CT angiography of pulmonary embolism in patients with underlying respiratory disease , Eur Radiol (2002) 12:1971–1978 .

Brown MD, Rowe BH, Reeves MJ et al. (2002)

The accuracy of the enzyme-linked immunosorbent assay D-dimer test in the diagnosis of pulmonary embolism: a meta-analysis.
Ann Emerg Med 40:133–144 .

C

Chooi WK, Matthews S, Bull MJ et al. (2005)

Multislice computed tomography in staging lung cancer: the role of multiplanar image reconstruction.

J Comput Assist Tomogr 29:357–360.

Ciccotosto C , Lawrence R. Goodman et al. (2007)

Diagnosis of pulmonary embolus in: Phillip M. Boiselle and Charles S (eds.):New Techniques in Cardiothoracic Imaging. White -Informa Healthcare USA, Inc. ch : 7, p: 89-104 .

Cobelli R, Zompatori M, De Luca G et al. (2005)

Clinical usefulness of computed tomography study without contrast injection in the evaluation of acute pulmonary embolism.

J Comput Assist Tomogr 29:6–12.

Coche EE, Hamoir XL, Hammer FD, et al. (2001)

Using dualdetector helical CT angiography to detect deep venous thrombosis in patients with suspicion of pulmonary embolism: diagnostic value and additional findings.
Am J Radiol 176:1035–1038.

Coche EE, Mller NL, Kim K, et al. (1998)

Acute pulmonary embolism: ancillary findings at spiral CY.
Radiology 207:753–758.

Collins J & Stern EJ (2008)

Pulmonary Vasculature Disease in (eds): Collins J & Stern EJ : Chest Radiology: The Essentials, 2nd Edition , Lippincott Williams & Wilkins , ch :17 pp:272-286 .

Collins P (1995)

Embryology and development. In: Williams PL, Bannister LH, Berry MM, et al, (eds.) Gray's Anatomy, 38th ed. New York, Churchill Livingstone,p:312.

Cvitanic O and Marino PL (1998)

Improved use of arterial blood gas analysis in suspected pulmonary embolism.
Chest 95:48–51.

D

Dawson P and Blomley MJ (1996)

Contrast agent pharmacokinetics revisited I. Reformulation.
Acad Radiol 3 (Suppl 2): 261–263 .

Dawson P (1998)

Does injection rate affect the tolerance? In: Dawson PH and Clauss W (eds) Contrast media in practice: questions and answers. Springer, Berlin Heidelberg New York, pp 135–136 .

deMonye W, van Strijen MJ , Hulsman MV, et al. (2000)

Suspected pulmonary embolism: prevalence and anatomic distribution in 487 consecutive patients.
Radiology215:184-192 .

Dotter CT (1983)

The normal pulmonary arteriogram. In Abrams HL (ed) Abrams angiography. Vascular and interventional radiology. 3rd edition. Boston: Little, Brown and Co.:715–722.

E

English JC (2008)

Pulmonary Vascular Lesions in : Cagle PT , Allen TC and Beasley MB (eds.): Diagnostic Pulmonary Pathology. Informa Healthcare USA, Inc.ch:18 , p:358-365 .

F

Fedullo PF and Tapson VF (2003)

The evaluation of suspected pulmonary embolism.
New Engl J Med 349:1247-1251 .

Fishman AP (2008)

The Pulmonary Circulation in (ed) : Fishman AP: Fishman's Pulmonary Diseases and Disorders, 4th ed. , The McGraw-Hill Companies, Inc,2008 Ch: 80 p:1331-1358 .

Fleischmann D (2006)

Contrast Medium Injection Technique In: Schoepf UJ (ed.) Multidetector- Row CT of the Thorax. Springer-Verlag Berlin Heidelberg, ch: 4, p:47-59 .

Fleischmann D (2005)

Contrast-Medium Administration in (eds) C. Catalano † R. Passariello : Springer-Verlag Berlin Heidelberg . ch:4 , p: 41-54 .

Flohr T (2006)

Technical principles and applications of multi slice CT in: Bruening R, Kuettner A and Flohr T (eds.) :Protocols for multislice CT .Springer-Verlag Berlin Heidelberg, ch:1 ,pp:3-23 .

Floher T, Stierstrofer K , Raupach R et al. (2004)

Performance evaluation of a 64-slice CT system with z-flying focal spot.
Rofo Fortschr Geb Rontgenstr Neuen Blidgeb Verfahr 176:1803-1810 .

Franquet T, Gimenez A, Prats R et al. (2002)

Thrombotic microangiopathy of pulmonary tumours: a vascular cause of tree-in-bud pattern on CT.
AJR Am J Roentgenol 179:897–899.

Fraser RG, Pare JAP, Pare PD, et al. (1998)

The normal chest. In Fraser RG, Pare JAP, Pare PD et al. (eds) 3rd edition. Philadelphia: W.B. Saunders Co. 1988:1–314.

Frazier A, Galvin J, Franks T et al. (2000)

Pulmonary vasculature: hypertension and infarction.
Radiographics 20:491–524 .

Frush DP, Soden B, Frush KS et al. (2002)

Improved pediatric multidetector body CT using a size-based color-coded format.
AJR 178:721–726 .

Fuchs T, Krause J, Schaller S et al. (2000)

Spiral interpolation algorithms for multislice spiral CTpart II: measurement and evaluation of slice sensitivity profiles and noise at a clinical multislice system.
IEEE Trans Med Imaging 19:835–47.

G

Gabella G (1995)

Cardiovascular system. In: Williams PL, Bannister LH, Berry MM, et al.(eds.) Gray's Anatomy, 38th ed. New York, Churchill Livingstone, 1995:1574.

Ghaye B, Nchimi A, Noukoua CT et al. (2006 a)

Does multi-detector row CT pulmonary angiography reduce the incremental value of indirect CT venography compared with single-detector row CT pulmonary angiography?
Radiology 240(1): 256–262.

Ghaye B, Ghuysen A, Willems V, et al. (2006 b)

Severe pulmonary embolism: pulmonary artery clot load scores and cardiovascular parameters as predictors of mortality.
Radiology 239:884–891.

Ghaye B, Remy J & Remy-Jardin M. (2002)

Non-traumatic thoracic emergencies: CT diagnosis of acute pulmonary embolism—the first 10 years.
Eur Radiol 12:1866–1905 .

Ghaye B, Szapiro D, Mastora I et al. (2001)

Peripheral pulmonary arteries: how far in the lung does multi-detector row spiral CT allow analysis?
Radiology 219:629–636 .

Girard P, Decousus M, LaPorte S, et al. (2001)

Diagnosis of pulmonary embolism in patients with proximal deep vein thrombosis: specificity of symptoms and perfusion defects at baseline and during anticoagulant therapy.
Am J Respir Crit Care Med 164:1033-1037.

Goldhaber SZ (2002)

Venous Thromboembolism, Clinical Impact and Multifactorial Etiology in: Goldhaber SZ and Ridker PM (eds.) :Thrombosis and Thromboembolism. Marcel Dekker, Inc. ch : 12 , p:211-220 .

Goldhaber SZ, Visani L, De Rosa M (1999)

Acute pulmonary embolism: clinical outcomes in the International Cooperative Pulmonary Embolism Registry (ICOPER).
Lancet. 353:1386–1389.

Goldman L (1998)

Chest discomfort and palpitation. In Fauci AS, Braunwald E, Isselbacher KJ et al. (eds), Harrison's Principles of Internal Medicine. McGraw-Hill, New York, pp. 58–65.

Gosselin MV, Rassner UA, Thieszen SL et al. (2004)

Contrast dynamics during CT pulmonary angiogram: analysis of an inspiration associated artifact.
J Thorac Imaging 19:1–7 .

Gottschalk A, Stein PD, Goodman LRet al. (2002)

Overview of Prospective Investigation of Pulmonary Embolism Diagnosis II.
Semin Nucl Med 2002; 32:173–182 .

Graser A, Wintersperger BJ, Suess C et al. (2006)

Dose reduction and image quality in MDCT colonography using tube current modulation.

AJR Am J Roentgenol 187:695–701.

Gray JE (1996)

Safety (risk) of diagnostic radiology exposures. In: Janower JL and Linton OW (eds.) : Radiation Risk: A Primer. Reston, VA: American College of Radiology, 15–17.

H

Haage P, Schmitz-Rode T, Hubner D et al. (2000)

Reduction of contrast material dose and artifacts by a saline flush using a double power injector in helical CT of the thorax.

Am J Roentgenol 174:1049–1053 .

Hansson PO, Sorbo J and Eriksson H (2000)

Recurrent venous thromboembolism after deep vein thrombosis: incidence and risk factors.

Arch Intern Med 160:769–774.

Heit JA, Silverstein MD and Mohr DN (2001)

The epidemiology of venous thromboembolism in the community. Thromb Haemost 86:452–63.

Heit JA, Mohr DN, Silverstein MD et al. (2000)

Predictors of recurrence after deep vein thrombosis and pulmonary embolism: a population- based cohort study.

Arch Intern Med 160:761–768.

Hittmair K, Fleischmann D (2001)

Accuracy of predicting and controlling time-dependent aortic enhancement from a test bolus injection.

J Comput Assist Tomogr 25:287–294 .

Hoeper MM, Mayer E, Simmoneau G et al. (2006)

Chronic thromboembolic pulmonary hypertension.

Circulation 113:2011–2020.

Hoffmann HK (2009)

Contrast Agent Application and Protocols in (eds) Reiser MF , Becker CR , Nikolaou K & Glazer G : Multislice CT , 3rd ed. Springer-Verlag Berlin Heidelberg ch:8, p:97-110 .

Hopper KD (1996)

With helical CT, is nonionic contrast a better choice than ionic contrast for rapid and large IV bolus injections?
Am J Roentgenol 166:715-719 .

Hu H, He HD, Foley WD et al. (2000)

Four multidetector row helical CT: image quality and volume coverage speed (in process citation).
Radiology 215:55–62 .

Hull RD, Raskob GE, Hirsh J et al. (1986)

Continuous intravenous heparin compared with intermittent subcutaneous heparin in the initial treatment of proximal-vein thrombosis. N Engl J Med 1986;315: 1109–1114.

J

Jackson C and Huber J (1943)

Correlated applied anatomy of the bronchial tree and lungs with a system of nomenclature.
Dis Chest 9:319–326 .

Jacobs JE, Birnbaum BA and Langlotz CP (1998)

Contrast media reactions and extravasation: relationship to intravenous injection rates.
Radiology 209:411–416 .

Jardin M and Remy J (1985)

Segmental bronchovascular anatomy of the lower lobes: CT analysis.
Am J Radiol 147:457–68.

Jefferson K E (1965)

The Normal Pulmonary Angiogram and Some Changes seen in Chronic Nonspecific Lung Disease.
Amer. J. Roentgenol.58:677-681.

Joffe HV and Goldhaber SZ (2002)

Laboratory thrombophilias and venous thromboembolism.
Vasc Med 7:93–102.

Johnson MS(2002)

Current strategies for the diagnosis of pulmonary embolism.
J Vasc Interv Radiol 13:13-15 .

K

Karabulut N & Kiroğlu Y (2008)

Relationship of parenchymal and pleural abnormalities with acute pulmonary embolism: CT findings in patients with and without embolism
Diagn Interv Radiol 14:189–196 .

Katayama H, Yamaguchi K, Kozuka T et al. (1990)

Adverse reactions to ionic and nonionic contrast media. A report from the Japanese Committee on the Safety of Contrast Media.
Radiology 175:621–628 .

Katz DS, Loud PA, Bruce D et al. (2002)

Combined CT venography and pulmonary angiography (CTVPA): a comprehensive review.
Radiographics 22:3–20 .

Kauczor H , Schwickert H, Mayer E et al. (1994)

Spiral CT of bronchial arteries in chronic thromboembolism.
J Comput Assist Tomogr 18:855–861.

Kelly AM, Patel S and Kazerooni EA (2002)

CT pulmonary angiography for acute pulmonary embolism in ICU patients: clinical experience .
Radiology 225: p:385-386 .

Küttner A, Zunker C, Wüst W et al. (2007)

Optimiertes Kontrastmittel- Injektionsprotokoll für die kardiale Bildgebung unter Verwendung einer neuen Dual-Injection Technik. In: Mödder (ed) Deutscher Röntgenkongress. Thieme, Berlin

Kuzo R and Goodman L. (1997)

CT evaluation of pulmonary embolism: technique and interpretation.
Am J Radiol 169(4):959–65.

L

Laporte S, Mismetti P, Decousus H, et al. (2008)

Clinical predictors for fatal pulmonary embolism in 15520 patients with venous thromboembolism.
Circulation 117:1711–1716.

Lapostolle F, Surget V, Borron SW, et al. (2001)

Severe pulmonary embolism associated with air travel.
N Engl J Med. 345:779–783.

Leonhardt H (1985)

Lungs in Leonhardt H, Kahle W and Platzer W (eds.): Coloured atlas and text book of human anatomy p:128-142 .

Leveau P (2002)

Diagnostic strategy in pulmonary embolism.
National French survey. Presse Med 31:929–932 .

M

Maaiké Söhne, Vink R and Buller HR (2009)

Clinical Presentation of Pulmonary Embolism in: Edwin JR, Buller HR and Oudkerk M (eds.) : Deep Vein Thrombosis and Pulmonary Embolism. John Wiley & Sons, Ltd.ch:4 p:61-68 .

Mahesh M (2002)

Search for isotropic resolution in CT from conventional through multiple-row detector.
Radio graphics 22:949-962.

Mahesh M, Scatarige JC, Cooper J et al. (2001)

Dose and pitch relationship for a particular multislice CT scanner.
AJR Am J Roentgenol 177:1273–1275.

Marcus B, Collins K and Harley R (2005)

Ancillary studies in amniotic fluid embolism: a case report and review of the literature.

Am J Forensic Med Pathol 26:92–95.

Mattoo A, Katz DS, Groth ML et al. (2003)

The search for pulmonary embolism: changing trends in usage of spiral CT and V/Q scan. Scientific poster presentation, American Thoracic Society annual meeting, Seattle, Washington, USA .

Metafratzi ZM, Vassiliou MP, Maglaras GC, et al. (2005)

Acute pulmonary embolism: correlation of CT pulmonary artery obstruction index with blood gas values.

AJR 186:213–219.

Mettler FA, Jr., Wiest PW, Locken JA et al. (2000)

CT scanning: patterns of use and dose.

J Radiol Prot 20:353–359.

Mori S, Endo M, Tsunoo T, et al.(2004)

Physical performance evaluation of a 256-slice CT-scanner for four-dimensional imaging.

Med Phys 2004; 31:1348–1356.

Moser K and Bloor C (1993)

Pulmonary vascular lesions occurring in patients with chronic major vessel thromboembolic pulmonary hypertension.

Chest 103: 685–692.

Moser K, Auger W and Fedullo P (1990)

Chronic major-vessel thromboembolic pulmonary hypertension. Circulation 1990; 81:1735–1743.

N

Naidich DP, Muller NL, Krinsky GA et al. (2007)

Pulmonary Arterial Disease in: Naidich DP, Muller NL, Krinsky GA et al. (eds.) : Computed Tomography and Magnetic Resonance of the Thorax, 4th Edition, Lippincott Williams & Wilkins ch:3, p:217-233 .

Nelson RC, Anderson FA , Birnbaum BA et al. (1998)

Contrast media extravasation during dynamic CT: detection with an extravasation detection accessory.
Radiology 209: 837–843 .

O

Oliver TB, Reid JH and Murchison JT (1998)

Interventricular septal shift due to massive pulmonary embolism shown by CT pulmonary angiography: an old sign revisited.
Thorax 53:1092–1094.

Oudkerk M, van Beek EJ, Wielopolski P et al. (2002)

Comparison of contrastenhanced magnetic resonance angiography and conventional pulmonary angiography for the diagnosis of pulmonary embolism: a prospective study.
Lancet. 359:1643–1647 .

P

Patel S and Kazerooni EA (2005)

Helical CT for the Evaluation of Acute Pulmonary Embolism.
AJR 185:135–149 .

Patel S, Kazerooni EA and Cascade PN (2003)

Pulmonary embolism: optimization of small pulmonary artery visualization at multi-detector row CT.
Radiology 227:455–460 .

Petruzzelli S, Palla A, Peraccini F et al. (1986)

Routine electrocardiography in screening for pulmonary embolism.
Respiration 50:233–243.

Prandoni P, Bilora F, Marchiori A et al. (2003)

An association between atherosclerosis and venous thrombosis.
N Engl J Med. 348:1435–1441.

Prologo JD and Glauser J (2002)

Variable diagnostic approach to suspected pulmonary embolism in the ED of a major academic tertiary care center.
Am J Emerg Med 20:5–9 .

Q

Qanadli SD, El Hajjam M, Mesurolle B et al. (2000)

Pulmonary embolism detection: prospective evaluation of dual-section helical CT versus selective pulmonary arteriography in 157 patients. *Radiology* 217:447–455 .

R

Ravenel JG & Schoepf UJ (2007)

Imaging of Acute Pulmonary Embolism in (eds) : Konstantinides SV Management of acute pulmonary embolism, Humana Press Inc. ch:2,pp:19-42 .

Remy-Jardin M, Duhamel A, Deken V et al. (2005)

Systemic collateral supply in patients with chronic embolic and primary pulmonary artery hypertension: assessment with multidetector row helical CT angiography. *Radiology* 235:274–281.

Remy-Jardin M, Mastora I and Remy J (2003 a)

Pulmonary embolus imaging with multislice CT. *Radiol Clin North Am.* 41:507–519.

Remy-Jardin M, Campistron P, Amara A et al. (2003 b)

Usefulness of coronal reformations in the diagnostic evaluation of infiltrative lung disease. *J Comput Assist Tomogr* 27:266–273.

Remy-Jardin M, Tillie-Leblond I, Szapiro D et al. (2002)

CT angiography of pulmonary embolism in patients with underlying respiratory disease: impact of multislice CT on image quality and negative predictive value. *Eur Radiol* 12: 1971–1978 .

Remy J, Remy-Jardin M, Artaud D et al. (1998)

Multiplanar and three-dimensional reconstruction techniques in CT: impact on chest diseases. *Eur Radiol* 8:335–351 .

Remy-Jardin M, Remy J, Artuad D, et al. (1997 a)

Spiral CT of pulmonary embolism: technical considerations and interpretive pitfalls.

J Thorac Imaging 12:103–117.

Remy-Jardin M, Louvegny S, Remy J, et al. (1997 b)

Acute central thromboembolic disease: posttherapeutic follow-up with spiral CT angiography.

Radiology 203:173–180.

Remy-Jardin M, Remy J, Cauvain O et al. (1995)

Diagnosis of central pulmonary embolism with helical CT: role of twodimensional multiplanar reformations.

Am J Roentgenol 165:1131–1138 .

Remy-Jardin M, Remy J, Wattinne L et al. (1992)

Central pulmonary thromboembolism: diagnosis with spiral volumetric CT with the single-breath-hold technique comparison with pulmonary angiography.

Radiology 185:381–387 .

Roberts K, Hamele-Bena D, Saqi A et al. (2003)

Pulmonary tumour embolism: a review of the literature.

Am J Med 115:228–232.

Rodger MA, Carrier M, Jones GN et al. (2000)

Diagnostic value of arterial blood gas measurement in suspected pulmonary embolism.

Am J Resp Crit Care Med 162:2105–2108.

Rosendaal FR and Bovill EG (2002)

Heritability of clotting factors and the revival of the prothrombotic state.

Lancet. 359:638–639..

Rossouw JE, Anderson GL, Prentice RL et al. (2002)

Risks and benefits of estrogen plus progestin in healthy postmenopausal women : principal results from the Women's Health Initiative randomized controlled trial .

JAMA 288:321–333 .

Rubin GD, Shiau MC, Schmidt AJ et al. (1999)

Computed tomographic angiography: historical perspective and new state-of-the-art using multi detector-row helical computed tomography. J Comput Assist Tomogr 23: S83–S90 .

Rubin GD, Lane MJ, Bloch DA et al. (1996)

Optimization of thoracic spiral CT: effects of iodinated contrast medium concentration. Radiology 201:785–791 .

Rydberg J, Sandrasegaran K, Tarver RD et al. (2007)

Routine isotropic CT scanning of chest: value of coronal and sagittal reformations. Invest Radiol 42(1):23–28.

Rydberg J, Buckwalter KA, Caldemeyer KS et al. (2000)

Multisection CT: scanning techniques and clinical applications. Radiographics 20:1787–1806 .

S

Sandrasegaran K and Rydberg J (2007)

Fundamentals of Multislice CT Scanners .in : Boisselle and PM and White CS (eds.) : New Techniques in Cardiothoracic Imaging . Informa Healthcare USA, Inc. ch:1,p: 5-10 .

Schaller S, Noo F, Sauer F et al. (2000)

Exact radon rebinning algorithm for the long object problem in helical cone-beam CT. IEEE Trans Med Imaging 19: 361–375 .

Schoellnast H, Deutschmann HA, Fritz GA et al. (2005)

MDCT angiography of the pulmonary arteries: influence of iodine flow concentration on vessel attenuation and visualization. AJR Am J Roentgenol 184:1935–1939 .

Schoellnast H, Tillich M, Deutschmann HA et al. (2004)

Improvement of parenchymal and vascular enhancement using saline flush and power injection for multiple-detector-row abdominal CT. Eur Radiol 14:659–664 .

Schoepf UJ , Martensen JM and Costello P (2006)

Multidetector-Row CT Angiography of the Pulmonary Circulation in: Schoepf UJ (ed.) : Multidetector- Row CT of the Thorax ,Springer-Verlag Berlin Heidelberg ch: 17 , p:239-257.

Schoepf UJ (2005)

Multidetector-Row CT Angiography of the Pulmonary Circulation in (Eds) Catalano C & Passariello R : Multidetector Row CT Angiography Springer-Verlag Berlin Heidelberg , ch: 8, pp :103-124 .

Schoepf UJ and Costello P(2004)

CT angiography for diagnosis of pulmonary embolism: state of the art. Radiology 230:329 -334.

Schoepf UJ , Das M, Schneider AC et al. (2002)

Computer aided detection (CAD) of segmental and subsegmental pulmonary emboli on 1-mm multidetector-row CT (MDCT) studies. Radiology 225 (Suppl):384-388 .

Schoepf UJ, Helmberger T, Holzkecht N et al. (2000)

Segmental and subsegmental pulmonary arteries: evaluation with electron-beam versus spiral CT. Radiology 214: 433–439 .

Schulman S and Lindmarker P (2000)

Incidence of cancer after prophylaxis with warfarin against recurrent venous thromboembolism: Duration of Anticoagulation Trial. N Engl J Med. 342:1953–1958 .

Schwicker HC, Schweden F, Schild HH, et al. (1994)

Pulmonary arteries and lung parenchyma in chronic pulmonary embolism: preoperative and postoperative CT findings. Radiology 191:351–357.

Selby BJ (2007)

Pulmonary Arterial Circulation in: Uflacker R (ed): Atlas of Vascular Anatomy, An Angiographic Approach. 2nd Edition, Lippincott Williams & Wilkins .ch:10, p:232-286 .

Sheiman RG, Raptopoulos V, Caruso P et al. (1996)

Comparison of tailored and empiric scan delays for CT angiography of the abdomen. Am J Roentgenol 167:725–729 .

Silverstein MD, Heit JA, Mohr DN et al. (1998)

Trends in the Incidence of Deep Vein Thrombosis and Pulmonary Embolism Year Population-Based Study.
Arch Intern Me; 158:585-593 .

Smith TP (2003)

Pulmonary embolism : what's wrong with the diagnosis?
AJR 181:1495-1498 .

Stein PD, Beemath A, Matta F et al.(2007)

Clinical characteristics of patients with acute pulmonary embolism .
Am J Med. 120:871–879.

Stein PD, Henry JW and Gottschalk A (1999)

Reassessment of pulmonary angiography for the diagnosis of pulmonary embolism: relation of interpreter agreement to the order of the involved pulmonary arterial branch.
Radiology 210: 689–691.

Stein PD& Henry JW (1997)

Clinical characteristics of patients with acute pulmonary embolism stratified according to their presenting syndromes.
Chest 1997;112: 974–979.

Stein PD, Terrin ML, Hales CA et al. (1991) Clinical, laboratory, roentgenographic and electrocardiographic findings in patients with acute pulmonary embolism and no pre-existing cardiac or pulmonary disease.
Chest 100:598–603.

Stratmann G and Gregory GA (2003)

Neurogenic and humoral vasoconstriction in acute pulmonary thromboembolism.
Anesth Analg 97:341–354.

Sutton D (2002)

Textbok of radiology and imaging , seventh edition , Churchill livingstone,2002 reprinted 2006. vol.1 P.237-239

Suzuki H, Oshima H, Shiraki Net al., (2004)

Comparison of two contrast materials with different iodine concentrations in enhancing the density of the the aorta, portal vein and liver at multi-detector row CT: a randomized study.
Eur Radiol 14:2099-2104 .

Swensen SJ, Sheedy PF II, Ryu JH et al. (2002)

Outcomes after withholding anticoagulation from patients with suspected acute pulmonary embolism and negative computed tomographic findings: a cohort study.
Mayo Clin Proc 77: 130–138 .

Swensen SJ, Morin RL, Aughenbaugh GL, et al.(1995)

CT reconstruction algorithm selection in the evaluation of solitary pulmonary nodules.
J Comput Assist Tomogr 19:932–935.

T

Tadavarthy SM, Klugman J, Castaneda-Zuniga WR, et al . (1982)

Systemic- pulmonary collaterals in pathological states. A review.
Radiology 144:55-63

Tan R, Kuzo R, Goodman L et al. (1998)

Utility of CT scan evaluation for predicting pulmonary hypertension in patients with parenchymal lung disease.
Chest 113:1250–1256.

Tapson VF (2004)

Acute pulmonary embolism
Cardiol Clin 22 : 353–365 .

Tillie-Leblond I, Mastora I, Radenne F et al. (2002)

Risk of pulmonary embolism after a negative spiral CT angiogram in patients with pulmonary disease: 1-year clinical follow-up study.
Radiology 223:461–467 .

Torbicki A , Perrier A , Konstantinides S et al., (2008)

Guidelines on the diagnosis and management of acute pulmonary embolism .
European Heart Journal (2008) 29, 2276–2315 .

Torbicki A , van Beek , Charbonnier B et al., (2000)

Task Force on Pulmonary Embolism, European Society of Cardiology
European Heart Journal (2000) 21, 1301–1336 .

Tomashefski JF and Felo J (2004)

The pulmonary pathology of illicit drug and substance abuse.
Current Diagn Pathol 10:413–426.

U

Uflacker R, Kaemmerer A, Picon PD, et al . (1985)

Bronchial artery embolization in the management of hemoptysis:
technical aspects and long-term results.
Radiology 157:637-641 .

V

Vogel N, Kauczor HU, Heussel CP et al., (2001)

Artifact reducing in diagnosis of lung embolism using CT with saline
bolus.
Rofo 2001; 173:460–465 .

W

Washington L, Goodman LR & Gonyo MB. (2002)

CT for thromboembolic disease.
Radiol Clin North Am 2002; 40:751–771 .

Wittram C . (2007)

How I Do It: CT Pulmonary Angiography
AJR 2007; 188:1255–1261.

Wittram C , Maher MM , Yoo AJ et al., (2004)

CT Angiography of Pulmonary Embolism: Diagnostic Criteria and
Causes of Misdiagnosis .
RadioGraphics 2004; 24:1219–1238 .

Wittram C, Maher MM, Halpern E, et al. (2003)

The Hounsfield unit values of acute and chronic pulmonary emboli
(abstr). In: Radiological Society of North America scientific assembly
and annual meeting program.
Radiological Society of North America, 2003; 678.

Wood KE. (2002)

Major pulmonary embolism: review of a pathophysiologic approach to the golden hour of hemodynamically significant pulmonary embolism. Chest 2002;121:877–905.

Worsley DF and Alavi A (2003)

Radionuclide imaging of acute pulmonary embolism. Semin Nucl Med 33:259-361.

Worthy S, Müller N, Hartman T et al. (1997)

Mosaic attenuation pattern on thin-section CT scans of the lung: differentiation among infiltrative of the lung, airway, and vascular diseases as a cause. Radiology 205: 465–470.

Y

Yeh BM, Kurzman P, Foster E et al. (2004)

Clinical relevance of retrograde inferior vena cava or hepatic vein opacification during contrastenhanced CT. Am J Radiol 183:1227–1232.

Yung GL & Fedullo PF (2008)

Pulmonary Thromboembolic Disease in (ed) : Fishman AP: Fishman's Pulmonary Diseases and Disorders, 4th ed. , The McGraw-Hill Companies, Inc,2008 ,Ch: 82 p:1423-1427 .