

## REFERENCES

- 1) **Yong-Yeon Jeong, Eric K. Outwater, and Heoun Keun Kang: (2000)** Imaging evaluation of ovarian masses. *Radiographic* 20:1445-1470.
- 2) **Landis SH, Murray T, Bolden S, et al :(1998)** Cancer statistics. *CA Cancer J Clin* 48:6-29 .
- 3) **Woodward PJ, Hossein Zadeh K and Saenger J S :(2004)** Radiologic staging of ovarian carcinoma with pathologic correlation. *RadioGraphics* 24:225-246.
- 4) **Kooning PP, Campbell K, Miahell DR, et al: (1989)** Relative frequency of primary ovarian neoplasm: A 10 year review. *Obstet Gynecol* 74:921
- 5) **Russell P: (1994)** Surface epithelial-stromal tumors of the ovary . In: Kurman RJ, eds. *Blaustein's pathology of the female genital tract*. 4thEd New York, NY: Springer-Verlag 705-782.
- 6) **Morrow C, Cutin C, Paul M. (1998)** Synopsis of gynecologic oncology New York, NY: Churchill Livingstone.
- 7) **Katz ME, Schwartz PE, Kapp DS, et al. (1981)** Epithelial carcinoma of the ovary: current Strategies. *Ann Intern Med* 95:98-111 .
- 8) **Richardson GS, Scully RE, Nikrui N, et al. (1985).** Common epithelial cancer of the ovary (2). *N Engl J Med* 312:474-483.
- 9) **Balachandran and Iyer; (2005).** Differentiation of benign and malignant adnexal masses: Relative value of gray-scale, color Doppler, and spectral Doppler sonography. *AJR Am J Roentgenol*. 164:381-386.
- 10) **Kinkel K, Lu Y, Mehdizade A, et al: (2005).** Indeterminate ovarian mass at US: incremental value of second imaging test for characterization—meta-analysis and Bayesian analysis. *Radiology* 236 : 85-94.
- 11) **Sohaib SA, Mills TD, Sahdev, J.A.W. Webb, (2005):** The role of magnetic resonance imaging and ultrasound in patients with adnexal masses . *Clin Radiol*; 60 : 340-348.
- 12) **Susanna I. Lee, :(2006).** Radiological Reasoning: Imaging Characterization of Bilateral Adnexal Masses; *AJR* 187:S460-S466.

- 13) **Izumi Imaoka, MD , Akihiko Wada, MD , Yasushi Kaji, MD, et al: (2006).** Developing an MR Imaging Strategy for Diagnosis of ovarian masses: RadioGraphics 26:1431-1448
- 14) **Snell RS: (2004)** Clinical anatomy, 7<sup>th</sup> ed. Philadelphia, Baltimore, New York, London, Buenos Aires, Hong kong, Sydney, Tokyo, Lippincott Williams & Wilkins pp 386-389.
- 15) **Ostrzenski A: (2002)** Gynecology: integrating conventional, complementary and natural alternative therapy. Philadelphia, Baltimore, New York, London, Buenos Aires, Hong kong, Sydney, Tokyo, Lippincott Williams & Wilkins pp395-322.
- 16) **Anderson JR and Genadry R: (2002)** Anatomy and embryology , in Berek JS (Ed) : Novak's gynecology, 13<sup>th</sup> ed. Philadelphia, Baltimore, New York, London, Buenos Aires, Hong Kong, Sydney, Tokyo, Lippincott Williams & Wilkins pp69-101.
- 17) **DeCherney AH and Nathan L: (2003)** current obstetric & gynecologic diagnosis&treatment,9<sup>th</sup>ed. New York, Chicago, SanFrancisco, Lisbon,London, Madrid,Mexico City, Milan, New Delhi,San Jaun, Seoul, Singapore, Sydney, Toronto, Lange Medical Books/McGraw-Hill, pp77-97.
- 18) **Campbell S and Monga A: (2000)** Gynaecology by ten teachers, 17<sup>th</sup> ed. New York, Oxford university Press Inc.pp 8-158.
- 19) **Standring S, Harold E, Healy JC, et al: (2005)** Gray's anatomy: the anatomical basis of clinical practice, 39<sup>th</sup> ed . 2005, pp 1321-1326.
- 20) **Thibodeau GA and Patton KT: (2003)** Anatomy & physiology. St. Louis, London, Philadelphia, Sydney, Toronto, Mosby, pp 914- 915.
- 21) **Hagen-Ansert SL: (2001)** Textbook of diagnostic ultrasonography, 5<sup>th</sup> ed.St. Louis, London, Philadelphia, Sydney, Toronto,A Hercourt Health Science Company vol 2, pp944-971.

- 22) **Shier D, Butler J and Lewis R: (2000)** Hole's essentials of anatomy and physiology. Boston, BurrRidge, IL, Dubuque, IA, Madison, WI, New York, SanFrancisco, St.Louis, Bangkok, Bogota ,Caracas ,Lisbon, London, Madrid, Mexico City, Milan, New Delhi, Singapore, Sydney, Taipei, Toronto, Mc Graw Hill, pp 529-531.
- 23) **Tortora GJ and Grabowski SR: (2003)** principles of anatomy and physiology, 10<sup>th</sup> ed. New York, John Wiley & Sons,.Inc. pp1028-1034.
- 24) **Moore KL and Agur AM: (2002)** Essential clinical anatomy, 2<sup>nd</sup> ed. Philadelphia, Baltimore, New York, London, Buenos Aires, Hong kong, Sydney, Tokyo, Lippincott Williams & Wilkins , pp 395-322
- 25) **Taylor KJ and Quedens- Case CL : (1995)** Doppler applications in gynecology, in Taylor KJ, Burns PN, Wells PN(Ed): Clinical applications of Doppler ultrasound, 2<sup>nd</sup> ed. New York, Raven Press, pp221-247.
- 26) **Freimanis M and Jones A: (1992)** Transvaginal ultrasonography Radiological Clinic of North Am 30:955.
- 27) **Zagoria RJ and Tung GA : (1997)** The female genital tract, in Zagoria RJ and Tung GA (Ed) : Genitourinary radiology. St. Louis, Mosby, pp 248.
- 28) **Higgin RV, Van Nagell JR, Woods CH, et al: (1990)** Interobserver variation in ovarian measurements using transvaginal sonography. Gynecol Oncol 39:69-71.
- 29) **Cohen H, Tice H and Mandel F: (1990)** Ovarian volumes measured by US: Bigger than we think. Radiology 177:145.
- 30) **Hall DA, McCarthy KA, and Kopans DB: (1986)** Sonographic visualization of the normal postmenopausal ovary. J Ultrasound Med 5:9.
- 31) **Lakhani K, Seifalian AM, Atiomo WU, et al: (2002)** Polycystic ovaries. The British Journal of Radiology 75:9-16.
- 32) **Dillon, E.H., & Taylor, K.J. : (1990).** Doppler ultrasound in the female pelvis a first trimester pregnancy. Clin Diagn Ultrasound, 26, 93-117.
- 33) **Crofton, M.: (2003).** Gynecological imaging. In D. Sutton (Ed.), *Textbook of radiology and imaging* (7<sup>th</sup> ed.) (pp. 1069-1105). London: Churchill Livingstone

- 34) **Fleischer, A.C., & Brader, K.R. (2001).** Sonographic depiction of ovarian vascularity and flow: current improvements and future applications. *J Ultrasound Med*, 20(3), 241-250.
- 35) **Bhatt, S., Dogra, V: (2006).** Doppler imaging of the uterus and adnexae. *Ultrasound Clinics*, 1(1), 201–21.
- 36) **Outwater EK, Talerman A and Dunton C :(1996)** Normal adnexa uteri 4<sup>th</sup> ed. St. Louis, Missouri, Mosby, vol 2,pp 1751-1762.
- 37) **Outwater EK and Mitchill DG: (1996)** Normal ovaries and functional cysts: MR appearance. *Radiology* 198:397-402.
- 38) **Heiken JP and Lee JK: (1988)** MR imaging of the pelvis. *Radiology* 166: 11-16.
- 39) **Imaoka I, Wada A, Matsuo M, et al: (2003)** MR imaging of disorders associated with female infertility: Use in diagnosis, treatment and management . *RadioGraphics* 23:1401-1421.
- 40) **Baumgarten DA, Ascher SM, Semelka RC, et al: (2002)** Adnexa, in Semelka RC (Ed): abdominal-pelvic MRI. New York, Wiley-Liss, pp1123-1177.
- 41) **Burgener FA, Tan RK, Meyers SP, et al: (2002)** Differential diagnosis in magnetic resonance imaging. Nuttgart, New York, Georg Thieme Verlag, pp 606.01-1421.
- 42) **Outwater EK: (2003)** Magnetic resonance imaging of the pelvis, in Haaga JR, Lanzieri CF and Gilkeson RC (Ed): CT and MR imaging of the whole body, specimens: Anatomic basis of MR imaging features. *Radiology* 201:751-755.
- 43) **Olson MC, Posniak HV, Tempany CM, et al: (1992)** MR imaging of the female pelvic region. *RadioGraphics* 12:445-465.
- 44) **Outwater EK, Schiebler MI: (1994)** MRI of the ovary. *Magn Reson.Clin North Am* 1994, 2:245-274.

- 45) **Cass H and Karlan :** (2003) Neoplasm of the ovary and fallopian tube, in Scott JR, Gibbs RS, Karlan by et al (Ed): Danforth's obstetrics and gynecology. Philadielphia , Baltimore, New York, London, Buenos Aires, Hong Kong, Sydney, Tokyo, Lippincott Williams & Wilkins, pp971-996.
- 46) **Purcell K and wheeler JE:** (2003) Benign disorders of the ovaries & oviduct , in DeCherney AH and Nathan L: Current obstetric &gynecologic diagnosis & treatment. New York, Chicago, SanFrancisco, Lisbon, London, Madrid, Mexico City, Milan, New Delhi, SanJuan, Seoul, Singapoure, Sydney, Toronto, Lange Medical Books/McGraw-Hill, pp 708-715.
- 47) **Haddad A , Mulvany N, Billson V, et al:** (2000) Solitary luteinized follicle cyst of pregnancy: Report of a case with cytology findings. Acta cytol 44: 454-458.
- 48) **Pezzica E, Buzzi A, Sonozogni A, et al:** (1992) Large size solitary luteinizing follicular cyst in puerperium. Minerva Ginecol 44:201- 204.
- 49) **Dunaif A:** (1997) Insulin resistance and the polycystic ovary syndrome: mechanism and implications for pathogenesis. Endocr Rev 18: 774-800.
- 50) **Fielding JR:** (2006) Pelvis, in Lee JK, Sagel SS, Stanley RJ, et al (Ed): Computed body tomography with MRI correlation. Philadielphia, Baltimore, New York, London, Buenos Aires, Hong Kong, Sydney, Tokyo, Lippincott Williams & Wilkins, vol 2, pp1375-1396.
- 51) **Dohke M, Watanabe Y, Akira Okumura A, et al:** (2000) Comprehensive MR imaging of acute gynecologic diseases. Radiographics 20: 1551-1566.
- 52) **Kim SH, Yang DM, et al:** (2004) Unusual causes of tubo-ovarian abscess: CT and MR imaging findings. RadioGraphics 24:1575-1589.
- 53) **Kataoka ML, Togashi K, Yamaoka T, et al:** (2005) Posterior cul-de-sac obliteration associated with endometriosis: MR imaging evaluation .Radiology 234: 815-823.
- 54) **Woodward PJ, Sohaey R and Mezzetti TP Jr :** (2001) From the archives of the AFIP Endometriosis: Radiologic-pathologic correlation. RadioGraphics 21: 193-216.

- 
- 55) **Umara N and Olliff J: (2001)** Imaging features of pelvic endometriosis. *The British Journal of Radiology* 74: 556-562.
- 56) **Bazot M, Darai E, Hourani R , et al: (2004)** Deep pelvic endometriosis: MR imaging for diagnosis and prediction of extension of disease. *Radiology* 252: 379-389.
- 57) **Calle, E.E., Rodriguez, C., Walker-Thurmond, K., et al : (2003).** Overweight, obesity and mortality from cancer in a prospectively studied cohort of US adults. *N Engl J Med*, 348, 1625-38.
- 58) **Schorge, J.O., Schaffer, J.I., Halvorson, L.M., et al: (2008).** *Williams' Gynecology*. China: McGraw-Hill
- 59) **Lowe, D. :(2007).** The pathological features of ovarian neoplasia. In R. Reznek (Ed.), *Contemporary Issues in Cancer Imaging: Cancer of the ovary* (pp. 20-46). New York: Cambridge University Press.
- 60) **Kido A, Togashi k, Konishi I, et al: (1999)** Dermoid cysts of the ovary with malignant transformation: MR appearance. *AJR* 172:445-449.
- 61) **Kawamoto S, Sato K, Matsumoto H, et al:(2001)** Multiple mobile spherules in mature cystic teratoma of the ovary. *AJR* 172: 1445- 1457.
- 62) **Outwater EK, Siegelman ES AND HuntJL: (2001)** Ovarian teratomas: tumor types and imaging characteristics. *RadioGraphics* 21:475-490.
- 63) **Silvanesaratnam V, Dutta R and Jayalakshmi P: (1990)** Ovarian fibromas: Clinical and histopathological characteristics. *Int J Gynaecol* 33: 243-247.
- 64) **Pamela M, James E, Frances R, et al: (1997)** Benign disease of the female pelvis, in Berman MC and Cohen HL (Eds) : *Obstetrics and gynecology*, 2<sup>nd</sup> ed. Philadelphia, lippincott, pp113.
- 65) **Tanaka YO, Tsunoda H, kitagawa Y, et al: (2004)** Functioning ovarian tumors: Direct and indirect findings at MR imaging. *RadioGraphics* 24: 147-166.

- 66) **Jung SE, Lee JM, rha se, et al: (2002b)** CT and MR imaging of ovarian tumors with emphasis on differential diagnosis. RadioGraphics22:1305-1325.
- 67) **Dorigo O and Baker VV: (2003)** Premalignant and malignant disorders of the ovaries and oviducts, in DeCherney AH and Nathan L (Ed): Current obstetric & gynecologic diagnosis & treatment, 9<sup>th</sup> ed New York, Chicago, SanFrancisco, Lisbon, London, Madrid, Mexico City, Milan, New Delhi, San Juan, Seoul, Singapoure, Sydney, Toronto, Lange Medical Books/McGraw-Hill,pp933-938.
- 68) **Berek JS: (2002)** Ovarian Cancer, in Berek JS (Ed): Novak's gynecology, 13<sup>th</sup> ed. . Philadielphia, Baltimore, New York, London, Buenos Aires, Hong Kong, Sydney, Tokyo, Lippincott Williams & Wilkins, pp1245-1251.
- 69) **Ko SF, Wan YL ,Ng SH, et al: (1999)** Adult ovarian granulose cell tumors; spectrum of sonographic and CT findings with pathologic correlation. Am J Roentgenol 172: 1227-1233.
- 70) **Fink D, Kubik-Huch RA and Wildermuth S: (2001)** Juvenile granulose cell tumor. Abdomen imaging 26:550-552.
- 71) **Brammer HM III, Buck JL, Hayes WS, et al: (1990)** Malignant germ cell tumors of the ovary: Radiographic-pathologic correlation. RadioGraphics 10:715-724.
- 72) **Kim SH and Kang SB: (1995)** ovarian dysgerminoma: Color Doppler ultrasonographic findings and comparison with CT and MR imaging findings. J Ultrasound Med 14:843-848.
- 73) **Ueno T, Tanaka YO, Nagata M, et al: (2004)** Spectrum of germ cell tumors: From head to toe. RadioGraphics 24: 387-404.
- 74) **Levitin A, Haller KD, Cohen HL, et al: (1996)** Endodermal sinus tumor of the ovary: imaging evaluation. AJR Am J Roentgenol 167:791-793.
- 75) **Brown DL, Zou KH, Tempany CM, et al: (2001)** Primary versus secondary ovarian malignancy: Imaging ovarian malignancy: imaging findings of adnexal masses in the Radiology Diagnostic Oncology Group study. Radiology 219:213-218.

- 76) **Ha HK, Baek SV, Kim SH, et al: (1995)** krukenberg's tumor of the ovary: MR imaging features. *AJR* 164: 1435-1439.
- 77) **Campbell SC, Cullinan JA and Rubens DJ: (2004)** Slow flow or no flow ,color and power Doppler US pitfalls in the abdomen and pelvis. *RadioGraphics* 24: 497-506.
- 78) **Kurjak A and Zalud I: (1991)** Transvaginal color Doppler sonograghy , in Timor-Trisch I and Rottem S (Eds): *Transvaginal sonography*, 2<sup>nd</sup> ed. New York, Elsevier, pp 451.
- 79) **Burns PN: (1995)** Interpreting and analyzing the Doppler examination, in Taylor KJ, Burns PN and Wells PN (Eds): *Clinical application of Doppler ultrasound*, 2<sup>nd</sup> ed. New York, Raven Press, pp 62-99.
- 80) **Nilsson A, Olafsson FA, Loten L, et al: (1997)** Color Doppler to assess angle dependency and detection of volume differences. *Ultrasound Med* 16: 275.
- 81) **Roland R, Fleischer AC, James A, et al: (1995)** Introduction, in Fleischer AC and Kepple M(Eds): *Diagnostic sonography*, 2<sup>nd</sup> ed. Philadelphia, W.B. Saunders, pp1.
- 82) **Schiller V and Grant E: (1992)** Doppler ultrasonography of the pelvis. *Radiol Clin North Am* 30:735.
- 83) **Fleischer AC and Cullinan JA: (1995)** Pelvic masses, in Copel JA and Reed KL (Eds): *Doppler ultrasound in obstetrics and gynecology*. New York, Raven press, pp 61-70.
- 84) **Daigle RJ, Stavros AT, Lee RM, et al: (1999)** Overestimation of velocity and frequency values by multielement linear array probes. *Vascular Technol* 14:206.

- 85) Jeffrey RB and Ralls PW: (1997)** Color and power sonography: A teaching file. Philadelphia, New York, Lippincott-Raven, pp2-17.
- 86) Curry RA and Tempkin BB : (2006)** Sonography: Introduction to normal structure and function, 2<sup>nd</sup> ed. Philadelphia, Saunders pp32-35.
- 87) Burns PN: (1993) The physics of Doppler, in Chervenak FA, Isaacson GC and Campbell S (Eds):** Ultrasound in obstetrics and gynecology. Boston, Toronto, London, Little, Brown and Company, 1993, vol 1, pp33-132.
- 88) Hertzberg BS and BS and Carroll BA: (1992)** Ultrasonography of vascular system in Taveras JM, Ferrucci JT, Buonocore EL, et al. (Eds): Radiology: Diagnosis – Imaging – intervention. Philadelphia, J.B. Lippincott company , pp 1 -18.
- 89) Thaler and Bruck A: (1991)** Transvaginal sonography and Doppler measurements: Physical considerations, in Timor-Trisch I and Rottem S (Eds) : Transvaginal sonography, 2<sup>nd</sup>. New York, Elsevier, pp 1-27.
- 90) Boote EJ: (2003)** Doppler US techniques: Concepts of blood flow detection and flow dynamics. RadioGraphics 23: 1315-1327.
- 91) McDicken WN and Hoskins PR:(2000) Physics:** Principles, practice and artifacts, in: Allan PL, Dubbins PA and Pozniak MA (Eds): Clinical Doppler ultrasound. Churchill Livingstone, New York, Edinburgh, London, Philadelphia, ST Louis, Sydney, Toronto, pp 1-23.
- 92) Tekay A and Jouppila P: (1996)** Controversies in assessment of ovarian tumors with transvaginal color Doppler ultrasound. Acta Obstet Gynecol Scand 75: 316-329.

- 93) **Kurjak A and Zalud I: (1992)** Transvaginal color Doppler in the differentiation between benign and malignant ovarian masses, in Sharp F, Mason WP and Creason W (Eds): Ovarian cancer. New York, Champer & Hall, pp 249-264.
- 94) **Lees WR, Higman JH, Paul D, et al: (1998)** Gynecological imaging in Sutton D (Ed) : Textbook of radiology and imaging, 6<sup>th</sup> ed. London, Churchill Livingstone, pp 1235.
- 95) **Glover GH, Herfkens RJ: (1998)** The International Society for Magnetic Resonance in Medicine: Research directions in MR Imaging. Radiology 207:289-295.
- 96) **Semelka RC, Wilber KP and Braga L: (2002)** Diagnostic approach to protocoling and interpreting MR studie of the abdomen and pelvis, in Semelka RC (Ed): Abdominal-pelvic MRI. New York, Wiley-Liss, pp 1-9.
- 97) **Smith RC, Reinhold C, Lange RC, et al: (1992)** Fast spin-echo MR Imaging of the female pelvis: Part I. Use of a whole-volume coil. Radiology 184: 665-669.
- 98) **Seigelman ES and Outwater EK: (1999)** Tissue characterization in the female pelvis by means of MR Imaging. Radiology 212: 5-18.
- 99) **Benacerraf BR, Benson CB, Abuhamad AZ, et al : (2009).**Three- and 4-dimensional ultrasound in obstetrics and gynecology proceedings of the American Institute of Ultrasound in Medicine Consensus Conference. J Ultrasound Med 24:1587–1597.
- 100) **Kurjak. A., Bekavac, I., & Kupesic. S. (2003a).** Color Doppler in adnexal masses. In A. Kurjak, & F.A. Chevenak (Eds.), *Donald school textbook of ultrasound in obstetrics and gynecology* (pp. 913-939). New Delhi, India: Jaypee Brothers Medical Publishers.
- 101) **Folkman, J. (1989).** What is the evidence that tumors are angiogenesis dependent? *J Natl Cancer Inst*, 82, 4–6.

- 
- 102) **Rak, J.W., St Croix, D.B., & Kerbel, R.S. (1995).** Consequences of angiogenesis for tumor progression, metastasis and cancer therapy. *Anti-Cancer Drugs*, 6, 3–18.
- 103) **Plate, K.H. (2001).** From angiogenesis to lymphangiogenesis. *Nature Medicine*, 7(2), 151–52.
- 104) **Jain, R.K. (1988).** Determination of tumor blood flow: a review. *Cancer Res*, 48, 2641–46.
- 105) **Laing FC: (1994)** US Analysis of adnexal masses: The art of making the correct diagnosis. *Radiology* 19: 21-22.
- 106) **Jeong YY, Outwater EK and Kang HK: (2002)** Imaging evaluation of ovarian masses. *RadioGraphics* 20: 1445–1470.
- 107) **Fleischer AC, Rodgers WH, Kepple DM, et al: (1992)** Color Doppler sonography of benign and malignant ovarian masses. *RadioGraphics* 12: 879-885.
- 108) **Jain, R.K., & Ward-Harley, K.: (1984).** Tumor blood flow characterization, modifications and role in hyperthermia. *Trans Sonics Ultrasonics*, 31, 504–09.
- 109) **Joshi, M., Ganesan, K., Munshi, H.N., et al: (2008)** Sonography of adnexal masses. *Ultrasound Clinics*, 3, 369-389.
- 110) **Pellerito JS, Troiano RN, Quedens-Case C, et al: (1995)** Common pitfalls of endovaginal color Doppler flow imaging. *RadioGraphics* 15: 37-47.
- 111) **Kurjak, A., & Kupesic, S. :(1999).** *Colour Doppler in obstetrics, Gynecology and infertility* (pp. 62-78). Zagreb: Artstudio Azinovic-Medison.
- 112) **Itakura, T., Kikkawa, F., Kajiyama, H., et al :(2003).** Doppler flow and arterial location in ovarian tumours. *Int J Gynecol Obstet*, 8313, 277-283.

- 113) **Hannah C; Chang, MD ; Shweta Bhatt, MBBS ; et al:(2008).** Pearls and Pitfalls in Diagnosis of Ovarian Torsion RadioGraphics 28:1355–1368.
- 114) **Vijayaraghavan SB: (2004).** Sonographic whirlpool sign in ovarian torsion. J Ultrasound Med; 23(12):1643–1649.
- 115) **Atiomo WU, Pearson S, Shaw S, et al: (2000).**Ultrasound criteria in the diagnosis of polycystic ovary syndrome. Ultrasound Med Biol ;26:977–80.
- 116) **Guerriero S, Ajossa S, Lai MP , et al: (2003)** The diagnosis of functional ovarian cysts using transvaginal ultrasound combined with clinical parameters, CA 125 determinations, and color Doppler. Eur J Obstet Gynecol Reprod Biol 110:83–88.
- 117) **Christensen JT, Boldsen JL, Westergaard JG :(2002)** Functional ovarian cysts in premenopausal and gynecologically healthy women. Contraception 66:153–157.
- 118) **Jain KA: (1994)** Prospective evaluation of adnexal masses with endovaginal gray-scale and duplex and color Doppler US: Correlation with pathologic findings. Radiology 191: 63-67.
- 119) **Franchi M, Beretta P, Ghezzi F , et al :(1995)** Diagnosis of pelvic masses with transabdominal color Doppler, CA 125 and ultrasonography. Acta Obstet Gynecol Scand 74:734–739. Quoted from: Jeong YY, Outwater EK and Kang HK: (2000) Imaging evaluation of ovarian masses. Radiographics20: 1445–1470.
- 120) **Hricak H, Chen M, Coakley FV, et al: (2003)** Complex adnexal masses: detection and characterization by MR Imaging-multivariate analysis. Radiology 214: 39-46.
- 121) **Clement PB :(2002)** Non neoplastic lesions of the ovary. In: Kurman RJ, ed. Blaustein's pathology of the female genital tract. 5th ed. New York, NY: Springer-Verlag, 675–727.

- 122) **Ken Tamai, Takashi Koyama, Tsuneo Saga, et al: (2006)** . MR features of physiologic and benign conditions of the ovary. *Eur Radiol* 16: 2700–2711.
- 123) **Seigelman ES and Outwater EK: (1999)** Tissue characterization in the female pelvis by means of MR Imaging. *Radiology* 212: 5-18.
- 124) **Togashi K, Nishimura K, Kimura I, et al: (1991).**Endometrial cysts diagnosis with MR imaging. *Radiology*1991;180:73–78.
- 125) **Sugimura K, Okizuka H, Imaoka I, et a: (1993).** Pelvic endometriosis: detection and diagnosis withchemical shift MR imaging. *Radiology* 188:435–438.
- 126) **Ha HK, Lim YT, Kim HS, et al: (1994).** Diagnosis of pelvic endometriosis: fatsuppressed T1-weighted vs conventional MR images. *AJR Am J Roentgenol* 163:127–131.
- 127) **Jung SE, Lee JM, Lee KY, et al: (2002<sup>a</sup>)** Xanthogranulomatous oophoritis: MR imaging findings with pathologic correlation. *AJR Am J Roentgenol* 178: 749-751.
- 128) **Outwater EK and Dunton CJ: (1995)** Imaging of the ovary and adnexa: Clinical issues and applications of MR imaging. *Radiology* 194: 1-18.
- 129) **Fleischer AC, Javitt MC, Jeffrey RB, et al: (1997)** Clinical gynecologic imaging. Philadelphia, Lippincott-Raven, pp 263-271.
- 130) **Takahama J.;S. M. Ascher; S. Hirohashi ;et al: (2004).**Borderline Brenner tumor of the ovary: MRI findings ,Springer-Veriag New York, LLC.2004 Abdomen Imaging 29:528-530.
- 131) **Yamashita Y, Torashima M, Hatanaka Y, et al: (1994)** Value of phase-shift gradient-echo MR imaging in the differentiation of pelvic lesions with high signal intensity at T1 –weighted imaging.*Radiology* 191:759-764.
- 132) **Kier R, Smith RC and McCarthy SM: (1992)** Value of lipid- and water-suppression MR images in distinguishing between blood and lipid within ovarian masses. *AJR Am J Roentgenol* 158: 321-325.

- 133) **Guinet C, Buy JN, Ghossain MA, et al: (1993)** Fat suppression techniques in MR imaging of mature ovarian teratomas: comparison with CT. *Eur J Radiol* 17:117-121.
- 134) **Kimura I, Togashi K, Kawakami S, et al: (1994)** Ovarian torsion: CT andMR imaging appearances. *Radiology* 190:337-341.
- 135) **Comerci JT Jr, Licciardi F, Bergh PA, et al: (1994)** Mature cystic teratoma: a clinicopathologic evalution of 517 cases and review of the literature. *Obstet Gynecol* 84:22-28.
- 136) **Yamashita Y, Hatanaka Y, Takahashi M, et al: (1997)** Struma ovarii: MR appearances. *Abdomen Imaging* 22:100-102.
- 137) **Joja I, Asakawa T, Mitsumori A, et al: (1998)** Struma ovarii: MR appearances. *Abdomen Imaging* 23:652-656.
- 138) **Mutsuki M, Kaji Y, Matsuo M, et al: (2000)** Struma ovarii: MRI findings. *Br J Radiol* 73: 87-90.
- 139) **Kim SH, Sim JS, Seong CK: (2001)** Interface vessels on color/power Doppler US and MRI : a clue to differentiate subserosal uterine myomas from extrauterine tumors.*J Comput Assist Tomogr* 25:36-42.
- 140) **M.H. Pui et al. : (2004)** *Journal of Clinical Imaging* ; 28 :143–152.
- 141) **Paula J. Woodward, Keyanoosh Hosseinzadeh, Jeff S.Saenger: (2004)** *RadioGraphics* 24:225–246 .
- 142) **Seidman JD, Russell P, Kurman RJ: (2002)** Surface epithelial tumors of the ovary. In: Kurman RJ (ed) *Blaustein’s pathology of the female genital tract*. Springer Verlag, Berlin Heidelberg New York pp 791–904.
- 143) **Tanaka YO, Nishida M, Kurosaki Y, et al: (1999).** Differential diagnosis of gynaecological “stained glass” tumors on MRI. *The British Journal of Radiology*, 72:414-420.
- 144) **Kazuhiro Kitajima, Yasushi Kaji, Yoichiro Kuwata Kazufumi Imanaka, et al: (1999).** Magnetic Resonance Imaging findings of endometrioid adenocarcinoma of the ovary. *Radiat Med* (2007) 25:346–354.

- 145) **Outwater EK, Marchetto B and Wagner BJ: (2000)** Virilizing tumors of the ovary: Imaging features. *Ultrasound Obstet Gynecol* 15: 365-371.
- 146) **Ihara N, Togashi K, Todo G, et al: (1999)** Sclerosing stromal tumor of the ovary: MRI. *J Comput Assist Tomogr* 23: 555-557.
- 147) **Togashi : (2003)** Ovarian cancer: the role of US, CT andMRI. *Eur Radiol* 13 [Suppl 4]:L87–L104cancer.
- 148) **Kim SH, Kim WH, Park KL ,et al: (1996)** CT and MR findings of Krukenberg tumors: comparison with primary ovarian tumors. *J Comput Assist Tomogr* 20:393–398
- 149) **Megibow AJ, Hulnik DH, Bosniak MA, et al: (1985)** Ovarian metastases: computed tomographic appearances. *Radiology* 156:161.
- 150) **Young RH, Scully RE: (2002)** Metastatic tumors of the ovary. In: Kurmann RJ (ed) *Blaustein's pathology of the female genital tract*, 5th edn. Springer, Berlin Heidelberg New York, pp 1063–1101.
- 151) **Young RH, Scully RE : (2002)** Sex-cord-stromal, steroid cell,and other ovarian tumors. In: Kurman RJ (ed) *Blaustein's pathology of the female genital tract*, 5th edn. Springer,Berlin Heidelberg New York, pp 905–965.
- 152) **Ozgur Bige ,Ahmet Demir , Meral Koyuncuoglu ,et al: (2009)** Collision tumor: serous cystadenocarcinoma and dermoid cyst in the same ovary. *Arch Gynecol Obstet* 279:767–770.
- 153) **Exacoustos C, Romanini ME, Rinaldo D , et al: (2005)** Preoperative sonographic features of borderline ovarian tumors.*Ultrasound Obstet Gynecol* 25:50–59.
- 154) **Forstner R, Hricak H, Azizi L, et al : (1995)** Ovarian cancer recurrence: value of MR imaging. *Radiology* 196:715–720.
- 155) **Low RN, Chen SC, Barone R : (2003)** Distinguishing benign from malignant bowel obstruction in patients with malignancy:findings at MRI. *Radiology* 228:157–165.

- 156) **Ozols RF, Schwartz PE, Eifel PJ: (2001)** Ovarian cancer, fallopian tube carcinoma, and peritoneal carcinoma. In: De VitaVT Jr, Hellman S, Rosenberg SA (eds) *Cancer: principles and practice of oncology*, 6th edn. Lippincott Williams &Wilkins, Philadelphia, pp 1597–1632.
- 157) **Ferrozzi F, Tognini G, Bova D, et al: (2000)** Non-Hodgkin lymphomas of the ovaries: MR findings. *J Comput Assist Tomogr* 24:416-420.
- 158) **Ghossain MA, Buy JN, Ligneres C, et al: (1991)** Epithelial tumors of the ovary: comparison of MR and CT findings. *Radiology* 181: 863-870.
- 159) **Pretorius ES, Outwater EK, Hunt JL, et al:(2001)** Magnetic resonance imaging of the ovary. *Top Magn Reson Imaging* ; 12: 131-146.
- 160) **Occhipinti KA.: (1999)** Computed tomography and magnetic resonance imaging of the ovary. In: Anderson JC, eds. *Gynecologic imaging*. London, England: Churchill Livingstone; 345-359.