

REFERENCES

Ando H, Toda S, Harada M, et al. (2004):

Which infertile women should be indicated for sonohysterography?
Ultrasound Obstet Gynecol; 24: 566.

Lalchandani, S, and Phillips K, (2003):

Evaluation of endometrial cavity-investigation options. Rev.
Gynecol. Prac.; 3: 165.

Ismail C, Pelin, O, Sanli E, et al., (2005):

Comparison of transvaginal sonography, saline infusion
sonography and hysteroscopy in the evaluation of uterine cavity
pathologies. Australian and New Zealand Journal of Obstetrics and
Gynaecology; 45: 30.

Bree RL, Bowerman RA, Bohm-Velez M, et al., (2000):

US evaluation of the uterus in patients with postmenopausal
bleeding; a positive effect on diagnostic decision making.
Radiology; 216:260-264.

Revel A, and Shushan A. (2002):

Investigation of infertility: hysteroscopy with endometrial biopsy is
the gold standard investigation for abnormal uterine bleeding
human report: 17:1947-1949.

Güven, MA; Bese, T and Demirkiran, F et al. (2004):

Hydrosonography in screening for intracavitary pathology in infertile women. International Journal of Gynecology and Obstetrics; 86: 377.

Davis PC, O'Neill MJ, and Yoder IC, et al. (2002):

Sonohysterographic finding of endometrial and subendometrial conditions. Radiographics 2002; 22:803-816.

Yucebilgin, MS; Aktan, E and Bozkurt, K et al. (2004):

Comparison of hydrosonography and diagnostic hysteroscopy in the evaluation of infertile patients. Clin. Exp. Obstet. And Gyn.; 31(1): 56.

Williams PL(1992):

Henry Grays Anatomy of the human body. 37th edition. The female genital organs pp 1821-1865.

Thomas IND (2005):

Henry Grays Anatomy of the human body. 39th edition. The uterus chp104, 1331-1338.

Katz VL (2007):

Diagnostic procedures: Imaging, endometrial sampling, endoscopy: Indication and contraindications, complications. In: Katz VL, Lentz

GM, Lobo RA, Gershenson DM eds. Comprehensive Gynecology. 5th ed. Philadelphia, Pa: Mosby Elsevier; chap 11.

Goldstein SR (2006):

Abnormal Uterine Bleeding: The Role of Ultrasound. Radiol Clin North Am. November 2006; 44(6); 901-910.

Goldstein RB (2006):

Saline Infusion Sonohysterography. Ultrasound Clin. April; 1(2); 385-414.

DeCrespigny, L.; Kuhn, R. and Mc Ginnes, D. (1997):

Saline infusion sonohysterosalpingography: An under-utilized technique. Aust NZ J Obstet Gynaecol; 37: 206.

Laifer-Narin, S.; Nagesh Ragavendra and Parmenter, E.K. et al. (2002):

False-normal appearance of the endometrium on conventional transvaginal sonography: Comparison with saline hysterosonography. AJR; 129.

Goldstein, S. (1995):

Use of ultrasonohysterography for triage of perimenopausal patients with unexplained uterine bleeding. Am J Obstet Gynecol; 170: 565.

Levine PH, Abou-Nassar S, Mittal K et al (2001):

Extauterine low-grade endometrial stromal sarcoma with florid endometroid glandular differentiation, Int J Gynecol Pathol; 20: 395-398).

Tietze L, Gunther K, Horbe A, Pawlik C, Klosterhaifen B, Handt S, Merkelbach-Bruse S et al., (2000):

Benign metastasizing leiomyoma: a cytogenetically balanced but clonal disease. Hum Pathol; 31: 126-128).

Coard KC, Fletcher HM (2002):

Leiomyosarcoma of the uterus with a florid intravascular component, Int J Gynecol Pathol; 21: 182-18

Bree RL, Bowerman RA, Bohm-Velez M, et al.,:

US evaluation of the uterus in patients with postmenopausal bleeding ; a positive effect on diagnostic decision making. Radiology 2000 ; 216:260-264.

Revel A, and Shushan A.: investigation of infertility:

Hysteroscopy with endometrial biopsy is the gold standard investigation for abnormal uterine bleeding .human repord.2002;17:1947-1949.

Davis PC, O'Neill MJ, Yoder IC et al. (2002):

Sonohysterographic Findings of Endometrial and Subendometrial Conditions. July RadioGraphics, 22, 803-816.

Salim, R.; Regan, L. and woelfer, B. et al. (2003):

A comparative study of the morphology of congenital uterine anomalies in women with and without a history of recurrent first trimester miscarriage. Hum Reprod; 18: 162.

Grimbizis, G.F.; Camus, M. and Tarlatzis, B.C. et al. (2001):

Clinical implications of uterine malformations and hysteroscopic treatment results. Hum Reprod Update; 7: 161.

Raga, F.; Bauset, C. and Remohi, J. et al. (1997):

Reproductive impact of congenital Müllerian anomalies. Hum Reprod; 12: 2277.

Fedele, L.; Bianchi, S. and Agnoli, B. et al. (1996):

Urinary tract anomalies associated with unicornuate uterus. J Urol; 155: 847.

Woelfer, B.; Salim, R. and Banerjee, S. et al. (2001):

Reproductive outcomes in women with congenital uterine anomalies detected by three-dimensional ultrasound screening. Obstet Gynecol; 98: 1099.

Fedele, L. and Bianchi, S. (1995):

Hysteroscopic metroplasty for septate uterus. *Obstet Gynecol Clin North Am*; 22: 473.

Steinkeler JA, Woodfield CA, LazarusL et al. (2009):

Continuing Medical Education: Female Infertility: A Systematic Approach to Radiologic Imaging and Diagnosis *Radiographics* September 2009 29:1353-1370;

Al-Inany, H. (2001):

Intrauterine adhesions. An update. *Acta Obstet Gynecol Scand*; 80: 986.

Seracchioli, R.; Rossi, S. and Govoni, F. et al. (2000):

Fertility and obstetric outcome after laparoscopic myomectomy of large myomata: A randomized comparison with abdominal myomectomy. *Hum Reprod*; 15: 2663.

Dudiak KN (2003):

Invited Commentary *Radiographics* January 2003 23:151-155

Katherine T. Chen:

Up to Date Pt information *ASN* October 2006)

Katz VL (2007):

Diagnostic procedures: Imaging, edometrial sampling, endoscopy: Indication and contraindications, complications. In: Katz VL, Lentz

GM, Lobo RA, Gershenson DM eds. *Comprehensive Gynecology*.
5th ed. Philadelphia, Pa : Mosby Elsevier: chap 11.

Goldstein SR (2006):

Abnormal Uterine Bleeding: The Role of Ultrasound. *Radiol Clin North Am*. November; 44(6); 901-910.

Soutter K: (1999):

Malignant disease of the uterus . In: Dewhurst's Text book of obstetrics and gynecology for postgraduates.6th edition Edmonds dk,ed. Oxford ,Blackwell Science pp 560-571

Indman, P.D. (2000):

Instrumentation and distention media for the hysteroscopic treatment of abnormal uterine bleeding. *Obstet Gynecol Clin North Am*; 27: 305.

Anderson M.C., H fox .F.A. Tidy and M.Wells (1991):

Systemic pathology 3th edition .,volume 6, female ginetal system ,pp 616-707.

Spiewankiewicz, B.; Stelmachow, J. and Sawicki, W. et al. (2003):

The effectiveness of hysteroscopic polypectomy in cases of female infertility. *Clin Exp Obstet Gynecol*; 30: 23.

Mastominas, M.; Pistofidis, G.A. and Dimitropoulos, K. (1996):

Fertility outcome after outpatient hysteroscopic removal of endometrial polyps and submucous fibroids. J Am Assoc Gynecol Laparosc; 3(Suppl): S29.

Hourvitz, A.; Ledee, N. and Gervaise, A. et al. (2002):

Should diagnostic hysteroscopy be a routine procedure during diagnostic laparoscopy in women with normal hysterosalpingography? Reprod Biomed Online; 4: 256.

Kim, M.R.; Kim, Y.A. and Jo, M.Y. et al. (2003):

High frequency of endometrial polyps in endometriosis. J Am Assoc Gynecol Laparosc; 10: 46.

Ueda M, et al.:

MR imaging findings of uterine endometrial stromal sarcoma: Differentiation from endometrial carcinoma. Eur Radiol. (2001) 11: 28-33.

Check, J.H.; Choe, J.K. and Lee, G. et al. (2002):

The effect on IVF outcome of small intramural fibroids not compressing the uterine cavity as determined by a prospective matched control study. Hum Reprod; 17: 1244.

Fernandez, H.; Alby, J.D. and Gervaise, A. et al. (2001):

Operative transvaginal hydrolaparoscopy for treatment of polycystic ovary syndrome: A new minimally invasive surgery. Fertil Steril; 75: 607.

Malzoni, M.; Rotond, M. and Perone, C. et al. (2003):

Fertility after laparoscopic myomectomy of large uterine myomas: Operative technique and preliminary results. Eur J Gynaecol Oncol; 24: 79.

Donnez, J. and Jadoul, P. (2002):

What are the implications of myomas on fertility? A need for a debate? Hum Reprod; 17: 1424.

Wolman I, Groutz A, Gordon D et al. (1999):

Timing of SHG in Menstruating Women. Gyneocl Obstet Invest; 48: 254-258.

Achiron R, Lipitz S and Sivan E (1995):

Sonohystergraphy for evaluation of tamoxifen-associated cystic thickened endometrium. Clin Ultrasound, 14: 685.

Ayida G, Kemedi S, Barlow D and Chamberlain P (1997):

A comparison of patient tolerance of hysterosalpingo contrast sonography (Hycosy) and X-ray hysterosalpingography for outpatient investigation of infertile women. Ultrasound obstet. Gynecol, 7: 201.

Bernard JP (1997):

Saline contrast sonography as first line investigation for infertile women. Ultrasound Obstet Gynecol; 10 (2): 121.

Vanilla F, Simon C, Serra V, Sampaio M et al. (1992):

An assessment of Hysterosalpinogonography (HSSG) as a diagnostic tool for uterine Cavity defects and Tubal patency. J Clin Ultrasound 20, 3: 175-81.

Bossuyt P, Van Beurden M, Mol BW et al. (1996):

The value of salpingosonography in the diagnosis of infertility. Hum Repro; 11: 1204.

Bourne TH, Lawton F, Leather A, et al. (1994):

Use of intracavitary saline instillation and transvaginal sonography to detect tamoxifen-associated endometrial polyps. Ultrasound Obstet Gynecol; 4: 73-75.

Campbell S, Bourne TH, Tan SI et al. (1994):

Hysterosalpingo contrast sonography (Hycosy) and its future role within the investigation of infertility in Europe. Ultrasound Obstet Gynecol; 4: 24.

Cheng WF, Lin HH Torng PL and Huang SC (1997):

Comparison of endometrial changes among symptomatic tomxifen-treated and nontreated premenopausal and postmenopausal breast cancer patients. Gynecol Oncol; 66: 233-237.

Cullinan JA, Fleischer AC, Kepple DM et al. (1995):

Sonohysterography. A technique for endometrial evaluation. Radiographics, Vol 15: 501-514.

Dubinsky TJ, Parvey HR and Makald N (1997):

The role of tansvaginal sonography and endometrial biopsy in the evaluation of peri-and postmenopausal bleeding. AJR; 169: 145-149.

Fedele L, Bianchi S and Dorta M (1991):

Transvaginal ultrasonography versus Hysteroscopy in the Diagnosis of uterine submucous Myomas. Obstet Gynecol; 77: 745-748.

Fukuda M, Shimizu T and Yomura W (1993):

Transvaginal hysterosonography for the differential diagnosis between sumbucous and intramural myoma. Gynecol Obstet Invest; 3: 2236.

Goldstein SR (1994):

Unusual ultrasonic appearance of the uterus in patients receiving tamoxifen. Am J Obstet Gynecol; 170 447-451.

Graham D and Chung SN (1997):

Office sonohysterography in Rock JA, Faro S, Gant N eds: Advances in obstetric and Gynecology; Chicago Ilinos, Mosby Year Book.

Hassan S, Atef and Safat A (2000):

Comparison of transvaginal sonography and vaginal sonohysterography in the detection of endometrial polyps: Acta Obst Gynec Scand; 79: 60-64.

Tekay A, Volpi E, Altman DG, and Silman A (1997):

Transvaginal salpingonsonography for the assessment of tubal patency in infertile women: methodological and clinical experiences. Fertility Sterility; 64: 293.

Jorizzo M, Johanna R, Gioia J and Riccio (1999):

Sonohysterography: the next step in the Evaluation of the Abnormal endometrium. Radiographics; 19: S117-S130.

Levine D, Gosink BB and Johnson LA (1995):

Change in endometrial thickness in women undergoing hormone replacement therapy. Radiology; 197: 603-608.

Lev-Toaff AS, Toaff MR, Liu JB et al. (1996):

Value of sonohysterography in the diagnosis and management of abnormal uterine bleeding. Radiology; 201: 179-184.

Lin MC, Gosink BB and Wolf SI (1991):

Endometrial thickness after menopause: effect of hormone replacement. Radiology; 180: 427-432.

Marcos M (2000):

American Society for reproductive medicine. Fertil Steril; 73: 406-11.

Mitri F, Andronikou AD, Perpinyal S et al. (1991):

A clinical comparison of sonographic hydrotubation and hysterosalpinography. Br J Obstet Gynecol; 98: 1031-1036.

Mogavero I, Shath S, and Hemper UM (1993):

Endovaginal sonography of the non gravid uterus. Radiographics; 13: 969.

Morcos RN, Leonard MD, and Smith M (1991):

Vaginosonographic measurement of endometrial thickness in the evaluation of amenorrhea. Fertile Steril; 55: 543-546.

Osborne CK (1998):

Tamoxifen in the treatment of breast cancer. E Engl J Med; 339: 1609-1618.

Parsons AK, Lense JJ, Lindner CH, and Balin MS (1995):

Sonohysterography for uterine abnormalities preliminary results Clin Ultrasound, 21: 87.

Platt LD, Agarwal SK and Greene N (2000):

The use of chorionic Villus Biospy Catheters for saline infusion sonohysterography. Ultrasound obstet Gynecol; 15: 83-4.

Robinson E, Corfman R, Coulam C et al. (1997):

Salpingosonography of fallopian tube cannulation using albugex: a multicenter study. J Am Med Assoc; 246: 2079.

Syrop CH and Sahakian v (1992):

Transvaginal sonographic detection of endometrial polyps with fluid contrast Augmentation. Obstetrics & Gynecology; 79,6: 1041-1043.

Session DR, Jodi P, Christina K et al. (1998):

Agreement between two successive transvaginal salpingosonography assessments of tubal patency. Acta obstet Gynecol Scand; 76: 72.

Sergio R, Marcos M and Aroldo F (2000)

Diagnosis accuracy of sonohysterography, transvaginal sonography and hysterosalpingography in patients with uterine cavity disease fertility and sterility Vol, 73, No2. February 2000.

Salvatore D, Mario F and Giampiero C (2001):

Determining the best catheter for sonohysterography. Fertility and Sterility Vol 76, No. 3.

References

Parsons, AK, Lense, JJ. Sonohysterography for endometrial abnormalities: Preliminary results. *J Clin Ultrasound* 1993; 21:87.

Syrop, CH, Sahakian, V. Transvaginal sonographic detection of endometrial polyps with fluid contrast augmentation. *Obstet Gynecol* 1992; 79:1041.

Breitkopf, D, Goldstein, SR, Seeds, JW. ACOG technology assessment in obstetrics and gynecology. Number 3, September 2003. Saline infusion sonohysterography. *Obstet Gynecol* 2003; 102:659.

AIUM standard for the performance of saline infusion sonohysterography. *J Ultrasound Med* 2003; 22:121.

APGO educational series on women's health issues. Clinical management of abnormal uterine bleeding. Association of Professors of Gynecology and Obstetrics, May 2002.

Goldstein, RB, Bree, RL, Benson, CB, et al. Evaluation of the woman with postmenopausal bleeding: Society of Radiologists in Ultrasound-Sponsored Consensus Conference statement. *J Ultrasound Med* 2001; 20:1025.

Kamel, HS, Darwish, AM, Mohamed, SA. Comparison of transvaginal ultrasonography and vaginal sonohysterography in the detection of endometrial polyps. *Acta Obstet Gynecol Scand* 2000; 79:60.

Epstein, E, Ramirez, A, Skoog, L, Valentin, L. Transvaginal sonography, saline contrast sonohysterography and hysteroscopy for the investigation of women with postmenopausal bleeding and endometrium > 5 mm. *Ultrasound Obstet Gynecol* 2001; 18:157.

Schwarzler, P, Concin, H, Bosch, H, et al. An evaluation of sonohysterography and diagnostic hysteroscopy for the assessment of intrauterine pathology. *Ultrasound Obstet Gynecol* 1998; 11:337.

Krampl, E, Bourne, T, Hurlen-Solbakken, H, Istre, O. Transvaginal ultrasonography sonohysterography and operative hysteroscopy for the evaluation of abnormal uterine bleeding. *Acta Obstet Gynecol Scand* 2001; 80:616.

Soares, SR, Barbosa dos, Reis MM, Camargos, AF. Diagnostic accuracy of sonohysterography, transvaginal sonography, and hysterosalpingography in patients with uterine cavity diseases. *Fertil Steril* 2000; 73:406.

De Kroon, CD, Jansen, FW, Louwe, LA, et al. Technology assessment of saline contrast hysterosonography. *Am J Obstet Gynecol* 2003; 188:945.

Goldstein, SR, Zeltser, I, Horan, CK, et al. Ultrasonography-based triage for perimenopausal patients with abnormal uterine bleeding. *Am J Obstet Gynecol* 1997; 177:102.

Salle, B, Gaucherand, P, de Saint, Hilaire P, Rudigoz, RC. Transvaginal sonohysterographic evaluation of intrauterine adhesions. *J Clin Ultrasound* 1999; 27:131.

Darwish, AM, Youssef, AA. Screening sonohysterography in infertility. *Gynecol Obstet Invest* 1999; 48:43.

Alborzi, S, Dehbashi, S, Parsanezhad, ME. Differential diagnosis of septate and bicornuate uterus by sonohysterography eliminates the need for laparoscopy. *Fertil Steril* 2002; 78:176.

Alatas, C, Aksoy, E, Akarsu, C, et al. Evaluation of intrauterine abnormalities in infertile patients by sonohysterography. *Hum Reprod* 1997; 12:487.

Goldstein, SR. Unusual ultrasonographic appearance of the uterus in patients receiving tamoxifen. *Am J Obstet Gynecol* 1994; 170:447.

Hann, LE, Gretz, EM, Bach, AM, Francis, SM. Sonohysterography for evaluation of the endometrium in women treated with tamoxifen. *AJR Am J Roentgenol* 2001; 177:337.

Elhelw, B, Ghorab, MN, Farrag, SH. Saline sonohysterography for monitoring asymptomatic postmenopausal breast cancer patients taking tamoxifen. *Int J Gynaecol Obstet* 1999; 67:81.

Schwartz, LB, Snyder, J, Horan, C, et al. The use of transvaginal ultrasound and saline infusion sonohysterography for the evaluation of asymptomatic postmenopausal breast cancer patients on tamoxifen. *Ultrasound Obstet Gynecol* 1998; 11:48.

ACOG Committee Opinion No. 336: Tamoxifen and Uterine Cancer. *Obstet Gynecol* 2006; 107:1475.

Goldstein, SR. Controversy about uterine effects and safety of SERMs: the saga continues. *Menopause* 2002; 9:381.

Wolman, I, Groutz, A, Gordon, D, et al. Timing of sonohysterography in menstruating women. *Gynecol Obstet Invest* 1999; 48:254.

Dessole, S, Farina, M, Capobianco, G, et al. Determining the best catheter for sonohysterography. *Fertil Steril* 2001; 76:605.

Spieldoch, RL, Winter, TC, Schouweiler, C, et al. Optimal catheter placement during sonohysterography: a randomized controlled trial comparing cervical to uterine placement. *Obstet Gynecol* 2008; 111:15.

Sylvestre, C, Child, TJ, Tulandi, T, Tan, SL. A prospective study to evaluate the efficacy of two- and three dimensional sonohysterography in women with intrauterine lesions. *Fertil Steril* 2003; 79:1222.

Exalto, N, Stappers, C, Van Raamsdonk, LA, Emanuel, MH. Gel instillation sonohysterography: first experience with a new technique. *Fertil Steril* 2007; 87:152.

Davis, PC, O'Neill, MJ, Yoder, IC, Lee, SI. Sonohysterographic Findings of Endometrial and Subendometrial Conditions. *Radiographics* 2002; 22:803.

Timmerman, D, Verguts, J, Konstantinovic, ML, et al. The pedicle artery sign based on sonography with color Doppler imaging can replace second-stage tests in women with abnormal vaginal bleeding. *Ultrasound Obstet Gynecol* 2003; 22:166.

Becker, E Jr, Lev-Toaff, AS, Kaufman, EP, et al. The added value of transvaginal sonohysterography over transvaginal sonography alone in women with known or suspected leiomyoma. *J Ultrasound Med* 2002; 21:237.

Cooper, JM, Brady, RM. Intraoperative and early postoperative complications of operative hysteroscopy. *Obstet Gynecol Clin North Am* 2000; 27:347.

Tuveng, JM, Vold, I, Jerve, F, et al. Hysterosalpingography: value in estimating tubal function, and risk of infectious complications. *Acta Eur Fertil* 1985; 16:125.

ACOG Practice Bulletin No. 74: Antibiotic Prophylaxis for Gynecologic Procedures. *Obstet Gynecol* 2006; 108:225.

Alcazar, JL, Errasti, T, Zornoza, A. Saline infusion sonohysterography in endometrial cancer: assessment of malignant cells dissemination risk. *Acta Obstet Gynecol Scand* 2000; 79:321.

Dessole, S, Rubattu, G, Farina, M, et al. Risks and usefulness of sonohysterography in patients with endometrial carcinoma. *Am J Obstet Gynecol* 2006; 194:362.

Lindheim, SR, Morales, AJ. Comparison of sonohysterography and hysteroscopy: lessons learned and avoiding pitfalls. *J Am Assoc Gynecol Laparosc* 2002; 9:223.

Mihm, LM, Quick, VA, Brumfield, JA, et al. The accuracy of endometrial biopsy and saline sonohysterography in the determination of the cause of abnormal uterine bleeding. *Am J Obstet Gynecol* 2002; 186:858.

Dessole, S, Farina, M, Rubattu, G, et al. Side effects and complications of sonohysterosalpingography. *Fertil Steril* 2003; 80:620.

van Dongen, H, de Kroon, CD, van den Tillaart, SA, Louwé, LA, Trimbos-Kemper, GC, Jansen, FW. A randomised comparison of vaginoscopic office hysteroscopy and saline infusion sonography: a patient compliance study. *BJOG* 2008; 115:1232.