

References

Allum WH, Griffin SM, Watson A, et al (2002): Guidelines for the management of esophageal and gastric cancer. Gut 50 (Suppl 5): VI-V23.

Alvin C., Silva, Amy K, et al (2005): CT Colonography with Intravenous Contrast material: Varied appearances of Colorectal Carcinoma RadioGraphics; 25:1321–1334

Angela D, Levy, COL , Leslie H ,et al (2007): Gastrointestinal carcinoids: Imaging Features with clinico -pathologic Comparison RadioGraphics; 27:237–257.

Balfe DM, Mauro MA, Koehler RE, et al (1984): Gastrohepatic ligament: Normal and pathologic CT anatomy. Radiology; 150:485, 490.

Bartram CI (2001): The large bowel in: Cerainger RG, Allison D, Adam A et al (ed5). Diagnosis Radiology. London, Churchill Livingstone. Vol 2 Chapter 50: 1099-1141.

Ba-Ssalamah A, Prokop M, Uffman M, et al (2003): Dedicated multi - detector CT of the stomach: Spectrum of diseases. Radiographs; 23: 625-644.

Barish & Rocha(2005) : Multislice CT Colonography: Current Status and Limitations Radiol Clin N Am 43 1049 – 1062.

- Bhandari S, Shim CS, Kirn JH, et al (2004):** Usefulness of three dimensional, multi detector row CT (virtual gastroscopy and multiphase reconstruction) in the evaluation of gastric cancer: a comparison with conventional endoscopy, EUS, and histo, pathology. *Gastrointestinal Endoscopy*; 59:619-26.
- Binstock A, Johnson C, Stephen D, et al (2001):** Carcinoid tumors of the stomach: a clinical and radiologic study. *AJR Am J Roentgenol*; 176:947-951, 89.
- Blackshow GR, Barry JD, Edwards P, et al (2003):** Laparoscopy significantly improves the perceived preoperative stage of gastric cancer. *Gastric cancer*; 6:225-229.
- Botet JF, Lightdde CJ, Zauber AG, et al., (1991):** Preoperative staging of colorectal cancer: comparison of endoscopic US and dynamic CT. *Radiology*; 181:419-425.
- Bruenton JN (1990):** In Bruenton JN,ed. *Imaging of gastrointestinal tract tumors*. Berlin, Heidelberg, Germany: Springer-Verlag: 130-137.
- Cassel DM& Young SW (1983):** Hiatus hernia causing CT gastric mass lesion .*Comput Radial*; 7 (3): 177-179.
- Chang A (1997):** Colorectal cancer. In: Green field L, Mulholland M, Oldhank K, et al, eds. *Surgery: Scientific principle and practice*. (2nd ed) .Philadelphia: Lippinocott-Roven; 1128:1146-1997.

- Cho KC, Baker SR, Alterman DD, et al (1996):** Transpylonic spread.of gastric tumors: comparison of adenocarcinoma and lymphoma.Am J Roentgenol; 167:467-469.
- Chao Y, Gang Z ZI-Lai ,et al (2009):** Value of Multidetector-Row Computed Tomography in the Preoperative T and N Staging of Gastric Carcinoma: A Large-Scale Chinese Study Journal of Surgical Oncology ;100:205–214.
- Chiao Y , Deng-C , Wan-Yi et al(2008):** MDCT for Differentiation of Category T1 and T2 Malignant lesions from Benign Gastric Ulcers AJR 2008; 190:1505–1511.
- Cichoz-Lach H., Kasztelan –SzczerbinskaB& Slomka M.(2008) ;** Gastrointestinal stromal tumors: epidemiology, clinical picture, diagnosis, prognosis and treatment. Pol Arch Med Wewn. ; 118(4):216-21.
- Crabo LG, Conley DM, Graney Do, et al (1993):** Venous anatomy of the pancreatic head. Normal CT appearance in cadavers and patients. AJR; 160:1039-1045.
- Cwikiel W& Sandberg A (1991):** Diagnostic difficulties with duodenal malignances revisited: a new strategy. Gastrointest. Radiol; 16:301-304.

Davis G, Blanchard D, Hatch G, et al (2000): Tumors of the stomach. World J Surg; 24:412-420.90.

DeFranco A, Geli G, Restaino G, et al (2002): Imaging of small bowel tumors. Rays 27 (1):35-50.

Devesa SS, Blot WJ& Fraumeni JF. (1998): Changing patterns in the incidence of esophageal and gastric carcinoma in the United States. Cancer; 83:2049-2053.

Dudiak KM, Johnson CD, Staphens DH. (1989): Primary tumors of the small intestine: CT evaluation. AJR Am Roentgenol; 152:995-998.

Farah MC, Jafri SZ, Schwab RE, et al (1987): Duodenal neoplasm role of CT. Radiology; 162:839-843.

Fisher JK (1983): Abdominal colonic wall thickening on computed tomography. J Computed Assist Tomogr; 7:90-97.

Fujiwara M., Kodera Y ,et al (2008) : Navigation for laparoscopic gastrectomy with dimensional computed tomography (3D-CT). Hepato -gastroenterology. ; 55(85):1201-5.

Ghai, Pattison J, Sandeep G , et al (2008): Primary Gastrointestinal Lymphoma: Spectrum of Imaging Findings with Pathologic Correlation RadioGraphics 2007; 27:1371–1388.

Gore RM (1997): Small bowel cancer.Clinical and pathologic features.Radiol CJin. North Am; 35:351-360.

Gore R M, U K Mehta, Jonathan W, et al (2007): Diagnosis and staging of small bowel tumors Cancer Imaging 6, 209–212

Goh ,Halligan S, Frances Daley, et al (2008): Colorectal Tumor Vascularity: Quantitative Assessment with Multidetector CT—Do Tumor perfusion Measurements Reflect angiogenesis .radiology Volume 249: Number 2– 510-517.

Grabbe E, Lierse W, winkler R (1983): The perirectal fascia: morphology and use in staging of rectal carcinoma. Radiology; 149:241-246.

Grosskreutz S, Goff WB (1991): CT of the normal appendix. J Computed Assist Tomogr; 15:575-577.

Haggit R& Glotzbach R, (1985): Prognostic factors in colorectal carcinoma arising in adenomas: Implications for lesions removed by endoscopic polypectomy. Gastroenterology; 89:328-336.

Halligan MS, Saounders BP, Thomas BM, et al (1994): Ischemic colitis in association with sigmoid carcinoma: a report of two cases. Clin Radiol;49: 183-184.

Harold Ellis (2006): GIT chapter in clinical anatomy, applied anatomy for students and minor doctors 170-320. (11th ed) Blackwell publishing.

Healy JC, (2005): Abdomen and pelvis. In Gray's Anatomy ; 1143-1210.Borley NR(ed) . Livingstone ,2005.

Hermansen C, Nielsen HK (1981): Primary malignant lymphoma of the duodenum. Case report. Acta Chir Scand ; 147:303-304.92.

Horton KM and Fishman EK (2004): Multi detector row computed tomography and 3 dimensional computed tomography imaging of small bowel neoplasms. J Computed Assist Tomogr. Vol 28:106-116.

Horton KM, Eng J& Fishman EK (2000): Normal enhancement of the small bowel evaluation with spiral CT. J Computed Assist Tomogr; 24:67-71.

Horton KM& Fishman EK (2003): Current role of CT in imaging of the stomach. Radiographics; 23:75-87.

James S, Balfe DM, Lee JKT, et al (1987): Small bowel disease: Categorization by CT examination. AJR; 148:863-867.

Joseph K, Stuart S et al: Gastrointestinal Tract in Computed Body Tomography with MRI Correlation Lippincott Williams & Wilkins 2006 : 781

Johnson et al 2009: Accuracy of CT Colonography for Detection of Large Adenomas and Cancers N Engl J Med. 18; 359(12): 1207–1217.

Kambadakone & Sahani et al (2009): Body Perfusion CT: Technique, Clinical applications, and Advances in radiologic clinic of north America Radiol Clin (12)270 and 271.

Kanamoto T., Matsuki M.&Okuda J. (2007); Pre operative evaluation of local invasion and metastatic lymph nodes of colorectal cancer and mesenteric vascular variations using multidetector-row computed tomography before laparoscopic surgery. J Comput. Assist. Tomogr. 31:831–839.

Kim HJ, Kim AY, Oh ST, et al (2005): Gastric cancer staging at multi detector Row CT Gastrography: comparison of transverse and volumetric CT scanning. Radiology; 236:879-885.

Kim S Kyung N et al,(2007): CT Evaluation of the bulging Papilla with Endoscopic Correlation RadioGraphics ; 27:1023–1038.

Koehler RE, Memel DS& Stanely RJ (1998): Gastrointestinal tract in: Lee JKT, Sagel SS, Stanly RJ, et al . Computed body tomography with MRI correlation. New York. Lippinocott. Raven Press. Vol.1 Chapter 11:637-700.

- Kressel HY, Gallen PW, Montagne JP, et al (1978):** CT evaluation of disorders affecting the alimentary tract. *Radiology*; 129:451 -455.
- Kumano S Murakami T, Kim T, et al (2005):** T staging of gastric cancer: Role of Multi-detector Row CT. *Radiology*; 237:961-966.
- Kumar A, Mitchell F(2007):** The Oral Cavity and GIT in basic pathology(8th ed). 579-630. Elsevier.
- Kurtz RC, Sherlock P (1995):** Carcinoma of the stomach in: Berk JD ed. *Gastroenterology*. Philadelphia, Pa: Saunders: 1278-1304.
- Laurent F, Raynaud M, Biset JM, et al (1991):** Diagnosis and categorization of small bowel neoplasm: role of computed Tomography. *Gastrointest Radiol*; 16:115-119.
- Luboldt W, Mann C, Tyson C, et al (2001):** Perfusion encoded CT colonography: approach for automated colorectal mass detection. *93Radiol*; 11,C20.
- Macari M, Bini EJ, Xue X et al (2002):** Colorectal neoplasm : prospective comparison of thin-section low-Dose multi-detector Row. CT colonography and conventional colonoscopy for detection. *Radiology*; 224:383-392.
- Maglinte DOT, Herlinger H (1999):** In: Herlinger H , Birnbaum BA, eds: *Clinical Imaging of the small intestine*. NewYork: Springer-Verlag; 377-438.

- Maglinte DD, Lappas IC, Kelvin JC, et al (1987):** Small bowel radiology: how, when, why? Radiology; 163:297-305.
- Marks WM, Callen PW, Moss AA (1981):** Gastroesophageal region: source of confusion on CT. AJR; 136:359-362.
- Maruyama M, Baba Y (1994):** Diagnosis of the invasive depth of gastric cancer. Abdomen Imaging; 19:532-536.
- Matsouk Y, Masumoto T, Koga H, et al, (2000):** Positive and negative oral contrast agents for combined abdominal and pelvic helical CT: First iodinated agent and second water. Radiol Med; 18:213-216.
- Matthew A. Barish et al (2005):** Multislice CT Colonography: Current Status and Limitations radiologic clinics of north America Radiol Clin N Am 43 1049 – 1062.
- McMinn RMH (1994): Abdomen in McMinn RMH :** Last's anatomy. Regional and applied ed 9. New York. Churchill Livingstone PP 33 1-342.
- Megibow AJ, Balthazar EJ, Hulnic KDH, et al., (1985):** CT evaluation of gastrointestinal leiomyomas and leiomyosarcomas. AJR Am J Roentgenol; 144:727-731.94.
- Megibow AJ, Bosniak MA (1980):** Dilute barrium as a contrast agent for abdominal CT. AJ R; 134: 1273-1274.

- Mehta S, Johnson RJ, Schofield PF (1994):** Staging of colorectal cancer. Clin Radiol; 49:515-523.
- Meyers MA, Oliiphant M, Berne AS, et al (1987):** The peritoneal ligaments and mesenteries: pathways of intra abdominal spread of disease: Annual oration. Radiology; 163:593-604.
- Michael C.& Farah ,(1987):** Duodenal Neoplasms: Role of CT Radiology; 162:839-843.
- Miettinen M, Lasota J (2001):** Gastrointestinal stromal tumors: definition; clinical ,histoiogical, immunohistochemical, and molecular genetic features and differential diagnosis. Virchows Areh; 438:1-12.
- Mishima V& Hirayama R (1987):** The role of lymph node surgery in gastric cancer. World J Surg; 11:406-411.
- Mitmker B, Begin LR (1991):** Nuclear shape as a prognostic discripnant in CRC Dis . Colon. Rectum; 34:249-259.
- Modlin I, Tang L (2003):** The gastric enterochromaffin like cell: an enigmatic cellular link. Gastroenterology; 111:783-810.
- Moeller BT, Reif E (2001):** Gastro-intestinal tract in normal findings in CT and MRI(ed2) Churchill Livingstone vol.2 Chapter7: 324-348.
- Moore J R (1986):** Gastric carcinoma:-30 years review. Can J Surg; 29:25-28.

- Ng CS, Doyle TC, Courtney HM, et al (2004):** Extra Colonic findings in patients undergoing abdomino-pelvic CT for suspected colo-rectal carcinoma in disabled patient. Clin Radiol; 59:421-30.
- Nolan DJ (2001):** The duodenum and small intestine in: Grainger RG, Allison D, Adam A, et al (ed5)- Diagnostic Radiology. London. Churchill Livingstone vol.2 Chapter 48, 49:1063-1099.95
- Ogata I, Kamohara Y, Yamashita Y, et al (1999):** CT evaluation of gastric lesion with three-dimensional display and interactive virtual endoscopy: comparison with conventional barium study and endoscopy. AJR Am J Roentgenol; 172:1263-1270.
- Pagani JJ (1981):** CT Radiographic Correlation of ulcerating small bowel lymphoma. AJR; 136:998-1000.
- Parronnet J, Hansen S, Rodriguez L, et al (1996):** Recent developments in our understanding of gastric lymphomas. Am J Surg Pathol 20 (suppl 1): S1-S7.
- Patak, Koenraad J, Pablo R, et al (2005):** Multidetector Row CT of the Small Bowel Radiol Clin N Am 43 (2005) 1063 – 1077.
- Perry J , Pickhardt , David H et al (2008):** Evaluation of Submucosal Lesions of the Large Intestine RadioGraphics; 27:1681–1692.
- Puplos A, Ruzicka FF(1984):** Hiatal hernia' causing a cardia pseudomass in computed tomography. comput Assist Tomogr 8(4) :699-700.

Radar , Gadoth (1984):GIT normal findings with CT modality Clin Radiol; 59:421-30.

Radin DR& Halls JM (1987): Cavitating metastases of the stomach and duodenum. J Computed Tomogr; 11:283-287.

Ramsay DW, Markham DH, Morgan B, et al (2001): The use of dilute Calogne as a fat density oral contrast medium In upper abdominal Computed tomography, compared with the use of water and positive oral contrast media. Clin Radiol ; 56:670-673. , 96.

Rogala P, Meiri N& Bartram C(2001):Virtual endoscopy and related 3D techniques (eds).Rogala sheltinga and Hamm;ppl01:163.

Romans G J (1986): Thorax and abdomen in :Cunningham's. Manual of practical anatomy ed 15 volume 2 Churchill Livingstone 1-175.

Rudolph P, Chiarayalli AM, PauserV, et al (2002): Gastrointestinal mesenchymal tumors-immunophenotypic classification and survival analysis. Virchows. Arch; 441:238-248.

Ryan S &McNicholas (1994): Anatomy for diagnostic imaging. Philadelphia. Saunders 147-201.

Saleh GA (2002): The Assessment of water as an oral contrast medium in helical CT study of gastric mass lesions. Thesis submitted for partial Fulfillment of MSC. Cairo University.P64.

Scatarige JC& Disantis DJ (1989): - CT of the stomach and duodenum. Radiol Clin North Am; 27:687-706.

Shawali HAS, Readers JWAJ, -Khattar-NY et al (2001): CT of the abdominal gastrointestinal tract; its value. Distributed by Philips, - Netherlands, pp 28-94.

Sohn KM, Lee JM, Lee SY, et al (2000): Comparing and CT in the staging of gastric carcinoma. AJR Am J Roentgen al; 174:1551-1557.

Springer P, Dessel A, Giacomuzzi SM et al (1997): Virtual Computed Tomography gastroscopy: a new technique. Endoscopy; 29:632-634.

Stabile L Amora AA. Pedote P, et al (2003): Gastric carcinoma with Multidetector spiral CT. Radiol med (Tdrino) 106 (5,-6):467-480.

Takao M, Fukuda T, Iwanaga S, et al(1998).: Gastric Cancer: Evaluation of triphasic spiral CT and radiologic-pathologic correlation. J Comput Assist Tomogr 1998;22:288-294.

Taylor SA, Halligan S, Saunders BP et al (2003): Use of multidetector-row CT colonography for detection of colorectal neoplasia in patients referred via the department of health "2 week wait" Initiative. Clinical Radiology; 58:855-861.

- Tochetto & Yaghmai ,(2009):** CT Enterography: Concept, Technique, and Interpretation in radiologic clinics of North America (8) 117 - 123.
- Tsuda K, Hori S, Murakami T, et al (1995):** Intramural invasion of gastric cancer: evaluation by CT with water- filling method. J. Computed Assisted Tomogr; 19:941-947.
- Ulusan S, Zafer Koç (2009):** Radiologic findings in malignant gastrointestinal stromal tumors Diagn Interv Radiol 2009; 15:121–126.
- Wegener OH, Fassel R, Welger D (2000):** Whole body computed tomography ed2. Boston, Blackwel PP 315-341.
- Wei CJ, Chiang JH, Lin WC, et al (2003):** Tumor and tumor- like lesions of duodenum: CT and barium imaging features. Clin imaging 27(2): 89-96.
- Yee J (2009):** CT Colonography: Techniques and applications Radiol Clin N Am 47 (2009) 133–145.
- Zhang H , Zilai P, Lianjun Du, et al(2008):** Advanced Gastric Cancer and Perfusion imaging Using a multidetector row Computed Tomography: Correlation with prognostic Determinants Korean J Radiol 2008;9:119-127.

Zaunbaier W, Haertel M, Fuchs WA (1981): Computed tomography in carcinoma of the rectum. *Gastrointestinal Radiol* 6:79-84.

Zerhouni FA, Fishman EK, Jones B (1988): Principles and techniques. In: Fishman EK, Jones B, *Computed tomography of the gastrointestinal tract*. New York: Churchill Livingstone.

Zollinger RM (1986): Primary neoplasms of the small intestine. *Am J Surg*; 151:654-658.