

- (1) Lombardi M (2004).**
Thoracic aorta. In: **Lombardi M and Bartolozzi C**: MRI of the heart and vessels, Springer, ch9:319-337.
- (2) McElhinney DB and Goldmuntz E (2004).**
Abnormalities of Aortic Arch.
Orphanet Encyclopedia, 1-3.
- (3) Gurbuz A , Yetkin U , Lafci B , Bayrak S , Goktogan T and Ozcen B (2008).**
Diagnostic Evaluation of Incomplete Double Aortic Arch (Right Dominance), VSD and PFO Comorbidities With Cardiac MRI.
The Internet J of Thoracic and Cardiovascular Surgery,12(2):112-119.
- (4)Zhu M, Zhong YM, Li YH, Sun AM and Jin BJ (2005).**
Congenital aortic arch anomalies diagnosis using contrast enhanced magnetic resonance angiography.
Chinese Medical Journal, 11820:1751-1753.
- (5)Caseiro-Alves F, Gil-Agostinho P and Ramalheiro G (2003).**
Contrast-enhanced MR angiography of thoracic vascular malformations in a pediatric population.
Am J Roentgenol, 181: 861-866.
- (6) Mohiaddin RH (2008).**
MRI of the heart and circulation. In: **Grainger RG, Allison DJ, Adam A and Dixon AK**: Grainger and Allison's Diagnostic Radiology: A text book of medical imaging. 5th edition, Churchill livingstone, ch35.
- (7) Haramati LB , Glickstein JS , Issenberg HJ , Haramati N and Crooke GA (2002).**
MRI and CT of Vascular Anomalies and Connections in Patients with Congenital Heart Diseases: significance in surgical planning.
RadioGraphics, 22:337–349.

(8) Ho VB and Corse WR (2004).

Magnetic resonance imaging of the thoracic vessels.
AJR 12: 727-747.

(9) Garcia HM, Mannin WJ and Hauser TH (2008).

MRI Of Cardiovascular System: Cardiac MRI.
Clinical Policy Bulletin, 520: 120-124.

(10) Williams P, Wamick R and Dyson M (2000).

The heart in “gray’s anatomy”, Thirty eight edition, Chirchill Livingstone, New York; 6-29.

(11) Hyun Woo Goo, In-Sook Park, Fae Kon Ko, Yong Hwue Kim, Dong-Man Seo, Tae-Fan Yun, Feong-Fun Park and Chong Hyun Yoon (2003).

C.T of congenital heart disease: Normal anatomy and typical pathologic conditions.
RadioGraphics, 23: 147-165.

(12) Oglivie BC (2001).

Thoracic aorta. In: **Grainger RG, Allison D, Adam A and Dixon A:** Grainger and Allison's Diagnostic Radiology: A text book of medical imaging. 4th edition, Churchill Levingstone, ch43: 943-944.

(13) Lawrence MW.

clinical anatomy of the aorta
(Witmer @ exchange. Oucom.ohiou. edu).

(14) Riley P, Rooney S, Bonser R and Guest P (2001).

Imaging the post operative thoracic aorta: normal anatomy and pitfalls.
British Journal of Radiology, 74:1150-1158.

(15) Pennell D (2006).

Imaging techniques: Cardiovascular magnetic resonance.
Heart, 85: 581-589.

- (16) Layton KF, Kallmes DF, Cloft HJ, Lindell EP and Cox VS (2006).**

Bovine aortic arch variant in humans: clarification of a common misnomer.

AJNR, 27: 1541-1542.

- (17) McElhinney DB and Wernovsky G (2009)**

Vascular ring, double aortic arch

Am J Cardiol, 103:416-419.

- (18) De-Groot G, Adriana C and Margot MP (2005).**

Basics of cardiac development for the understanding of congenital heart malformations.

Pediatric Research, 57: 169-176.

- (19) Nelson, Richard EB, Kliegman R and Jenson BH (1999).**

Nelson Textbook of Pediatrics, 16th edition, Publisher: Elsevier, 1477-1478.

- (20) Marino TA (2000).**

Department of Anatomy and Cell Biology Temple University School of Medicine.

www.isc.temple.edu/marino/embryo/cardio.htm

- (21) McElhinney DB, Perri M, Becker A and Wernovsky G (2006).**

Vascular Ring, Right Aortic Arch.

Cincinnati Children's Hospital Medical Center.

- (22) Yazar F, Yalcin P and Ozan H (2003).**

Variations of aortic arch branches.

Gazi Medical Journal, 14: 181:184.

- (23) Moore KL (1993).**

The developing human: clinically orientated embryology.

WB Saunders Company, 186: 145-159.

- (24) **Amin MP, Gutierrez FR, Jeffrey JB, Mirowitz SA, Vamsidhar RN, Naoki T and Pamela KW (2003).**
Performing cardiac MR imaging: an overview.
Magn Reson Imaging Clin N Am, 11: 1-18.
- (25) **Castillo J (2006).**
Thoracic Aorta.
[www. mripractice.com/mra](http://www.mripractice.com/mra).
- (26) **Dacher JN, Gahide G, Gerbaud E, Varin C, Manrique A and Laissy JP (2004).**
Plans de coupe en IRM cardiaque.
J Radiol, 85: 11-18.
- (27) **Stemerman DH, Glenn AK, Vivian SL, Clyn J, Ben MY and Neil MR (1999).**
Thoracic aorta: Rapid black-blood MR imaging with half-fourier rapid acquisition with relaxation enhancement with or without electrocardiographic triggering.
Radiology, 213: 185-191.
- (28) **Higgins CB, David S, Michael M, Peter L, Lawrence EC and Leon K (1984).**
Multiplaner magnetic resonance imaging of the heart and major vessels: Studies in normal volunteers.
AJR, 142: 661-667.
- (29) **Boxt ML, Rozenshtein A, Alger JR and Wilson DG (2003).**
MR imaging of congenital heart disease.
Magn Reson Imaging Clin N Am; 11: 27-48.

- (30) **Livermore J, Williams E and Niall W (2004).**
Normal radiological anatomy.
The university of Aiwa, www.vh.org.
- (31) **Barbara AK, Udo PS, Madeleine RF and Charles BH (1987).**
MR Imaging of congenital anomalies of the aortic arch
AJR, 149: 9-13.
- (32) **Suresh R, Ovchinnikov N and McRae A (2006)**
Variations in the branching pattern of the aortic arch in three
Trinidadians.
West Indian Medical Journal, 55(5).
- (33) **McElhinney DB, Donna M, Elaine HZ and Goldmuntz E (2001).**
Cardiovascular anomalies in patients diagnosed with a
chromosome 22q11 deletion beyond 6 months of age.
Pediatrics, 108(6): 1-4.
- (34) **Cotran R, Kumar V and Robbins S (1999).**
Robbins pathologic basis of diseases.
WB Saunders Company, 6: 571-582.
- (35) **Von Schulthess GK, Higashino SM, Higgins SS, Didier D and Fisher MR (1986).**
Coarctation of the aorta: MR imaging.
Radiology 9:13-26.
- (36) **McDaniel N (2003).**
Double aortic arch.
The British Journal of Radiology, 72: 315-318.
- (37) **Chan YT, NG DKK, Chong ASF and Ho JCS (2003).**
Double aortic arch presenting as neonatal stridor.
HK J Pediatr (New Series), 8: 126-129.

- (38) **Jonas RA, Kirklin JW, Momma K and Burke RP (2009).**
Double aortic arch.
Chest, 119: 847-849.
- (39) **Turkvatan A, Fatma GB, Tulay O and Turhan C (2009).**
Congenital anomalies of the aortic arch: Evaluation with the use of Multidetector C.T.
Korean J Radiol, 10: 176-184.
- (40) **Davies M and Guest PJ (2003).**
Developmental abnormalities of the great vessels of the thorax and their embryological bases.
The British Journal of Radiology, 76: 491-502.
- (41) **Delabrousse E, Clair C, Couvreur M, Clergeot-Grelier ML and Kastler B (2000).**
Cervical aortic arch presenting with right recurrent laryngeal nerve palsy in an adult. Case report.
J Radiol, 81: 542-544.
- (42) **Romanes G (1999).**
Thorax and Abdomen. In: Cunningham's: Manual of practical anatomy, 15th edition, ELBS, London, 2: 250-265.
- (43) **Royal Children's Hospital (RCH) (2005).**
Cardiological defects.
www.rch.org.au/cardiology/defects.htm
- (44) **Kinsara A and Kawn Lc (2004).**
Non invasive imaging modalities in coarctation of the aorta.
Chest, 126: 1016-1018.
- (45) **Joyce L (1994).**
Mended hearts grow up.
Stanford Med, 11: 18-24.

- (46) **Jonathan RD, Sai GY, Anthony RD and Raniro JH (2008).**
Interrupted aortic arch: spectrum of MRI findings.
AJR, 190: 1467-1474.
- (47) **Edelman RR, Ahn SS and Chien D (1996).**
Improved time of flight MR angiography of the brain with magnetization transfer contrast.
Radiology, 184: 395-399.
- (48) **Lombardi M, Bartolozzi C and Zampa V (2005).**
MRI of the heart and vessels. Springer Verlag, Italia, 319-374.
- (49) **Catherine Westbrook (2002).**
Image contrast and production. In: **Catherine Westbrook:**
MRI at a Glance, Blackwell science, ch3: 28-61.
- (50) **Vincent B, Kinnely J and David J (1996).**
Contributions of newer MR imaging strategies for congenital heart disease.
RadioGraphics, 16: 43-60.
- (51) **Gutierrez F, Seigel M and Faller J (2002).**
Magnetic resonance imaging of cyanotic congenital heart disease.
Mag Reson Clin N Am, 10: 209-235.
- (52) **Zhu H, Han L, Haung X and Wang X (2001).**
MR and cine MR imaging in the diagnosis of infantile congenital hearty disease.
Clin Med J, 114 (4): 360-363.
- (53) **Pelc N, Somera G and Caldroni F (1994).**
Quantitative magnetic resonance flow imaging.
Magn Reson Q, 10: 125-147.

(54) Sahnd DJ and Vick GW (2001).

Review of new techniques in echocardiography and magnetic resonance imaging as applied to patients with congenital heart disease. Heart, 88: 41-53.

(55) Atkinson D and Tersil R (1994).

Magnetic resonance angiography.
Magn Reson Q, 10: 149-172.

(56) Prince M (1994).

Gadolinium enhanced MR aortography.
Radiology, 191: 155-164.

(57) Czum JM, William RC, Vincent BH (2005).

MR angiography of the thoracic aorta.
Magn Reson Imaging Clin North America, 13: 41-64.

(58) Glockner JF (2005).

MR angiography interpretation: techniques and pitfalls.
Elsevier Inc Magn Reson Clinics North America, 13: 23-40.

(59) Cranney G and Doyle M (2001).

Magnetic resonance methods for cardiovascular studies. In:
Pohest G, O'rourk R: principles and practice of cardiovascular
imaging. Little, Brown and Company, 485-499.

(60) Mirowitz A, Eilenberg S and White R (1992).

Cardiac MR imaging. In: **Gutierrez F: cardiovascular magnetic**
resonance imaging, first edition. Mospy Company, New York,12-25.

- (61) Agostinho PG, Ramalheiro G and Filipe CA (2003).**
Contrast Enhanced MR Angiography of Thoracic Vascular Malformations in Pediatric Population.
AJR, 181: 861-866.
- (62) Kaul S, Wismer G and Bradley T (1986).**
Measurement of normal left heart dimensions using optimally oriented MR imaging.
Ajr, 146: 75-79.
- (63) Mirowitz A, Gutierrez F and Canter E (1990).**
Teratology of fallot: mri findings.
Radiology, 171: 207-212.
- (64) Choe Y, Kim Y and Han B (1997).**
MR imaging in the morphologic diagnosis of congenital heart diseases.
RadioGraphics 17: 405-422.
- (65) Glazer SG, Fernando RG, Robert GL, Joseph KT and William AM (1985).**
The thoracic aorta studied by MR imaging.
Radiology 1985, 157:149-155.
- (66) Miller DL, Reining JW and Volkman DJ (1985).**
Vascular imaging with Mri.
Ajr, 146: 949-954.
- (67) Edvardsen T, Boaz F and Rosen D (2005).**
Why do we need magnetic resonance imaging in cardiology?
Scandinavian Cardiovascular Journal, 39: 260-263.

- (68) **ITO H, Konishi A, Kon T, Ishibashi T and Takahashi S (2006).**
Double aortic arch with atresia, tapering and aneurysm of the left arch
The British Journal of Radiology, 79: 71-74.
- (69) **Heatlie GJ and Pointon K (2004).**
Cardiac magnetic resonance imaging.
Postgrad Med J 80: 19-22.
- (70) **Meng-Luen Lee (2007).**
Diagnosis of the double aortic arch and its differentiation from the conotruncal malformations
Yonsei Med J, 48(5): 818-826.
- (71) **Kastler B, Livodsi A, Germain P, Bernard Y, Michalakos D, Rodiere E, Louis G, Litzler JF and Vignaux O (2004).**
Value of MRI in the evaluation of Congenital anomalies of the heart and great vessels.
J Radiol, 85: 1821-1850.
- (72) **Malik TH, Bruce IA, Koushik V, Willatt DJ, Wright NB and Rothero MP (2006).**
The role of magnetic resonance imaging in the tracheobronchial assessment of suspected extrinsic compression due to vascular anomalies.
Arch Dis Child, 91: 52-55.
- (73) **Subramanyan R, Poorthirikovil V and Narayan R (2003).**
Double aortic arch.
Indian Pediatrics, 40: 951-957.

- (74) **Higgins CB, Duerinckx AJ and Pettigrew RI (1994).**
The raven MRI teaching file MRI of the cardiovascular system.
Raven Press, 1-91.
- (75) **Brockmeier K, Demirakca S, Metzner R and Floemer F (2000).**
Double Aortic Arch.
American Heart Association, 102: 93-94.
- (76) **Kindler H, Bagger JP, Tait P and Camici PG (2005).**
A vascular ring without compression: double aortic arch presenting as a coincidental finding during cardiac catheterization.
Cardiol Pediatric, 91:773.
- (77) **Dicenta F, Juan A, Joao A and Lima C (2002).**
Rodríguez and Vicente Belloch: Double Aortic Arch, RM cardíaca. Eresa. Hospital General de Castellón. Hospital Comarcal de Vinaroz. España. Rev Esp Cardiol; 55(10): 1088.
- (78) **Stewart JR, Kincaid OW and Edwards JE (1994).**
An atlas of vascular rings and related malformations of the aortic arch system.
Springfield IL: Charles C. Thomas, 150-152.
- (79) **Parkside Magnetic Resonance Center (2006).**
www.parksidemri.com
- (80) **Besset GS, Strife JL, Kirks DR and Bailey WW (1987).**
Vascular rings: MR imaging.
AJR, 149: 251.

- (81) **Link KM, Charles F, Hildebolt F and William R (1991).**
Cardiovascular MR imaging: Present status. In: Radiology syllabus. Oakbrook, IL: Radiological Society of North America, 123-124.
- (82) **Duerinckx AJ (1994).**
The raven MRI teaching file MRI of the cardiovascular system.
Raven Press, P. 1-91.
- (83) **Kersting-Sommerhoff BA, Seelos KC, Hardy C, Konso C and Higgins C (1990).**
Evaluation of surgical procedures for cyanotic heart disease by MR imaging.
American Journal of Radiology, 155: 259-266.
- (84) **Wang TZ, Gautham PR, Gotway MB, Benjamin MY and Higgins CB (2003).**
Cardiovascular Shunts: MR Imaging Evaluation.
RadioGraphics, 23: S181-S194.
- (85) **Sparacia G (2003).**
Patent ductus arteriosus: MRI findings.
Institute of Radiology - University of Palermo. www.up.us.org.
- (86) **Goitein D, Bisk J and Aufferman W (2005).**
The thorax and heart. In: **Higgins:** magnetic resonance imaging of the body. Raven Press, New York, 29-48.
- (87) **Choe YH, Seok K, Seung-Woo P and Heung JL (2001).**
MR Imaging of Congenital Heart Diseases in Adolescents and Adults.
Korean J Radiol, 2: 121-131.

- (88) Secchi F, Iozzelli I, Papini GD, Aliprandi A, Leo GD and Sardanelli F (2009).**
MR Imaging of aortic coarctation
La Radiologica Medica, 114(4): 524-537.
- (89) Wimphiemer D and Boxet L (1999).**
MR imaging of adult patients with congenital heart disease.
Rad Clinics North America, 37(2): 421-437.
- (90) Bank ER, Aisen AM, Rocchini AP and Hernandez RJ (1987).**
Coarctation of the aorta in children undergoing angioplasty: pretreatment and post treatment MR imaging.
Radiology, 162: 235-240.
- (91) Amparo GE, Higgins CB and Shafton EP (1984).**
Demonstration of coarctation of the aorta by magnetic resonance imaging.
AJR, 143: 1192-1194.
- (92) Burrows PE (1990).**
Magnetic resonance imaging of the aorta in children.
Semin Ultrasound CT MR, 11: 221.
- (93) Prince M, Narasimham D and Jacoby W (1996).**
Three dimensional gadolinium enhanced MR angiography of the thoracic aorta.
AJR, 166: 1387-1395.
- (94) Oshiniski J, Park W and Markou C (1996).**
Improved measurements of pressure gradients in aortic coarctation by MRI.
J Am Coll Cardiol, 28: 1818-1825.

(95) Manning W and Pennel D (2002).

Clinical magnetic resonance, 1st edition, Churchill Livingstone, New York, 75-95.

(96) Steffens JC, Bourne MW, Sakuma H, O'sullivan M and Higgins CB (1994).

Quantification of collateral blood flow in coarctation of the aorta by velocity encoded cine magnetic resonance imaging.

Circulation, 90: 937-943.

(97) Rosenthal E (2005).

Coarctation of the aorta from fetus to adult: Curable condition or life long disease process.

Heart, 91: 1495-1502.

(98) Konen E, Merchant N and Provost Y (2004).

Coarctation of the aorta before and after correction: the role of cardiovascular MRI.

Am J Roentgenol, 182: 1333-1339.

(99) Jacquier A, Chabbert V, Vidal V , Otal P , Gaubert JY , Joffre F , Rousseau H and Bartoli JM (2004).

Imaging of the thoracic aorta in adults: when, how and why? Éditions Françaises de Radiologie, Paris, 85(6-C2): 854 – 869.

(100) Papavero R, Kastler B and Clair C (2001).

Thoracic aortic coarctation: MR evaluation and follow-up.

J Radiol, 82: 555-561.

(101) Ismat AF, Weinberg PM, Rychik J, Karl T and Fogel M (2006).

Right Aortic Arch and Coarctation: A Rare Association.

Congenit heart Dis, 1(5): 217-223.

- (102) Roche KJ, Krinsky G, Lee VS, Rofsky N and Genieser NB (1999).**
Computer assisted tomography.
ajr mae, 23(2): 197-202.
- (103) Oeynhausen B (2003).**
Cardiac MR: Hypoplastic aortic arch & coarctation.
Heartcenter NRW, Clinic for Congenital Heart Disease.
- (104) Imai Y, Harada T and Yamada H (2000).**
Left cervical aortic arch with aortic coarctation and saccular aneurysm.
Jpn Circ J, 64: 544-546.
- (105) Johnson TR, Goldmuntz E, Donna M and Zackai H (2005).**
Cardiac magnetic resonance imaging for accurate diagnosis of aortic arch anomalies in patients with 22q11.2 deletion.
American Journal of Cardiology, 96: 1726-1730.
- (106) Hager A, Kaemmerer H, Leppert H, Prokop M, Blücher S, Stern H and Hess J (2004).**
Follow-up of Adults with Coarctation of the Aorta: Comparison of Helical CT and MRI.
Chest, 126:1169-1176.
- (107) Morales LS, Daniel JD, Wesley V, Charles DF and McKenzie D(2005)**
Tetralogy of Fallot and hypoplasia aortic arch: A novel perspective.
J Thoracic Cardiovasc Surg, 129: 1448-1450.

- (108) Hiroshi I, Fumiko T, Nobuhiko I and Akira N (2006).**
Silent double aortic arch found in an elderly man.
Circulation, 114: 360-361.
- (109) McMahon CJ, Bezold LI and Giles WV (2000).**
Double aortic arch in D- transposition of the great arteries.
Tex Heart Inst J, 27: 398-400.
- (110) Donnelly LF, Fleck RJ, Pacharn P, Ziegler MA, Fricke BL and Cotton RT (2002).**
Aberrant subclavian arteries: cross- sectional imaging findings in infants and children referred for evaluation of extrinsic airway compression.
AJR, 178: 1269-1274.