

REFERENCES

A

.Aaslid R, Markwalder T& Nornes H.Noninvasive transcranial Doppler ultrasound recording of flow velocity in basal cerebral arteries Neurosurg J M;1982;57:769–774.

.Adams R, McKie V, Carl E.Long-term stroke risk in children with sickle cell disease screened with transcranial Doppler. Ann Neurol 1997;43:699–704.

.Adams R, McKie V, Hsu L .Prevention of a first stroke by transfusions in children with sickle anemia and abnormal results on transcranial Doppler ultrasonography.N Engl J Med ;1998;339:5–11.

.Albers G, Caplan L, Coull B.transient ischemic attack —proposal for a new definition. N Engl J Med 2002;347:1713-1716.

Alexandrov AV, Joseph M.Transcranial Doppler; An Overview of its Clinical Applications. The Internet Journal of Emergency and Intensive Care Medicine 2000; Vol4 N1

Alexandrov AV, Joseph M.Transcranial Doppler; An Overview of its Clinical Applications. The Internet Journal of Emergency and Intensive Care Medicine 2002;.

.Alexandrov A:Ultrasound Identification and Lysis of Clots. Stroke 2004;35: 2722-2725.

.Alexandrov A, Kim Y, Meyer J, Garami Z, Molina CA & Pavlovic MA : Flow diversion in transcranial Doppler ultrasound is associated with better improvement in patients with acute middle cerebral artery occlusion. Cerebrovasc Dis 2006 ; 21(1-2):74-8.

.Allan P:Arteriography and therapeutic angiography.Doppler ultrasound of the peripheral arteries and abdominal vessels. In: David Sutton. Textbook of radiology and imaging , Churchill Linvingstone, London.7th edition 2003; 460-472,.

.Arenillas J, Molina C, Montaner J:Progression and clinical recurrence of symptomatic middle cerebral artery stenosis: a long term follow up transcranial ultrasound study. Stroke 2001;32:2898-2904.

.Avci E & Baskaya M:The surgical anatomy of the anomalous posterior communicating artery. In Watanabe K, Ito Y, Katayama S, Goto H, eds.

Proceedings of the 3rd International Mt. Bandai Symposium for Neuroscience and the 4th Pan-Pacific. Neurosurgery Congress. 2003; 3–10.

B

.Babikian V, Weshler L & Paola S : Transcranial Doppler Ultrasonography (2nd edition), Boston, Butterworth Heinemann.1999; 1:14-32 .

.Babikian V, Feldmann E, Wechsler L :Transcranial Doppler Ultrasonography: year 2000 update .J Neuroimag. 2000; 10: 101-15.

.Bang O, Cho J, Han B (a):Transcranial Doppler findings in middle cerebral arterial occlusive disease in relation to degree of stenosis and presence of concomitant stenosis. J Clin Ultrasound 2003; 31: 142–151.

.Bang O, Joo I, Huh K (b):The role of transcranial Doppler in symptomatic striatocapsular small deep infarction. J Neuroimaging 2003; 13: 48–52.

.Baskaya M, Coscarella E, Gomez F: Surgical and angiographic anatomy of the posterior communicating and anterior choroidal arteries. Morcos Neuroanatomy 2004; 3:38-42.

.Baumgartner R, Mattle H & Schroth G:Assessment of $\geq 50\%$ and $< 50\%$ intracranial stenoses by transcranial color coded duplex sonography. Stroke 1999;30:87-92.

.Baumgartner R & Mattle H:

Intracranial cerebral artery stenosis and occlusion. In: Cerebrovascular ultrasound; theory, practice and future developments. Cambridge, Cambridge University Press, 2001, pp. 271-279.

.Baumgartner R, Schmid C& Baumgartner I:

Comparative study of power-based versus mean frequency based transcranial color-coded duplex sonography in normal adults. Stroke 2006; 27: 101-104.

.Braakman MH , Lodder J, Postma A A , Lambert FR and Mess W H .Vasospasm is a significant factor in cyclosporine-induced neurotoxicity: Case report BMC Neurology 2010, 10:30

.Bedell E & Prough D:Cerebral Blood Flow Monitoring.Irwin and Rippe's Intensive Care Medicine. 6 ed. Philadelphia, 2008. Ch 28.

.Bell R, Vo A, & Armonda R:Applied Neurovascular Anatomy of the Brain and Skull. In : Robert W. Hurst and Robert H. Rosenwasser. Interventional Neuroradiology. New York: Informa Healthcare USA, 2008 :23–38.

.Borden N & Costantini J:Intracranial carotid artery circulation/anterior circulation. In: 3D angiographic atlas of neurovascular anatomy and pathology. New York: Cambridge university press, 2007:87–159.

.Bray J, Joseph P, Jeanvopine H:Doppler evaluation of the middle cerebral artery stenosis. J Ultrasound Med 1988; 7: 611–616.

.Burgin W, Malkoff M, Robert A :Transcranial Doppler ultrasound criteria for recanalization after thrombolysis for middle cerebral artery stroke. Stroke 2000 ;31:1128-32.

C

.Carmelingo M, Castro L & Censori B: Comparison of cerebral angiography and transcranial Doppler sonography in acute stroke. Acta Neurol Scand 1993; 88: 108–111.

.Chernecky C & Berger B: Doppler Ultrasonographic Flow Studies–Diagnostic Laboratory Tests and Diagnostic Procedures. 5th ed. St Louis, MO: Saunders Elsevier; 2008.

D

.Demchuk A, Christou I, Wein H:Specific Transcranial Doppler Flow Findings Related to the Presence and Site of Arterial Occlusion. Stroke 2000;31:140-146.

.Deb P, Sharma S, Hassan KM. "Pathophysiologic mechanisms of acute ischemic stroke: An overview with emphasis on therapeutic significance beyond thrombolysis". *Pathophysiology*. January 12, 2010

.Donalee A, Beckman I, Dash D:Transcranial Doppler Sonography Part 2. Evaluation of Intracranial and Extracranial Abnormalities and Procedural Monitoring. *RadloGraphics* 1995; 15:193-209.

E

.Eggers J, Koch B, Meyer K.:Effect of ultrasound on thrombolysis of middle cerebral artery occlusion. *Ann Neurol* 2003;53:797–800.

F

.Felberg R, Christou I, Demchuk A:Screening for intracranial stenosis with transcranial Doppler: the accuracy of mean flow velocity thresholds. *J Neuroimaging*. 2002; 12:9-14.

.Feldmann E, Wilterdink J, Kosinski A.:The Stroke Outcomes and Neuroimaging of Intracranial Atherosclerosis (SONIA) Trial. *Neurology* 2007;68 : 2099-2106.

.Forteza A.M.,Kreza J.,Koch S.and Babikian V.L.: Ultrasound Imaging of cerebrovascular disease .In VL Babikian, LR at ,2003.

.Furie KL, Ay H, Singhal A, Smith WS, Sorensen AG, Koroshetz WJ "An evidence-based causative classification system for acute ischemic stroke". *Annals of Neurology* 58 (5) (November 2005): 688–97.

G

.Gahn G, Gerbera J, Hallmeyera S:Contrast enhanced color-coded duplex sonography in stroke patients with limited bone windows.*Am J Neuroradiology* 2000 ; 21:509-514.

.Gailloud P, Richard E, Clatterbuck.,: Segmental Agenesis of the Internal Carotid Artery Distal to the Posterior Communicating Artery Leading to the Definition of a New Embryologic Segment. *AJNR Am J Neuroradiol* 2004; 25:1189–1193.

. Gallucci , K. Scrivener , A. Groso , M. Stampanoni , G. Margaritondo
a Laboratory of Construction Materials, Ecole Polytechnique Fédérale de Lausanne, CH-1015 Switzerland b Swiss Light Source, Paul Sherrer Institute, CH-5232-Villigen, Switzerland c Laboratoire de Spectroscopie

Electronique, Ecole Polytechnique Fédérale de Lausanne, CH-1015
Switzerland Received 3 May 2005; accepted 23 October 2006.

.Gao S, Lam W, Chan Y: Optimal values of flow velocity on transcranial Doppler in grading middle cerebral artery stenosis in comparison with magnetic resonance angiography. *J Neuroimaging* 2002; 12: 213–218.

.Garcia JH ., In Barnett HJM (eds) .Stroke pathophysiology, Diagnosis, and Management New York Churchill livingstone 1992)

.Giller CA & Gomez CR : Transcranial Doppler ultrasound in Batjer HH (editor) the assessment of stroke : Cerebrovascular disease. 1997 ; 21:273-283 . Publisher : Lippincott –Raven Pub.

.Giller CA, Purdy P, Batjer HH, Giller A & Kopitnik T : Elevated transcranial Doppler ultrasound velocities following therapeutic arterial dilatation. *stroke* 1995 ; 26:123-127.

.Giller CA, Mathews D, Purdy P, Kopitnik TA, Batjer HH & Samson DS : The transcranial Doppler appearance of acute carotid artery occlusion. *Ann Neurol* 1992 ; 31:101-103.

.Gerriets T, Goertler M, Stolz E:Feasibility and validity of transcranial duplex sonography in patients with acute stroke. *J Neurol Neurosurg Psychiatry* 2002;73:17–20.

.Glitzky Queen:This is a file from the Wikimedia Commons(2007).

.Grant EG, Schellinger D,Borts FT et al: Real-time sonography of the infant head 1998;487-492.

.Griewing B, Schminke U, Motsch L:Transcranial duplex sonography of middle cerebral artery stenosis: a comparison of colour-coding techniques $\pm$ frequency- or power-based Doppler and contrast enhancement. *Neuroradiology* 1998; 40: 490-495.

.Guercini F, Acciarresi M, Agnelli G, Paciaroni M. "Cryptogenic stroke: time to determine aetiology". *Journal of Thrombosis and Haemostasis* 6 (4) (April 2008): 549–54.

H

.Hartkamp M, Van der Grond J, Van Everdingen K.: Circle of Willis Collateral Flow Investigated by Magnetic Resonance Angiography. Stroke 1999 ; 30: 2671-2678.

.Hill MD (November 2005). "Diagnostic biomarkers for stroke: a stroke neurologist's perspective". Clinical Chemistry 51 (11): 2001–2.

.Hoksbergen A, Legemate D, Ubbink D & Jacobs J : Success rate of transcranial color-coded duplex ultrasonography in visualizing the basal cerebral arteries in vascular patients over 60 years of age. Stroke 1999 ; 30:1450-1455.

J

.Johnson M, Thorisson M & DiLuna M:Vascular Anatomy of the Head, Neck, and Skull Base. In : Robert W. Hurst and Robert H. Rosenwasser. Interventional Neuroradiology. New York: Informa Healthcare USA, 2008 :1–21.

K

.Kassab M, Majid A, Farooq M:Transcranial Doppler: an introduction for primary care physicians.J Am Board Fam Med. 2007 ; 20:65-71.

.Katz ML.Intracranial Cerebrovascular Evaluation. In: Textbook of Diagnostic Ultrasonography. Mosby, St. Louis, 2001.

.Kimura K, Hashimoto Y, Hirano T: Diagnosis of Middle Cerebral Artery Occlusion with Transcranial Color-Coded Real-Time Sonography. AJNR Am J Neuroradiol 1996; 17:895–899.

.Kimura K, Yasaka M, Wada K:
Diagnosis of Middle Cerebral Artery Stenosis by Transcranial Color-Coded Real-Time Sonography. AJNR Am J Neuroradiol 1998 19:1893–1896.

.Kittner S, Stern B, Feaser B : Pregnancy and the Risk of Stroke. N Engl J Med 1996; 335:768-774.

.Klötzsch C, Popescu O, Sliwka U:
Detection of stenoses in the anterior circulation using frequency-based transcranial color-coded sonography. Ultrasound Med Biol 2000; 26:579-584.

.Klötzsch C, Bozzato A, Lammers G: Contrast-Enhanced Three-Dimensional Transcranial Color-Coded Sonography of Intracranial Stenoses. *AJNR Am J Neuroradiol* 2002; 23:208–212

.Krejza J, Mariak Z, Melhem ER, Bert RJ. A guide to the identification of major cerebral arteries with transcranial color Doppler sonography. *AJR* 2000;174:1297-1303.

.Krejza J, Kochanowicz J, Mariak Z: Middle cerebral artery spasm after subarachnoid hemorrhage: detection with transcranial color-coded duplex US. *Radiology* 2005; 236:621-629.

.Kremkau F: Doppler Ultrasound: principles and instruments. First edition. WB saunders, Philadelphia, USA, 1990.

.Kurth T, Moore S, Gaziano J: Healthy Lifestyle and the Risk of Stroke in Women. *Arch Intern Med.* 2006;166:1403-1409.

Q

Lees KR, Zivin JA, Ashwood.T"NXY-059 for acute ischemic stroke". *The New England Journal of Medicine* 354 (6) (February 2006): 588–600 .

.Levi C, Selmes C:Transcranial ultrasound-clinical applications in cerebral ischaemia. *Australian Prescriber*, volume 24, No. 6, p.137-140, 2001.

.Lowe LD.Modern Head Ultrasound: Normal Anatomy, Variants, and Pitfalls That May Simulate Disease. *Ultrasound Clinics - Volume 4, Issue 4;* 2009

.Lupetin A, Davis D, Beckman C:Transcranial Doppler Sonography Principles, Technique, and Normal Appearances.*RadioGraphics.* 1995; 15:179- 191.

M

.Mahla M, Black S & Cucchiara R:Transcranial Doppler Monitoring. *Miller's Anesthesia.* 6th ed. Philadelphia, PA: Churchill Livingstone; 2005. Ch 38.

W

.Navarro J, Lao A, Sharma V:

The Accuracy of Transcranial Doppler in the Diagnosis of Middle Cerebral Artery Stenosis..Cerebrovasc Dis 2007;23:325–330.

.Nicoletti G , Albano, G, Sanguigni S, Tardi S, Malferrari G, Del Sette M, Bruno F and Nicolai A. Transient basilar artery occlusion monitored by transcranial color Doppler presenting with a spectacular shrinking deficit: a case report

Journal of Medical Case Reports 2010, 4:13doi:10.1186/1752-1947-4-13.

O

.Ogasawara K, Inoue T, Kobayashi M:Cerebral hyperperfusion following carotid endarterectomy: diagnostic utility of intraoperative transcranial Doppler ultrasonography compared with single-photon emission computed tomography study. Am J Neuroradiol. 2005; 26:252-7.

.Ogata T, Kimura K, Nakajima M:Diagnosis of middle cerebral artery occlusive lesions with contrast-enhanced transcranial color-coded real-time sonography in acute Stroke.Neuroradiology 2005; 47: 256–262.

.Osborn AG : Normal gross and angiographic anatomy of the craniocervical vasculature **In :** diagnostic cerebral angiography (2nd edition) 1999; 57-135 . Publisher : Lippincott Williams & Wilkins .

P

.Palmieri R:Cerebral artery stenosis paves the way for a stroke. *Nursing* 2006;36:36-41.

.Postert T, Federlein J, Braun B:Contrast-Enhanced Transcranial Color-Coded Real-Time Sonography: a reliable tool for the diagnosis of middle cerebral artery trunk occlusion in patients with insufficient temporal bone window. Stroke 1998;29:1070-1073.

R

.Ringelstein E, Kahlscheuer B, Niggmeyer E:Transcranial Doppler sonography: anatomical landmarks and normal velocity values.Ultrasod Med Biol 1990 ; 16:745-761.

.Rorick M, Nichols F & Adams R:Transcranial Doppler correlation with angiography in detection of intracranial stenosis. Stroke 1994; 25: 1931–1934.

.Rubin J, Bude R, Carson P.:Power Doppler US: A potentially useful alternative to mean frequency based Doppler US. Radiology 1994 ; 190: 853-856.



.Sacco R, Kargman D, Gu Q:Race-Ethnicity and Determinants of Intracranial Atherosclerotic Cerebral Infarction. The Northern Manhattan Stroke Study. Stroke 1995;26:14-20.

.Sacco R, Benjamin E, Broderick J.:Risk Factors.Stroke 1997;28:1507-1517.

.Schneider PA, Ringelstein EB, Rossmann ME , Dilley RB , Sobel DF & Otis SM : Importance of cerebral circulation pathways during carotid endarterectomy. Stroke 1988 ; 19:1328-1334.

.Schoning M, Scheel P: Color duplex measurement of cerebral blood flow volume: intra- and interobserver reproducibility and habituation to serial measurements in normal subjects. J Cereb Blood Flow Metab 1996 , 16:523-531

.Segura T, Serena J, Castellanos M:Embolism in acute middle cerebral artery stenosis. Neurology 2001;56:497-501.

.Sharma V, Tsivgoulis G, Lao A:Noninvasive Detection of Diffuse Intracranial Disease. Stroke 2007;38:3175-3181.

.Shirley MO & Ringelstein EB : Transcranial Doppler Sonography **In:** Zwieble WL (editor) Introduction to vascular ultrasonography (5th edition) 2004 ; 13:177-182 . Publisher : El Sevier Saunders press .

.Shung K, Cloutier G & Lim C:The effects of hematocrit, shear rate and tubulance on ultrasound Doppler spectrum from blood. IEEE Trans Biomed Ehg 39: 462-469, 1992.

.Sila C, Furlan A &Yadav J:Cerebrovascular Disease. Textbook of Cardiovascular Medicine. 3rd ed. Philadelphia, 2007. Ch 107.

.Silvestrini M, Vernieri F, Pasqualetti P: Impaired cerebral vasoreactivity and risk of stroke in patients with asymptomatic carotid artery stenosis.JAMA 2000;283:2122–2127.

.Sims NR, Muyderman H ."Mitochondria, oxidative metabolism and cell death in stroke".2009. 80–91.

.Sliwka U, Klötzsch C, Popescu O:Do Chronic Middle Cerebral Artery Stenoses Represent an Embolic Focus? A Multirange Transcranial Doppler Study.Stroke. 1997;28:1324-1327.

.Sloan M, Alexandrov A, Tegeler C.:Assessment: Transcranial Doppler ultrasonography. Report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology Neurology 2004;62:1468-1481.

.Spencer M:Transcranial Doppler monitoring and the causes of stroke from carotid endarterectomy. Stroke 1997; 28:685–691.

.Syme P.Detection of small vessel knock using trascranial doppler ultrasonography implication for the ischemic penumbra and the treatment of small vessel occlusive stroke, ACNR .Volume4,Number 4September/october2004.

T

.Tan K, Tan C, Wong K:Applications of transcranial Doppler ultrasound in atherosclerotic ischaemic stroke: an Asian perspective. Neurology Asia, June 2005.

.Taylor K & Holland S:Doppler USI basic principles. Instrumentation and pitfalls.

Radiology 174: 297-307, 1990.

.Taylor K & Polak J:Clinical applications of Doppler ultrasound2nd edition. Raven press Ltd. New York, 1995.

.Thomas J, Antiga L, Che S:Variation in the carotid bifurcation geometry of young versus older adults: implications for geometric risk of atherosclerosis.
Stroke 2005; 36:2450–2456.

.Tubbs R, Hansasuta A, Loukas M.:Branches of the petrous and cavernous segments of the internal carotid artery. Clin Anat 2007; 20 (6):596-601.

W

.Vijay K. Sharma; Georgios Tsivgoulis; Annabelle Y. Lao; Marc D. Malkoff; Andrei V. Alexandrov. Noninvasive Detection of Diffuse Intracranial Disease (Stroke. 2007;38:3175-3181.)

.Vincentelli F, Caruso G, Grisoli F.:Microsurgical anatomy of the cisternal course of the perforating branches of the posterior communicating artery. Neurosurgery 1990; 26: 824–831.

W

.Waddy P, Cotsonis G, Lynn M.:Racial Differences in Vascular Risk Factors and Outcomes of Patients With Intracranial Atherosclerotic Arterial Stenosis. Stroke 2009;40:719-725.

.Wassertheil-Smoller S, Hendrix S, Limacher M: Effect of Estrogen Plus Progestin on Stroke in Postmenopausal Women The Women's Health Initiative: A Randomized Trial. for the WHI Investigators. JAMA. 2003;289:2673-2684.

.Worthington C, Olivier A & Melensen D.:Internal carotid artery agenesis: correlation by conventional and digital subtraction angiography and by computed tomography. Surg Neurol 1984; 22(3):295–300.

Y

.Yamamoto T, Mori K, Yasuhara T, Tei M, Yokoi N & Kinoshita S : Ophthalmic artery blood flow in patients with internal carotid artery occlusion. British Journal of Ophthalmology 2004 ; 88(4): 505–508.

.Yatzu F: Other Cerebrovascular Syndromes Merritt's Neurology. 11th ed. Philadelphia, 2005. Ch 42.

.Yoon W, Seo J, Chon K: Symptomatic middle cerebral artery stenosis treated with intracranial angioplasty: experience in 32 patients. Radiology 2005; 237: 620-626.

g

.Zagzebski J: Physics and instruments in Doppler and B-mode ultrasonography
Introduction to vascular ultrasound, 4th edition. chapter 2, 2000.

.Zanette E, Feischi C & Bozzao L: Comparison of cerebral angiography and transcranial Doppler sonography in acute stroke. Stroke 1989; 20: 899–903.

.Zunker P, Wilms H, Brossmann J: Echo Contrast-Enhanced Transcranial Ultrasound. Stroke 2002; 33: 2600-2603.