

Almeida D.B. , Prandini M.N. , Awamura Y. , Vitola M.L. , Simião M.P. , Milano J.B. , Bordignon K.C. , Ache M.P. and Ramina R. (2008):

Outcome following lumbar disc surgery: the role of fibrosis.

Acta Neurochir (Wien),Nov;150(11):1167-1176.

Aguila L.A. (1985):

The intranuclear cleft of the intervertebral disc: Magnetic Resonance .

Radiology, 155: 155-158.

Aojki J., Yamato I. and Kitamura N. (1987):

End plate of the disco-vertebral joint; degenerative change in the elderly adult.

Radiology, 164:411-441.

Bates D.B. and Rugierri P. (1991):

Imaging modalities for evaluation of the spine.

Radiologic Clin. of North America, 29 (4): 675-690, July 1991.

Bertalanffy H, Eggert HR (1989):

Complications of anterior cervical discectomy without fusion in 450 consecutive patients.

Acta Neurochir (Wien) 99:41–50

Bircher MD, Tasker T, Crawshaw C, Mulholland RC (1988):

Discitis following lumbar surgery. Spine 13:98–102

Boden SD, Davis DO, Dina TS, Sunner JL, Wiesel SW (1992):

Postoperative diskitis: distinguishing early MR imaging findings from normal postoperative disk space changes.

Radiology 184:765–771

Bundschuh CV, Stein L, Slusser JH, Schinco FP, Ladaga LE,Dillon JD (1990):

Distinguishing between scar and recurrent herniated disk in postoperative patients: value of contrast-enhanced CT and MR imaging.

AJNR., 11:949–958

Burton C.V. (1987):

Clinical review of failed back surgery syndrome.In: Spine Update ,Genant H.K.(ed.). Radiology research and education foundation, p.247-252.

Burton C. V. (1988):

Avoiding the failed back surgery syndrome. In: Lumbar spine surgery, Cauthen J.C. (ed.), 2nd edition, Baltimore, Williams and Wilkins, p. 33 1-341.

Burton C.V., Kirkadly- Willis CK H. and Young- Hing K. (1981):

Causes of failure of surgery on the lumbar spine.
Clin. Orthop., 157: 19 1 - 199.

Crock H. V. (1988):

Practice of spinal surgery.
Springer Vertag, Wien-New York, p. 243-264.

Crock H.V. (1983):

Practice of spinal surgery.
Springer Vertag, Wien-New York pp.243-264.

Czcrvionke L. F. and Daniels D.L. (1996):

Degenerative disease of the spine. In: MRI of the brain and spine, Atlas SW. (ed.), 3rd edition, Raven Press, New York, p. 795-863.

Coumas J., 2009:

Diskitis In: Musculoskeletal imaging cases, Tehranzadeh J., McGraw-Hill C.O., New York, Section VII, ch 38, P 820-822.

Dall B.E., Rowe D. E., Odette W.G.. G. and Batts D .H. (1987):

Postoperative discitis. Diagnosis and management.
Clin. Orthop., 224: 138-146.

Dagirmanjian A., Schils J., McHenry M. and Modic M.T. (1996):

MR imaging of vertebral osteomyelitis revisited
AJR ., 167:1539-1543

David S, Jacobs, Alison S, and Smith D. (1994):

Degenerative disease of the spine. In: Computed Tomography and Magnetic Resonance Imaging of the whole body ,Haaga J.R., Lanzieri C.F., Gilkeson R.C.(eds.), 3rd edition, Mosby Year Book comp, p. 590-644.

DePalma A.F. and Rothman R.H. (1970):

The intervertebral disc, complications, failures and tragedies of operative treatment of lumbar disc disease, 1st edition, Philadelphia, PA: Saunders Co; chapter (16) 324-353.

Ditsworth D. A. (1994):

Nucleotomy with laser enhancement: Spine and peripheral nerves. Spine disorders, annual meeting, February 1994.

Ditsworth D.A. (1995):

Comprehensive percutaneous endoscopic spinal surgery. American association of neurological surgeons (AANS), annual meeting, April 1995.

Djukic S, Genant HK., Helms CA. and Holt RG. (1990):

MRI of the postoperative lumbar spine. Radiologic Clinics of North America, 28 (20): 341-360; March 1990.

Dohm D.F. (1982):

Complications of lumbar disc surgery. In: Seminars in neurological surgery, lumbar disc disease, Hardy KW. (ed.); Raven Press, New York, p. 165-176.

Dominik W. and Marius R. (2000):

Positional MR imaging of the lumbar spine: Does it demonstrate nerve root compromise not visible at conventional MR imaging. Radiology, 215: 247-253.

Dorwart R.H. and Genant H.K. (1983):

Anatomy of the lumbar spine. Radiol. Clin. of North America, 21 : 201-220; June 1983.

Eberhardt K.E., Hollenbach H.P. and Huk W.J. (1994):

3D-MR myelography in diagnosis of the lumbar spine nerve root compression syndromes. Radiology, 4(6): 313-317, November 1994.

Ellis, H. (2006):

The vertebral column In: Clinical anatomy, applied anatomy for students and junior doctors, Ellis, H. (ed), 11th edition, Blackwell publishing., Australia, p.324 - 333.

Erman T., Euna M., Göçer A.I., Idan F., Akgül E. and Zorludemir S. (2001) :

Postoperative radicular neuroma.
Neurosurg. Focus 11 (5):Clinical Pearl, 2001,

Filtzer D. L., (1985):

The unstable low back. Incurrent therapy in neurological therapy,
Long, D.M. (ed.), Mosby Co; Saint Louis, Toronto, London, p. 191 - 196.

Fouquet B., Goupille P., Jattiot F., Cotty P., Lapierre F., Valat J.P., Amouroux J., Benatre A. (1992):

Discitis after lumbar disc surgery. Features of „aseptic“ and „septic“ forms.
Spine 17:356–358

Fraser R.D., Osti O.L., Vernon-Roberts B. (1986):

Discitis following chemonucleolysis. An experimental study.
Spine 11:679–687

Fitt G. J. and Stevens J. M. (1995) :

Postoperative arachnoiditis diagnosed by high resolution fast spin-echo
MRI of the lumbar spine.
Neuroradiology, volume 37, no. 2; pp: 139 - 145.

Gaskill M. F., Lukin R. and Woit J. G. (1991):

Lumbar disc disease and stenosis.
Radiologic Clinics of North America, 29 (4): 753-775; July 1991.

Georgy B. A., Hesselink J. R., Middleton M.S (1995):

Fat suppression contrast-enhanced MRI in the failed back surgery syndrome.
Neuroradiology, 37: 5 1-57.

Ghazi J., Golimbu C.N., Engler G.L. (1992):

MRI of spinal fusion pseudarthrosis.
J comput Assist Tomogr, 16:324-3 26.

Gill K. and Frymoyer J.W.(1997):

Management of treatment failures after decompressive surgery. In: The adult spine principles and practice. 2nd edition . Frymoyer J.W., Ducker T.B., Hadler N.M, Kostuik J.P., Weinstein J.N. and Whitecloud T.S., Lippincott-Raven publishers, Philadelphia, ch.99: pp. 2111-2133.

Grand C.M., Bank W.O. and Balerinix D. (1993):

Gadolinium enhancement of vertebral end plates following lumbar disc surgery.

Neuroradiology, 35: 503-510.

Grane P. (1998):

The postoperative lumbar spine. A radiological investigation of the lumbar spine after discectomy using MR imaging and CT.

Acta Radiol Suppl 414:1-23

Grane P., Josephsson A., Seferlis A., Tullberg T. (1998):

Septic and aseptic postoperative discitis in the lumbar spine: evaluation by MR imaging.

Acta Radiol, 39: 108-115.

Grenier N., Greselle J.F., Vital J.M., Kien P., Baulny D., Broussin J., Senegals J., Caille J.M. (1989):

Normal and disrupted lumbar longitudinal ligaments: Correlative MR and anatomic study.

Radiology 1989; 171: 197-205.

Grenier N., Kressel H. Y., Schiebler M.L., Grossman R. I. and Dalinka M.K. (1987):

Normal and degenerative posterior spinal structures: MR imaging.

Radiology, 165: 517-525.

Guyer R.D., Collier R., Stith W.J., Ohnmeiss D.D., Hochschuler S.H., Rashbaum R.F., Regan J.J. (1988):

Discitis after discography.

Spine 13:1352-1354

Hafez H. (2001):

Post-operative Magnetic Resonance Imaging of the lumbosacral spine.

The Egypt. Journal of Radiology & Nuc.Med., vol.32, No.2, 331-337, 2001

Hamdi R., Abdel Hamid H. and Belal A. (1987):

High resolution MRI of the spine. Egyptian Journal of Radiology, 18(2):

136- 142.

Haughton V.M., Schreiber K., De Smet A. (2002):

Contrast between scar and recurrent herniated disk on contrast enhanced MR images.

AJNR 23:1652–1656

Haughton V.M., Syversten A. and Williams A.L. (1980):

Soft tissue anatomy within the spinal canal as seen on CT.

Radiology, 134: 649-655, March 1980:

Helms C.A., Major N.M., Anderson M.W (2009):

Spine. In: Musculoskeletal MRI ,Helms C.A., Major N.M., Anderson M.W., Kaplan P.A. and Dussault R. (eds), 2nd edition, *Saunders Elsevier*, Philadelphia; ch. 13: 279 -332

Hochhauser L., Kieffer S.A., Cacayorin E.D., Petro G.R. and Teller W. F. (1988):

Recurrent post-discectomy low back pain: MR-surgical correlation.

AJR, 151: 755-760.

Hossain Naheedy (1994):

The spine and spinal trauma. In Computed Tomography and Magnetic Resonance Imaging of the whole body ,3rd edition, Mosby Year Book comp, p:569-589.

Hueftle M.G., Modic M. T. and Ross J.S. (1988):

Lumbar spine: postoperative MRI with Gd-DTPA.

Radiology, 167: 317-824.

Jenkins J. R (1993):

MRI of benign nerve root enhancement in the unoperated postoperative lumbosacral spine.

Neuroimaging Clin. North America, 3: 525-532.

Jenkins J.R., Dworkin J.S.. and Damadian R. (2005):

Upright, weight-bearing, dynamic-kinetic MRI of the spine: initial results.

Eur Radio1 2005; 15: 1815-1825.

Jinkins J.R., Van Goethem J.W.M. (2001):

The postsurgical lumbosacral spine: Magnetic Resonance imaging evaluation following intervertebral disc surgery, surgical decompression intervertebral bony fusion, and spinal instrumentation.

Radiol. Clin. of North Am., 2001; Vol. 39 No. 1, January, 1-29.

Kaufman H.H. and Jones F. (1989):

The principles of bony spinal fusion.

Neurosurgery, 24: 264-270.

Klein M.J. (2001):

Piriformis muscle syndrome: an underdiagnosed cause of sciatica.

J Manage. 2001.

Kirkadly-Willis W. H. (1983):

Lumbar spondylosis and stenosis. In: Lumbar spine surgery; Cauthen J.C.(ed.), 2nd edition, Williams and Wilkins, Baltimore, p. 7&8.

Kurdy A.G. (1992):

MR myelography using heavily T2-weighted FSE pulse sequences with fat presaturation

AJR, 159: 1315-1320.

Lee S.H., Coleman P.E. and Hanh F.D. (1988):

MRI of degenerative disc disease of the spine.

Radiologic clinics of North America, 26 (5):949-965, September 1988.

Lisa S., William C., Joseph W., Jeffery M. and Cornwall G.B. (2004):

Use of polylactide resorbable film as a barrier to postoperative peridural adhesion.

Neurosurg Focus 16(3).

Livermore R.K. (1989):

The long term effects of wide laminectomy for lumbar spine excision.

Bone and joint surgery 53(b), 4:609-616

Macnabe I. (1988):

Backache. In: Lumbar spine surgery ; Cauthen J.C. , Williams and Wilkins Co., Baltimore, ch. 11, P.230-234

Mall J.C., Kaiser J.A., Heithoff K.B. (1983)

Postoperative spine. In: Modern Neuroradiology, Computed Tomography of the Spine and Spinal Cord, Newton T.H., Potts D.G. (eds), ,vol.1, p.187-204.

Mall J.C. and Kaiser J.A. (1987):

The usual appearance of postoperative spine.
Radiographics, 7(2):245-269, March 1987.

Martinez A., Coral W.P. and Butt W. (1996):

MRI of the postoperative lumbar spine. In: Clinical MRI; Edelman R., Hesselink J.R. and Zlatkin M.B.(eds.),2nd edition, W.B. Saunders company, Philadelphia, vol.2, ch. 40, p. 1226-1247.

Modic M.T., Masaryk T.J. and Paushter D. (1986):

Magnetic Resonance Imaging of the spine.
Radiol. Clin. of North America, 24 (2): 229-245; June 1986.

Monajati A., Wayne W.S, Rauschning. W. and Ekhlof S.E. (1987):

MR of the cauda equina.
AJNR 1987; 8(5): 893-900.

Morris J.M .(1987):

Overview of surgical management of lumbar disc disease. In: Spine update; Genant H.K. (ed.). Radiology Research and Education Foundation, p. 87-99.

Mullin W.J., Heithoff K.B., Gilbert T.J., Renfrew D.L. (2000):

Magnetic Resonance Evaluation of Recurrent disc Herniation, Is Gadolinium Necessary?
Spine. 25(12):1493–1499.

Naylor A. (1984):

The late results of laminectomy of lumbar disc prolapse. A review after ten to twenty-five years.
Joint Surgery, 56(1): 17-29.

Onik G. (1996):

Automated percutaneous biopsy in the diagnosis and treatment of infectious discitis.
Neurosurg Clin N Am 7:145–150

Pheasant H.C. (1975):

Sources of failure in laminectomies.

Orthopedic Clinic. North America, 6 (1): 319-329

Parizel P.M., Van Goethem J.W.M., van den Hauwe L., Deckers .F, Gunzburg R., De Schepper A.M.A. (1996):

Imaging of spinal implants and radiologic assessment of fusion. In: Instrumented fusion of the degenerative lumbar spine: state of the art, questions, and controversies, Szpalski M, Gunzburg R, Spengler M, Nachemson A (eds), Lippincott-Raven, Philadelphia, pp 25–33

Quencher R.M., Tenner M. and Rothman L. (1977):

The postoperative myelogram: radiographic evaluation of arachnoiditis and dural / arachnoid tears.

Radiology, 123: 667-678.

Rao C.V.G., Williams J.P., Benjamin C.P. and John L. (1997):

Postoperative spine. In: MRI and CT of the spine, Timothy H. and Grayson (eds.), 2nd edition; chapter 6, p. 211-217.

Ross J.S. (1988):

The postoperative lumbar spine .

Semin Roentgenol, XXIII:125-136.

Ross J.S. (1991):

MR assessment of the postoperative spine and degenerative disc disease.

Radiologic Clinics of N.A., 29 (4): 793-808, July 199 1.

Ross JS (1994):

Inflammatory disease, in: Magnetic Resonance Imaging of the Spine, Modic MT, Masaryk TJ, Ross JS (eds), 2nd edition. Chicago: Mosby, pp 216-248.

Ross JS (1994):

Postoperative spine, in: Magnetic Resonance Imaging of the Spine, Modic MT, Masaryk TJ, Ross JS (eds), 2nd edition. Chicago: Mosby, pp 151-190.

Ross J.S., Zepp R. and Modic M.T. (1996):

The operative lumbar spine, enhanced MR evaluation of the intervertebral disc.

AJNR 1996 Feb; 17(2) :323-331

Ross J.S. (1997):

The lumbar spine In: Magnetic Resonance Imaging of the body, Higgines C.B., Hricak H. and Helms C.A. (eds.), 3rd edition, Lippincott-Raven Press, New York; ch.39, p. 1077-1086.

Ross J.S., Blaser S. and Masaryk T.J. (1989):

Gd-DTPA enhancement of posterior epidural scar: an experimental model. AJR, 10: 1083-1085.

Ross J.S., Delamarter R. and Heufle M.G. (1989):

Gd-DTPA enhanced MRI of the post-operative lumbar spine: time course and mechanisms of enhancement. AJNR, 10: 37-46.

Ross J.S., Masaryk T.J. and Modic M. T. (1987):

Lumbar spine: post-operative assessment with surface coil MRI. Radiology, 161: 851-860.

Ross J.S., Masaryk T.J. and Modic M.T. (1987):

MRI of lumbar arachnoiditis. AJNR, 8:885-892.

Ross J.S., Masaryk T.J. atzd Modic M. T. (1997):

Lumbar Spine. In: Magnetic Resonance imaging, Stark D.D. and Bradley W.G.(eds.); 3rd edition, Mosby Year Book, St Louis; ch.42, p. 1339-1358.

Ross J.S. (2004):

Pseudomeningocele In: Diagnostic imaging ,Spine ,Ross J.S., Brant-Zawadzki M., Moore K.R., Crim J., Chen M.Z. and Katzman G.(eds), 1st edition, Amirsys, Salt lake city, Utah, Part VII, section 1, p 28-31.

Ross J.S., Obuchowski N. and Modic M.T.(1999):

MR evaluation of epidural fibrosis: Proposed grading system with intra- and inter-observer variability. Neurological Research, vol. 21, Supp. 1, p. 523-526

Rothman R.H. (1989):

Errors in decision making. In: Lumbar spine surgery Cauthen J.C. (ed.), 2nd edition, Williams and Wilkins Co.; Baltimore, ch.2, p.331-341.

Rumboldt Z. , Castillo M., Smith J.K. (2006) :

The Spine. In: Computed Body Tomography with MRI Correlation, Lee J.K.T, Sagel S.S., Stanley R.J. and Heiken J.P.(eds) , 4th edition, Lippincott Williams & Wilkins ; ch.23:1661→1727.

Ruscalleda J.(1992):

Postoperative spine.

Riv di Neuroradiol 5 (suppl 2):93-100, 1992.

Ryan S. , McNicholas M. and Eustace S. (2004) :

The spinal column and its contents In : Anatomy for diagnostic imaging , Ryan S. , McNicholas M. and Eustace S. (eds.), 2nd edition, Saunders, Edinburgh, London, New york, Oxford, Philadelphia, St. Louis, Sydney, Toronto, ch.3, p. 85 - 105.

Sarrazin JL. (2003):

Imaging of postoperative lumbar spine.

Journal de radiologie. Feb; 84(2 Pt 2):241-50; quiz 251-2.

Scarbino T., Gianatemop G. M., Rerfetto F., Popolizio T., Salvoin U. S. and San Giovanni P. (1996):

MPJ myelography with FSE sequences.

Radiology, 91 (3): 202-206 March 1996.

Schofferman J., Reynolds J., Herzog R., Covington E., Dreyfuss P., O'Neill C. (2003):

Failed back surgery: etiology and diagnostic evaluation.

Spine J 3:400–403

Shafaie F. F., Bundschuh C. C. and Jenkins L.R. (1996):

Postoperative lumbosacral spine. In: Clinical MRI, Edelman R, Hesselink J.R. and Zlatkin M.B. (eds.); 2nd edition, W.B. Saunders Company, Philadelphia; ch. 40, p. 1226- 1246.

Shafaie F. F., Bundschuh C. C. and Jenkins L.R. (1997):

The post-therapeutic lumbosacral spine. In : Post-therapeutic neurodiagnostic imaging. Jenkins JR (ed), Philadelphia, Lippincott-Raven, pp. 223-243.

Shell G.R., Modest L.M. and Cacayorin E.D. (1987):

Diagnostic value of computed tomography in recurrent pain after discectomy.

Neurosurgery, 20 (2): 302-309.

Shellock F.G., Hatfield M., Simon B.J., Block S., Wamboldt J., Starewicz P.M., Punched W.F. (2000):

Implantable spinal fusion stimulator: assessment of MR safety and artifacts.

J Magn Reson Imaging 12:214–223

Shenkin H. A. and Hash G. J. (1979):

Spondylolithesis after multiple bilateral laminectomies and facetectomies for lumbar spondylosis.

J. Neurosurg., 50: 45-47.

Simmons E. H. and Wilber R.G. (1986):

Complications of spinal surgery for discogenic disease and spondylolithesis, in Complications in Orthopedic Surgery , Epps C.H., (ed.): J.B. Lippincott Co. Philadelphia-Toronto., pp. 1181-1209.

Slone R.M., Mac Millan M., Montgomery W.J., Heare M., (1993):

Spinal fixation techniques and hardware for the thoracic and lumbosacral spine.

Radiographics 13: 52 1-543.

Smith A.S., Weinstein M.A. and Mizushima A. (1989):

MRI characteristics of tuberculous spondylitis versus vertebral osteomyelitis.

AJNR, 10: 619-625.

Sotiropoulos S., Chafetz N.I., Lang P., Winkler M., Morris J.M., Weinstein P.R., Genant H.K. (1989):

Differentiation between postoperative scar and recurrent disk herniation: prospective comparison of MR, CT, and contrast-enhancedCT.

AJNR Am J Neuroradiol 10:639–643

Stevens J.M. and Kendall B.E.(2003):

Neuroradiology of the spine. In: text book of Radiology and Medical Imaging, Sutton D. (ed.), 7th edition, Churchill Livingstone., section 6, ch 54, p1643-1673.

Stevens J.M. and Rich P.M. (2008):

The Spine. In: Grainger and Allison's, Diagnostic Radiology, A textbook of medical imaging , Adam A., Dixon A.K., Grainger R.G., Allison D.J (eds) , 5th edition ,Churchill Livingstone, Elsevier, China; ch.60 :1355-1391.

Steven J. W. (1995):

Inflammatory & neoplastic disease of the spine. In: Atlas of neuroradiology, Steven J.W. (ed.), W. B. Saunders comp., p. 531-580.

Suk K.S., Lee H.M., Moon S.H., Kim N.H. (2001):

Recurrent lumbar disc herniation: results of operative management.
Spine 26:672–676

Swartz K.R. and Trust G. R. (2003):

Recurrent lumbar disc herniation.
Neurosurg Focus 15(3), 2003.

Tajima T., Kurobane Y., Takahash T., Yamakawa H., Sakamoto T., Sawaumi A. and Kikuchi I. (1989):

Extra-forminal disc herniation.
Spine, 11(3): 260-268.

Teplick J.G. and Haskin M.E. (1984):

Intravenous contrast enhanced CT of the post-operative lumbar spine: improved identification of recurrent disc herniation, scar, arachnoiditis and discitis.
AJR, 143: 845-855, October 1984.

Tien R.D., Oslon .EM. and Zee G.S. (1992):

Diseases of the lumbar spine: findings on fat suppression MRI.
AJR. 159: 95-99.

Tronnier .V, Schneider R., Kunz U., Albert F., Oldenkott P. (1992):

Postoperative spondylodiscitis: results of a prospective study about the aetiology of spondylodiscitis after operation for lumbar disc herniation.
Acta Neurochir (Wien) 117:149–152

Unger E.C., Glazer H.S. & Lee J. K (1986):

MRI of extracranial hematoma: preliminary observations.
AJR. 143: 403-404

Van Goethem J.W.M.(2006):

Magnetic Resonance Imaging of the Spine. in : Clinical MR Imaging, Reimer P., Parizel P.M. and Stichnoth F.A. (eds) , 2nd edition, Springer ,Berlin, Heidelberg ,New York ; ch 5:147→172 .

Van Goethem JWM, Parizel P.M., Jinkins J.R. (2002):

MRI of the postoperative lumbar spine.
Neuroradiology (2002) 44:723-739.

Van Goethem J.W.M., Parizel P.M., Van de Kelft E., Van den Hauwe L., Verooley J., De Schepper A.M.A. (2000):

The value of MRI in the diagnosis of postoperative spondylodiscitis.
Neuroradiology 42: 580-585.

Van Goethem J.W.M., Van de Kelft E., Biitjes I.G.G.M., Van Hasseit B.A.A. M., Van den HauweL., Parizel P.M., De Schepper A.M.A. (1996):

MRI after successful lumbar discectomy
Neuroradiology (1996) 38: S 90-S 96

Van Goethem J.W.M. and Salgado R. (2007):

Imaging of postoperative spine: Discectomy and Herniectomy. In: Spinal imaging, Diagnostic imaging of the spine and spinal cord, Van Goethem J.W.M., Van den Hauwe L. and Parizel P.M. (eds), Springer-Verlag, Berlin Heidelberg, ch. 15, p. 371-391.

Van de Kelft E.J.Z. (2007)

Surgical procedures:Discectomy and Herniectomy. In: Spinal imaging, Diagnostic imaging of the spine and spinal cord, Van Goethem J.W.M., Van den Hauwe L. and Parizel P.M. (eds), Springer-Verlag, Berlin Heidelberg, ch. 14, p. 361-370.

Waguespack A, Schofferman J And Slosar P, Reynolds J. (2002):

Etiology of long-term failures of lumbar spine surgery.
Pain Med. Mar;3(1):18-22

Weisz G.M., Lamond T.S. and Kitchener P.N. (1988):

Spinal imaging will replace myelography.
Spine, 13: 891-895.

Weyreuther M., Heyde C.E., Westphal M., Zierski J. and Weber U. (2006):
Normal anatomy In: MRI Atlas orthopedic and neurosurgery ,the spine ,
Weyreuther M., Heyde C.E., Westphal M., Zierski J. and Weber U. (eds),
Springer .;ch1,P .1-10

Weyreuther M., Heyde C.E., Westphal M., Zierski J. and Weber U. (2006):
Degenerative disorders In: MRI Atlas orthopedic and neurosurgery ,the
spine , Weyreuther M., Heyde C.E., Westphal M., Zierski J. and Weber U.
(eds), Springer .;ch 4, P .99-141

Weyreuther M., Heyde C.E., Westphal M., Zierski J. and Weber U. (2006):
Postoperative spine In: MRI Atlas orthopedic and neurosurgery ,the spine ,
Weyreuther M., Heyde C.E., Westphal M., Zierski J. and Weber U. (eds),
Springer .; ch 7, P .273-288

Wilkison H.A. (1983):

The failed back syndrome, Harper A. & Row S. (eds.), Philadelphia, p. 4-7,

**Williams P.L., Bannister L.H., Berry M.M., Collins P., Dyson M., Dussek
J. E. and Ferguson M.J. (2005):**

Spine. In:Grays anatomy, Standring S., Ellis H., Healy J.C., Johnson D.,
Williams A., 39th edition. Churchill Livingstone, U.K. limited, p.974-1010.

Yu S.W., Sether L.A., Ho P.S., Wagner M., Haughton V.M. (1988):

Tears of the annulus fibrosus: correlation between MR and pathologic
findings in cadavers.

AJNR. Mar-Apr; 9 (2):367-370

Yu S.W., Haughton V.M. and Rosenbaun A.E. (1991):

MRI and anatomy of the spine

Radiologic Clinics of North America, 29 (4): 691-711, July 1991.