

CONTENTS

	Page
Chapter I	
↳ INTRODUCTION & A AIM OF THE WORK	1
Chapter II	
↳ CT Anatomy of the petrous bone	4
Chapter III	
↳ PETROUS BONE TESIONS	25
Chapter IV	
↳ Multislice CT The Role of	71
SUMMARY & CONCLUSION	90
REFERENCES	92
ARABIC SUMMARY	

List of Figures

Chapter II	Page
Fig. (II-1): CT scan, temporal bone. This section demonstrates the internal auditory canal	9
Fig. (II-2): Coronal images reformatted from transverse multi-detector row CT images of a left temporal bone with dehiscence of the facial nerve canal.	11
Fig. (II-3): Coronal images reformatted from transverse multi-detector row CT images of a normal left temporal bone.	13
Fig. (II-4): CT scan, temporal bone. The carotid artery	14
Fig. (II-5): Transverse multi-detector row CT scan of a normal left temporal bone.	16
Fig. (II-6): Transverse multi-detector row CT scan of a left temporal bone with variation of the facial nerve canal.	19
Fig. (II-7): CT scan, temporal bone. The facial nerve can be observed coursing from the internal auditory canal	19
Fig. (II-8): CT scan, temporal bone. The basal turn of the cochlea	21
Fig. (II-9): The cochlear aqueduct connects the perilymph with the subarachnoid space.	21
Fig. (II-10): Normal appearance of the lateral semicircular canal	23
Chapter III	Page
Fig. (III-1): External auditory canal atresia	26
Fig. (III-2): Cholesteatoma	28
Fig. (III-3): Aberrant internal carotid artery	29
Fig. (III-4): High jugular bulb	30
Fig. (III-5): Cochlear deformity (Mondini malformation)	33
Fig. (III-6): Large vestibular aqueduct syndrome.	34
Fig. (III-7): Cholesteatoma	35
Fig. (III-8): Chronic otitis media	39
Fig. (III-9): Chronic otitis media	39
Fig. (III-10): Acute mastoiditis	40
Fig. (III-11): Cholesteatoma:	42
Fig. (III-12): Petrous apicitis.	44
Fig. (III-13): Trauma (longitudinal fracture)	47

Fig. (III-14): Trauma (Transverse fracture)	49
---	----

Chapter III

Page

Fig. (III-15): Trauma (complex fracture)	50
--	----

Fig. (III-16): Trauma (Incus dislocation)	50
--	----

Fig. (III-17): Exostoses	51
--------------------------	----

Fig. (III-18): Glomus tumor in the jugular foramen	54
--	----

Fig. (III-19): EndoLymphatic Sac Tumor:	55
---	----

Fig. (III-20): Schwannoma	61
---------------------------	----

Fig. (III-21): Axial unenhanced CT scan demonstrates pericochlear bone lucency (straight black arrows). Calcification of the mass (curved white matter) suggests the diagnosis of meningioma, as seen in other locations (Hamilton et al, 2006).	62
--	----

Fig. (III-22): Otosclerosis anteriorly to the oval window (arrow). (Alan et al.,2006)	70
---	----

Chapter IV

Page

Fig.(IV-1):Slice position of the transverse plane the scans are parallel to the plane through the nasion and the superior margin of the external orifice of each external meatus (Itt, 2003).	83
---	----

Fig. (IV-2): For the examination of the transverse plane, the patient is placed in the supine position with the gantry tilted slightly backward Variants with greater titing are possible (to avoid irradiation of the lenses of the eyes) (Itt, 2003).	83
---	----

Fig. (IV-3): Coronal Plane	84
----------------------------	----

Fig. (IV-4): Semiaxial Plane	86
------------------------------	----

Fig. (IV-5): Longitudinal Plane	89
---------------------------------	----