

References

- Abramson LP, Arensman R, Reynolds M: Liver tumors in: (General surgery. Pediatrics. e-Medicine specialties); 2007.
- Albrecht T, Oldenburg A, Hohmann J, et al: Imaging of liver metastases with contrast-specific low-MI real time ultrasound and SonoVue. *European Radiology* 13 (3):79-86; 2003.
- American Academy of Pediatrics Committee on Drugs: Guidelines for monitoring and management of pediatric patients during and after sedation for diagnostic and therapeutic procedures. *Pediatrics* (89):1110–1115; 1992.
- Anupindi S, Jaramillo D: Pediatric magnetic resonance imaging techniques. *Magnetic Resonance Imaging Clinics of North America* (10): 189–207; 2002.
- Bae KT, Whiting BR: Basic principles of computed tomography physics and technical considerations in: (Computed Body Tomography with MRI Correlation). By Lee KTL, Sagel SS, Stanley RG, et al (editors). 4th edition. Philadelphia: Lippincott Williams & Wilkins. 1–28; 2006.
- Baker ME, Paulson EK: Hepatic metastatic disease in: (Neoplasms of the Digestive Tract: Imaging, Staging and Management). By Meyers MA (editor). 1st edition. Philadelphia: Lippincott-Raven. 361-395; 1998.
- Bartolotta TV, Taibbi A, Midiri M, et al: Focal liver lesions: Contrast-enhanced ultrasound. *Abdominal imaging* (34):193–209; 2009.

- Bartolozzi C, Pina CD, Cioni D, et al: Magnetic Resonance imaging in: (Focal Liver Lesions: Detection, Characterization, Ablation). By Lencioni R, Cioni D, Bartolozzi C (editors). 1st edition. Springer-Verlag Berlin Heidelberg. (3): 33; 2005.
- Blomley MJK, Sidhu PL, Cosgrove DO, et al: Do different types of liver lesions differ in their uptake of the microbubble contrast agent SH U 508A in the late liver phase? Early experience. *Radiology* (220):661-667; 2001.
- Boone JM, Geraghty EM, Seibert JA, et al: Dose reduction in pediatric CT: A rational approach. *Radiology* (228):352–360; 2003.
- Borley NR: Liver in: (Gray's anatomy: The anatomical basis of clinical practice). By Berkovitz BK, Borley NR, Crossman AR, et al (editors). 39th edition. Elsevier Churchill Livingstone. (85): 1213; 2005.
- Brancatelli G, Federle MP, Katyal S, et al: Hemodynamic characterization of focal nodular hyperplasia using three-dimensional volume-rendered multidetector CT angiography. *AJR Am J Roentgenology* (179):81–85; 2002.
- Brant WE: Liver in: (Fundamentals of body CT). By Webb WR, Brant WE, Maier NM (editors). 3rd edition. Saunders Elsevier. (11):207; 2006.
- Bruyn RD: The liver, spleen and pancreas in: (Pediatric Ultrasound: How, Why and When). By Bruyn RD (editor). 1st edition. Churchill Livingstone. (5)131; 2005.

- Bryant TH, Blomley MJ, Albrecht T, et al: Improved characterization of liver lesions with liver-phase uptake of liver specific microbubbles: Prospective multicenter trials. *Radiology* (232):799-809; 2004.
- Burns PN, Wilson SR: Focal liver masses: Enhancement patterns on contrast-enhanced images—concordance of US scans with CT scans and MR images. *Radiology* (242):162–174; 2007.
- Carlson SK, Johnson CD, Bender CE, et al: CT of focal nodular hyperplasia of the liver. *AJR Am J Roentgenology* (174):705–712; 2000.
- Cetin M, Demirpolat G, Elmas N, et al: Stromal predominant type mesenchymal hamartoma: CT and MRI features. *Computerized medical imaging and graphics* (26): 167-169; 2002.
- Chan FP, Rubin GD: MDCT angiography of pediatric vascular diseases of the abdomen, pelvis, and extremities. *Pediatric Radiology* (35):40–53; 2005.
- Chen JC, Chen CC, Chen WJ, et al: Hepatocellular carcinoma in children: Clinical review and comparison with adult cases. *J Pediatric Surgery* (33):1350–1354; 1998.
- Cho A, Okazumi S, Makino H, et al: Relation between hepatic and portal veins in the right paramedian sector: Proposal for anatomical reclassification of the liver. *World J Surgery* 28(1):8-12; Jan 2004.
- Choi BI, Han JK, Hong SH, et al: Dysplastic nodules of the liver: Imaging findings. *Abdominal Imaging* (24):250-257; 1999.
- Claudon M, Tranquart F, Evans DH, et al: Advances in ultrasound. *European Radiology* (12):7-18; 2002.

- Committee on Drugs, American Academy of Pediatrics: Guidelines for monitoring and management of pediatric patients during and after sedation for diagnostic and therapeutic procedures: Addendum. *Pediatrics* (110):836–838; 2002.
- Cosgrove D: Ultrasound contrast agents: An overview. *European Journal of Radiology* (60): 324–330; 2006.
- Cosgrove DO, Blomley MJK, Eckersley RJ, et al: Innovative contrast specific imaging with ultrasound. *Electromedica* (70):147-149; 2002.
- Coskun M, Kayahan EM, Ozbek O, et al: Imaging of hepatic arterial anatomy for depicting vascular variations in living related liver transplant donor candidates with multidetector computed tomography: Comparison with conventional angiography. *Transplant Proc* 37(2): 1070; Mar 2005.
- Couinaud C: Liver anatomy: Portal (and suprahepatic) or biliary segmentation. *Dig Surgery* 16(6):459-467; 1999.
- Cravero JP, Blike GT, Beach M, et al: Incidence and nature of adverse events during pediatric sedation/anesthesia for procedures outside the operating room: Report from the pediatric sedation research consortium. *Pediatrics* (118):1087–1096; 2006.
- Cravero JP, Blike GT: Review of pediatric sedation. *Anesth Analg* (99):1355–1364; 2004.
- Crocetti L, Della Pina C, Rocchi E, et al: Imaging Landmarks for segmental lesion localization in: (Focal Liver Lesions: Detection, Characterization, Ablation). By Lencioni R, Cioni D, Bartolozzi C (editors). 1st edition. Springer-Verlag Berlin Heidelberg. (5):63; 2005.

- Dalrymple NC, Prasad SR, Freckleton MW, et al: Introduction to the language of three-dimensional imaging with multidetector CT. *Radiographics* (25):1409–1428; 2005.
- Draghi F, Fachinetti C, Ferrozzi G, et al: Anatomia del fegato in: (Ecografia Clinica). By Busilacchi P, Rapaccini GL (editors). 1st edition. Napoli: Idelson-Gnocchi (7):621; 2006.
- Egelhoff JC, Ball WS, Koch BL, et al: Safety and efficacy of sedation using a structured sedation program. *AJR Am J Roentgenology* (168):1259–1262; 2007.
- Emre S, McKenna GJ: Liver tumors in children. *Pediatric Transplantation* 8 (6): 632–638; 2004.
- Federle MP, Chabra SG: Liver in: (Diagnostic imaging abdomen). By Federle MP, Jeffrey RB, Desser TS, et al (editors). 1st edition. Amirsys. (II-1): 2; 2004.
- Fisher AR, Siegelman ES: Magnetic resonance imaging techniques. *Clinics in liver disease* (6): 53; 2002.
- Fishman EK, Ney DR, Heath DG, et al: Volume rendering versus maximum intensity projection in CT angiography: What works best, when, and why? *Radiographics* (26):905–922; 2006.
- Fricke BL, Donnelly LF, Frush DP, et al: In-plane bismuth breast shields for pediatric CT: Effects on radiation dose and image quality using experimental and clinical data. *AJR Am J Roentgenology* (180):407–411; 2003.
- Frush DP, Bisset GS III, Hall SC: Pediatric sedation in radiology: The practice of safe sleep. *AJR Am J Roentgenology* (167):1381–1387; 1996.

- Frush DP, Donnelly LF: State of the art: Helical CT—technical considerations and body applications. *Radiology* (209):37–48; 1998.
- Frush DP: Computed tomography and magnetic resonance imaging in the pediatric patient: Special considerations in: (CT and MR Imaging of the Whole Body). By Haaga JR, Lanzieri CF, Gilkeson RC (editors). 4th edition. St. Louis, MO: Mosby. 1974–1983; 2003.
- Gabata T, Matsui O, Kadoya M, et al: Delayed MR imaging of the liver: Correlation of delayed enhancement of hepatic tumors and pathologic appearance. *Abdominal Imaging* (23):309-313; 1998.
- Gaiani S, Volpe L, Piscaglia F, et al: Vascularity of liver tumors and recent advances in Doppler ultrasound. *Journal of Hepatology* (34): 474-482; 2001.
- Gallego C, Velasco M, Marcuello P, et al: Congenital and acquired anomalies of the portal venous system. *Radiographics* 22(1):141-59; Jan-Feb 2002.
- Giorgio A, Ferraioli G, Tarantino L, et al: Contrast enhanced sonographic appearance of hepatocellular carcinoma in patients with cirrhosis: Comparison with contrast-enhanced helical CT appearance. *AJR Am J Roentgenology* (183):1319-1326; 2004.
- Grazioli L, Morana G, Caudana R, et al: Hepatocellular carcinoma: Correlation between gadobenate dimeglumine-enhanced MRI and pathologic findings. *Invest Radiology* (35):25-34; 2000.
- Grazioli L, Morana G, Kirchin MA, et al: Accurate differentiation of focal nodular hyperplasia from hepatic adenoma at gadobenate dimeglumine-enhanced MR imaging: Prospective study. *Radiology* (236):166-177; 2005.

- Grazioli L, Olivetti L, Fugazzola C, et al: The pseudocapsule in hepatocellular carcinoma: Correlation between dynamic MR imaging and pathology. *European Radiology* (9):62-67; 1999.
- Gubernick JA, Rosenberg HK, Ilaslan H, et al: US approach to jaundice in infants and children. *Radiographics* (20):173–195; 2000.
- Haaga JR: Commentary. Radiation dose management weighing risk versus benefit. *AJR Am J Roentgenology* (177): 289–291; 2001.
- Hayashi M, Matsui O, Ueda K, et al: Correlation between the blood supply and grade of malignancy of hepatocellular nodules associated with liver cirrhosis: Evaluation by CT during intraarterial injection of contrast medium. *AJR Am J Roentgenology* (172):969-976; 1999.
- Heiken JP, Menias CO: Liver in : (Computed Body Tomography with MRI Correlation). By Lee JKT, Sagel SS, Stanley RJ, et al (editors). 4th edition. Philadelphia: Lippincott Williams & Wilkins. 829–931; 2006.
- Heiken JP: Liver in: (Computed body tomography with MRI correlation). By Lee JKT, Sagal SS, Stanley RJ, et al (editors). 3rd edition. Lippincott-Raven, Philadelphia. 701-778; 1998.
- Helmberger TK, Ros PR, Mergo PJ, et al: Pediatric liver neoplasms: A radiologic-pathologic correlation. *European Radiology* (9): 1339-1347; 1999.
- Hernanz-Schulman M, Ambrosino MM, Freeman PC, et al: Common bile duct in children: Sonographic dimensions. *Radiology* (195):193–195; 1995.

- Hoeffel C, Mulé S, Romaniuk B, et al: Advances in radiological imaging of gastrointestinal tumors. *Critical Reviews in Oncology/Hematology* (69): 153–167; 2009.
- Hörmann M: MR imaging of the gastro-intestinal tract in children. *European Journal of Radiology* (68): 271–277; 2008.
- Huda W, Scalzetti M, Levin G: Technique factors and image quality as functions of patient weight at abdominal CT. *Radiology* (217):430–435; 2000.
- Ichikawa T, Federle MP, Grazioli L, et al: Fibrolamellar hepatocellular carcinoma: Imaging and pathologic findings in 31 recent cases. *Radiology* (213):352-361; 1999.
- Ichikawa T, Federle MP, Grazioli L, et al: Hepatocellular adenoma: Multiphasic CT and histopathologic findings in 25 patients. *Radiology* (214):861–868; 2000.
- Ishak KG, Goodman Z, Stocker JT: Tumors of the liver and intrahepatic bile ducts in: (Atlas of Tumor Pathology). 3rd edition. Washington, DC: Armed Forces Institute of Pathology; 2001.
- Ishibashi Y, Sato TJ, Hirai I, et al: Ramification pattern and topographical relationship between the portal and hepatic veins in the left anatomical lobe of the human liver. *Okajimas Folia Anat Jpn*; 78(2-3):75-82; Aug 2001.
- Isozaki T, Numata K, Kiba T: Differential diagnosis of hepatic tumors by using contrast enhancement patterns at US. *Radiology* (229):798-805; 2003.
- Jha P, Chawla SC, Tavri S, et al: Pediatric liver tumors — a pictorial review. *European Radiology* (19): 209–219; 2009.

- Ji H, Ros PR: Benign Liver Tumors in: (Radiologic-Pathologic Correlations from Head to Toe Understanding the Manifestations of Disease). By Gourtsoyiannis NC, Ros PR (editors). 1st edition. Springer-Verlag Berlin Heidelberg. (4.7): 343; 2005.
- Jimenez RM, Connolly S, Blickman JG, et al: Accessory Organs of Digestion in: (Radiological Imaging of the Digestive Tract in Infants and Children). By Devos AS, Blickman JG (editors). 1st edition. Springer-Verlag Berlin Heidelberg. (4): 133; 2008.
- Kamel IR, Liapi E, Elliot K, et al: Liver and Biliary System: Evaluation by Multidetector CT. Radiologic Clinics of North America (43): 977 – 997; 2005.
- Kamel IR, Liapi E, Fishman EK: Focal nodular hyperplasia: Lesion evaluation using 16-MDCT and 3D CT angiography. AJR Am J Roentgenology (186):15887–1596; 2006.
- Kamona AA, El-Khatib MA, Swaidan MY, et al: Pediatric Burkitt's lymphoma: CT findings. Abdominal Imaging (32):381–386; 2007.
- Kaplan RF, Yang CI: Sedation and analgesia in pediatric patients for procedures outside of the operating room. Anesthesiol Clin North Am (20):181–194; 2002.
- Kew MC: Hepatic tumors and cysts in: (Sleisenger and Fordtran's Gastrointestinal and Liver disease). By Feldman M, Scharschmidt BF, Sleisenger MH (editors). 6th edition. WB Saunders, Philadelphia. 1364-1387; 1998.
- Kim KW, Choi BI, Park SH, et al: Hepatocellular carcinoma: Assessment of vascularity with single-level dynamic ultrasonography during the arterial phase. J Ultrasound Med (22):887-896; 2003.

- Kim KW, Kim AY, Kim TK, et al: Small (≤ 2 cm) hepatic lesions in colorectal cancer patients: Detection and characterization on mangafodipir trisodium-enhanced MRI. *AJR Am J Roentgenology* (182):1233-1240; 2004.
- Kim T, Murakami T, Takahashi S, et al: Optimal phases of dynamic CT for detecting hepatocellular carcinoma: Evaluation of unenhanced and triple phase images. *Abdominal Imaging* (24):473-480; 1999.
- Kindberg GM, Tolleshaug H, Roos N, et al: Hepatic clearance of Sonazoid perfluorobutane microbubbles by Kupffer cells does not reduce the ability of liver to phagocytose or degrade albumin microspheres. *Cell Tissue Res* (312):49-54; 2003.
- Koda M, Matsunaga Y, Ueki M, et al: Qualitative assessment of tumour vascularity in hepatocellular carcinoma by contrast-enhanced coded ultrasound: Comparison with arterial phase of dynamic CT and conventional color/power Doppler ultrasound. *European Radiology* (14):1100-1108; 2004.
- Krinsky GA, Lee VS, Theise ND, et al: Hepatocellular carcinoma and dysplastic nodules in patients with cirrhosis: Prospective diagnosis with MR imaging and explanation correlation. *Radiology* (219):445-454; 2001.
- Kyriakopoulou K, Antoniou A, Fezoulidis IV, et al: The role of Doppler Perfusion Index as screening test in the characterization of focal liver lesions. *Digestive and Liver Disease* (40): 755–760; 2008.
- Laghi A, Sansoni I, Celestre M, et al: Computed tomography in: (Focal Liver Lesions: Detection, Characterization, Ablation). By

- Lencioni R, Cioni D, Bartolozzi C (editors). 1st edition. Springer-Verlag Berlin Heidelberg. (2) 17; 2005.
- Lee KH, Choi BI, Kim KW, et al: Contrast-enhanced dynamic ultrasonography of the liver: Optimization of hepatic arterial phase in normal volunteers. *Abdominal Imaging* (28):652-656; 2003.
 - Lemos AA, Siegel MJ, Rossi G, et al: Single-versus multidetector CT: Comparison of sedation rates, conventional angiograms and motion artifacts in young children following liver transplantation. *Radiol Med* (111):911–920; 2006.
 - Lencioni R, Cioni D, Crocetti L, et al: Magnetic resonance imaging of liver tumors. *Journal of Hepatology* (40): 162–171; 2004.
 - Lencioni R, Pinto F, Armillotta N, et al: Assessment of tumor vascularity in hepatocellular carcinoma: Comparison of power Doppler US and color Doppler US. *Radiology* (201):353-358; 1996.
 - Lim JH, Cho JM, Kim EY, et al: Dysplastic nodules in liver cirrhosis: Evaluation of hemodynamics with CT during arterial portography and CT hepatic arteriography. *Radiology* (214):869-874; 2000.
 - Lomas DJ: The liver in: (Grainger & Allison's Diagnostic Radiology). By Adam A, Dixon AK (editors), Grainger RG, Allison DJ (Consulting editors). 5th edition. Elsevier Churchill Livingstone. (35); 2008.
 - Low RN: Abdominal MRI advances in the detection of liver tumors and characterisation. *Lancet oncology* (8): 525–35; 2007.
 - Maher MM, Mcdermott S R, Fenlon H M, et al: Imaging of Primary Non-Hodgkin's Lymphoma of the Liver. *Clinical Radiology* (56): 295-301; 2001.

- Majno P, Loubeyre P, Mentha G, et al: Segmental anatomy of the liver in: (Focal Liver Lesions: Detection, Characterization, Ablation). By Lencioni R, Cioni D, Bartolozzi C (editors). 1st edition. Springer-Verlag Berlin Heidelberg. (4):53; 2005.
- Majno PE, Mentha G, Morel P, et al: Arantius' ligament approach to the left hepatic vein and to the common trunk. *J Am Coll Surg* (195):737–739; 2002.
- McLarney JK, Rucker PT, Bender GN, et al: Fibrolamellar carcinoma of the liver: Radiologic-pathologic correlation. *Radiographics* (19):453-471; 1999.
- Meyers RL: Tumors of the liver in children. *Surgical Oncology* (16): 195–203; 2007.
- Michael R: Potential of MR imaging in the paediatric abdomen. *European Journal of Radiology* (68):235–244; 2008.
- Migaleddu V, Virgilio G, Turilli D, et al: Characterization of focal liver lesions in real time using harmonic imaging with high mechanical index and contrast agent Levovist. *AJR Am J Roentgenology* (182):1505-1512; 2004.
- Mueller BU, Lopez-Terrada D, Finegold MJ: Tumors of the liver in: (Principles and Practice of Pediatric Oncology). By Pizzo PA, Poplack DG (editors). 1st edition. Philadelphia: Lippincott Williams & Wilkins. 887–904; 2006.
- Murakami T, Kim T, Takamura M, et al: Hepatitis, cirrhosis and hepatoma. *J Magn Reson Imaging* (8):346-358; 1998.

- Murakami T, Kim T, Takamura M, et al: Hypervascular hepatocellular carcinoma: Detection with double arterial phase multi-detector row helical CT. *Radiology* (218):763-767; 2001.
- Nicolau C, Catalá V, Vilana R, et al: Evaluation of hepatocellular carcinoma using SonoVue, a second generation ultrasound contrast agent: Correlation with cellular differentiation. *European Radiology* (14):1092-1099; 2004.
- Nitz WR: Fast and ultrafast non-echo-planar MR imaging techniques. *European Radiology* (12): 2866–2882; 2002.
- Noronha V, Shafi NQ, Obando JA, et al: Primary non-Hodgkin's lymphoma of the liver. *Critical Reviews in Oncology/Hematology* (53): 199–207; 2005.
- Olsen QE: Practical body MRI—A paediatric perspective. *European Journal of Radiology* (68) 299–308; 2008.
- Oto A, Tamm EP, Szklaruk J: Multidetector Row CT of the Liver. *Radiologic Clinics of North America* (43): 827– 848; 2005.
- Pastore M, Terracciano F, Marseglia A, et al: Contrast enhanced ultrasonography in the assessment of focal liver lesions in pediatric patients. *Digestive and Liver Disease* 40(10): 107-108; October 2008.
- Paterson AC, Cooper K: Tumors and tumor-like lesions of the hepatic parenchyma. *Current Diagnostic Pathology* (11): 19–33; 2005.
- Paterson A, Sweeney LE, Connolly B: Pediatric Abdominal Imaging in: (Grainger & Allison's Diagnostic Radiology). By Adam A, Dixon AK (editors), Grainger RG, Allison DJ (Consulting editors). 5th edition. Elsevier Churchill Livingstone. (65); 2008.

- Patterson A, Frush DP, Donnelly L: Helical CT of the body: Are settings adjusted for pediatric patients. *AJR Am J Roentgenology* (176):297–301; 2001.
- Paulson EK: Evaluation of the liver for metastatic disease. *Seminars in Liver Diseases*. 21(2):225-236; 2001.
- Peterson MS, Baron RL, Marsh JW, et al: Pretransplantation surveillance for possible hepatocellular carcinoma in patients with cirrhosis: Epidemiology and CT-based tumor detection rate in 430 cases with surgical pathologic correlation. *Radiology* (217):743-749; 2000a.
- Peterson MS, Baron RL, Rankin SC, et al: Hepatic angiosarcoma: Findings on multiphasic contrast-enhanced helical CT do not mimic hepatic hemangioma. *AJR Am J Roentgenology* (175):165-170; 2000b.
- Prabhu VR, Burt AD: Pathology of liver tumours. *Surgery (Oxford)* (25): 10-15; 2007.
- Psatha EA, Semelka RC, Fordham L, et al: Undifferentiated (embryonal) sarcoma of the liver: MRI findings including dynamic gadolinium enhancement. *Magnetic Resonance Imaging* (22): 897–900; 2004.
- Quaia E, Bertolotto M, Forgacs B, et al: Detection of liver metastases by pulse inversion harmonic imaging during Levovist late phase: Comparison to conventional ultrasound and helical CT in 160 patients. *European Radiology* (13):475-483; 2003.
- Quaia E, Calliada F, Bertolotto M, et al: Characterization of focal liver lesions by contrast-specific US modes and a sulfur hexafluoride-

- filled microbubble contrast agent: Diagnostic performance and confidence. *Radiology* (232):420-430; 2004.
- Quaia E, D’Onofrio M, Bartolotta TV, et al: Characterization of Focal Liver Lesions in: (Contrast Media in Ultrasonography: Basic Principles and Clinical Applications). By Quaia E (editor). 1st edition. Springer-Verlag Berlin Heidelberg. (11): 125; 2005.
 - Quiroga S, Sebastia C, Pallisa E, et al: Improved diagnosis of hepatic perfusion disorders: Value of hepatic arterial phase imaging during helical CT. *Radiographics* (21):65-81; 2001.
 - Rettenbacher T: Focal liver lesions: Role of contrast-enhanced ultrasound. *European Journal of Radiology* (64): 173–182; 2007.
 - Robinson PJ: Imaging liver metastases: Current limitations and future prospects. *Br J Radiology* (73):234–241; 2000.
 - Roebuck DJ, Olsen Q, Pariente D: Radiological staging in children with hepatoblastoma. *Pediatric Radiology* (36): 176–182; 2006.
 - Roebuck DJ, Yang WT, Lam WW, et al: Hepatobiliary rhabdomyosarcoma in children: Diagnostic radiology. *Pediatric Radiology* (28):101-108; 1998.
 - Roos JE, Pfiffner R, Stallmach T, et al: Infantile Hemangioendothelioma. *RadioGraphics* (23):1649–1655; 2003.
 - Rubin GD: Angiography of the aorta and its branches in: (Multidetector CT: Principles, Techniques & Clinical Applications). By Fishman EK, Jeffrey RB (editors). 1st edition. Philadelphia: Lippincott Williams & Wilkins. 395–441; 2004.

- Rutkauskas S, Gedrimas V, Pundzius J, et al: Clinical and anatomical basis for the classification of the structural parts of liver. *Medicina (Kaunas)* (2): 42; 2006.
- Sahani DV, Kalva P: Imaging the Liver. *The Oncologist* 9(4): 385–397; July 2004.
- Sahani DV, Singh AH: Dual Phase Liver MDCT in: (MDCT: A Practical Approach). By Saini S, Rubin GD, Kalra MK (editors). 1st edition. Springer-Verlag Italia. (2.1): 39; 2006.
- Schindera ST, Nelson RC: Hepatobiliary Imaging by Multidetector Computed Tomography (MDCT) in: (MDCT a Practical Approach). By Saini S, Rubin GD, Kalra MK (editors). 1st edition. Springer-Verlag Italia. (2.2): 49; 2006.
- Schneider G, Grazioli L, Saini S, et al: (MRI of the Liver: Imaging Techniques, Contrast Enhancement, Differential Diagnosis). By Schneider G, Grazioli L, Saini S (editors). 2nd Edition, Springer-Verlag Italia; 2006.
- Semelka RC, Sofka CM: Hepatic hemangiomas. *Magnetic Resonance Imaging Clinics of North America* (5):241-253; 1997.
- Sica GT, Ji H, Ros PR: CT and MR imaging of hepatic metastases. *AJR Am J Roentgenology* (174):691–698; 2000.
- Siegel MJ, Suess C, Schmidt B, et al: Radiation dose and image quality in pediatric CT: Effect of technical factors and phantom size and shape. *Radiology* (233): 515–522; 2004.
- Siegel MJ: Pediatric applications of computed body tomography in: (Computed Body Tomography with MRI Correlation). By Lee JKT,

- Sagel SS, Stanley RJ, et al (editors). 4th edition. Philadelphia: Lippincott Williams & Wilkins. 1727–1788; 2006
- Siegel MJ: Pediatric Body CT by Siegel MJ (editor). 2nd Edition. Lippincott Williams & Wilkins; 2008.
 - Siegel MJ: Pediatric liver imaging. *Seminars in liver disease* (21):251-269; 2001.
 - Siegel MJ: Pediatric liver magnetic resonance imaging. *Magnetic Resonance Imaging Clinics of North America* (10): 253–273; 2002.
 - SIOPEL III: Liver tumor studies. *International society of pediatric oncology: Hepatoblastoma and hepatocellular carcinoma*; 1998.
 - Slovis TL: The ALARA concept in pediatric CT: Myth or reality? *Radiology* (223):5–6; 2002.
 - Soyupak SK, Narli N, Yapicioglu H, et al: Sonographic measurements of the liver, spleen and kidney dimensions in the healthy term and preterm newborns. *European Journal of Radiology* (43):73–78; 2002.
 - Sporcq C, Avni F, Sherer F, et al: Reappraisal of the sonographic characteristics of the fetal and newborn kidney: Introducing the cortico-medullary ratio. *European Society of Paediatric Radiology 44th Annual Meeting*, June 5th-7th; 2007.
 - Stocker J, Conran R, Selby D: Tumor and pseudotumors of the liver in: (*Pathology of Solid Tumors in Children*). By Stocker J, Askin F (editors). 1st edition. London: Chapman & Hakk. 83–110; 1998.
 - Stocker JT, Husain AN, Dehner LP, et al: The liver, gall bladder, and biliary tract in: (*Pediatric Pathology*). By Stocker JT, Dehner LP (editors). 2nd edition. Lippincott Williams & Wilkins. (16); 2002.

- Stocker JT: Hepatic tumors in children. *Clinic of Liver Disease* (5): 259–281; 2001.
- Tanaka S, Ioka T, Oshikawa O, et al: Dynamic sonography of hepatic tumors. *AJR Am J Roentgenology* (177):799-805; 2001.
- Tröger J: Abdomen in: (Paediatric Imaging Manual). By Tröger J, Seidensticker P (editors). 1st edition. Springer Medizin Verlag Heidelberg. (5):63; 2008.
- Tutar NU, Cevik B, Otgun I, et al: Primary embryonal botryoid-type rhabdomyosarcoma of the liver. *European Journal of Radiology Extra* (61): 5–7; 2007.
- Vilgrain V, Paradis V, Menu Y, et al: Primary Hepatic Malignant Neoplasms: Radiologic-Pathologic Correlations in (Radiologic-Pathologic Correlations from Head to Toe Understanding the Manifestations of Disease). By Gourtsoyiannis NC, Ros PR (editors). 1st edition. Springer-Verlag Berlin Heidelberg. (4.8): 367; 2005.
- Vilgrain V: Focal nodular hyperplasia. *European Journal of Radiology* (58): 236–245; 2006.
- Vock P: CT dose reduction in children. *European Radiology* (15):2330–2340; 2005.
- Von Herbay A, Vogt C, Haussinger D: Late-phase pulse inversion sonography using the contrast agent Levovist: Differentiation between benign and malignant focal lesions of the liver. *AJR Am J Roentgenology* (179):1273-1279; 2002.
- Von Schweinitz D: Management of liver tumors in childhood. *Seminars in Pediatric Surgery* (15): 17-24; 2006.

- Wang JD, Chang TK, Chen HC, et al: Pediatric liver tumors: Initial presentation, image finding and outcome. *Pediatrics International* (49): 491-496; 2007.
- Wen YL, Kudo M, Zheng RQ, et al: Characterization of hepatic tumors: value of contrast-enhanced coded phase inversion harmonic angio. *AJR Am J Roentgenology* (182):1019-1026; 2004.
- Wilson SR, Kim TK, Jang HJ, et al: Enhancement patterns of focal liver masses: Discordance between contrast-enhanced sonography and contrast-enhanced CT and MRI. *AJR Am J Roentgenology* (189):7–12; 2007.
- Woźniak MM: Contrast media: Posology, risks and side effects in: (Paediatric Imaging Manual). By Tröger J, Seidensticker P (editors). 1st edition. Springer Medizin Verlag Heidelberg. (2): 5; 2008.
- Yen JB, Kong MS, Lin JN: Hepatic mesenchymal hamartoma. *J. Paediatric. Child Health* (39): 632–634; 2003.