

REFERENCES

REFERENCES

- Abbitt, P.L. and Armstrong, P. (1989) :**
Percutaneous catheter drainage of necrotic tumors : CT demonstration.
J. Comput. Assist. Tomogr.; 13 : 437-439.
- Aeder, M.L.; Wellman, J.L.; Haaga, J.R. and Hau, T. (1983) :**
Role of surgical and percutaneous drainage in the treatment of abdominal abscesses.
Arch. Surg.; 118:273-280.
- Alterbarmakian, V.K.; Guthinger, W.P.; Yakub, Y.N.; Gatierrez, I.I. and Linke, C.A. (1981) :**
Percutaneous kidney biopsies : complications and their management.
Urology; 28 : 118-122.
- Andersson, T. et al. (1987) :**
Percutaneous ultrasonography-guided cutting biopsy from liver metastases of endocrine gastrointestinal tumors.
Ann. Surg. 206 : 728-732.
- Andriole, J.G.; Haaga, J.R.; Adams, A.B. and Nunez, C. (1983) :**
Biopsy needle characteristics assessed in the laboratory.
Radiology, 148 : 659-662.
- Austin, J.H.M. and Cohen, M.B. (1993) :**
Value of having a cytopathologist present during percutaneous fine-needle aspiration biopsy of lung : report of 55 cancer patients and meta-analysis of the literature.
AJR; 166 : 175-177.
- Axel, L. et al. (1984) :**
Simple method for performing oblique CT-guided needle biopsies.
AJR; 143 : 341-342.
- Benazzouz, M.; Afifi, R.; Ebrahim, A.; Essaid, F.A. and Sebri, M.F. (1997) :**
Postoperative intra-abdominal abscesses : percutaneous versus surgical drainage.
Gastroenterology, 31 (6) : 333-335.

- Bernardino, M.E.; Fernandez, M.; Neylan, J.; Hertzler, G.; Whelchel, J. and Olson, R. (1990) :**
Pancreatic transplants : CT-guided biopsy.
Radiology; 177-709-711.
- Bernardino, M.E. (1984) :**
Percutaneous biopsy.
AJR; 142 : 42-45.
- Bernardino, M.E. (1990) :**
Automated biopsy devices : significance and safety.
Radiology, 176 : 615-616.
- Bissonnette, R.T. et al. (1990) :**
Fatal carcinoid crisis after percutaneous fine-needle biopsy of hepatic metastasis : case report and literature review.
Radiology, 174 : 751-752.
- Brandt, K.R.; Charboneau, J.W.; Stephens, D.H.; Welch, T.J. and Goellner, J.R. (1993) :**
CT-and US-guided biopsy of the pancreas.
Radiology; 187 : 99-104.
- Bret, P.M. and Fond, A.; Casola, G. et al. (1986) :**
Abdominal lesions a prospective study of clinical efficacy of percutaneous fine-needle biopsy.
Radiology; 159 : 345-346.
- Bret, P.M. et al. (1986) :**
Abdominal lesions : prospective study of clinical efficacy of percutaneous fine needle biopsy.
Radiology, 159 : 345.
- Bret, P.M. et al. (1988) :**
Ultrasonically guided fine-needle biopsy in focal intrahepatic lesions : six years experience.
J. Can. Assoc. Radio.; 37 : 5.
- Bret, P.M.; Fond, A.; Bretagnolle, M. et al. (1988) :**
Percutaneous aspiration and drainage of hydatid cysts in liver.
Radiology; 168 : 617-620.

Brolin, R.E. et al. (1984) :

Percutaneous catheter versus open surgical drainage in the treatment of abdominal abscesses.
Am. Surg.; 50 : 102-108.

Brown, K.T.; Fulbright, P.K.; Avitabile, A.M. and Bashist, B. (1993) :

Cytologic analysis in fine-needle aspiration biopsy : smears vs cell blocks.
AJR, 161 : 625-631.

Burbank, F.; Kaye, K.; Belville, J.; Ekuan, J. and Blunenfeld, M. (1994) :

Image-guided automated core biopsies of the breast, chest, abdomen and pelvis.
Radiology; 191 : 165-171.

Butch, R.J. et al. (1985) :

Presacral masses after abdominal resection for colorectal carcinoma : the need for needle biopsy.
AJR; 144 : 309-312.

Butch, R.J.; Mueller, P.R.; Ferrucci, J.T. Jr. et al. (1986) :

Drainage of pelvic, abscesses through the greater sciatic foramen.
Radiology; 158:487-491.

Buy, J.N.; Moss, A.A. and Singler, R.C. (1982) :

CT guided celiac plexus and splanchnic nerve neurolysis.
J. Comput. Assist. Tomogr.; 6 : 315-319.

Casola, G. et al. (1992) :

Percutaneous drainage of tubo-ovarian abscesses.
Radiology, 182 : 399-402.

Casola, G.; Withers, C.; van Sonnenberg, E.; Herba, M.J.; Saba, R.M. and Brown, R.A. (1986) :

Percutaneous cecostomy for decompression of the massively distended cecum.
Radiology; 158:793-794.

Castello, P. and Gaa, J. (1993) :

Clinical assessment of an interventional CT table.
Radiology; 189 : 284-285.

- Charboneau, J.W.; Reading, C.C. and Welch, T.J. (1990) :**
CT and sonographically guided needle biopsy : current techniques and new innovations.
AJR; 154 : 1-10.
- Chen, S.M. et al. (1982) :**
A single method of limiting needle depth during percutaneous biopsy.
Radiology; 143 : 269.
- Clark, R.A.; Towbin, R. (1983) :**
Abscess drainage with CT and ultrasound guidance.
Radiol. Clin. North Am. 21 (3) : 445-459.
- Corr, P.; Benningfield, S.J. and Davey, N. (1992) :**
Trnsjugular liver biopsy : a review of 200 biopsies.
Clin. Radiol.; 45 : 238-293.
- Cronan, J.I. et al. (1988) :**
Cavernous hemangioma of the liver : role of percutaneous biopsy.
Radiology; 166 : 135-138.
- D'Agostino, H.B.; Van Sonnenberg, E.; Sanchez, R.B.; Goodacre, B.W. Villaveiran, R.G.; Lyche, K. (1993) :**
Treatment of pancreatic pseudocysts with percutaneous drainage.
Work in Progress Radiology; 187 : 685-688.
- Dahnert, W.F.; Hoagland, M.H.; Hamper, U.M.; Erozan, Y.S. and Peirce, J.C. (1992):**
Fine-needle aspiration biopsy of abdominal lesions : diagnostic yield for different needle tip configurations.
Radiology; 185 : 263-268.
- De Keruiler, E.; Guermazi, A.; Cazals-Hatem, D. and Frija, J. (1996) :**
Use of abdominal comparison as or aid to CT guided retroperitoneal biopsies.
AJR, Am. J. Roentgenol. Nov. 167, 5 : 1346-7.
- De Kerviler, E.; Guermazi, A.; Zagdcysti, A.M.; Meigris, V.; DeGery, S.; Merzoug, V. and Firja, J. (2000) :**
Technique treatment improve the accuracy CT-guided abdominal biopsy.
Ann. Chir. Jan. 125 : 1, 74-80.

- De Mey, J.; Opde Beek, B.; Freson, M. and Osteauy, M. (1999) :**
Computed tomography-guided diagnostic puncture in abdominal pathology.
J. Radiol. Jan. 80, 1 : 4-6.
- DeBlois, G.G.; DeMay, K.M. (1985) :**
Adrenal myelolipoma diagnosis by computed-tomography-guided fine needle aspiration : a case report.
Radiology, 156 : 569.
- DelMaschio, A. et al. (1991) :**
Pancreatic cancer versus chronic pancreatitis : diagnosis with CA 19-9 assessment, US, CT, and CT-guided fine-needle biopsy.
Radiology, 178 : 95-99.
- Deveney, C.W.; Lurie, K. and Deveney, K.E. (1988) :**
Improved treatemnt of intra-abdominal abscess : a result of improved localization drain age, and patient care, not technique.
Arch. Surg.; 123 : 1126-1130.
- Deyoe, L.A.; Cronan, J.J.; Lambiase, R.E.; Dorfman, G.S. (1990) :**
Percutaneous drainage of renal and perineal abscess : results in 30 patients.
AJR; 155 : 81-83.
- Dickey, J.E. et al. (1986) :**
Evaluation of CT guided percutaneous biopsies of the pancreas.
Surg. Gynecol. Obstet.; 163 : 497-503.
- Dinc, M.; Sari, A.; Yulug, G. and Gumele, H.R. (1996) :**
Guided drainage of multilocular pelvic.
AJR, 167 : 667-669.
- Do, H.; Deyoe, I.; Cronan, J.J.; Dorfman, G.S. (1992) :**
Percutaneous drainage of hepatic abscess comparison of results in abscess with and without intrahepatic biliary communication.
AJR; 157 : 1209-1212.
- Dondelinger, R.F.; Kurdziel, J.C. and Gathy, C. (1992) :**
Percutaneous treatment of pyogenic live abscess : acritical analysis of results.
Cardiovasc. Intervent. Radiol. 13 : 174-182.

- Elvin, A.; Anderson, T.; Scheibenpflug, L. and Lindgren, P.G. (1990) :**
Biopsy of the pancreas with a biopsy gun.
Radiology; 176 : 677-679.
- Eugene, Y. Yeung (1992) :**
Percutaneous abdominal biopsy clinical gastroenterology, Vol.
6, No. 2.
- Evans, W.K. et al. (1981) :**
Fatal necrotizing pancreatitis following fine-needle aspiration
biopsy of the pancreas.
Radiology, 141 : 61-62.
- Ewing, T.L.; Buchles, D.A.; Hoogerland, D.L.; Sonek, M.G. and
Writaner, G.W. (1982) :**
Percutaneous lymph node aspiration biopsy in patients with
gynecologic tumors.
Am. J. Obstet. Gynecol. 143 : 824-828.
- Fagelman, D. and Chess, Q. (1990) :**
Non aspiration fine-needle cytology of the liver : a new
technique for obtaining diagnostic samples.
AJR; 155 : 1217-1219.
- Farmer, K D.; Harries, S.R.; Fox, B.M.; Maskell, G.F. and Farrow, I.
(2000) :**
Core biopsy of the bowel wall : efficacy and safety in the
clinical setting.
Australas Radio. 45 : 99-101.
- Fataar, S. (1990) :**
Percutaneous drainage of pancreatic pseudocysts : technique
and problems.
Australas. Radiol. 34 (4) : 334-338.
- Fataar, S. et al. (1982) :**
Fine-needle aspiration biopsy of malignant tumours of the
abdomen.
S. Afr. Med. J. 62 : 638-641.
- Ferrucci, J.T.Jr.; Wittenberg, J.; Mueller, P.R. et al. (1980) :**
Diagnosis of abdominal malignancy by radiologic fine-needle
aspiration biopsy.
AJR, 134 : 323-330.

- Ferrucci, J.T.Jr. and Wittenberg, J. (1981) :**
CT biopsy of abdominal tumors: aids for lesion localization.
Radiology, 135 : 739-744.
- Freeny, P.C.; Lewis, G.P.; Traverso, L.W.; Ryan, J.A. (1988) :**
Infected pancreatic fluid collections : percutaneous catheter drainage.
Radiology; 167 : 435-441.
- Gazelle, G.S. and Haaga, G.R. (1990) :**
Guided percutaneous biopsy of intra-abdominal lesions.
AJR; 153 : 929-935.
- Gazelle, G.S.; Haaga, G.R. and Neuhauser, D. (1980) :**
Haemosatatic protein-polymer sheath : new method to enhance hemostatsis at percutaneous biopsy.
Radiology; 175 : 671-674.
- Gerzof, S.G. (1981) :**
Triangulation : Indirect CT guidance for abscess drainage.
AJR; 137 : 1080-1081.
- Gerzof, S.G. et al. (1984) :**
Percutaneous drainage of infected pancreatic pseudocysts.
Arch. Surg.; 119 : 888-893.
- Gerzof, S.G. et al. (1985) :**
Expanded criteria for percutaneous abscess draiange.
Arch. Surg. 120 : 227-232.
- Greene, R. (1982) :**
Transthoracic needle aspiration biopsy. In : Athanasoulis EA, ed. Interventional radiology.
Philadelphia : WB Saunders, 587-634.
- Greene, R.; Szypelbein, W.M.; Isler, R.J.; Stark, P. and Jantsch, H. (1985) :**
Supplementary tissue-core histology from fine needle transthoracic aspiration biopsy.
AJR; 44 : 787-792.

Haaga, J.R. et al. (1994) :

Interventional CT-guided procedures. In : Haaga, J.R.; Lanzieri, C.F.; Sartoris, D.J.; Zerhouni, E.A. eds. Computed tomography and magnetic resonance imaging of the whole body, 3rd ed. St. Louis, Missouri : Mosby-Year Book; 1572-1693.

Haaga, J.R. and Beale, S.M. (1986) :

Use of CO₂ to move structures as an aid to percutaneous procedures.
Radiology; 161 : 929-930.

Haaga, J.R. and Weinstein, A.J. (1980) :

CT-guided percutaneous aspiration and drainage of abscesses.
AJR, 135 : 1187-1194.

Haaga, J.R.; Alfidi, R.J. (1983) :

Peritoneal abscesses and other disorders. In Haaga, J.R. Alfidi, R.J.; editors : Computed tomography of the whole body, St. Louis,; CV Mosby Co.

Haaga, J.R.; Bick, R.J.; Zollinger, R.M., Jr. (1987) :

CT-guided percutaneous catheter cecostomy.
Gastrointest. Radiol. 12 : 166-168.

Haaga, J.R.; Lanzieri, C.F.; Sartaris, D.J. and Zerhouni, E.A. (1992):

Interventional CT-guided procedures. In : Haaga, J.R. (ed) computed tomography and magnetic resonance imaging of whole body.
St. Louis, Mosby-Yearbook, 1650.

Haaga, J.R.; LiPuma, J.P. and Eckhauser, M.L. (1981) :

A piggyback technique for percutaneous insertion of large catheters.
AJR; 136 : 1245-1246.

Haaga, J.R.; Weinstein, A.J. (1980) :

CT-guided percutaneous aspiration and drainage of abscesses.
AJR; 135 : 1187-1194.

Hall-Craggs, M.A. and Leew, W.R.P. (1986) :

Fine-needle aspiration biopsy : pancreatic and biliary tumors.
AJR; 147 : 399.

- Harter, L.P.; Moss, A.A.; Goldberg, H.J. and Gross, B.H. (1983) :**
CT-guided fine-needle aspirations for diagnosis of benign and malignant disease.
AJR; 140 : 363-367.
- Heaston, D.K. et al. (1982) :**
Narrow gauge needle aspiration of solid adrenal masses.
AJR; 138 : 1143-1148.
- Heaston, D.K. et al. (1983) :**
Narrow gauge needle aspiration of cystic adrenal masses.
AJR, 141 : 169.
- Heilberg, E. and Wolverson, M.K. (1985) :**
Ipsilateral decubitus position for percutaneous CT-guided adrenal biopsy.
J. Comput. Assist. Tomogr. 9 : 217-218.
- Ho, C.S. and Taylor, B. (1984) :**
Percutaneous transgastric drainage for pancreatic pseudocyst.
AJR, 143 : 623.
- Ho, C.S. et al. (1981) :**
Percutaneous fine needle aspiration biopsy on the pancreas following endoscopic retrograde cholangiopancreatography.
Radiology; 125 : 351-353.
- Hoffer, F.A.; Chung, T.; Diller, L.; Kozakewich, H.; Fletcher, J.A. and Shamberger, R.C. (1996) :**
Percutaneous biopsy for prognostic testing of neuroblastoma.
Radiology, 200 : 213-216.
- Ho, H.K.; Sachs, P.B.; Haaga, J.R. et al. (1991) :**
CT-guided liver biopsy update.
Clin. Imaging; 15 : 99-104.
- Holm, H.H.; Pederson, J.; Torp-Pederson, S.; Karstrup, S.; Nolsee, C. and Glenthoj, A. (1991) :**
General principles. In : Holm, H.H. and Pederson, J. (eds).
Interventional ultrasound techniques. Muntsgaard, Copenhagen, 110.

- Hoopper, K.D.; Abendroth, C.S.; Sturtz, K.W.; Matthews, Y.L. and Shirks, J. (1992) :**
Fine-needle aspiration biopsy for cytopathologic analysis : utility of syringe handles, automated guns, and the non suction method.
Radiology; 185 : 819-824.
- Hoopper, K.D.; Abendroth, C.S.; Sturtz, K.W.; Matthews, Y.L.; Stevens, L.A. and Shirk, S.J. (1993) :**
Automated biopsy devices : A blinded evaluation.
Radiology; 187 : 653-660.
- Hoopper, K.D.; Yakes, W.F. (1990) :**
The posterior intercostal approach for percutaneous renal procedure : risk of puncturing the lung, spleen and liver as determined by CT, AJR; 154 : 115-117.
- Hueftle, M.G. and Haaga, J.R. (1986) :**
Effect of suction on biopsy sample size.
AJR; 147 : 1014-1016.
- Hussain, H.K.; Kingston, J.E.; Domizo, P.; Norton, A.J.; Peznek, R.M. (2001) :**
Imaging-guided core biopsy for the diagnosis of malignant tumors in pediatric patients.
AJR; 176 : 43-47.
- Hussain, S. (1996) :**
Gantry angulation in CT-guided adrenal biopsy.
AJR, 166 : 537-539.
- Isler, R.J.; Ferrneci, J.T.Jr.; Wittenberg, J. et al. (1981) :**
Tissue core biopsy of abdominal tumors with a 22 gauge cutting needle.
AJR, 136 : 725-728.
- Jaeger, H.J.; MacFie, J.; Mitchel, C.J.; Couse, N. and Wai, D. (1990) :**
Diagnosis of abdominal masses with percutaneous guided by ultrasound.
British Medical Journal, 301 : 1188-1191.

- Jaques, P.F. and Mauro, M. (1986) :**
Drainage of pelvic abscess through the greater sciatic foramen (letter).
Radiology; 160 : 278-279.
- Jeffrey, R.B.; Jr. Federle, M.P. and Tolentino, C.S. (1988) :**
Periappendiceal inflammatory masses : CT-directed management and clinical outcome in 70 patients.
Radiology; 167:13-16.
- Johnson, R.D. et al. (1985) :**
Percutaneous drainage of pyogenic liver abscesses.
AJR; 144 : 463-467.
- Joseph, K.T.; Stuart, S.S.; Robert, J.S. and Jay, P.H. (1998) :**
Computed body tomography with MRI correlation. Lippincott-Raven Publishers, Philadelphia, PA.
- Joseph, T. Wroblecka, and Ewo Kuligwska (1998) :**
One-step needle aspiration and lavage for the treatment of abdominal & pelvic abscesses.
AJR. Nov.; 170 : 1197-1203.
- Juler, G.L.; Conrory, R.M. and Fuellman, R.W. (1993) :**
Bile leakage following percutaneous transhepatic cholangiography.
Radiology, 188 : 413-417.
- Jurgen, T.; Guy, M.; Peter, K.; Anoir, H. and Peter, V. (1991) :**
CT-guided biopsy of pelvic masses cardiovasc.
Intervent. Radiol. 13 : 63-68.
- Juul, N.; Sztuk, F.J.S.; Torp-Pedersen, S. et al. (1991) :**
Ultrasonography guided percutaneous treatment of liver abscesses.
Acta Radiol. 31 : 275-277.
- Karlsson, S. and Persons, P.H. (1982) :**
Angiography, ultrasound and fine-needle aspiration biopsy in evaluation of gynecologic tumors.
Radiology; 134 : 285.

- Karstrup, S.; Nolsoe, C.; Brabrand, K. et al. (1990) :**
Ultrasonography guided percutaneous drainage of breast abscesses.
Acta Radiol.; 31 : 157-159.
- Kattapuram, S.V. and Rosenthal, D.I. (1991):**
Percutaneous biopsy of skeletal lesions.
AJR; 157 : 935-942.
- Kerlan, R.K. Jr. Jeffrey, R.B.; Jr. Pogany, A.C.; Ring, E.J. (1985) :**
Abdominal abscess with low-output fistula : successful percutaneous drainage.
Radiology; 155 : 73-75.
- Kerlan, R.K.; Jr. Ring, E.J. (1986) :**
A replaceable sump lumen catheter for abscess drainage.
Gastrointest Radiol.; 11 : 112-113.
- Kinney, T.B.; Lee, M.J.; Filomena, C.A. et al. (1993) :**
Fine-needle biopsy prospective comparison of aspiration versus non aspiration technique in the abdomen.
Radiology; 186 : 549-552.
- Knelson, Haaga, J.R.; Lazarus, H. et al. (1989) :**
CT-guided retroperitoneal biopsies.
J. Clin. Oncol. 7 (8) : 1169-1173.
- Koutrouvelis, P.G.; Lowe, A.; Lang, E.; Heilen, R.; Koulizakis, E.N. and Koutrouvelis, A. (1993) :**
A three-dimensional stereotactic device for computed tomography-guided invasive diagnostic and therapeutic procedures. Invest.
Radiol.; 28 : 845-847.
- Kreula, J. (1990) :**
Effect of sampling technique on specimen size in fine needle aspiration.
Invest. Radiol. 25 : 1294-1299.
- Kreula, J.; Virkkunen, P. and Bondestam, S. (1990) :**
Effect of suction on specimen size in fine-needle aspiration biopsy.
Invest. Radiol. 25 : 1175-1181.

- Kuligowska, E.; Keller, E.; Ferrucci, L.T.; Jr. (1995) :**
Treatment of pelvic abscesses : value of one-step sonographically guided transrectal needle aspiration and lavage.
AJR; 164 : 201-206.
- Laborra, J.M. et al. (1993) :**
Safety of intracavitary urokinase with percutaneous abscess drainage.
AJR; 160 : 171-174.
- Laing, E.K. et al. (1986) :**
Abdominal abscess drainage under radiologic guidance : causes of failure.
Radiology, 159 : 329-336.
- Lambiase, R.E. et al. (1993) :**
Percutaneous drainage of 335 consecutive abscesses : results of primary drainage with 1-year follow up.
Radiology, 184 : 167-179.
- Lambiase, R.E.; Cronan, J.J.; Dorfman, G.S.; Paolela, L.P.; and Haas, R.A. (1988) :**
Percutaneous drainage of abscesses in patients with Crohn disease.
AJR; 150 : 1043-1045.
- Lambiase, R.E.; Dorfman, G.S. and Gronan, J.J. (1989) :**
Percutaneous management of abscesses that involve native arteries or synthetic arterial grafts.
Radiology; 173 : 815-818.
- Lang, E.K. (1990) :**
Renal perineal, and pararenal abscesses percutaneous drainage.
Radiology; 174 : 109-113.
- Lang, E.K.; Springer, R.M.; Glorioso, L.W. III and Cammarala, C.A. (1986) :**
Abdominal abscess drainage under radiologic guidance causes of failure.
Radiology; 159 : 329-336.

- Lee, I.S.; Nguyen, S. and Shanberg, A.M. (1995) :**
Needle tract seeding after percutaneous biopsy of Wilim's tumour.
J Urol.; 15 : 1074-1076.
- Lee, K.S.; Im, J.G.; Kim, Y.H.; Hwang, S.H.; Bae, W.K. and Lee, B.H. (1991) :**
Treatment of thoracic multiloculated empyemas with intracavitary urokinase : a prospective study.
Radiology; 179 : 771-775.
- Lee, M.J.; Mucller, P.R.; Dawson, S.L. et al. (1996) :**
Measurement of tissue carcinoembryonic antigen levels from fine-needle biopsy specimens : technique and clinical asepulness.
Radiology, 184 : 717-720.
- Lee, M.J.e; Pattner, D.W.; Legemate, D.A. et al. (1992) :**
Acute complicated pancreatitis : redefining the role of interventional radiology.
Radiology; 183:171-174.
- Levin, D.P. and Bret, P.M. (1991) :**
Percutaneous fine-needle aspiration biopsy of the pancreas resulting in death.
Gastrointest. Radiol, 16 : 67-69.
- Levison, M.A. and Ziegler, D. (1991) :**
Correlation of appache II score, drainage technique and outcome in postoperative intra-abdominal abscess.
Surg. Gynecol. Obstet. 172 (2) : 89-94.
- Lichernan, R.P.; Hafez, G.R. and Crummy, A.B. (1982) :**
Histology from aspiration biopsy : turner needle experience.
AJR; 138 : 561-564.
- Lieberman, R.P.; Hafez, G.R. and Crummy, A.B. (1982) :**
Histology from aspiration biopsy : turner needle experience.
AJR; 138 : 561-564.

- Lundstedt, C.; Stridbeck, H.m; Andresson, R.; Tranberg, K.G. and Andren-Sandberg, A. (1991) :**
A tumor seeding occurring after fine needle biopsy of abdominal malignancies.
Acta. Radiol. 32 : 518-520.
- Lung, R.K.; Springer, R.M.; Glorioso, L.W.; III; Cammaria, C.A. (1986) :**
Abdominal abscess drainage under radiologic guidance causes of failure.
Radiology; 159 : 329-336.
- Luning, M. et al. (1986) :**
CT guided percutaneous fine-needle biopsy of the pancreas.
Radiology; 158 : 567.
- Luning, M. et al. (1991) :**
Percutaneous biopsy of the liver.
Cardiovasc. Intervent. Radiol.; 14 : 40-42.
- Mahoney, M.C.; Racadio, J.M.; Merhar, G.L. and First, M.R. (1993):**
Safety and efficacy of kidney transplant biopsy : tru-cut needle vs sonographically guided biopsy gun.
AJR; 160 : 325-326.
- Martin, E.C.; Kailson, K.B.; Fankuchen, E.L.; Cooperman, A. and Casarella, W.J. (1982) :**
Percutaneous drainage of postoperative intrabdominal abscesses.
AJR; 138 : 13-15.
- Martino, C.R.; Haaga, J.R.; Bryan, P.J.; Lipuma, J.P.; El-Yousef, S.J. and Altieli, R.J. (1989) :**
CT guided liver biopsies : eight years experience.
Radiology; 152 : 755-757.
- Matalon, T.A.S and Silver, B. (1990) :**
US guidance of interventional procedures.
Radiology, 174 : 43-47.
- McCorkell, S. and Niles, N.L. (1985) :**
Fine-needle aspiration of catecholamine-producing adrenal masses : a possibly fatal mistake.
AJR, 145 : 113-114.

McGahn, J.P. et al. (1998):

Invasive ultrasound principles (biopsy, aspiration and drainage). In : A logical approach, McGahan, J.P. and Goldberg, B.J. (eds). Diagnostic ultrasound. Lippincott-Raven Publishers, Philadelphia, New York, 40-75.

Miaux, Y.; Guermazi, A.; Gossot, D. et al. (1995) :

Laser guidance system for CT-guided procedures.
Radiology; 194 : 282-284.

Miller, D.A.; Corrasco, C.H.; Katz, R.L.; Cramer, F.M.; Wallace, S. and Charnsangavej, C. (1988) :

Fine needle aspiration biopsy : the role of immediate cytologic assessment.
AJR, 147 : 155-188.

Miller, K.S. et al. (1986) :

Prediction of pneumothorax rate in percutaneous needle aspiration of the lung.
Chest. 93 : 742-745.

Mindell, H.J. and Korson, R. (1990) :

Comparison of 22-gauge Chiba and Screw-tipped needles for cytologic diagnosis of malignancy in in-vitro tumor specimens.
Radiology, 176 : 681-682.

Moore, T.P. and Moulton, J.S. (1993) :

Coaxial percutaneous biopsy technique with automated biopsy devices : value in improving accuracy and negative predictive value.
Radiology, 186 : 515-522.

Moss, A.A. et al. (1992) :

Interventional computed tomography. In : Moss, A.A.; Gamsu, G.; Genant, H.K. eds. Computed tomography of the body with magnetic resonance imaging. 2nd Ed. Philadelphia : WB Saunders, 1297-1339.

Mostbeck, G.H. et al. (1989) :

Optimal needle size for renal biopsy in vitro and in vivo evaluation.
Radiology, 173 (3) : 819-822.

Moulton, J.S. and Moore, P.T. (1993) :

Coaxial percutaneous biopsy technique with automated biopsy devices : value in improving accuracy and negative predictive value.

Radiology; 186 : 515-522.

Mueller, P.R. and van Sonnenberg, E. (1990) :

Interventional radiology in the chest and abdomen.

N. Engl. J. Med.; 322 : 1364-1374.

Mueller, P.R. et al. (1985) :

Hepatic echinococcal cyst : successful percutaneous drainage.

Radiology, 155 : 627-628.

Mueller, P.R. et al. (1989) :

Infected abdominal tumors : percutaneous catheter drainage.

Radiology, 173 : 627-629.

Mueller, P.R.; Miketic, L.M.; Simeone, J.F. et al. (1988) :

Severe acute pancreatitis after percutaneous biopsy of the pancreas.

AJR, 151 : 493-494.

Mueller, P.R.; Saini, S.; Witenburg, J. et al. (1987) :

Sigmoid diverticular abscesses : percutaneous drainage as an adjunct to surgical resection in 24 cases.

Radiology; 164 : 321-325.

Mueller, P.R.; Simeone, J.F.; Butch, R.J. et al. (1986) :

Percutaneous drainage of subphrenic abscess : a review of 62 patients.

AJR, 147 : 1237-1240.

Mueller, P.R.; Van Sonnenberg, E. and Ferruccid, T.Jr. (1985) :

Percutaneous drainage of 250 abdominal abscesses and fluid collections. Part II : current procedural concepts.

Radiology; 151 : 343-347.

Mueller, P.R.; White, E.M.; Glass-Royal, M. et al. (1989) :

Infected abdominal tumors : percutaneous catheter drainage.

Radiology; 173 : 627-629.

- Murphy, F.B. and Bernardino, M.E. (1988) :**
Interventional computed tomography.
Curr. Probl. Diagn. Radio.; 17 : 121-154.
- Murphy, F.B.; Barefield, K.P. and Steinberg, H.V. et al. (1990) :**
CT or sonography-guided biopsy of the liver in the presence of ascites frequency of complications.
AJR. 151 : 485-486.
- Nadel, I., Bammgartner, B.R. and Bernardino, M.I. (1986) :**
Percutaneous renal biopsies accuracy, safety and indication.
Urol. Radiol.; 8 : 67-71.
- Nahman, B.J.; Van Aman, M.F.; McLemore, W.F. and O'Toole, R.V. (1985) :**
Use of the rotex needle in percutaneous biopsy of pulmonary malignancy.
AJR, 145 : 97-99.
- Nakaizumi, A. et al. (1990) :**
Diagnosis of hepatic cavernous hemangioma by fine needle aspiration biopsy under ultrasonic guidance.
Gastrointest Radiol. 15 : 39-42.
- Nakamoto, D. (1990) :**
University hospitals of Cleveland, Personal Communications.
- Neff, C.C.; Lawson, D.W. (1985) :**
Boerhaave syndrome : interventional radiologic management.
AJR; 145 : 819-820.
- Nosher, J.L. and Plafker, J. (1980) :**
Fine needle aspiration of the liver with ultrasound guidance.
Radiology, 136 : 177-180.
- Novy, L.; Nosher, I.L.; Guidici, M. and Brolin, P.E. (1988) :**
Percutaneous treatment of pyogenic liver abscess. Elective mini-drainage of 14 patients.
Am. Surg., 59 (10) : 658-663.
- Nunez, D. Jr. et al. (1985) :**
Transgastric drainage of pancreatic fluid collections.
AJR; 145 : 815.

Nunez, D., Jr. et al. (1986) :

Renal cell carcinoma complicating long-term dialysis :
computed tomography-guided aspiration cytology.
CT, 10 : 61.

Nyman, R.S.; Capples, S.J.; Brismar, J. and Kagevi, I. (1995) :

Yield and complication in US-guided biopsy of abdominal
lesions : comparative fine needle and 1.2 mm needle core using
an automated gun.
Acta Radiol., 36 (5): 485-490.

Ohto, M. et al. (1980) :

Ultrasonographically guided percutaneous contrast medium
injection and aspiration biopsy using a real-time puncture
transducer.
Radiology, 136 : 171-176.

Onik, G.; Cosman, E.R.; Wells, T.H. Jr. et al. (1988) :

CT-guided aspiration for the body : comparison of hand
guidance with stereotaxis.
Radiology; 166 : 389-394.

Onodera, H.; Oikawa, M.; Abe, M. et al. (1987) :

Cutaneous seeding of hepatocellular carcinoma after fine-
needle aspiration biopsy.
J. Ultrasound Med.; 6 : 273-275.

Pagani, J.J. (1984) :

Non-small cell lung carcinoma adrenal metastases, computed
tomography and percutaneous needle biopsy in their diagnosis.
Cancer; 53 : 1058-1060.

Pagani; J.J. et al. (1983) :

Biopsy of focal hepatic lesions : comparison of 18 and 22
gauge needles.
Radiology; 147 : 673-675.

Palestrant, A.M. (1990) :

Comprehensive approach to CT guided procedures with a hand-
held guidance device.
Radiology; 174 : 270-272.

- Papa, V.; Hussain, H.K.; Reznick, R.H. et al. (1996) :**
Role of image-guided core needle biopsy in the management of patients with lymphoma.
J. Clin. Oncol.; 14 : 2427-2430.
- Papanicolaou, N.; Mueller, P.R.; Ferrucci, J.T.; Jr. et al. (1984) :**
Abscesses-fistula association radiologic recognition and percutaneous management.
AJR; 143 : 811-815.
- Pardes, J.G. et al. (1986) :**
Percutaneous needle biopsy of deep pelvic masses : posterior approach.
Cardiovasc. Intervent. Radiol. 9 : 65.
- Park, J.K.; Kraus, F.C.; Haaga, J.R. (1993) :**
Fluid flow during percutaneous drainage procedures : an in vitro study of the effects of fluid viscosity, catheter size, and adjunctive urokinase.
AJR; 160 : 165-169.
- Parker, S.H.; Hopper, K.D.; Yakes, W.F.; Gibson, M.D.; Ownbey, J.I. and Carter, T.E. (1989) :**
Image-directed percutaneous biopsies with a biopsygun.
Radiology; 171 : 663-669.
- Parker, S.H.; Yakes, W.F.; Hopper, K.D. and Gibson, M.D. (1989) :**
Technical note : adaptation of the Bard prostate biopsy gun for CT-guided abdominal biopsies.
Cardiovasc. Intervent. Radiol.; 12 : 50-52.
- Paul, L. and Matthew, A. (1998) :**
Interventional computed tomography.
Radiology; 69 : 99.
- Peer, A. and Strauss, S. (1991) :**
Percutaneous drainage of postappendectomy abscesses complicated by enteric communication. Cardiovasc. Intervent. Radiol. 14 : 106-108.
- Pelaez, J.C.; Hill, M.C.; Dach, J.L.; Isikoff, M.B. and Morse, B. (1983):**
Abdominal aspiration biopsies. Sonographic vs computed tomographic guidance.
AJMA; 250 : 2663-2666.

- Phillips, M.D.; Silverman, S.G.; Cibas, E.S. and Seltzer, S.E. (1998) :**
Negative predictive value of imaging-guided abdominal biopsy results : cytologic classification and implications for patient management.
AJR, 171:693-696.
- Phillips, V.M. et al. (1985) :**
Percutaneous biopsy of pancreatic masses.
Gastroenterology (6) : 506-510.
- Phillips, V.M.; Knopf, D.R. and Bernardino, M.E. (1984) :**
Percutaneous hepatic biopsy in suspected pancreatic carcinoma.
J. Comput. Tomogr.; 8 : 207-310.
- Pokieser, P.; Kain, R.; Helbich, T. et al. (1993) :**
Renal biopsy in vitro and in vivo comparison of a new automatic biopsy device and conventional biopsy systems.
Work in progress.
Radiology; 186 : 573-576.
- Pombo, F.; Egana, R.M.; Cela, A.; Dias, J.L. and Freire, M. (1993):**
Percutaneous catheter drainage of tuberculous psoas abscess.
Acta. Radiol., 34 : 366-368.
- Poster, R.B.; Jones, D.B. and Spirt, B.A. (1990) :**
Percutaneous pediatric renal biopsy : use of the biopsy gun.
Radiology; 176 : 725-727.
- Price, R.B. et al. (1983) :**
Biopsy of the right adrenal gland by the transhepatic approach.
Radiology, 148 : 566.
- Quin, S.F.; Demlow, T. and Punkley, B. (1992) :**
Temnobiospy needle : evaluation of efficacy and safety in 165 biopsy procedures.
AJR; 153 : 641-643.
- Rashleigh-Belcher, H.J.C.; Russell, R.C.G. and Lees, W.R. (1986) :**
Cutaneous seeding of pancreatic carcinoma of fine-needle aspiration biopsy.
Br. J. Radiol. 59 : 182-183.

Reyes, G.D. (1990) :

A guidance device for CT-guided procedures.
Radiology; 176 : 863-864.

Ronald, S. Arellaro, Giles, W.B.; Bolard and peter, R. Muller (2000) :

Adrenal biopsy in a patient with lung cancer.
AJR, 175 : 1613-1617.

Roussel, F. and Nouvet, G. (1995) :

Evaluation of large needle biopsy for the diagnosis of cancer.
Acta. Cytol.; 39 : 449-452.

Sacks, B.A.; Palestrant, A.; Vine, H.; Ellison, H.; Lann, L. and Ackerman, B. (1981) :

Catheter/needle assembly for drainage of fluid collections.
AJR; 137 : 418-419.

Sacks, D. and Robinson, M.L. (1988) :

Transgastric Percutaneous drainage of pancreatic pseudocysts.
AJR; 151 : 303-306.

Sateriale, M.; Cronan, J.J. and Savadier, L.D. (1991) :

A five year experience with 307 CT-guided renal biopsies :
results and complications.
JVIR, 2 : 401-407.

Sheafor, D.H.; Paulson, E.K.; Simmons, C.M.; Delong, D.M. and Nelson, R.C. (1998) :

Abdominal percutaneous interventional procedures :
comparison of CT & US guidance radiology.
June, 207, 3 : 705-710.

Sheikh, M.; Sawnnney, S.; Dey, P.; Al-Saeed, O. and Behbehari, A. (2000) :

Deep seated thoracic and abdominal masses : usefulness of
ultrasound and computed tomography guidance in fine needle
aspiration cytology diagnosis.
Australas Radial, May, 44, 2 : 155-60.

Sherlock, S. and Dooly, J. (1997) :

Percutaneous needle biopsy. In : Sherlock, S. (10th Ed). Disease
of liver and biliary system. Blackwell, S.C.; Publishers, Oxford,
London, Edinberg, 850.

- Silverman, S.G.; Bloom, D.A.; Seltzer, S.E.; Tempany, C.M.C. and Adams, D.F. (1992) :**
Needle tip localization during CT-guided abdominal biopsy : comparison of conventional and spiral CT.
AJR; 159 : 1095-1097.
- Silverman, S.G.; Lee, B.Y.; Mueller, P.R.; Cibas, E.S. and Seltzer, S.E. (1994) :**
Impact of positive findings at image-guided biopsy of lymphoma on patient care : evaluation of clinical history, needle size and pathological findings on biopsy performance.
Radiology; 190:759-764.
- Silverman, S.G.; Tuncalik, Adams, D.F.; Nawfel, R.D.; Zou, K.H. and Judy, P.F. (1999) :**
CT fluoroscopy guided abdominal interventions : techniques, results and radiation exposure.
Radiology, Sep. 212, 3 ; 673-81.
- Sinner, W.N. (1982) :**
Fine needle biopsy of hamartomas of the lung.
AJR, 138 : 65-69.
- Smith, E.H. (1986) :**
The hazards of fine-needle aspiration biopsy.
Ultrasound Med. Biol.; 10 : 629-634.
- Smith, E.H. (1991) :**
Complications of percutaneous abdominal fine-needle biopsy.
Radiology; 178 : 253-258.
- Solbiati, L. et al. (1985) :**
Fine-needle biopsy of hepatic hemangioma with sonographic guidance.
AJR, 144 : 471.
- Spamer, C. et al. (1986) :**
Benign circumscribed lesions of the liver diagnosed by ultrasonically guided fine-needle biopsy.
JCU, 14 : 83.

- Stern, E.J., Webb, W.R. and Gamsu, G. (1993) :**
CT gantry tilt : utility in transthoracic fine-needle aspiration biopsy. Work in progress.
Radiology; 187 : 873-874.
- Stiles, G.M.; Berne, T.V.; Thommen, V.D.; Molgaard, C.P. and Boswel, W.D. (1990) :**
Fine needle aspiration of pancreatic fluid collection.
Am. Surg. 56 : 764-768.
- Sundaram, M.; Wolverson, M.K.; Heiberg, E.; Pilla, T.; Vas, W.G. and Shields, J.B. (1982) :**
Utility of CT-guided abdominal aspiration procedures.
AJR.; 139 : 1111-1115.
- Tanaka, S. et al. (1986) :**
Early diagnosis of hepatocellular carcinoma : usefulness of ultrasonically guided fine-needle aspiration biopsy.
JCU, 14 : 11.
- Van Allan, R.J.; Ratz, M.D.; Johnson, M.B.; Laine, L.A.; Liu, Y.; Ralls, P.W. (1992) :**
Uncomplicated amebic liver abscess : prospective evaluation of percutaneous therapeutic aspiration.
Radiology; 183:827-830.
- Van Sonnenberg, E. et al. (1984):**
Temporizing effect of percutaneous drainage of complicated abscesses in critically ill patients.
AJR; 142 : 821-826.
- Van Sonnenberg, E. et al. (1991) :**
Percutaneous abscess drainage : current concepts.
Radiology; 181 : 617-626.
- Van Sonnenberg, E. et al. (1992) :**
Percutaneous abscess drainage : editorial comments.
Radiology, 184 : 27-29.
- Van Sonnenberg, E.; D'Agostino, H.B.; Casola, G.; Goodacre, B.; Sanchez, R.B. and Taylor, B. (1992) :**
US-guided transvaginal drainage of pelvic abscesses and fluid collections.
Radiology; 181 : 53-56.

- Van Sonnenberg, E.; D'Agostino, H.B.; Casola, G.; Halasz, N.A.; Sanchez, R.B. and Goodaere, B.W. (1991) :**
Percutaneous abscess drainage : current concepts.
Radiology; 181:617-626.
- Van Sonnenberg, E.; Mueller, P.R.; Ferrucci, J.T.; Jr. (1984) :**
Percutaneous drainage of 250 abdominal abscesses and fluid collections. Part I results, failure and complication.
Radiology; 151 : 337-341.
- Van Sonnenberg, E.; Mueller, P.R.; Schiffman, H.R. et al. (1982) :**
Intrahepatic amebic abscesses : indications for and results of percutaneous catheter drainage radiology; 156 : 631-635.
- Van Sonnenberg, E.; Polansky, A.D.; Wittich, G.R. and Cabrera, O.A. (1985) :**
Guide wire protection for trocar puncture of fluid collections.
AJR; 145 : 531-832.
- Van Sonnenberg, E.; Wittich, G.R.; Casola, G. et al. (1987) :**
Periappendiceal abscesses : percutaneous drainage.
Radiology; 163 : 23-26.
- Van Sonnenberg, E.; Wittich, G.R.; Casola, G. et al. (1989) :**
Percutaneous drainage of infected and noninfected apncreatic pseudocysts : experience in 101 cases.
Radiology; 170 : 757-761.
- Van Waes, P.F. et al. (1983) :**
Management of abscesses that are difficult to drain : a new approach.
Radiology, 147 : 57-63.
- Vazquez, J.L.; Thorsen, M.K.; Dodds, W.J. et al. (1985) :**
Evaluation and treatment of intra-abdominal bilomas.
AJR; 144 : 933-938.
- Weiler, H.; Frohlich, E.; Fruchmorgen, P. and Junghanns, K. (1993) :**
US-guided percutaneous drainage of subhepatic abscess after laparoscopic.
AJR, 160 : 799-802.

Welch, C.E. (1985) :

Percutaneous catheter drainage of abdominal abscesses.
New Engl. J. Med. 306 (2) : 108, (letter to the editor).

Welch, T.J.; Sheedy, P.F.; Stephen, D.H.; Johnson, E.M.; Swenson, S.J. (1994) :

Percutaneous adrenal biopsy : review of 10-years experience.
Radiology, 193 : 341-344.

Welch, T.J.; Sheedy, P.F.; Johnson, C.D.; Johnson, C.M. and Stephens, D.H. (1989) :

CT-guided biopsy : prospective analysis of 1,000 procedures.
Radiology; 171 : 493-496.

Westcott, J.L. (1980) :

Transthoracic needle biopsy of the hilum and mediastinum.
J. Thoracic Imaging; 2 : 41-48.

Westcott, J.L. (1990) :

Direct percutaneous needle aspiration of localized pulmonary lesions : results in 422 patients.
Radiology, 137 : 31-35.

White, M.; Mueller, P.R.; Feriucct, J.T.Jr. et al. (1985) :

Drainage of postoperative abdominal and pelvic lymphoceles.
AJR; 145 : 1065-1069.

Whitinire, L.E.; Galambos, J.T.; Phillips, V.M. et al. (1985) :

Imaging guided percutaneous hepatic biopsy : diagnostic accuracy and safety.
J Clin. Gastroenterol.; 7 : 511-515.

Wittenberg, J. et al. (1981) :

Core biopsy of abdominal tumors using a 22 gauge needle.
Paper presented at the sixty-seventh scientific assembly and annual meeting, Radiologic Society of North America, Chicago, Nov. 15-20.

Wittenberg, J.; Muellepp, Ferucci, J.T.Jr. et al. (1982) :

Percutaneous core biopsy of abdominal tumors using 22 gauge needles : Further Observations.
AJR; 139 : 75-80.

Wright, R.N. et al. (1980) :

Pulmonary mucormycosis (phycomycetes) successfully treated by resection.

Ann Thorac. Surg. 29 (2) : 166-169.

Yankaskas, B.C.; Staab, E.V.; Craven, M.B.; Blatt, P.M.; Sokhandan, M. and Carney, C.N. (1986) :

Delayed complications from fine-needle biopsies of solid masses of the abdomen.

Invest. Radiol.; 21 : 325-328.

Yankelevitz, D.F. and Henschke, C.I. (1993) :

Needle-tip localization for CT-guided biopsies.

J. Thorac Imaging; 8 : 241-243.

Zalas, P. et al. (1980) :

The diagnosis by percutaneous biopsy with computed tomography of a recurrence of carcinoma of the rectum in the pelvis.

Surg. Gynecol. Obstet.; 151 : 525-527.

Zornoza, J. et al. (1981) :

Percutaneous needle biopsy in abdominal lymphoma.

AJR; 136 : 97-103.