


REFERENCES



REFERENCES

Adam Flanders and Sidney Croul (1996):

Spinal trauma. In "MRI of the brain and spine" by Scott Atlas (editor). Lippincott-Raven, Philadelphia, Second edition, Chap. 24: 1161-85.

Ajani, A.E.; Cooper, D.J. and Schernkestel, L.D. (1998):

Optimal assessment of the cervical spine in critically ill patients: a prospective evaluation. *Anaesth. Intensive Care*; 26 (5): 487-91.

Allmann, K.; Schafer, O. and Winterer, J. (1999):

Kinematic versus static MRI study of the cervical spine in patients with rheumatoid arthritis. *Rofo-Fortschr-Geb. Rontgenstr-Neuen-Bildgeb-Verfahr.*, 170 (1): 22-25.

Allmann, K.; Uhrameisler, P. and Neumann, K. (1998):

Functional MRI of the cervical spine in patients with rheumatoid arthritis. *Acta. Radiol.*, 39 (5): 543-6.

Anderson, D. and D'Alonzo, R. (1974):

Fractures of the odontoid process of the axis. *J. Bone Joint Surg.*, 56 (A): 1663-1674.

Andrew Sonion and Lee Rogers (1998):

Skeletal trauma. In "Grainger's and Allison's Diagnostic radiology. A textbook of medical imaging". By Ronald G. and David A. (editors). Churchill Livingstone, New York, Third edition, Vol. 2, Chap. 76: 1614-21.

Anton, K.; Christon, R. and Cornelius, M. (1999):

Osteomyelitis and pathological fracture of the axis. Case illustration. *J. Neurosurg.*, 90: 162.

Armand Ruiz, Judith Donovan and William Ganz (1995):

Inflammatory and infectious processes of the cervical spine. *Neuroimaging clinics of North America*, Vol. 5; No. 3: 401-9.

Arthur, C. Croft (1995):

Biomechanics and physical examination of the cervical spine. In "Whiplash injuries; the cervical Acceleration/ Deceleration syndrome". By Stepten Foreman and Arthur Croft (editors). Williams and Wilkins Second edition, P: 11-60.

Becker, H. (1993):

New aspects in spinal diagnostics with 3D computed tomography. Neurosurg. Rev., 16: 179-182.

Berman, J.I.; Hackney, B.F. and McGowan, P. (1998):

Magnetization transfer histograms to determine the severity of spinal cord injury (abstract). Presented in the 84th annual meeting of the RSNA, Chicago, November, 29- December 4.

Blauth, M.; Schmidt, U. and Lange, U. (1998):

Injuries of the cervical spine in children. Unfallchirurg., 101 (8): 590-612.

Bloom, A.C.; Neoman, Z. and Floman, Y. (1996):

Occipital condyle fracture and ligament injury imaging by CT. Pediatr. Radiol., 26: 786-90.

Brian Kendall (1998):

Neuroradiology of the spine. In "Textbook of radiology and medical imaging". By David Sutton (editor). Churchill Livingstone, New York, Sixth edition, Volume 2, Chapter 54, P:1500-1510.

Carl Winalski, William Palmer and Daniel Rosenthal (1996):

MRI of rheumatoid arthritis. RSNA, Vol. 34; No. 2: 253-257.

Castillo, M.; Arbataez, A.; Mukherji, K. and Chapel, H. (1999):

Diffusion-Weighted MRI in patients with cervical degenerative disease (abstract). Presented in the 85th annual meeting of the RSNA, Chicago, November 28-December, 3.

Christine Hall and Donald Shadow (1998):

Skeletal dysplasia. In "Textbook of medical imaging". By Ronald Grainger and David Allison (editors). Churchill Livingstone, Third edition, Vol. 3, Chap. 31: 1751-60.

Chu, F.S. and Peh, W.C. (1997):

Cervical spine instability in seronegative rheumatoid arthritis. Singapore Med. J., 38: 172-6.

Cinnamon, K.J.; Atlanta, G.A. and Maristany, B.G. (1999):

Multislice spinal CT in evaluation of acute spinal trauma (Abstract). Presented in the 85th scientific assembly and annual meeting of the R.S.N.A. McCormick place, Chicago, November 28- December 3.

Citow, J.S.; Munshi, I. and Chang Stroman (1998):

C2/3 instability in a child with Down's syndrome: case-report and discussion. Pediatr. Neurosurg., 28 (3): 143-6.

Clark West, Martin Anbari, Thomas Pilgram and Anthony Wilson (1997):

Acute cervical spine trauma: Diagnostic performance of single view versus three-view radiographic screening. Radiology, 204: 819-823.

Claus Muhle, Jorg Metzner, Dieter Wernert, Axel Falliner and Gisbert Brinkmann (1998):

Classification system based on kinematic MRI in cervical spondylotic Myelopathy. AJNR, 19: 1763-71.

Clyde, H. Helms (1999):

Skeletal trauma. In "Fundamentals of Diagnostic Radiology". By William Brant and Clyde Helms (editors). Williams and Wilkins, Second edition, Chapter 43: 997-1003.

Crawford, N.R.; Peles, J.D. and Dickman, C.A. (1998):

The spinal lax zone and neutral zone: measurement techniques and parameter comparisons. J. Spinal Disord., 11: 416-29.

Curtis Dickman, Karl Greene and Volker Sonntag (1996):

Injuries involving the transverse atlantal ligament: classification and treatment Guideline based upon Experience with 39 injuries. Neurosurgery, 38: 44-50.

Dail, L. (1998):

Disc degeneration and cervical instability: correlation of MRI with radiography. Spine, 23 (16): 1734-8.

D'Alise, D.; Edward, B. and Hart, L. (1999):

MRI evaluation of the cervical spine in the comatose or obtunded trauma patient. *J. Neurosurg.*, 91: 54-9.

David Stoller, Serena Stta and Jay Kaiser (1997):

The spine. In "MRI in orthopaedics and sports medicine". By David Stoller (editor). Lippincott-Raven, Philadelphia, Second edition, Chapter 142: 1077-81.

Dean Schultz, William Glenn and Stephen Foreman (1995):

MRI and CT in cervical spine after trauma. In "Whiplash injuries, the cervical Acceleration/ Deceleration syndrome". By Stephen Foreman and Arthur Croft (editors), second edition, chapter 5, P: 197-200.

Delfini, R.; Dorizzi, F.; Facchinetti, Q. and Galazio, R. (1999):

Delayed post-traumatic instability. *Neurol.*, 51 (6): 588-94.

Denis, F. (1983):

The three column spine and its significance in the classification of acute thoraco-lumbar spine injuries. *Spine*, 8: 817-31.

Diego, B.; Nunez, J. and Robert, Q. (1998):

The role of Hellical CT in the assessment of cervical spine injuries. *AJR*, 171: 951-957.

Edward, C. Benzel (1995):

Stability and instability of the spine. In "Biomechanics of spine stabilization: Principles and clinical practice. McGraw-Hill Inc., New York, Chap. 3: 25-52.

Eric Russell, (1995):

CT and myelography in the evaluation of cervical degenerative disease. *Neuroimaging clinics of North America*, Vol. 5, No. 3: 329-46.

Erik Gaensler (1999):

Non-degenerative diseases of the spine. In "Fundamentals of diagnostic Radiology". By William Brant and Clyde Helms (editors). Williams and Wilkins, Second edition, Chap. 10, P:233-250.

Fielding, J.W. and Hawkins, R.J. (1977):

Atlanto-axial rotary fixation. *J. Bone Joint Surg.*, 59 (A): 37-44.

Francis Gamache (1997):

Diagnosis and treatment of congenital neurologic abnormalities affecting the cervical spine. In "The adult spine: principles and practice". By John Frymoyer (editor-in-chief). Lippincott-Raven, Second edition, Vol. 3, Chap. 58: 1223-30.

Genant, K. and Jonsson, K. (1999):

Functional MRI of the cervical spine in upright position at low field MRI (0.5 Tesla). *ECR*, Volume 9: 108.

Georges El-Khoury, Mary Kathol and William Daniel (1994):

Imaging of acute injuries of the cervical spine: value of plain radiography, CT and MRI. *AJR*, 164: 43-50.

George Wood (1998):

Other disorders of the spine. In "Champbell's operative orthopaedics". By Terry Canale, Kay Daugherty and Linda Jones (editors). Mosby year book, Vol. 5, Chap. 62: 3151-53.

Graham Apley and Louis Solomon (1993):

Injuries of the spine. In "Apley's system of orthopaedics and fractures". By Graham Apley and Louis Solomon (editors). Bullerworth-Heinemann Ltd, Seventh edition, Chap. 25, P:615-24.

Guigui, P.; Lefevre, C.; Lassale, L.; Deburge, A. (1998):

Static and dynamic changes of the cervical spine after laminectomy for cervical spondylotic myelopathy. *Rev. Chir. Orthop. Reparatrice Appar Mot.*, 84 (1): 17-25.

Haakonsen, M.; Gaudmundsen, H. and Lagerkvist, H. (1999):

3D CT reconstruction in patients with atlanto-axial rotatory fixation. *ECR* Vol. 9: 527.

Hadiey Rowe, Easly, M. and Coales, T. (1998):

Significance of cranio-cervical junction injuries in poly traumatised patient (abstract). Presented in the 84th annual meeting of RSNA, Chicago, November 29-December 4.

Halliday, A.L.; Henderson, B.R. and Hart, B.L. (1997):

The management of unilateral lateral mass/facet fractures of the subaxial cervical spine: The use of MRI to predict instability. *Spine*, 15: 22-24.

Hans Ronnen, Philip de Korte and Peter Brink (1996):

Acute Whiplash injury: is there is a role of MR imaging?. A prospective study of 100 patients. *Radiology*, 201: 93-96.

Hino, H.; Abumi, K. and Kanayama, M. (1999):

Dynamic motion analysis of normal and unstable cervical spine using cineradiography. An in vivo study. *Spine*, 24 (2): 163-8.

Hughes, T.B.; Richman, J. and Rothfus, E. (1999):

Diagnosis of os odontoideum using kinematic MRI, a case report. *Spine*, 24 (7): 715-8.

Jamshid Tehranzadeh and Suzanne Palmer (1996):

Imaging of cervical trauma; seminars in ultrasound, CT and MRI. Vol. 17, No. 2 (April): 93-104.

Jeffery, S. Ross (1995):

"Myelopathy". *Neuroimaging clinics of North America*, Vol. 5, No. 3: 367-81.

Jenis, L.G.; Dunn, E.J. and An, H.S. (1999):

Metastatic disease of the cervical spine. *Clin. Orthop.*, 359: 89-103.

Jens Chapman and Paul Anderson (1997):

Cervical spine trauma. In "The adult spine; principles and practice". By John Frymoyer (editor-in-chief). Lippincott-Raven, Philadelphia, Second edition, Vol. 3, Chap. 60: 1245-70.

Jeremy, R. Young (1998):

Skeletal trauma. In "Text book of radiology and imaging". By David Sutton (editor). Churchill Livingstone, New York, Sixth edition, Vol. 1, Chap. 10: 274-80.

Johan, M.; Van Goethem, Jacques Widelec and Jacques de Moor (1998):

Normal imaging of the cervical spine. In "Whiplash injuries; current concepts in prevention, diagnosis and treatment". By Robert Gunzburg and Marek Szpalski (editors). Lippincott-Raven, Philadelphia, Chap 3: 21-28.

John Heller and Hall Silcox (1997):

Post-laminectomy instability of the cervical spine: Etiology and stabilization technique. In "The adult spine: principles and Practice". By John Frymoyer (editor-in-chief). Lippincott-Raven, Second edition, Vol. 3, Chap. 68: 1413-30.

John, H. Harris and Robert, D. Harris (1992):

Skeletal trauma. In "Diagnostic Radiology". By R. Grainger and D Allison (editors). Churchill Livingstone, Second edition, Vol. 2, Chap. 73: 1439-55.

John, M.; Stevens and Victor, McAllister (1998):

Imaging of spinal pathology. In "Textbook of medical imaging". By Ronald Grainger and David Allison (editors). Churchill Livingstone, New York, Third edition, Vol. 3, Chap. 98: 2167-84.

Joseph Lee, Stuart Sagel and Robert Stanley (1998):

The spine. In computed body tomography with MRI correlation. Lippincott-Raven, Philadelphia, Third edition, Vol. 2; Chap. 23, P: 1477-85.

Kanaan, I.U.; Ellis, M.; Safi, T. and Coales, R. (1999):

Cranio cervical junction tuberculosis, a rare but dangerous disease. Surg. Neurol., 51 (1): 21-5.

Kerper, M.D.; Zimmerman, R.A. and Bilaniuk, L.T. (1998):

MRI in the assessment of the supportive soft tissues of the cervical spine in acute trauma in children. Neuroradiology, 40 (6): 359-63.

Klekamp, J. and Samii, H. (1998):

Surgical results of spinal metastasis. Acta. Neuro. Chir. Wien, 140 (9): 957-67.

Kwek, T.K.; Lew, T.W. and Thoo, F.L. (1998):

The role of preoperative cervical spine x-ray in rheumatoid arthritis. *Anaest-Intensive-care*, 26 (6): 636-41.

Lam, K.S.; Mehdian, H. and White, B. (1997):

The effects of simple trauma on patients with cervical spine neurofibromatosis: Two cases reports. *Eur. Spine J.*, 6: 77-80.

Lee, T.T.; Green, B.A. and Petrin, D.R. (1998):

Treatment of stable burst fracture of the atlas (Jefferson fractures) with rigid cervical collar. *Spine*, 15: 23 (18): 1963-7.

Leibl, T.; Fanke, M. and Dresing, K. (1999):

Instability of spinal fractures: Therapeutic relevance of different classification. *Rofo-Fortschr-Geb-Rontgenstr-Neuen-Bildgeb-Verfahr*, 170 (2): 174-80.

Leonard, E.S. and Galveston, T.X. (1998):

Cervical spine injuries and normal variants (Abstract). Presented in the 84th annual meeting of the RSNA, Chicago, November 29-December 4.

Leventhal Marvin (1998):

"Instability". In "Campbell's operative orthopaedics". By Terry Canale, Kay Daugherty and Linda Jones (editors). Mosby-year book, Ninth edition, Vol. 5, Chap. 80: 2712-2731.

Levine, A.M. and Edward, C.C. (1989):

Traumatic lesions of the atlanto-axial complex. *Clin. Orthop.*, 239: 53-68.

Louis, R. (1989):

Spinal stability as defined by the three-column spine concept. *Apat. Clin.*, 7: 33-42.

Maas, R.; Dieckmann, H.; Govettsche, T. (1999):

MRI of spondylitis in 95 patients: diagnostic value compared to x-ray, CT and scintigraphy concerning pre and post operative examinations. *ECR*, Volume 9: 109.

Mark Brinker, Steven Weeden and Thomas Whitecloud (1997):

Congenital anomalies of the cervical spine. In "The adult spine; principles and practice". By John Frymoyer (editor-in-chief). Lippincott-Raven, Philadelphia, Second edition, Volume 3, Chap. 57: 1205-1213.

Mark Dieck, Edward Benzel and Blaine Hart (1999):

Evaluation of cervical spine after trauma. In "Spine surgery: Techniques, Complication, avoidance and management". By Edward Benzel (editor). Churchill Livingstone, New York, Volume 2, Chapter 57: 815-822.

Martin, H. Krag (1997):

Biomechanics of the cervical spine. In "The adult spine: Principles and practice". By John Frymoyer (editor-in-chief). Lippincott-Raven, Philadelphia, Second edition, Volume 3, Chapter 53: 1075-85.

Mary, H. Kathol (1997):

Cervical spine trauma: what is the new?. RSNA, Volume 35; Number 3: 507-21.

Michael, A. Adams (1998):

Biomechanics of the cervical spine. In "Whiplash injuries: current concepts in prevention, diagnosis and treatment". By Robert Gunzburg and Marek Szplask (editors). Lippincott-Raven, Philadelphia, Chapter 2: 15-20.

Michael Bolesta and Henry Bohlman (1997):

Late complications of cervical fractures and dislocations and their management. In "The adult spine: principles and practice". By John Frymoyer (editor-in-chief). Lippincott-Raven, Philadelphia, Second edition, volume 3, Chapter 61: 1297-1301.

Moustafa, H.; Khalil, A. and Sievers, K. (1999):

3D reconstruction of the spine and spinal cord: New diagnostic tool in spinal pathology. ECR (European congress of Radiology), Volume 9: 28.

Oostveen, J.C.; Van de Loar, L.S. and Tuynman, F.L. (1996):

Anterior atlanto-axial subluxation in a patient with diffuse idiopathic skeletal hyperostosis. J. Rheumatol., 23 (8): 1441-4.

- Ostensens, H.; Gudmundsen, T.E.; Haakonsen, M. and Lagerqvist, H. (1998):**
Three-dimensional CT evaluation of occipito-atlanto-axial dislocation in rheumatoid arthritis. *J. Spinal Disord.*, 11 (5): 430-436.
- Panjabi, M.M.; Nibu, K. and Cholewicki, J. (1998):**
Whiplash injuries and the potential for mechanical instability. *Eur. Spine. J.*, 7 (6): 484-92.
- Park, H. and Schweitzer, E. (1998):**
Frequency of CT detection of occult fractures of the cervical spine in acute cervical injury (abstract). Presented in the 84th annual meeting of the RSNA, Chicago, November 29-December 4.
- Payan, C.; Galveslon, T. and Vanssonenberg, E. (1998):**
Utility and effectiveness of CT of the cervical spine in emergency room (abstract). Presented in the 84th annual meeting of the RSNA, Chicago, November 29-December 4.
- Piper, J.C. and Menezes, A.H. (1996):**
Management strategies for tumours of the axis vertebra. *J. Neurosurg.*, 84 (4): 543-51.
- Powers, B.; Miller, D.; Kramer, S. and Martinez, S. (1979):**
Traumatic anterior atlanto-occipital dislocation. *Neurosurgery* 4(1): 12-17.
- Ranawat, C.S.; O'Leary, P.Z. and Pellicci, P.S. (1979):**
Measurements of the superior migration in rheumatoid arthritis. *J. Bone Joint Surg.*, 61-A: 1003.
- Rand, T.; Imttof, Czerny, C. and Breitenscher, M. (1999):**
Discrimination between fluid, synovium and cartilage in patients with rheumatoid arthritis: contrast enhanced spin echo versus non-enhanced fat suppressed gradient echo MRI. *Clinical Radiology*, 54: 107-110.
- Rebecca Cornelius and James Leach (1995):**
Imaging evaluation of cervical spine trauma. *Neuro. Imaging Clinics of North America*, Vol. 5, No. 3: 451-462.

Redlund Johnell and Pettersson Han (1984):

Determination of vertebral settling in rheumatoid arthritis. Acta. Radiol., 25: 23.

Robert, M. Quencer (1994):

Spinal trauma (abstract). Presented in the 80th annual meeting of RSNA, Chicago, November 27-December 2.

Roland Lee (1990):

MR imaging in cervical spine injury. Radiology, 201: 617-8.

Rouvreau, P.; Glorion, C.; Langlais, J. and Noury, H. (1998):

Assessment of neurologic involvement in patients with cervical spine congenital synostosis as in Klippel-Feil Syndrome: study of 19 cases. J. Pediat. Orthop., B 7 (3): 179-85.

Russell, W. Hardy (1995):

The posterior surgical approach to the cervical spine. Neuroimaging clinics of North America, Vol. 5, No. 3: 481-84.

Sardina, J.; Houston, T. and John, H. (1998):

The trumpet view: a new radiographic projection for evaluating the cervico-cranial junction in trauma patients (abstract). Presented in the 84th annual meeting of the RSNA, Chicago, November 29-December 4.

Schwarz, N. (1998):

The posterior cervical line: A radiodiagnostic parameter of cervical spine in children. Unfallchirurg., 101 (7): 557-9.

Schwarz, N.; Unfallkrankenhaus, S. and Kpagenfurt, A. (1998):

The fate of missed atlanto-axial rotatory subluxation in children. Arch. Orthop. Trauma Surg., 117: 288-9.

Scott Rushton, Todd Albert and Alexander der Vaccaro (1996):

MRI following cervical spine unilateral facet dislocation. Neurosurgery, 38: 40-44.

Shanmuganathan, K.; Mirvis, E. and Dome, M. (1996):

Traumatic isolation of the cervical articular pillar: imaging observations in 21 patients. AJR, 166 (4): 897-902.

Shaw, M.; Burnett, H. and Wilson, A. (1999):

Pseudosubluxation of C2 on C3 in polytraumatic children: Prevalence and significance. *Clinical Radiology*, 54: 377-80.

Shimony, S.; Ojemann, G. and Akbudak, E. (1998):

Diffusion imaging of the cervical spinal cord (abstract). Presented in the 84th annual meeting of the RSNA, Chicago, November 29-December 4.

Spies, E.H.; Stucker, R. and Reichelt, A. (1999):

Conservative management of Pyogenic osteomyelitis of the occipito cervical junction. *Spine*, 15: 24(8): 818-22.

Stephen, M. Foreman (1995):

"Clinical radiographic examination" and "fractures and dislocations of the cervical spine". In "Whiplash injuries: the cervical Acceleration/ Deceleration syndrome". By Stephen Foreman and Arthur Croft (editors). Second edition, P: 174-90 and 220-230.

Stephen Pomeranz and Peter Smith (1998):

Acute injuries of the cervical spine. In "Gamuts and Pearls in neurologic MRI". St. Louis color art Book, Page: 211-213.

Sushine, J.L.; Cleveland, O.H. and Tan, R.W. (1999):

New generation multislice CT improves nerve root display in multiplaner reconstructions from CT-Myelograms (Abstract). Presentation in the 85th Scientific Assembly and annual meeting of RSNA. McCormick Place, Chicago November 28-December 3.

Thomas, H.; Berquist (1992):

The spine. In "Imaging of orthopedic trauma". Raven Press, New York, Second edition, Chapter 4: 124-129.

Tiffany Ting, Fang Shih, Kou-Mou Huang (1999):

Solitary vertebral collapse: Distinction between benign and malignant causes using MR patterns. *Journal of MRI*, 9: 635-42.

Tollison David and Satterthwaite John (1992):

Emergency management of stable and unstable injuries. In "Painfull cervical trauma". Williams and Wilkins, P: 266-267.

Tsou, H.K.; Shen, C.C. and Wany, Y.C. (1998):

Os odontoideum: a case report and review. *Chung-Hua-Hsueh-Chin- Taipei*, 61 (12): 741-7.

Victor Haughton (1995):

Anatomy of the cervical spine. *Neuroimaging clinics of North America*, Volume 5, Number 3: 309-317.

Victor Haughton and David Daniels (1994):

Spinal anatomy. In "Text book of Diagnostic imaging". By Charless Putman and Carl Ravin (editors). W.B. Saunders Company, Second edition, Volume 1, Chapter 25, P: 294-98.

Victor Haughton, David Daniels and Lee Czervionke (1999):

"Cervical spine". In "MRI". By David Stark and William Bradley (editors). Mosby-year book, St. Louis, Third edition, Volume 3; Chapter 85, P: 1833-50.

Volker, K.H.; Sonntag, D.M. and James, M.H. (1996):

"Indications and techniques for stabilization in degenerative disease of the mid and lower cervical spine". In "The practice of Neurosurgery". By Geroge Tindall and Paul Cooper (editors). Williams and Wilkins, Blatimore, Volume 3, Chapter 139, P: 2421-25.

Wendy, K. Smoker (1995):

Congenital anomalies of the cervical spine. *Neuroimaging clinics of North America*, Volume 5; Number 3: 427-47.

Weng, M.S. and Haynes, R.J. (1996):

Flexion and extension MRI in a pediatric population. *J. Pediatr. Orthop.*, 16 (3): 359-63.

White, A.A.; Johnson, R.M. and Panjabi, M.M. (1978):

Biomechanical analysis of clinical stability in the cervical spine. *Clin. Orthop.*, 109: 85.

White, A.A. and Panjabi, M.M. (1990):

Clinical biomechanics of the spine. J.B. Lippincott Co., Philadelphia, Second edition, P. 54-57.

Yamamoto, A.; Kyoto, D.; Hayakawa, D. and Nishimura, K. (1999):

MR differentiation between tuberculous spondylitis and pyogenic spondylitis (abstract). Presented in the 85th annual meeting of the RSNA, Chicago, November 28-December 3.

Zunkeler, B.; Schelper, R.; Menezes, H. (1996):

Periodontoid calcium pyrophosphate dihydrate deposition disease (Pseudogout) presenting with mass lesion at the cranio-cervical junction. J. Neurosurg., 85 (5): 803-9.