

References

24. Bhalla M, Naidich DP, McGuniness G, et al. (1996): Diffuse lung disease: assessment with helical CT-preliminary observation of the role of maximum and minimum intensity projection images. *Radiology*; 200:341-7
25. Bhalla M, Silver RM, Shepard JO, McLoud TC. (1993): Chest CT in patients with scleroderma: prevalence of asymptomatic esophageal dilatation and mediastinal lymphadenopathy. *AJR*; 161:269-272.
26. Blaese RM, Grayson J, Steinberg AD. (1980): Increased immunoglobulin-secreting cells in blood of patients with active systemic lupus erythematosus. *Am J Med* 69: 345.
27. Blodgett RC, Cera PJ, Jones FL. (1972): Alveolar cell carcinoma associated with rheumatoid nodule. *Chest*; 62:625-627.
28. Blumberg PE, Byrne E, Kakulas BA. (1989): Polymyositis presenting with respiratory failure. *J Neurol Sci*; 65:221-229.
29. Bohan A, Peter JB, Bowman RL, Pearson CM. (1977): Computer-assisted analysis of 153 patients with polymyositis and dermatomyositis. *Medicine*; 56:255-286.
30. Bohan A, Peter JB. (1975): Polymyositis and dermatomyositis. *N Engl J Med*; 297:344-347, 403-407.
31. Brandwein S, Esdaile J, Danoff D, et al. (1983): Wegener's granulomatosis: Clinical features and outcome in 13 patients. *Arch Intern Med*; 143:476.
32. Brannan HM, Good CA, Divertie MB, Baggenstoss AH. (1964): Pulmonary disease associated with rheumatoid arthritis. *JAMA*; 189:914-918.
33. Braun NM, Aurora NS, Rochester DF. (1983): Respiratory muscle and pulmonary function in polymyositis and other proximal myopathies. *Thorax*; 38:616-623.
34. Breit SN, Cairns D, Szentirmay A, et al. (1989): The presence of sjogren's syndrome is a major determinant of the pattern of interstitial lung disease in scleroderma and other connective tissue disease. *J Rheumatol*; 16:1043-1049.

35. Brink JA. (1995): Technical Aspects of Helical (Spiral) CT. Radiologic Clinics of North America; 33 (5): 825-841.
36. Brink KA, Heiken JP, Wang G, et al. (1994): Helical CT: principles and technical considerations. Radiographics; 14:887-893.
37. Bucher UG, Reid L. (1959): Sjögren's syndrome. Report of a fatal case with pulmonary and renal lesions. Br J Dis Chest 53:237.
38. Bunch TW, Tancredii RC, Lie JT. (1981): Pulmonary hypertension in polymyositis. Chest; 79:105-107.
39. Camus P, Degat R, Justrabo E, Jeannin L. (1982): D-penicillamine-induced severe pneumonitis. Chest; 81:376-378.
40. Caplan A. (1953): Certain unusual radiological appearances in the chest of coal miners suffering from rheumatoid arthritis. Thorax; 8:29-37.
41. Carr DT, Mayne JG. (1962): Pleurisy with effusion in rheumatoid arthritis, with reference to low concentration of glucose in pleural fluid. Am Rev Respir Dis; 85:345-350.
42. Carrington CB, Liebow AA. (1966): Limited forms of angiitis and granulomatosis of Wegener's type. Am J Med 41:497.
43. Carson CW, Cannon GW, Egger MJ, et al. (1987): Pulmonary disease during treatment of rheumatoid arthritis with low dose pulse methotrexate. Semin Arthritis rheum; 16:186-195.
44. Cassart M, Genevois PA, Kramer M, et al. (1993): Pulmonary venoocclusive disease: CT findings before and after single-lung transplantation. AJR; 160:759-760.
45. Cervantes-Perez P, Toro-Perez AH, Rodriguez-Juando P. (1980): Pulmonary involvement in rheumatoid arthritis. JAMA; 17: 1715-1719.
46. Chajek T, Fainaru M: Behçet's disease. (1975): Report of 41 cases and a review of the literature. Medicine; 54:179.
47. Christie GS. (1954): Pulmonary lesions in rheumatoid arthritis. Australas Ann Med; 3:49-57.

48. Chumbley LC, Harrison EG Jr, DeRemee RA. (1977): Allergic granulomatosis and angiitis (Churg-Strauss syndrome) report and analysis of 30 cases. *Mayo Clin Proc*; 52:477.
49. Churg A, Carrington CB, Gupta R. (1979): Necrotizing sarcoid granulomatosis. *Chest*; 76:706.
50. Churg A, Franklin W, Chan KL, et al. (1980): Pulmonary hemorrhage and immuno-complex deposition in the lung. Complications in a patient with SLE. *Arch Pathol Lab Med*; 104: 388.
51. Churg J, Strauss L. (1951): Allergic granulomatosis, allergic angiitis, and periarteritis nodosa. *Am J Pathol*; 27:277.
52. Clements PJ, Furst DE, Campion DS, et al. (1978): Muscle disease in progressive systemic sclerosis. Diagnostic and therapeutic considerations. *Arthritis Rheum*; 21:62-71.
53. Colby TV, Carrington CB. (1988): Infiltrative lung disease. In: *Pathology of the lung*. Stuttgart: Thieme Medical: 425-518.
54. Colby TV. (1993): Anatomic distribution and histopathologic patterns in interstitial lung disease. In: Schwarz MI, King TE Jr, eds. *Interstitial lung disease*. St. Louis: Mosby yearbook; 59-77.
55. Costello P. (1994): Thoracic helical CT. *Radiographics*; 14:913-918.
56. D'Angelo WA, Fries JF, Masi AT, Shulman LE. (1969): Pathologic observations in systemic sclerosis (scleroderma). *Am J Med*; 46: 428-440.
57. Dalavanga YA, Constantopoulos SH, Galanopoulou V, et al. (1991): Alveolitis correlates with clinical pulmonary involvement in primary Sjögren's syndrome. *Chest*; 99:1394.
58. Decker JL, Steinberg AD, Reinertsen JL, et al. (1979): Systemic lupus erythematosus: Evolving concepts. *Ann Intern Med*; 91:587.
59. Devaney KO, Travis WD, Hoffman G, et al. (1990): Interpretation of head and neck biopsies in Wegener's granulomatosis. A pathologic study of 126 biopsies in 70 patients. *Am J Surg Pathol*; 14:555.

60. Dickey BF, Myers AR. (1984): Pulmonary disease in polymyositis/dermatomyositis. *Semin Arthritis Rheum*; 14: 60-76.
61. Dolan DL, Lemmon GB Jr, Teitelbaum SL. (1966): Relapsing polychondritis. Analytical literature review and studies on pathogenesis. *Am J Med*; 41:285.
62. Duncan SC, Winkelman RR. (1979): Cancer and scleroderma. *Arch Dermatol*; 115:950-955.
63. Efthimiou J, Johnston C, Spiro SG, et al. (1986): Pulmonary disease in Behçet's syndrome. *Q J Med*; 58:259.
64. Elman P, Ball RE. (1948): Rheumatoid disease with joint and pulmonary manifestations. *Br Med J*; 2: 816-820.
65. Engeler CE, Tashjian JH, Engeler SCM, et al. (1994): Volumetric high-resolution CT in the diagnosis of interstitial lung disease and bronchiectasis: diagnostic accuracy and radiation dose. *AJR*; 163:31-35.
66. Eppler GR, Colby TV, McCloud TC, et al. (1985): Idiopathic bronchiolitis obliterans with organizing pneumonia. *N Engl J Med*; 312:152-159.
67. Eppler GR, McCloud TC, Gaensler EA, et al. (1978): Normal chest roentgenograms in chronic diffuse infiltrative lung disease. *N Engl J Med*; 298: 934-939.
68. Evans RB, Etensohn DB, Fawaz-Estrup F, et al. (1987): Gold lung: recent developments in pathogenesis, diagnosis, and therapy. *Semin Arthritis Rheum*; 16:196-205.
69. Fauci AS, Balow JE, Brown R, et al. (1976): Successful renal transplantation in Wegener's granulomatosis. *Am J Med*; 60:437.
70. Fisher MR, Christ ML, Bernstein JR. (1984): Necrotizing sarcoid-like granulomatosis: radiologic-pathologic correlation. *J Can Assoc Radiol*; 35:313.

71. Fishman EK. (1997): High-resolution three-dimensional imaging from subsecond helical CT data sets: applications in vascular imaging. *AJR*; 169:441-443.
72. Flint A, Colby TV. (1987): Connective tissue disorders and disease. In: Flint A, Colby TV, eds. *Surgical pathology of diffuse infiltrative lung disease*. Orlando, FL: Grune and Stratton.
73. Foley WD, Oneson SR. (1994): Helical CT: clinical performance and imaging strategies. *Radiographics*; 14:894-904.
74. Frank ST, Weg JG, Harkleroad LE, Fitch RF. (1973): Pulmonary dysfunction in rheumatoid disease. *Chest*; 63:27-34.
75. Frazier AR, Miller RD. (1974): Interstitial pneumonitis in association with polymyositis and dermatomyositis. *Chest*; 65:403-407.
76. Fudman EJ, Schnitzer TJ. (1986): Dermatomyositis without creatine kinase elevation. *Am J Med*; 80:329-332.
77. Fujii M, Adachi S, Shimizu T, et al. (1993): Interstitial lung disease in rheumatoid arthritis: assessment with high-resolution computed tomography. *J Thorac Imaging*; 8:54-62.
78. Fujioka M, Bender T, Young LW, et al. (1980): Polyarteritis nodosa in children: Radiological aspects and diagnostic correlation. *Radiology* 136:359.
79. Gamsu G, Thurlbeck WM, T. MP, Fraser RG. (1971): Peripheral bronchographic morphology in the normal human lung. *Invest Radiol*; 6:161-170.
80. Gamsu G. (1992): Radiographic manifestations of thoracic involvement by collagen vascular diseases. *J Thorac Imaging*; 7(3): 1-12.
81. Geddes DM, Corrin B, Brewerton DA, et al. (1977): Progressive airway obliteration in adults and its association with rheumatoid disease. *Q J Med*; 184: 427-444.

82. Geppert T. (1990): Clinical features, pathogenic mechanisms, and new development in the treatment of the systemic sclerosis. *Am J Med Sci*; 299:193-209.
83. Germain MJ, Davidman M. (1984): Pulmonary hemorrhage and acute renal failure in a patient with mixed connective tissue disease. *Am J Kidney Dis*; 3:420-424.
84. Gibson GJ, Davis P. (1974): Respiratory complications of relapsing polychondritis. *Thorax*; 29:726.
85. Glazer GM, Gross BH, Quint LE, et al. (1985): Normal mediastinal lymph nodes: number and size according to the American Thoracic Society mapping. *AJR*; 144:261-265.
86. Godwin JD, Müller NL, Takasugi JE. (1988): Pulmonary alveolar proteinosis: CT findings. *Radiology*; 169:609-613.
87. Gohel VK, Dalinka MK, Israel HL, et al. (1973): The radiological manifestations of Wegener's granulomatosis. *Br J Radiol*; 46:427.
88. Gottdiener JS, Sherber HS, Hawley RJ, Engle WR. (1978): Cardiac manifestations of polymyositis. *Am J Cardiol*; 41:1141-1149.
89. Graham CM, Stern EJ, Finkbeiner WE, Webb WR. (1992): High-resolution CT appearance of diffuse alveolar septal amyloidosis. *AJR*; 158:265-267.
90. Gratwhol AA, Moutsopoulos HM, Chused TM, et al. (1977): Sjögren-type syndrome after allogeneic bone-marrow transplantation. *Ann Intern Med*; 87:703.
91. Graziano FM, Friedman LC, Grossman J. (1983): Pulmonary hypertension in a patient with mixed connective tissue disease: clinical and pathologic findings, and review of literature. *Clin Exp Rheumatol*; 1:251-255.
92. Grenier P, Chevret S, Beigelman C, et al. (1994): Chronic diffuse infiltrative lung disease: determination of the diagnostic value of clinical data, chest radiography, and CT with Bayesian analysis. *Radiology*; 194:383-390.

93. Grenier P, Cordeau MP, Beigelman C. (1993): High-resolution computed tomography of the airways. *J Thorac Imaging*; 8:213-229.
94. Grenier P, Lenoir S, Brauner M. (1990): Computed tomographic assessment of bronchiectasis. *Semin Ultrasound CT MR*; 11:430-441.
95. Grenier P, Maurice F, Musset D, Menu Y, Nahum H. (1986) Bronchiectasis: assessment by thin-section CT. *Radiology*; 161:95-99.
96. Grenier P, Valeyre D, Cluzel P, Brauner MW, Lenoir S, Chastang C. (1991): Chronic diffuse interstitial lung disease: diagnostic value of chest radiography and high-resolution CT. *Radiology*; 179:123-132.
97. Gross M, Esterly JR, Earle RH. (1972): Pulmonary alterations in systemic lupus erythematosus. *Am Rev Resp Dis*; 105: 572.
98. Gruden JF, Webb WR, Warnock M. (1994): Centrilobular opacities in the lung on high-resolution CT: diagnostic considerations and pathologic correlation. *AJR*; 162:569-574.
99. Gruden JF, Webb WR. (1993): CT findings in a proven case of respiratory bronchiolitis. *AJR*; 161:44-46.
100. Guttadauria M, Ellman H, Emmanuel G, Kaplan D, Diamond H. (1977): Pulmonary function in scleroderma. *Arthritis Rheum*; 20:1071-1079.
101. Hainaut P, Lavenne E, Magy JM, Lebacqz EG. (1986): Circulating lupus type anticoagulant and pulmonary hypertension associated with mixed connective tissue disease. *Clin Rheumatol*; 5:96-101.
102. Hakulinen T, Isomaki H, Knekt P. (1985): Rheumatoid arthritis and cancer studies based on linking nationwide registries in Finland. *Am J Med*; 78:29-32.
103. Hansen LA, Prakash UB, Colby TV. (1989): Pulmonary lymphoma in Sjögren's syndrome. *Mayo Clin Proc*; 64:920.
104. Harmon C, Wolfe F, Lillard S, et al. (1976): Pulmonary involvement in mixed connective tissue disease (MCTD). *Arthritis Rheum*; 19:801.
Abstract.

105. Harrison NK, Glanville AR, Strickland B, et al. (1989): Pulmonary involvement in systemic sclerosis: the detection of early changes by thin section CT scan, bronchoalveolar lavage, and 99 TC-DTPA clearance. *Respir Med*; 83:403-414.
106. Harrison NK, McAnulty RJ, Haslam PL, et al. (1990): Evidence for protein edema, neutrophil influx, and enhanced collagen production in lungs of patients with systemic sclerosis. *Thorax*; 45:606-610.
107. Harrison NK, Myers AR, Corrin B, et al. (1991): Structural features of interstitial lung disease in systemic sclerosis. *Am Rev Respir Dis*; 144:706-713.
108. Haslam PL, Turton CWG, Heard B, et al. (1980): Bronchoalveolar lavage in pulmonary fibrosis: comparison of cells obtained by lung biopsy and clinical features. *Thorax*; 35:9-18.
109. Haupt HM, Moore GW, Hutchins GM. (1981): The lung in systemic lupus erythematosus. Analysis of pathologic changes in 120 patients. *Am J Med*; 71: 791.
110. Hay EM, Beaman M, Ralston AJ, et al. (1991): Wegener's granulomatosis occurring in siblings. *Br J Rheumatol*; 30:144.
111. Hayashi K, Nagasaki M, Matsunaga N, et al. (1986): Initial pulmonary artery involvement in Takayasu's arteritis. *Radiology*; 159: 401.
112. Hayton AS, Klein JS (1999): Interstitial lung disease. In: *Fundamentals of Diagnostic Radiology*, 2nd eds. Edited by William E. Brant and Clyde A. Helms. Williams & Wilkins P 417.
113. Hedgpeth MT, Boulware DW. (1988): Interstitial pneumonitis in antibody-negative systemic lupus erythematosus: A new clinical manifestation and possible association with anti-Ro (SS-A) antibodies. *Arthritis Rheum*; 31:545.
114. Heiken JP, Brink JA, Vannier MW. (1993): Spiral (helical) CT. *Radiology*; 189: 647-656.

115. Heitzman ER, Markarian B, Berger I, Dailey E. (1969): The secondary pulmonary lobule: a practical concept for interpretation of radiographs. I. Roentgen anatomy of the normal secondary pulmonary lobule. *Radiology*; 93:508-513.
116. Herman JH, Dennis MV. (1973): Immunopathologic studies in relapsing polychondritis. *J Clin Invest*; 52:549.
117. Herreman G, Beaufils H, Godeau P, et al. (1982): Behçet's syndrome and renal involvement: A histological and immunofluorescent study of 11 renal biopsies. *Am J Med Sci*; 284:10.
118. Hinshaw HC, Garland LH. (1969): *Diseases of the chest*. 3rd ed. Philadelphia, WB Saunders.
119. Hochberg MC, Feldman D, Stevens MB, et al. (1984): Antibody to Jo-1 in polymyositis/dermatomyositis: association with interstitial pulmonary disease. *J Rheumatol*; 11:663-665.
120. Hoffbrand BI, Beck ER. (1965): unexplained dyspnea and shrinking lungs in systemic lupus erythematosus. *Br Med J*; 1: 1273.
121. Hoffman GS, Sechler JM, Gallin JI, et al. (1991): Bronchoalveolar lavage analysis in Wegener's granulomatosis. A method to study disease pathogenesis. *Am Rev Respir Dis*; 143: 401.
122. Hogg JC. (1991): Benjamin Felson Lecture. Chronic interstitial lung disease of unknown cause: a new classification based on pathogenesis. *AJR*; 156:225-233.
123. Holmes R, Black MM, Farebrother MJB, Van Gotten M. (1980): Malignancy associated dermatomyositis with fibrosing alveolitis: report of a case with a discussion of the management. *Clin Exper Dermatol*; 5:415-420.
124. Homma S, Matsumoto T, Abe H, et al. (1984): Relapsing polychondritis: Pathological and immunological findings in an autopsy case. *Acta Pathol Jpn*; 34:1137.

125. Howell SB, Epstein WV. (1976): Circulating immunoglobulin complexes in Wegener's granulomatosis. *Am J Med*; 60:259.
126. Hsu BY, Edwards DK III, Tambert MA. (1992): Pulmonary hemorrhage complicating systemic lupus erythematosus: Role of MR imaging in diagnosis. *AJR*; 158:519.
127. Huang CT, Lyons HA. (1966): Comparison of pulmonary function in patients with systemic lupus erythematosus, scleroderma, and rheumatoid arthritis. *Am Rev Resp Dis*; 93: 865.
128. Hughes GRV. (1982): Hypotensive agents, beta-blockers, and drug-induced lupus. *Br Med J*; 284:1358.
129. Hunninghake GW, Fauci AS. (1979): Pulmonary involvement in the collagen vascular diseases. *Am Rev Respir Dis*; 119:471-503.
130. Ikezoe J, Morimoto S, Takashima S, et al. (1990): Acute radiation-induced pulmonary injury: computed tomography evaluation. *Semin Ultrasound CT MR*; 11:409-416.
131. Im JG, Itoh H, Shim YS, et al. (1993): pulmonary tuberculosis: CT findings-early active disease and sequential change with antituberculous therapy. *Radiology*; 186:653-660.
132. Im JG, Webb WR, Rosen A, Gamsu G. (1989): Costal pleura: appearances at high-resolution CT. *Radiology*; 171:125-131.
133. Inoue T, Kanayama Y, Ohe A, et al. (1979): Immunopathologic studies of pneumonitis in systemic lupus erythematosus. *Ann Intern Med*; 91: 30.
134. Isenberg DA, Hammond L, Fisher C, et al. (1982): Predictive value of SS-B precipitating antibodies in Sjögren's syndrome. *Br Med J*; 284:1738.
135. Israel HL, Patchefsky AS. (1971): Wegener's granulomatosis of lung. Diagnosis and treatment, experience with 12 cases. *Ann Intern Med*; 74:881.
136. Itescu S, Brancato IJ, Buxbaum J, et al. (1990): A diffuse infiltrative CD8 lymphocytosis syndrome in human immunodeficiency virus (HIV)

- infection: A host immune response associated with HLA-DR5. *Ann Intern Med*; 112:3.
137. Itoh H, Murata K, Konishi J, Nishimura K, Kitaichi M, Izumi T. (1993): Diffuse lung disease: pathologic basis for the high-resolution computed tomography findings. *J Thorac Imaging*; 8:176-188.
138. Itoh H, Tokunaga S, Asamoto H, et al. (1978): Radiologic-pathologic correlations of small lung nodules with special reference to peribronchiolar nodules. *AJR*; 130:223-231.
139. Jacobelli S, Moreno R, Massardo L, et al. (1985): Inspiratory muscle dysfunction and unexplained dyspnea in systemic lupus erythematosus. *Arthritis Rheum*; 28:781.
140. Janet EK. (1998): Thorax Applications. In: *Spiral CT. Principles, Techniques, and Clinical Applications*, 2nd edition. Edited by Elliot K. Fishman, and R. Brooke Jeffrey, Jr. Lippincott-Raven. Philadelphia/ New York: 71-93.
141. Johkoh T, Ikezoe J, Kohno N, et al. (1994): High-resolution CT and pulmonary function tests in collagen vascular disease: comparison with idiopathic pulmonary fibrosis. *European Journal of Radiology*; 18 (2) 113-121.
142. Johkoh T, Ikezoe J, Tomiyama N, et al. (1992): CT findings in lymphangitis carcinomatosa of the lung: correlation with histologic findings and pulmonary function tests. *AJR*; 158:1217-1222.
143. Johnson DA, Drane WE, Curran J, et al. (1989): Pulmonary disease in progressive systemic sclerosis. A complication of gastroesophageal reflux and occult aspiration. *Arch Intern Med*; 149:589-593.
144. Jolles H, Mosley PL, Peterson MW. (1989): Nodular opacities in patients with rheumatoid arthritis. A diagnostic dilemma. *Chest*; 96:1022-1025.
145. Jones MB, Osterholm RK, Wilson RB, et al. (1978): Fatal pulmonary hypertension and resolving immune-complex glomerulonephritis in mixed

- connective disease. A case report and review of literature. *Am J Med*; 65:855-863.
146. Kalender WA, Polacin A, Suss C. (1994): A comparison of conventional and spiral CT: an experimental study on the detection of spherical lesions. *J Comput Assist Tomogr*; 18:167-176.
147. Kalender WA, Polacin A. (1991): Physical performance characteristics of spiral CT scanning. *Med Phys*; 18:910-915.
148. Kalender WA, Seissler W, Klotz E, Vock P. (1990): Spiral volumetric CT with single-breath-hold technique, continuous transport, and continuous scanner rotation. *Radiology*; 176:181-183.
149. Kalender WA. (1995): Thin-section three-dimensional spiral CT: is isotropic imaging possible? *Radiology*; 197:578-580.
150. Kaye BR, Kaye R, Bobrove A. (1984): Rheumatoid nodules. Review of the spectrum of associated conditions and proposal of a new classification, with a report of four seronegative cases. *Am J Med*; 76:279-292.
151. Kazerooni EA, Martinez FJ, Flint A, et al. (1997): Thin-section CT obtained at 10-mm increments versus limited three-level thin-section CT for idiopathic pulmonary fibrosis: correlation with pathologic scoring. *AJR*; 169:977-83.
152. Kindblom L-G, Dalen P, Edmar G, et al. (1977): Relapsing polychondritis. A clinical, pathologic-anatomic and histochemical study of 2 cases. *Acta Pathol Microbiol Scand*; 85:656.
153. Kinney WW, Angelillo VA. (1982): Bronchiolitis in systemic lupus erythematosus. *Chest*; 82:464.
154. Kinsella B, Smith EA, Miller KS, et al. (1989): Spontaneous production of fibronectin by alveolar macrophages in patients with scleroderma. *Arthritis Rheum*; 32:577-583.

- 155.Kinsella N, Müller NL, Vedal S, et al. (1990): Emphysema in silicosis: a comparison of smokers with nonsmokers using pulmonary function testing and computed tomography. *Am Rev Respir Dis*; 141:1497-1500.
- 156.Kipnis RJ, Craft J, Hardin JA. (1990): The analysis of antinuclear autoantibodies of scleroderma by radioimmunoprecipitation assays. *Arthritis Rheum*; 33:1431-1437.
- 157.Klech H, Hutter C. (1990): Clinical guidelines and indications for bronchoalveolar lavage (BAL): report of the European Society of Pneumology Task Force on BAL. *Eur Respir J*; 3: 937-974.
- 158.Klein JS, Gamsu G, Webb et al. (1992): High-resolution CT diagnosis of emphysema in symptomatic patients with normal chest radiographs and isolated low diffusing capacity. *Radiology*; 182:817-821.
- 159.Kohler PF, Vaughan J. (1982): The autoimmune diseases. *JAMA*; 248:2646,.
- 160.Korobkin M. (1994): Helical CT: principles, techniques, and clinical applications: introduction. *Radiographics*; 14: 885-886
- 161.Koss MN, Antonovych T, Hochholzer L. (1981): Allergic granulomatosis (Churg-Strauss syndrome) pulmonary and renal morphologic findings. *Am J Surg Pathol*; 5:21.
- 162.Koss MN, Hochholzer L, Feigin DS, et al. (1980): Necrotizing sarcoid-like granulomatosis: Clinical, pathologic, and immunopathologic findings. *Hum Pathol*; 11:510.
- 163.Krell WS, Staats BA, Hyatt RE. (1986): Pulmonary function in relapsing polychondritis. *Ann Rev Respir Dis*; 133:1120.
- 164.Kuhlman JE, Hruban RH, Fishman EK. (1991): Wegener granulomatosis CT features of parenchymal lung disease. *J Comput Assist Tomogr*; 15:948.
- 165.Kuhlman JE. (1991): The role of chest computed tomography in the diagnosis of drug-related reactions. *J Thorac Imaging*; 6(1): 52-61.

166. Kuriyama K, Tateishi R, Kumatani T, et al. (1994): Pleural invasion by peripheral bronchogenic carcinoma: assessment with three-dimensional helical CT. *Radiology*; 191:365-369.
167. Lahdensuo A, Mattila J, Vilpula A. (1984): Bronchiolitis in rheumatoid arthritis. *Chest*; 85: 705-708.
168. Laitinen O, Nissila M, Salorinne Y, et al. (1975): Pulmonary involvement in patients with rheumatoid arthritis. *Scand J Respir Dis*; 56: 297.
169. Lawry GV, Finnerman ML, Hanafee WN, et al. (1984): Laryngeal involvement in rheumatoid arthritis. *Arthritis Rheum*; 27: 873-882.
170. Leavitt RY, Fauci AS, Bloch DA, et al. (1990): The American College of Rheumatology 1990 criteria for the classification of Wegener's granulomatosis. *Arthritis Rheum*; 33:1101.
171. Leavitt RY, Fauci AS. (1986): Pulmonary vasculitis. *Am Rev Respir Dis*; 134:149.
172. Lee JS, Im JG, Ahn JM, et al. (1992): Fibrosing alveolitis: prognostic implication of ground-glass attenuation at high-resolution CT. *Radiology*; 184:415-454.
173. Lee KS, Kim YH, Kim WS, et al. (1991): Endobronchial tuberculosis: CT features. *J Comput Assist Tomogr*; 15: 424-428.
174. Lee KS, Song KS, Lim TH, Kim PN, Kim IY, Lee BH. (1993): Adult-onset pulmonary tuberculosis: findings on chest radiographs and CT scans. *AJR*; 160:753-758.
175. LeRoy EC, Black C, Fleischmajer R, et al. (1988): Scleroderma (systemic sclerosis): classification, subsets and pathogenesis. *J Rheumatol*; 15:202-205.
176. LeRoy EC. (1985): Scleroderma (systemic sclerosis). In: Kelly WN, Harris ED Jr, Ruddy S, eds. *Textbook of Rheumatology*. 2nd ed. Philadelphia, pa: W.B. Saunders.

-
177. Leung AN, Miller RP, Müller NL. (1993): Parenchymal opacification in chronic infiltrative lung diseases: CT-pathologic correlation. *Radiology*; 188:209-214.
178. Levin DC. (1971): proper interpretation of pulmonary roentgen changes in systemic lupus erythematosus. *AJR*; 111:510.
179. Liebow AA, Carrington CB. (1973): Diffuse pulmonary lymphoreticular infiltration associated with dysproteinemia. *Med Clin North Am*; 57:809-843.
180. Littlejohn GO, Ryan PJ, Holdsworth SR. (1985): Wegener's granulomatosis: Clinical features and outcome in 17 patients. *Aust NZ J Med*; 15:241.
181. Lupi HE, Sanchez TG, Horwitz S, et al. (1967): Pulmonary artery involvement in Takayasu's arteritis. *Chest*; 67:69.
182. Lupi-Herrera E, Sanchez-Torres G, Marcushamer J, et al. (1977): Takayasu's arteritis. Clinical studies of 107 cases. *Am Heart J*; 93:94.
183. Maccioni FJ, Colebatch HJH. (1990): Management of fibrosing alveolitis with polymyositis/dermatomyositis. *Aust N Z J Med*; 20: 806-810.
184. Maguire R, Fauci AS, Doppman JL, et al. (1978): Unusual radiographic features of Wegener's granulomatosis. *AJR*; 130:233.
185. Maher JA. (1954): Dural nodules in rheumatoid arthritis. *Arch Pathol*; 58:354-359.
186. Mahrer PR, Evans JA, Steinberg I. (1954): Scleroderma: relation of pulmonary changes to esophageal disease. *Ann Intern Med*; 40:92-110.
187. Manthorpe R, Frost-Larsen K, Isager H, et al. (1981): Sjögren's syndrome A review with emphasis on immunological features. *Allergy*; 36:129.
188. Martens J, Demedts M, Vanmeenen MT, et al. (1983): Respiratory muscle dysfunction in systemic lupus erythematosus. *Chest*; 84:170.

-
189. Martinez FJ, Karlinsky JB, Gale ME, et al. (1990): Intrathoracic lymphadenopathy. A rare manifestation of rheumatoid pulmonary disease. *Chest*; 97:1010-1012.
190. Martyn JB, Wong MJ, Huang SH. (1988): Pulmonary and neuromuscular complications of mixed connective tissue disease: a report and review of the literature. *J Rheumatol*; 15:703-705.
191. Masi AT, Hunder GG, Lie JT, et al. (1990): The American College of Rheumatology 1990 classification of Churg-Strauss syndrome (allergic granulomatosis and angiitis). *Arthritis Rheum*; 33:1094.
192. Matthay RA, Schwartz MI, Petty TL, et al. (1975): Pulmonary manifestations of systemic lupus erythematosus. Review of twelve cases of acute lupus pneumonitis. *Medicine*; 54: 379.
193. McAdam LP, O'Hanlan MA, Bluestone R, et al. (1976): Relapsing polychondritis: Prospective study of 23 patients and a review of the literature. *Medicine*; 55:193.
194. McCarthy DS, Baragar FD, Dhingra S, et al. (1988): The lung in systemic sclerosis (scleroderma): a review and a new information. *Semin Arthritis Rheum*; 17:271-283.
195. Medsger TA Jr, Masi AT. (1971): Epidemiology of systemic sclerosis (scleroderma). *Ann Intern Med*; 74:714-721.
196. Mezziane MA. (1992): High-resolution computed tomography scanning in the assessment of interstitial lung diseases. *J Thorac Imaging*; 7(3): 13-25.
197. Michet CJ Jr, McKenna CH, Luthra, et al. (1986): Relapsing polychondritis: Survival and predictive role of early disease manifestations. *Ann Intern Med*; 104:74.
198. Miller LR, Greenberg SD, McLarty JW. (1985): Lupus lung. *Chest*; 88: 265.

-
199. Miller RP, Müller NL, Vedral S, et al. (1989): Limitations of computed tomography in the assessment of emphysema. *Am Rev Respir Dis*; 139:980-983.
200. Miller WS. (1947): The lung. Springfield, IL: Charles C Thomas; 39-42.
201. Mills ES, Mathews WH. (1956): Interstitial pneumonitis in dermatomyositis. *JAMA*; 160:1467-1470.
202. Mohsenifar Z, Tashkin DP, Carson SA, et al. (1982): Pulmonary function in patients with relapsing polychondritis. *Chest*; 81:711.
203. Moore AD, Godwin JD, Müller NL, et al. (1989): Pulmonary histiocytosis X: comparison of radiographic and CT findings. *Radiology*; 172:249-254.
204. Moore W, Wise R, Wigley F, et al. (1997): Stabilization or improvement of pulmonary function in systemic sclerosis patients with alveolitis treated with cyclophosphamide, compared to untreated patients. *Am J Resp Crit Care Med*; 155:A741.
205. Morimoto S, Takeuchi N, Imanaka H, et al. (1989): Gravity dependent atelectasis: radiologic, physiologic and pathologic correlation in rabbits on high frequency ventilation. *Invest Radiol*; 24:522-530.
206. Moutsopoulos HM, Chused TM, Mann DL, et al. (1980): Sjögren's syndrome (sicca syndrome): Current issues. *Ann Intern Med*; 92:212.
207. Muller NL, Chiles C, Kullnig P. (1990b): Pulmonary lymphangiomyomatosis: correlation of CT with radiographic and functional findings. *Radiology*; 175:335-339.
208. Muller NL, Guerry-Force ML, Staples CA, et al. (1987): Differential diagnosis of bronchiolitis obliterans with organizing pneumonia and usual interstitial pneumonia: clinical, functional, and radiologic findings. *Radiology*; 162:151-156.
209. Muller NL, Kullnig P, Miller RP. (1989): The CT findings of pulmonary sarcoidosis: analysis of 25 patients. *AJR*; 152:1179-1182.

-
210. Muller NL, Miller PR. (1990): Computed tomography of chronic diffuse infiltrative lung disease: part 1 and part 2. *Am Rev Respir Dis*; 142: 1206-1448.
211. Muller NL, Miller RP, Webb WR, et al. (1986): Fibrosing alveolitis: CT-pathologic correlation. *Radiology*; 160:585-588.
212. Muller NL, Miller RR. (1995): Diseases of the bronchioles: CT and histopathologic findings. *Radiology*; 196:3-12.
213. Muller NL, Staples CA, Miller RP. (1990): Bronchiolitis obliterans organizing pneumonia: CT features in 14 patients. *AJR*; 154:215-217.
214. Muller NL, Staples CA, Miller RR, Abboud RT (1988): "Density mask": an objective method to quantitative emphysema using computed tomography. *Chest*; 94:782-787.
215. Muller NL, Staples CA, Miller RR, et al. (1987a): Disease activity in idiopathic pulmonary fibrosis: CT and pathologic correlation. *Radiology*; 165:731-734.
216. Munk PL, Müller NL, Miller RP, Ostrow DN. (1988): Pulmonary lymphangitis carcinomatosa: CT and pathological findings. *Radiology*; 166:705-709.
217. Murata K, Itoh H, Todo G, et al. (1986): Centrilobular lesions of the lung: demonstration by high-resolution CT and pathologic correlation. *Radiology*; 161:641-645.
218. Murata K, Khan A, Herman PG. (1989): Pulmonary parenchymal disease: evaluation with high-resolution CT. *Radiology*; 170:629-635.
219. Murata K, Takahashi M, Mori M, et al. (1992): Pulmonary metastatic nodules: CT-pathologic correlation. *Radiology*; 182:331-335.
220. Murty GE, Mains BT, Middleton D, et al. (1991): HLA antigen frequencies and Wegener's granulomatosis. *Clin Otolaryngol*; 16:448.
-

221. Myers JL, Katzenstein AA. (1987): Wegener's granulomatosis presenting with massive pulmonary hemorrhage and capillaritis. *Am J Surg Pathol*; 11:895.
222. Myers JL, Katzenstein AA. (1986): Microangitis in lupus-induced pulmonary hemorrhage. *Am J Clin Pathol*; 85: 552.
223. Naidich DP, McCauley DL, Khouri NF, Stitik FP, Siegelman SS. (1982): Computed tomography of bronchiectasis. *J Comput Assist Tomogr*; 6:437-444.
224. Naidich DP, Zerhouni EA, Hutchins GM, et al. (1985): Computed tomography of the pulmonary parenchyma. Part I: distal air-space disease. *J Thorac Imaging*; 1:39-53.
225. Naidich DP. (1991): High-resolution computed tomography of cystic lung disease. *Semin Roentgenol*; 26:151-174.
226. Napel SA. (1995): Principals and techniques of 3 D Spiral CT angiography. In: Jeffrey RB, Fishman EK (eds) *Spiral CT*. Raven Press, New York, pp 167-196.
227. Napel SA. (1998): Principles of Spiral CT. In: *Spiral CT. Principles, Techniques, and Clinical Applications*, 2nd edition. Edited by Elliot K. Fishman, and R. Brooke Jeffrey, Jr. Lippincott-Raven. Philadelphia/ New York, PP 3-15.
228. Naschitz JE, Yeshurun D, Scharf Y, et al. (1989): Recurrent massive alveolar hemorrhage, crescentic glomerulonephritis, and necrotizing vasculitis in a patient with rheumatoid arthritis. *Arch Intern Med*; 149:406-408.
229. Nasu T. (1975): Takayasu's truncoarteritis in Japan. A statistical observation of 76 autopsy cases. *Pathol Microbiol*; 43:140.
230. Newball HH, Brahim SA. (1977): chronic obstructive airway disease in patients with Sjögren's syndrome. *Ann Rev Respir Dis*; 115:295.

263. Remy-Jardin M, Remy J, Gosselin B, et al. (1996b): A sliding thin slab, minimum intensity projection technique in the diagnosis of emphysema: Histopathologic-CT correlation. *Radiology*; 200:665-71.
264. Remy-Jardin M, Remy J, Wallaert B, et al. (1993b): Pulmonary involvement in progressive systemic sclerosis: sequential evaluation with CT, pulmonary function tests, and bronchoalveolar lavage. *Radiology*; 188:499-506.
265. Reveille JD, Wilson RW, Provost TT, et al. (1984): Primary Sjögren's syndrome and other autoimmune diseases in families: Prevalence and immunogenetic studies in six kindreds. *Ann Intern Med*; 101:748.
266. Rich S. (1981): Human lupus inclusions and interferon. *Science*; 213: 772.
267. Rosen Y, Moon S, Huang C-T, et al. (1977): Granulomatous pulmonary angiitis in sarcoidosis. *Arch Pathol Lab Med*; 101:170.
268. Rosenblum LJ, Mauceri RA, Wellenstein DE, et al. (1980): Density patterns in the normal lung as determined by computed tomography. *Radiology*; 137:409-416.
269. Rosenow EC, Strimlan CV, Muhm JR, Ferguson RH. (1977): Pleuropulmonary manifestations of ankylosing spondylitis. *Mayo Clin Proc*; 52:641-649.
270. Roumm AD, Medsger TA Jr. (1985): Cancer and systemic sclerosis. An epidemiological study. *Arthritis Rheum*; 28:1336-1340.
271. Rubin GD, Napel S, Leung AN. (1996): Volumetric analysis of volumetric data: achieving a paradigm shift. *Radiology*; 200:312-7.
272. Rubin GD, Napel S. (1995): Increased scan pitch for vascular and thoracic spiral CT. *Radiology*; 197:315-316.
273. Sackner MA, Akgun N, Kimbel P, Lewis DH. (1964): Pathophysiology of scleroderma involving the heart and respiratory system. *Ann Intern Med*; 60:611-630.

307. Tan EM, Cohen AS, Fries JF, et al. (1982): The 1982 revised criteria for the classification of systemic lupus erythematosus. *Arthritis Rheum*; 25:1271-1277.
308. Tanoue LT. (1992): Pulmonary involvement in collagen vascular disease: a review of the pulmonary manifestations of the Marfan syndrome. Ankylosing spondylitis, Sjögren's syndrome, and relapsing polychondritis. *J Thorac Imaging*; 7(2): 62-77.
309. Tazelaar HD, Viggiano RW, Pickersgill J, Colby TV. (1990): Interstitial lung disease in polymyositis and dermatomyositis. Clinical features and prognosis as correlated with histologic findings. *Am Rev Respir Dis*; 141:727-733.
310. Terriff BA, Kwan SY, Chan-Yeung MM, Müller NL. (1992). Fibrosing alveolitis: chest radiography and CT as predictors of clinical and functional impairment at follow-up in 26 patients. *Radiology*; 184:445-449.
311. Tervaert JW, Limburg PC, Elema JD, et al. (1991): Detection of autoantibodies against myeloid lysosomal enzymes: A useful adjunct to classification of patients with biopsy-proven necrotizing arteritis. *Am J Med*; 91:59.
312. Tishler M, Grief J, Fireman E, et al. (1986): Bronchoalveolar lavage - a sensitive tool for early diagnosis of pulmonary involvement in rheumatoid arthritis. *J Rheumatol*; 13:547-550.
313. Todo G, Herman PG. (1986): High-resolution computed tomography of the pig lung. *Invest Radiol*; 21:689-696.
314. Tomiak MM, Foley WD, Jacobson DR. (1995): Variable-mode helical CT: imaging protocols. *AJR*; 164:1525-1531.
315. Travis WD, Carpenter HA, Lie JT. (1987): Diffuse pulmonary hemorrhage: An uncommon manifestation of Wegener's granulomatosis. *Am J Surg Pathol*; 11:702.

316. Tuddenham WJ. (1984): Glossary of terms of thoracic radiology: recommendations of the Nomenclature Committee of the Fleischner Society. *AJR*; 143:509-517.
317. Ungerer RG, Tashkin DP, Furst D, et al. (1983): Prevalence and clinical correlates of pulmonary arterial hypertension in progressive systemic sclerosis. *Am J Med*; 75:65-74.
318. Verschakelen JA, Van Fraeyenhoven L, Laureys G, Demedts M, Baert AL. (1993): Differences in CT density between dependent and nondependent portions of the lung: influence of lung volume. *AJR*; 161:713-717.
319. Vitali C, Tavoni A, Viegi G, et al. (1985): Lung involvement in Sjogren's syndrome: a comparison between patients with primary and with secondary syndrome. *Ann Rheum Dis*; 44:455-461.
320. Vock P, Malanowski D, Tschaepeler H, Kirks DR, Hedlund LW, Effmann EL. (1987): Computed tomographic lung density in children. *Invest Radiol*; 22:627-631.
321. Vock P, Soucek M, Daepf M, Kalender WA. (1990): Lung: spiral volumetric CT with single-breath-hold technique. *Radiology*; 176:864-867.
322. Vock P, Soucek M. (1993): Spiral computed tomography in the assessment of focal and diffuse lung disease. *J Thorac Imaging*; 8:283-290.
323. Walker WC, Wright V. (1968): Pulmonary lesions and rheumatoid arthritis. *Medicine*; 47:501-520.
324. Walker WC. (1967): Pulmonary infection and rheumatoid arthritis. *Q J Med*; 142:239-251.
325. Wallaert B, Hatron P, Grossbois JM, et al. (1986): Subclinical pulmonary involvement in collagen vascular diseases assessed by bronchoalveolar lavage. *Am Rev Respir Dis*; 133:574-580.
326. Wang G, Vannier MW. (1994): Longitudinal resolution in volumetric x-ray computerized tomography: analytical comparison between conventional and helical computerized tomography. *Med Phys*; 21:429-433.

-
327. Watters LC, Schwartz MI, Cherniack RM, et al. (1987): Idiopathic pulmonary fibrosis. Pretreatment bronchoalveolar lavage cellular constituents and their relationship with lung histopathology and clinical response to therapy. *Am Rev Respir Dis*; 135:696-704.
328. Weaver AL, Divertie MB, Titus JL. (1968): Pulmonary scleroderma. *Dis Chest*; 54:490-498.
329. Webb WR, Müller NL, Naidich DP. (1993a): Standardized terms for high-resolution CT of the lung: a proposed glossary. *J Thorac Imaging*; 8:167-185.
330. Webb WR, Müller NL, Naidich DP. (1996): Normal lung anatomy. In: *High Resolution CT of the lung*. 2nd edition. Lippincott-Raven: Philadelphia. New York: 23-40.
331. Webb WR, Stein MG, Finkbeiner WE, Im JG, Lynch D, Gamsu G. (1988): Normal and diseased isolated lungs: high-resolution CT. *Radiology*; 166:81-87.
332. Webb WR, Stern EJ, Kanth N, Gamsu G. (1993): Dynamic pulmonary CT: findings in normal adult men. *Radiology*; 186:117-124.
333. Webb WR. (1989): High-resolution CT of the lung parenchyma. *Radiol Clin North Am*; 27:1085-1097.
334. Weibel ER, Taylor CR. (1988): Design and structure of the human lung. In: *Pulmonary diseases and disorders*. New York: McGraw-Hill; PP 11-60.
335. Weibel ER. (1990): High resolution computed tomography of the pulmonary parenchyma: anatomical background. Presented at the Fleischner Society Symposium of Chest Disease, Scottsdale, Arizona.
336. Weibel ER. (1979): Looking into the lung: what it can tell us? *AJR*; 133:1021-1031.
337. Weinrib L, Sharma OP, Quismorio FP Jr. (1990): A long-term study of interstitial lung disease in systemic lupus erythematosus. *Semin Arthritis Rheum*; 20: 48.
-

338. Weir III, Müller NL, Chiles C, et al. (1992): Wegener's granulomatosis: findings from computed tomography of the chest in 10 patients. *Can Assoc Radiol J*; 43:31-34.
339. Wells AU, Hansell DM, Corrin B, et al. (1992): High-resolution computed tomography as a predictor of lung histology in systemic sclerosis. *Thorax*; 47:508-512.
340. Wells AU, Hansell DM, Rubens MB, et al. (1997): Fibrosing alveolitis in systemic sclerosis: indices of lung function in relation to extent of disease on computed tomography. *Arthritis Rheum*; 40:1229-36.
341. Westcott JL, Cole SR. (1986): Traction bronchiectasis in end-stage pulmonary fibrosis. *Radiology*; 161:665-669.
342. Wiedemann HP, Matthay RA. (1992): Pulmonary manifestations of systemic lupus erythematosus. *J Thorac Imaging*; 7(2): 1-18.
343. Wiedemann HP, Matthay RA. (1989): Pulmonary manifestations of the collagen vascular diseases. *Clin Chest Med*; 10:677.
344. Wiener-Kronish JP, Solinger AM, Warnock ML, et al. (1981): Severe pulmonary involvement in mixed connective tissue disease. *Am Rev Respir Dis*; 124:499-503.
345. Winslow WA, Ploss LN, Loitman B. (1958): Pleuritis in systemic lupus erythematosus: Its importance as an early manifestation in diagnosis. *Ann Inter Med*; 49: 70.
346. Wright AR, Collie DA, Williams JR, et al. (1996): pulmonary nodules: effect on detection of spiral CT pitch. *Radiology*; 199:837-841.
347. Yoshikawa Y, Watanabe T. (1986): Pulmonary lesions in Wegener's granulomatosis: A clinicopathologic study of 22 autopsy cases. *Hum Pathol*; 17:401.
348. Yoshimura H, Hatakeyama M, Otsuji H, et al. (1986): Pulmonary asbestosis: CT study of subpleural curvilinear shadow. Work in progress. *Radiology*; 158:653-658.

349. Young RH, Mark GJ. (1978): Pulmonary vascular changes in scleroderma. *Am J Med*; 64:998-1004.
350. Yousem SA. (1990): The pulmonary pathologic manifestations of the CREST syndrome. *Hum Pathol*; 21:467-474.
351. Zeman RK, Silverman PM, Vieco PT, Costello P. (1995): CT angiography. *AJR*; 165:1079-1088.
352. Zerhouni E. (1989): Computed tomography of the pulmonary parenchyma: an overview. *Chest*; 95:901-907.
353. Zerhouni EA, Naidich DP, Stitik FP, Khouri NF, Siegelman SS. (1985): Computed tomography of the pulmonary parenchyma. Part2: interstitial disease. *J Thorac Imaging*; 1:54-64.