

REFERENCES

Ajula ND, Greenberge A and Banner BF (1989)

Atheroembolic involvement of renal allografts .

Am. J. Kidney Dis., 12:329-332.

Alavi A, Grossman R, and Siegel A (1990):

Intraperitoneal urine leak following renal transplant: The role of radionuclide imaging.

J. Nucl. Med., 31:1206-10.

Allen KS., Jorkasky DK., and Arger PH (1988):

Renal allografts: Prospective analysis of Doppler sonography.

Radiology, 169:371-376.

Al-Nahhas AA, Jafri RA, Briton KE, and AL-Janabi M (1988)

Clinical experience with ^{99m}Tc -MAG₃ and comparison with ^{99m}Tc -DTPA. EUR J. Nucl. Med.14:453-462

Anaise D, Oster ZH, and Atkins HL (1987):

Cortex perfusion index. A sensitive detector of acute rejection crisis in transplanted kidneys.

J. Nucl. Med., 27:1697-1701

Arima M, Ishibashi M, and Usami M (1979):

Analysis of the arterial blood flow patterns of normal and allograft kidneys by the directional ultrasonic doppler technique .

J. Urol., 122:587-597.

Babcock DS (1987):

Complications of renal biopsy

Urology, 35:23-30

Baillet G, Ballorin J and Urdaneta N (1986):

Evaluation of allograft perfusion by radionuclide first pass study in renal failure following renal transplantation.

Eur. J. Nucl. Med., 11:463-9.

Bair HJ, Behr T, Becker W, Beil A, Gunte E, Weber M and Wolf F (1994):

Perfusion scintigraphy and color coded duplex sonography in a minimally perfused renal allograft

Bildgebung, 61(1):28-31.

Bajen MT, Comin J, Gonzalez A, Roca M, Catelao AM and Crimo JM (1995):

^{99m}Tc-MAG3 renogram deconvolution analysis as a diagnostic aid in kidney graft monitoring

Transplant Proc., 27(4):2221.

Barger AC, and Herd JA (1973):

Renal vascular anatomy and distribution of blood flow handbook of physiology. Orloff J and Berliner RW (eds.), Sec. 8:renal physiology,

Am. Phys. Society, 225-9.

Barry JM, Hefty TR, Nelson KA, and Johnston T (1990):

Ten years of training community urologists and general surgeons to do cadaver kidney retrievals.

J. Urol., 143:897.

Barth MO, Gagnadoux MF and Mareschal JL (1989):

Angioplasty of renal transplant artery stenosis in children .

Pediatr. Radiol., 19:383-387.

Bartrum D, Jurriaans E, and Dubbins PA (1976):

Renal transplantation. The normal morphological and Doppler ultrasound examination.

J. Clin. Ultrasound., 20:495-506.

Bauer SB, Permuter AD and Petik AB (1992):

Anomalies of the upper urinary tract in Campbell's Urology .

Walsh PC, and Retik A (eds.), Saunders, 6th ed., p.1406.

Baxter GM, Morley P, and Dail B (1991):

Acute renal vein thrombosis in renal allograft: New Doppler ultrasonic findings .

Clin. Radiol., 43:125-7.

Becuwkes R, Ichikawa I and Barnner BM (1981):

The renal circulation in the kidney .

Barnner BM, and Retor FC (eds.), WB Saunders Co, p.120-4.

Bellomo R, Berlangieri S, Wong S, and Atkins RC (1992):

Renal allograft scintigraphy with ^{99m}Tc -DTPA , its role during cyclosporine therapy .

Transplant, 53:143-145.

Belzer FO (1979):

Technical complication after renal transplantation in kidney transplantation.

Morris PJ (ed.), WB Saunders Co., 1st ed., 267.

Bennett AR and Wiene SN (1965):

Intrarenal arteriovenous fistula and aneurysm: a complication of percutaneous renal biopsy .

AJR, 95:372-382.

Bennett LN, Voegeli DR, Crummy AB, Mc Dermott JC, Jensen SR and Sollinger HW (1988):

Urologic complications following renal transplantation: role of interventional radiologic procedures .

Radiology, 160:531-536

Berland LL, Lawson TL, Adams MB, Melrose BL, and Foley WD (1982):

Evaluation of transplants with pulsed Doppler duplex sonography .

J. Ultrasound Med., 1:215-22.

Blaufox MD (1991):

Procedures of choice in renal nuclear medicine .

J. Nucl. Med., 32:1301-9.

Britton KE (1991):

Renal Transplantation. Maisey MN, Britton KE, and Gilday DL, (eds.).

In: Clinical Nuclear Medicine, p.334, Lippincott Co., London.

Buckley AR, Cooperberg PL, Reeve CE, and Magil AB (1987):

The distinction between acute renal transplant rejection and cyclosporine nephrotoxicity: value of duplex sonography.

AJR, 149:521-525.

Budihma NV, Milcinski M, Kajtna M, and Malovrh M (1994): (Relevance

of ^{99m}Tc-DMSA scintigraphy in renal transplant parenchymal imaging .

Clin. Nucl. Med., 19(9):782-4.

Burgos FJ, Tervel JL and Mayayo T (1988):

Diagnosis and management of lymphoceles after renal transplantation .

Br. J. Urol., 61:289-93.

Carmellini M, Boni G, Romagnoli J, Molea N, and Rizzo G, (1995):

^{99m}Tc-DTPA scintigraphy in renal allograft rejection.

Transplantation Proceedings, 27(3):2043-2044.

Chaiwatanarat T, Laorpatanaskul S, Boonvisut S, Buachum V and

Suvanapha R (1994):

Deconvolution analysis of renal blood flow: Evolution of post renal transplant complications .

J. Nucl. Med., 35(11):1792-6.

Dodd GD., Tublin ME., and Zajko AB (1991):

Imaging of vascular complications associated with renal transplants.
Review.

A.J.R., 157:449-459.

Don S, Kopecky K, Filo RS, Leapamm MD, Tomalla VJ and Jones JA (1989):

Duplex Doppler US of renal allograft: Causes of elevated resistive index.

Radiology, 171(3): 709-12.

Dubovsky E (1996):

Evaluation of renal transplants in nuclear medicine. Rober E, Mark A and Stephen M (eds.), Chap.76, p.1097-1707. Mosby, St. loius, New York.

Dubovsky EV and Russel CD (1988):

Radionuclide evaluation of renal transplants .

Semin Nucl. Med., 18:181-98.

Dubovsky EV and Russel CD (1991):

Multipurpose renal pharmaceutical.

In:freeman LM. Nuclear Medicine Annual . Raven Press, New York, 1-35.

Dubovsky EV, and Russel CD (1991):

Diagnosis of renovascular hypertension after renal transplantation.

Am. J. Hyperten., 4:724S-730S.

Dubovsky EV, Logic JR, Diethelm AG, Balch CM, and Tauxe WN (1975):

Comprehensive evaluation of renal function in the transplanted kidney.

J. Nucl. Med., 16:1115-1120.

Dubovsky EV, Russel CD, and Erbas B (1995):

Radionuclide evaluation of renal transplant .

Semin. Nucl. Med., 25(1):49-59.

Dunn EK (1992):

Radioisotope evaluation of renal transplants .

Urol. Radiol., 14:115-26.

Dunn J, Golden D, Van Buren CT (1990):

Causes of graft loss beyond two years in cyclosporine.

Transplantation, 49:349.

Early PJ, and Sodee DB (1995):

Urinary tract.,

in: Principles and Practice of Nuclear Medicine, Mosby, Berlin, St. Louis.

Egger BW 1988:

Effect of transplantation on the medical end stage renal disease program. N. Eng. J. Med., 318:223-229.

Erly CM, Duda SH and Wakat JP (1992):

Evaluation of kidney transplant by nuclear medicine .

Semin. Nucl. Med., 24:163.

Fleischer AC, Hmton AA and Click AD (1989):

Duplex Doppler sonography of renal transplants: Correlation with histopathology .

J. Ultrasound Med., 8:89-94.

Fogelman I, Maisez MN and Clarke SE (1994):

An atlas of clinical nuclear medicine .

Second ed., Martin D., p.170-1.

Freeman LM, and Lutrker LG (1984):

The kidneys in:Freeman LM and Johnson's clinical radionuclide imaging. Vol. 1,m First ed., Grune and Stratton, 725-834.

Fried AM, Woodring JH and Kumloh F (1983):

The medullary pyramid index: An objective assessment of prominence in renal transplant rejection.

Radiology, 149:787-91.

Gault MH, and Muehrcke RC (1983):

Renal biopsy: Current views and controversies (edotrial)

Nephron, 34:1-34.

Gedroyee WM, Miller C, and Fogelman CA (1987):

A common cause of photon deficient lesions on 99mTc-DTPA scan in renal transplant patient .

Eur. J. Nucl. Med., 12:480-1.

Geffor et al.;1994:

Doppler blood flow. Quoted from Saarinem O, Salmela K. and Edgren J (1994): Reversed diastolic blood. flow at duplex Doppler. Acta Radiologica. 35:10-14.

Genkins SM, Sanfilippo FP and Carroll BA (1989):

Duplex sonography of renal transplants:lack of sensitivity and specificity in establishing pathologic diagnosis. AJR, 152:535-539.

George EA, Salimi Z, Wolverson MK, and Garvin P (1991):

Assessment of renal allograft pathology by scintigraphic and ultrasound index .

Clin. Nucl. Med., 16:394-7.

Germain MJ, Lipkouttz GS, and Patel J (1992):

Predictive value of Doppler ultrasonography in renal transplantation. Clin. Transplantation, 6:62.

Gifford RRM, Neumyer MM, Yang HC, E FS, and Thele BL (1994):

Successful identification of acute renal allograft rejection with duplex ultrasonography.

Clin. Transplantation., 8:4-44.

Godley ML, Ransley PG and Gordon (1985):

The relationship between renal parenchymal mass and absolute quantatition of ^{99m}Tc-DMSA uptake. An experimental study in the growing pig .

Nucl Med. Comm., 6:377-88.

Goldraich NP, Alvarenga AR and Goldraich HI (1985):

Renal accumulation of ^{99m}Tc -DMSA in artificially perfused rat kidney .

J. Urol., 134:1282-6.

Gonzalez A, Puchal R, Bajen MT, Mairal L, Prat L, and Conin MJ (1994):

^{99m}Tc -renogram deconvolution in normal subjects and in normal functioning kidney grafts.

Nucl Med. Commun., 15(9):680-4.

Grenier N, Douws C, Morel D, Ferriere JM, Fruillou LE, Potaux L, and Broussin J (1991):

Detection of vascular complications in renal allograft with color Doppler flow imaging .

Radiology, 178(1):217-23.

Grossman RA, DaFoe DC, and Shoenfeld RB (1982):

Percutaneous transluminal angioplasty treatment for renal transplant artery stenosis.

Transplantation, 34:339-343.

Jafri SZ, Kaude JV, and Wright P (1981)

US findings in renal transplant rejection. Acta Radiol. Diag.22:245.

Jordan ML, Cook GT, and Cardella CJ (1982):

Ten years experience with vascular complications in renal transplantation.

J. Urol., 128:689-692.

Halasz N.A, Gamboa EA, Ward DM, and Steiner RW (1987):

Kidney transplantation in the cyclosporine era. Arch. Surg.
122:1001-1004

Hamburger J, Grosnier J, Dormont J, and Bach JF (1972):

Surgical techniques in man: removing the donor kidney. In: Renal transplantation theory and practice. Williams and Wilkins, Baltimore, p.249.

Hanto D, Simmons R and Abendroth D (1987):

Renal transplant clinical considerations in organ transplantation.
Radiol. Clin. North. AM. 25:239-248

Haricak, H, Toledo-Pereyra, LH, and Fyler, WR, (1979):

The role of ultrasound in the diagnosis of Kid. allograft rejection.
Radiology, 132:667-672.

Haricak, H, Toledo-Pereyra, LH, and Fyler, WR, (1981):

Ultrasonographic detection of urinoma. Radiology, 142:577-582.

Haricak H, Gruz C and Eyler WR (1982):

Acute post-transplantation renal failure: differential diagnosis by ultrasound.

Radiology, 139:441-9.

Hildell J, Aspelin P, Nyman U, and Molde A (1994):

Ultrasonography in complications of renal transplantation.

Acta Radiol. Diagnosis, 25:186-299.

Hilson AJ (1991):

The renal perfusion index: Where are we now?

Eur. J. Nucl. Med. 18:227-228.

Hilson AJ, Maisey MN, Brown CB (1987):

Dynamic renal transplantation imaging with ^{99m}Tc -DTPA supplemented by a transplant perfusion index in the management of renal transplant.

J. Nucl. Med., 19:994-1000.

Hochstetler LA, Flanigan MJ, and Lager DJ (1994):

Transplantation associated thrombotic microangiopathy: The role of IgG administration as initial therapy.

Am. J. Kid. Dis., 23:444.

Hohnke C, Abendroth D, Schleibner S and Land W (1987):

Vascular complication in 1200 kidney transplantation. Transpl. Peoc. 19:3691-3692

Hollenbeck M, (1994):

New diagnostic techniques in clinical nephrology. Colour coded duplex sonography for evaluation of renal transplants- tool or toy for the nephrologist?

Nephrol. Dial. Transplant., 9:1822-1828.

Hunter DW, Castaneda-Zuniga WR, Coleman CC, and Amplatz K (1983):

Percutaneous techniques in the management of urological complications in renal transplant patients.

Radiology, 148:407

Ikagami M, Tahara H, Matsura HT, Akijama T and Kurita S (1994):

Tissue characterization of renal transplant rejection by color Doppler examination .

Transplantation proceedings. 26(2): 941-2.

Irving HC, and Kashi H (1992):

Complication of renal transplantation and the role of interventional radiology .

J. Clin .Ultrasound., 20:545-52.

Irving HC, Arthur RJ, and Thomas DFM (1987):

Percutaneous nephrostomy in paediatrics.

Clin. Radiol, 38:245-249.

Jackson SA, Ehrlich L, and Martin RH (1986):

The renal washout parameter as an indicator of transplant rejection.

Eur. J. Nucl. Med., 12:86-90.

Jafri SZ, Kaude J, and Wright PG (1981):

Ultrasound findings in renal transplant rejection. Acta Radiol.

Diagnosis, 22:245.

James DR, and Tilney NL (1994):

In kidney transplantation principles and practice. Morris PJ, ed.),

4th .., WB Saunders Co., Ch. 12., p.175.

Kahan, BD, Van Buren, CT, Flechner, SM, Jarowenko, M., and Rogers AJ (1985)

Clinical and experimental studies with cyclosporine in renal transplantation. *Surgery*.97:125-30.

Kashi SH, Giles GR, and Irving HC (1991):

Pressure-flow studied in the evaluation of ureteric obstruction in renal allografts .

Paper presented to Br. Transplantation Society, October, 1991.

Kashi SH, Lodge JPA, and Giles GR (1992):

Urological complications of renal transplantation: role of aggressive management .

Br. J. Urol., 21:945-55.

Kasina S, Fritzberg AR, and Johnson DL (1986):

Tissue distribution properties of ^{99m}Tc DMSA complexex and potential use as renal pharmaceutical.

J. Med. Chem., 29:1933-40.

Kaude JV, and Hawkins IF (1983):

Renal transplantation. In;Abrams HL, ed., *Abrams angiography: vascular and interventional radiology*.

Boston: Little, Brown, 1365-1391.

Kaveggia LP, Perrella RR, Grant EG, Tessler FN, Rosenthal JT, and Danovitch GM (1990):

Duplex Doppler sonography in renal allografts: The significance of reversed flow in diastole.

AJR, 155:295-298.

Kelcz F, Pozniak MA, Pirsch JD, and Oberty TD (1990):

Pyramidal appearance and resistive index: Insensitive and non specific sonographic indicator of renal transplant rejection.

AJR, 155:531-5.

Kim EE, Pjura G, and Lowery P (1986):

Cyclosporine A nephrotoxicity and acute cellular rejection in renal transplant recipients: Correlation between radionuclide and histologic findings.

Radiol., 159:443-446.

Kim F, Pozniac MA, Pirsch JD and Oberty TD (1990):

The significance of poor renal transplant concentrating ability as assessed by ¹³¹I hippuran imaging .

Clin. Nucl. Med., 13:716-20.

Kirkman R, Silson, DD, and Santa-Cruz FR (1982)

Postoperative urological complications of renal transplant.

radiograph. 40:53-47

Kirchner PT and Berman D (1979):

Renal transplantation. Seminal N.M. 10:370-378.

Kirchner PT, Goldman MH, and Leapman SG (1978):

Clinical application of the kidney and aortic blood flow index (K/A) ratio .

Contrib. Nephrol., 11:120-126.

Kittredge RD, Brensilver J and Pierce JC (1978):

Computed tomography in renal transplant problems.

Radiology, 127:165.

Kirkpatrick, CH (1987):

Transplantation immunology. JAMA 258:2993-3000

Klopper JF, Hauster W and Arkins HL (1972):

Evaluation of ^{99m}Tc DTPA for the measurement of GFR .

J. Nucl. Med., 13:107-10.

Kotval PS (1989):

Doppler waveform parvus and tardus a sign of proximal flow obstruction.

J. Ultrasound. Med., 8:435-40.

Kumar R, Wilson DD, and Santa Cruz FR (1984):

Postoperative urological complications of renal transplantation .

Radio. Graphics, 4:531-47.

Laasonen L (1977):

Prognostic value of angiography in early failure of renal transplants

Acta Radiol. Diagnosis, 18:305.

Larsen S, Brun C, Dunn S, and Lollegaard H (1988):

Early arteriopathy following high-dose; cyclosporine in kidney transplantation .

Clin. Nucl. Med., 4:24-5.

Lee HM, Madge GW, and Picon GM, (1978):

Surgical complications in renal transplant recipients.

Surg. Clin. N. Am., 58:285.

Lerona PT (1975):

Angiography of renal transplant using ipsilateral femoral artery compression.

Radiology, 114:737.

Liano C, Clark RA and Colley DP (1987):

Radiological evaluation of renal vein thrombosis. Crit. Rev. Diag.

Imag. 20:337.

Lieberman RP, Crummy AB, and Glass NR (1982):

Fine needle antegrade pyelography in the renal transplant .

J. Urol., 126:155-158.

Lin, A, Scottis , and Vass BL, 1987:

Cyclosporin complication. Transplant. Proc., 19:119

Loiseau, Barry, SM and Fuchs, EF(1989):

Cyclosporin, N. Eng. Med., 321:1725.

Mitchell DG (1990):

Color Doppler imaging: principles, limitations, and artifacts.
Radiology, 177:1-10.

Montolier J, Cheigh JS, and Mouradian JA (1979):

Delayed hyperacute rejection in recipients of kidney transplants from HLA identical sibling donors.
Am. J. Med., 67:590.

Moore TC, and Hayes M (1974):

Combined use of ¹³¹I Hippurate blood clearance and bladder/kidney ratio in the early detection, classification, and management of accelerated rejection of human renal transplants.
Surgery, 76:587-600.

Morris P (1994):

Kidney transplantation: principles and practice .
4th ed., WB Saunders Co., Ch. 9, p.127-37.

Mulligan SA, Koslin DB, and Berland LL (1992):

Duplex evaluation of native renal vessels and renal allograft.
Seminars in ultrasound, CT and MRI, 13(1):40-52.

Munday AR, Podesta ML, and Bewick M (1982):

The urological complications of 1000 renal transplants.
Br. J Urol., 53:397-402.

Murphy AM, Robertson RJ, and Dubbins PA, (1987):

Duplex ultrasound in the assessment of renal transplant complications.

Clin. Radiol., 38:229-234.

Mygind T (1984):

Subtraction nephrotomography during urography of transplanted kidneys.

Acta Radiol. Diagnosis, 25:495-500.

Myran .A. Gerald D and Frederick K(1992):

US evaluation of renal transplant. Radiol. Clin. North. AM.30:1053-1066.

Nadasdy T, Ormos J, and Stiller D (1988):

Tubular ultrastructure in rejected human renal allografts.

Ultrastructure Pathol., 12:195.

Nelson TR, and Pretorius DT (1988):

The Doppler signal: Where does it come from and what does it mean?

AJR, 151:439-447.

Nicholson ML, Veitch PS, Donnelly PK and Bell PR (1991):

Urological complications of renal transplantation: The impact of double J. ureteral stents .

Ann. R. Coll. Surg. Engl., 73:316.

Pfister RC, and Newhous JH (1979):

Interventional percutaneous pyeloureteral techniques:

II. Percutaneous nephrostomy and other techniques.

Radiol. Clin. North Am., 17:351-363.

Pingoud EG, Bagley DH, Zemar RK, Glancy KE, and Pais OS (1980):

Percutaneous antegrade bilateral ureteral dilatation and stent placement for internal drainage.

Radiology, 134:780.

Platt JF, Rubin JM, and Eliss JH (1989):

Distinction between obstructive and non-obstructive pyelocaliectasis with duplex Doppler sonography.

AJR, 153:997-1009.

Platt JF, Ellis JH, and Rublin JM (1991):

Renal transplant pyelocaliectasis: Role of duplex Doppler US in evaluation.

Radiology, 179:425-428.

Polak JF (1993):

Arterial sonography. Efficacy for the diagnosis of arterial disease of the lower extremity.

AJR. 161:235.

Pollack EG, and Goldberg BB (1984):

Kidney. Chap.9, In: Abdominal ultrasonography. Second edition

Pollak RI, Vermis SA, and Maddux MS (1988):

The natural history of and therapy for perirenal fluid collection following renal transplant. J. Urol. 140:716-720.

Pozniak MA, Kelcz F, D'Alessandro A, Oberley T, and Stratta R (1992):

Sonography of Renal Transplants in Dogs: The effect of acute tubular necrosis, cyclosporine nephrotoxicity, and acute rejection on resistive index and renal length.

AJR, 158:791-797.

Ramalho E, Carpenter CB, and Myers B (1989):

Immunosuppression in organ transplantation. N. Engl. J. Med, 322:1224-1226

Raval B, Balsara V, and Kim E (1985):

Computed tomography detection of transplant complications .

J. Comput. Tomogr., 9:149-151.

Raynaud A, Bedrossian J, Remy P, Brisset JM, Angel CY, and Gaux JC (1986):

Percutaneous transluminal angioplasty of renal transplant arterial stenosis .

AJR, 146:853-857.

Remuzzi G, and Bertani T (1989):

Renal vascular and thrombotic effect of cyclosporine .

Am. J. Kidney Dis., 13:261-272.

Renigers SA, and Spigos DG (1978):

Pseudoaneurysm of the arterial anastomosis in a renal transplant .
AJR, 131:525-526.

Reuther G, Wanjura D, and Bauer H (1989):

Acute renal vein thrombosis in renal allografts: Detection with duplex Doppler US.,
Radiol., 170:557-8.

Riedinger BA, Tourery C, Chevet D, Toubreau M and Mezeray C (1994):

Normal range of 99mTc-MAG3 renogram parameters in renal transplant recipients .
Transplant Proc., 26(1):301-2.

Rifkin MD, Pasto ME, and Goldberg BB (1985):

Duplex Doppler examination in renal disease: evaluation of vascular involvement.
Ultrasound Med. Biol., 11:341-346.

Rifkin MP, Needleman L, Past ME (1987):

Evaluation of renal transplant rejection by duplex Doppler examination: Value of the resistive index.
AJR, 184:796-99.

Rigotti P, Flechner SMM, Van Buren CT, Payne WT and Kahan BD (1986):

Increased incidence of renal allograft thrombosis under a cyclosporin immunosuppression.

Surgery, 71:38-41.

Rigksent G, Goldman MH and Sais J(1982)

Evaluation of transplant renal artery blood. flow by Doppler sound-spectrum analysis. Arch. Surg.118:415-419

Rigsby CM, Talor KJ, and Wettin G. (1986):

Renal allografts in acute rejection: Evaluation using duplex sonography.

Radiology, 158:343-378.

Rigsby CM, Burns PN, Wltin GG, Chen B, and Taylor KJ (1987):

Doppler signal quantitation in renal allografts: Comparison in normal and rejecting transplants, with pathologic correlation.

Radiology, 162:39-42.

Roberts JP, Ascher NL, and Fryd DS (1989):

Transplant renal artery stenosis .

Transplantation., 4:580-3.

Russell RD (1982):

Embolization and angioplasty to relieve malignant hypertension and azotemia in a renal transplant patient.

Cardiovasc. Intervent. Radiol., 5:307.

Saarinen O (1991):

Diagnostic value of resistive index of renal transplants in the early postoperative period.

Acta Radiologica, 32:166-169.

Saarinen O, Salmela K, and Edgren J (1994):

Doppler ultrasound in the diagnosis of renal transplant artery stenosis- value of resistive index.

Acta Radiologica, 6:586-589.

Sanders JF (1972):

Ultrasound assessments of renal grafts.

J. Urol., 11:342.

Sandra L (1995):

Sonographic anatomy of renal transplant in diagnostic ultrasonography .

p.266-268 Mosby , St. Louis.

Sanger M and Kraner R, (1992):

Biological comparison with ^{131}I - Hippuran and DTPA. J.N.M.
26:375-386

Sayman HB, Sonmezoglu K, Ayaz M and Urgancioglu I (1993):

Functional evaluation of renal transplants with scintigraphy .

J. Nucl. Med., 37(3):115-8.

Shanahan WS, Klingens WC, and Weil R (1981):

99mTc-DTPA renal studies for acute tubular necrosis specificity of dissociation between perfusion and clearance.
AJR., 136:249-253.

Shaw JFL (1992):

Ultrasound assessments of the problem kidney transplant: A surgical prospective.
J. Clin. Ultrasound, 20:553-5.

Sheible F, Pozniac MA, and Oberty TD (1979):

Pyramidal appearance of the renal graft.
AJR, 146:531.

Silver TM, Cambell D and Wicks JD (1981):

Peritransplant fluid collection .
Radiol., 138:145-51.

Simmons RL (1972):

Technique, complications and results.
In: Transplantation. Najarian JS, and Simmons RL (eds.), Lea and Febiger, p.445.

Suider JF, Hunter DW and Morapian GP (1989):

Transplant renal artery stenosis: Evaluation with duplex sonography.
Radiology, 172:1027.

Solomon NA, Sunshin A and Dumne E (1983):

Renal transplantation in diabetic and non-diabetics. The role of radionuclide in assessing graft function .

Diabetic Nephropath., 2:26-35.

Stables DP, Klingensmith WC, and Johnson ML (1979):

Renal transplantation. Chap. 9. In:Diagnostic imaging in renal disease, p.167. Edited by Rosenfield AT, Glickman MG and Hodson J. Appleton-Century-Crofts, New York.

Stavros AT, Parker SH, Yakeo WE and Meyers PR (1992):

Segmental stenosis of renal artery: pattern recognition of tardus and parvus abnormalities with duplex sonography.

Radiology, 184(2):487-92.

Stevens PE, Gwyther SJ, Hanson ME, and Woodrow DF (1993):

Interpretation of duplex Doppler ultrasound in renal transplants in the early postoperative period.

Nephrol. Dial. Transplant, 8:255-258.

Strandness DE Jr (1990):

Duplex in diagnosis of renovascular hypertension.

Surg. Clin. North Am., 70:109-117.

Streem SB and Novick AC (1983):

Pelvic imaging techniques in renal transplantation.

Urol. Clin. N. Am., 10:301-10.

Sonography of complications in pediatric renal allografts.
Radiographics., 10:687-699.

Tauxe WN (1985):

Tubular function .

In:Tauxe WN, Dubovesky EV (eds.), Nuclear Medicine in Clinical
Urology and Nephrol., Appleton Century Crofts, East Norwalk,. 77-
105.

Taylor A (1989):

Radiopharmaceuticals for the measurement of functioning renal mass.

In:Blaufax (ed.), evaluation of renal function and disease with
radionuclides. The upper urinary trac, Karger, Basle, 60-83.

Taylor AJ, Greene I, Eshima D, and Dillehay D (1990):

Preliminary results comparing the extraction efficiencies of ¹³¹I-
OIH and ^{99m}Tc-MAG3 in rat models of ischemia, renal artery
stenosis and cyclosporine toxicity.

Contrib. Nephrol., 79:21-3.

Taylor KJ, and Marks WH (1990):

Use of Doppler imaging for evaluation of dysfunction in Renal
allografts.

AJR, 155:536-537.

Taylor KJ, Holland S, and Doppler US (1990):

Part I. Basic principles, instrumentation and pitfalls.

Radiology, 174:297-307.

Taylor KJ, Morse SS, and Rigsby CM (1985):

Vascular complications in renal allografts. Detection with duplex Doppler US.

Radiology, 162:31.

Terry FM, Taylor KJ and Holland S (1993):

Abdominal Doppler and color flow .

Chap. 21 in Templin BB (ed.): Ultrasound scanning: Principles and Protocols. WB Saunders Co., Philadelphia, p.249-63.

Thomsen HD, Munck O, and Nielsen M (1987):

Use of ^{99m}Tc radionuclides to show nephrotoxicity of cyclosporin A in transplanted kidney.

Acta Radiol., 28:59-61.

Thomsen HS (1995):

Renal transplant evaluation. Murray IP, Ell PJ, and Strauss HW, (eds.). In: Nuclear Medicine in Clinical Diagnosis and treatment. P.339-351 Churchill Livingstone, Edinburgh, London, and Tokyo.

Thomsen HS, Bartram P, and Nielsen SL (1990):

Prospective evaluation of radionuclide monitoring in renal transplantation.

Contrib. Nephrol., 79:108-112.

Thomsen HS, Dorph S, Mygind T, and Holm HH (1985):

The transplanted kidney. Diagnostic interventional radiology.

Acta Radiol. 26:353-367

Thomsen HS, Nielson SL, Larsen S and Lokhegaard H (1987):

Renography and biopsy. Verified acute rejection in renal transplanted patients receiving cyclosporine A .

Eur. J. Nucl. Med., 12:473-6.

Thomsen HS, Lokkegaard H, Nielsen SL and Larsen S (1988):

Postoperative radionuclide monitoring of renal allografts on triple therapy .

Dan. Med. Bull., 35:395-7.

Thorood J, Van Houwelingen HC, Van Rood JJ and Persijn GG(1992):

Long term results of kidney transplantation in Euro-transplant.

In: Paul LC, Salez K (eds). Organ transplantation.

Marcel Dekker, NY, P.33-56.

Treugut H, Nyman U, Hildell J and Husberg B (1983):

Control of renal transplant function by diagnostic imaging.

In:Radiology today, p.67. Edited by Heuck FH, and Donner MW.

Springer Verlag, New York.

Tublin ME., and Dodd GD (1995):

Sonography of Renal Transplantation.

Radiologic Clin. Of North Am., 33(3):447-459.

Tubor N (1997):

Transplantation in renal biopsy. Fred G, Vivette D and Tibor N (eds.), Chap. 14, 373-407. Churchill Livingstone.

Ubhi S, Bick RJ, and Bryan PJ (1987):

Ultrasonographic guided renal biopsy .

Urology, 34:465.

Ubhi CS, Irving HC and Guillou H(1987):

A new technique for renal allograft biopsy.

Br.J. Radiol, 60:599-600

Warshauer DM, Taylor KJ and Westro WN (1988):

Unusual causes of increased vascular impedance in renal transplants:

Duplex Doppler evaluation .

Radiol., 169:367-70.

Wedeen RP and Balufox MD (1989):

The normal renogram .

In:Blaufox MD (ed.), evaluation of renal function and disease with radionuclide: The upper urinary tract., 2nd ed., Karger , Basle, 116-29.

Weiss ER, Bladh WH, Krishnamurthy GT and Winston MA (1972):

The diagnosis of renal transplant rejection in association with acute tubular necrosis using the scintillation camera.

J. Urol., 107:917-921.

Witten M, Tahara H, and Matsura HT (1977):

Tissue characterization of renal graft.

Radiology, 142:345-50.

Zajko AB, McLean GK, and Grossman RA (1982):

Percutaneous transluminat angioplasty and fibrinolytic therapy for renal allograft arterial stenosis and thrombosis.

Transplantation, 33:447.

Zwiebel W and Fruechte, M(1992):

Introduction to vascular ultrasonography .

3rd ed., WB Saunders Co., Chap. 3, p.397.

Voegeli DR, Crummy AB, Mc Dermatt JC, and Jensen SR, (1988):

Percutaneous dilation of ureteral strictures in renal transplant patients.

Radiology, 169:185-188.