




REFERENCES

REFERENCES

- Aagaard. J, Jensen LI, Sorensen TIA, Christensen U, Burcharth F.** Recanalized umbilical vein in portal hypertension. *AJR*; 139: 1107-1109, 1982.
- Abouna G.M.** Liver transplantation. In *Organ Transplantation*. S.N. Chatterjee, ed. Bristol: John Wright & Sons, PP. 282-290, 1942.
- Abrahms HL, et al.** Angiography, 2d ed. Boston: Lill Le, Brown. 1073-1078, 1971.
- Abu-Yousef MM, Milam SG, Farner PM.** Pulsatile portal vein flow: a sign of tricuspid regurgitation on duplex Doppler sonography. *AJR*; 155: 785-788, 1990.
- Allison DJ, Jackson JE,** Arteriography. In Grainger RG, Allison DJ (eds) *Diagnostic Radiology*, 2nd edn. Churchill livingstone, Edinburgh, PP. 2345-2380, 1997.
- Allison DJ, Machan LS,** Arteriography. In Grainger RG, Allison DJ (eds) *Diagnostic Radiology*, 2nd edn. Churchill livingstone, Edinburgh, PP. 2205-2275, 1992.
- Alpern MB, Rubin JM, Williams DM, Capek P.** Porta hepatis Duplex Doppler US with angiographic correlation. *Radiology*; 162: 53-56, 1987.
- Ansell G,** Adverse reactions to contrast agents: scope of the problem. *Intest Radiol* 5: 374-379, 1970.
- Ansell G,** Notes on radiological emergencies 3rd edn. Blackwell Scientific Publications, Oxford. *Media. Radiology* 6: 423-450, 1986.

REFERENCES

- Burchell AR, Moreno AH, Panke WF, Nealon TF.** Hepatic artery flow after portacaval shunt. *Am Surg*, 184: 298, 1976.
- Burchell AR, Panke WF, Moreno AH, Rousselot LM.** The patent umbilical vein in portal hypertension. *Surg Gynecol Obstet*; 130: 77-86, 1976.
- Cameros JM et al.** Hepatic artery anastomotic stenosis after transplantation: detection with duplex Doppler US. *J. Ultrasound Med* 9: S26, 1990.
- Campora JL, Regnolds TB.** The hepatic circulation. In Arias, I, et al, (EDS): *The liver: Biology and pathobiology*. New York, Raven Press, PP. 627-645, 1982.
- Castaldo P, Langnas AN, Stratta RJ, et al.** Successful liver transplantation in patient with thrombosed portomesenteric system after multiple failed shunts. *Am J Gastroenterol*, 506-508, 1991.
- Chan P, Lee CP, Yang CY, Hungats.** Complete membranous obstruction of the inferior vena cava, Clinical characteristics of Chinese patients. *J Intern Med*. Nov.; 234 (5): 501-5, 1993.
- Chapuis L, Gudinchet F.** Meso-atrial shunt for Budd-Chiari syndrome: evaluation of patency by magnetic resonance angiography, with color Doppler ultrasound and angiographic correlation. *Pediatr. Radiol*, 23 (3): 198-9, 1993.
- Chawla A, Deman R, Sarin SK.** The frequency and influence of gall bladder varices on gall bladder function in patients with portal hypertension. *Am J. Gastroenterol*, 90 (11): 2010-4, 1995.

REFERENCES

- (261)

REFERENCES

- Coainaud C.** The hepatic pedicle. I. The intrahepatic portal vein. In: Couinaud C, ed The liver: anatomic and surgical studies. paris: masson, 71-118, 1957.
- Conn HO., Ramsby GR.** Aneurysm of the inferior vena cava after portacaval anastomosis. Surgery, 71: 828, 1972.
- Cosgrove et al.** Abdominal and general ultrasound. Churchill Livingstone. Volume (1) 1993.
- Cosme-Jimenez A, Bujanda-Fernandez-de-Pierola L, Poch-Zapirain M, et al.** Congenital intrahepatic venous shunt as a cause of hepatic encephalopathy. Gastroenterol-Hepatol. Nov; 18 (9): 360-3, 1995.
- Dach JL, Hill MC, Pelaez JC, Le Page JR, Russell E.** Sonography of hypertensive portal venous system: Correlation with arterial portography. AJR 137: 511-517, 1981.
- Dalen K, et al.** Imaging of vascular complications after hepatic transplantation, AJR 150: 1285-1290, 1988.
- Daly JM, Kemeny N, Botet J.** Long term hepatic arterial infusion chemotherapy. Arch Radial. Diagn. 119: 936-941. 1984.
- Daseler, EH, Anson, BJ, Hambley, WC, Reimann, AF.** The cystic artery and constituents of the hepatic pedicle.: A study of 500 specimens. Surg. Gynecol. Obsret. 85: 47-63. 1947.
- Dauzat M, Lafortune M, Patriquin H, et pomier-layrargues S.** Meal induced changes in hepatic and splanchnic circulation: a non invasive Doppler study in normal humans. Eur. J. Appl Physiol; 68 (5): 373-80. 1994.

REFERENCES

- Demos, N.J., J.J. Bahuth, Urnes, P.D.** Comparative study of arteriosclerosis in the inferior and superior mesenteric arteries: With a case report of gangrene of the colon. *Ann. Surg.*, 155: 599-605. 1962.
- Denys A, Lafortune M, Dautat M., Menu. Y.** Arteres digestives, systeme porte et veins hepatique P. 71-88. *Echo-Doppler. Journées Francaises de Radiologie.* Paris, 1995.
- Doehner GA, Ruzicka FF Jr, Rousselot LM, et al.** The portal venous system: on its pathological roentgen anatomy. *Radiology*; 66: 206-217. 1956.
- Dokmeci AK, Kimura K, Matsutani S, et al.** Collateral veins in portal hypertension: demonstration by sonography. *AJR*, 137: 1173-1177. 1981.
- Douglass BE, Bagenstoss AH, Hollinshead WH.** The anatomy of the portal vein and its tributaries. *Surg Gynecol Obstet*, 91: 562-576, 1950.
- Dravid VS, Shaprio MJ, Needleman , Bonn J, Sullivan KL, et al.** Arterial abnormalities following orthotopic liver transplantation: Arteriographic findings and correlations with Doppler sonographic findings. *AJR*, 163: 585-589, 1994.
- Duerinckx A, Grant E, Perrella R, Szeto A, Tessler FN.** The pulsatile portal vein: Correlation of duplex Doppler with right atrial pressures. *Radiology*; 176: 655-658. 1990.
- Dufresne MP, Colombato L, Pomier L.G.** Short-and long-term hemodynamic effects of transjugular intrahepatic porto-systemic shunts: a Doppler/manometric correlative study. *AJR*, 164 (4): 997-1002, 1995.

REFERENCES

- Edwards MJ.** Hyperthermia as a teratogen: a review of experimental studies and their clinical significance. *Teratogenesis Carcinog Mutagen* 6: 593-582, 1986.
- Elias H, Sherrick JC.** Development of the human liver. In: *Morphology of the liver*. New York: Academic Press, 233-261. 1969.
- Elsebai I., Ghoneim M.A.** Urinary diversion following cystectomy. In *Bladder Cancer Vol. 11. Cancer of the Bilharzial Bladder*. Borca Siddharth, P.L. Kornblith W.W. Parks 1963. The variant blood supply to the Colon, FL: CRC Press, Inc., P. 95. 1983.
- Endress C, Kling GA, Medrazo BL.** Diagnosis of hepatic artery aneurysm with portal vein fistula using image-directed Doppler ultrasound. *J Clin ultrasound*; 17: 206-208. 1989.
- Evans H.M, Minot CS, Sabin FR, Tandler J.** Development of the vascular system. In *Manual of human embryology*. Keibel F and Mall FP eds. Philadelphia: JB Lippinocott Co, PP. 642-652, 1912.
- Federle M, Clark R.** Mesenteric varices: A source of mesosystemic shunt and gastrointestinal hemorrhage. *Gastrointest Radiol*. 4: 331-337, 1979.
- Ferral H, Foshager MC, Bjarnason H, et al.** Early sonographic evaluation of the transjugular intrahepatic portosystemic shunt (TIPS). *Cardiovasc intervent Radiol*; 16: 275-279, 1993.
- Flint EW, et al.** Duplex sonography of hepatic artery thrombosis after liver transplantation. *AJR*, 151: 481-483, 1988.

REFERENCES

- Fobbe F, Klews PM, Kubale R, Landwehr P.** System settings and examination technique. In *Color Duplex sonography*. Thieme. 1995.
- Foley WD, Gleysteen JJ, Lawson TL, et al.** Dynamic computed tomography and pulsed Doppler sonography in the evaluation of splenorenal shunt patency. *J Comput Assist Tomogra*; 7: 106-112. 1983.
- Foshager MC, Ferral H, Nazarian GK, Castaned A WR, Letourneau JG.** Duplex sonography after transjugular intrahepatic portosystemic shunts (TIPS): normal hemodynamic findings and efficacy in predicting shunt patency and stenosis. *AJR*, 165 (1): 1-7, 1995.
- Frank JW, Kamath PS, Stanson AW.** Budd-Chiari syndrome: early intervention with angioplasty and thrombolytic therapy. *Mayo Clin Proc.* 69 (9): 877-81. 1994.
- Fraser-Hill MA, Atri M, Bret PM, et al.** Intrahepatic portal venous system: variations demonstrated with Duplex and color Doppler US. *Radiology*; 177: 523-526. 1990.
- Friedrich JM, Regel EPG.** Cruveilhier Baumgarten-syndrome Ohne oesophagusvarizen, *ROFO*, 142: 226-228. 1985.
- Gattoni F, Baldini U, Pompili G, Pazzato C, Ustenghi C.** Abnormalities of the hepatic artery in relation to portal hypertension surgery. Study with angiography and echography. *Radiol Med. Torino*, 85 (4): 421-4, 1993.
- Goldman ML, Sarfef IJ.** Panhepatic angiography in portal hypertension PP 307-250. In *Angiography of vascular disease*. Churchill Livingstone 1985.
- Goldstein GB.** Splenic vein thrombosis causing gastric varices and bleeding. *Am J Gastroenterol*; 58: 319-325, 1972.

REFERENCES

- Goligher, J.** Treatment of carcinoma of the colon. In *Surgery of the Anus, Rectum and Colon*. London: Bailliere Tindall, P. 488. 1984.
- Grainger RG,** Intravascular contrast media. The past, the present and the future. *Br J. Radiol* 55: 1-18, 1982.
- Grant EG, Tessler FN, Gomes AS, et al.** Color Doppler imaging of porto-systemic shunts. *AJR*; 154: 393-397, 1990.
- Gregg FP, Goldstein HM, Wallace S, Casey JH.** Arteriographic demonstration of intravenous tumor extension. *AJR*; 123: 100-105, 1985.
- Grosso M, Splluto F, Veltri A, Bertolino M, Corsico M, Pedrazzini F.** Intrahepatic portosystemic shunts. *Minerva-Chir*, 49 (10 Suppl 1): 69-74, 1994.
- Hall RT, et al.** False-negative duplex Doppler studies in children with hepatic artery thrombosis after liver transplantation, *AJR*; 154: 573-575, 1990.
- Hardy KJ, Jones RM.** Hepatic artery anatomy in relation to reconstruction in liver transplantation: Some unusual variations. *Aust. N.Z. J. Surg.* 64, 437-440, 1994.
- Harward TR, Smith S, Seeger JM.** Detection of celiac axis and superior mesenteric artery occlusive disease with use of abdominal Duplex scanning. *J Vasc Surg.* 738-745, 1993.
- Heaslon DK, Chuang VP, Sallace S, de Sanlos LA.** Metastatic hepatic neoplasms: angiographic features of portal vein involvement. *AJR*; 897-900, 1981.

REFERENCES

- Kadir S**, Digital subtraction angiography. In: Kadir S (ed) Diagnostic Angiography. W.B. Saunders, Philadelphia, PP 103-123, 1986.
- Kao GD, Whittington R. Coia L.** Anatomy of the celiac axis and superior mesenteric artery and its significance in radiation therapy. International journal of Radiation Oncology, Biology, Physics, 25 (1): 131-4, 1993.
- Katayama H, Yamaguchi K, Kozuka T, et al.** Adverse reactions to ionic and non-ionic contrast media. A report from the Japanese committee on the safety of contrast Media. Radiology 175: 621-628, 1990
- Katzen BT**, Current status of digital angiography in vascular imaging. Radiol Clin North Am. 33: 1-14.
- Kemeny MM, Hogan JM, Goldberg DA, et al.** Continuous hepatic artery infusion with an implantable pump: problems with hepatic arterial anomalies Surgery; 99: 501-504, 1986.
- Kolmannskog JA, Jakobsen E, and Bergan A.** Duplex Doppler sonography and angiography in the evaluation for liver transplantation Acta Radiologica 1994, 35 (1), 1-5.
- Koolpe HA, Emil W, Koolpe L. et al.** Hemodynamic guidelines for surgical therapy of portal hypertension. Ann Surg, 194: 553-561, 1981.
- Koolpe HA, Koolpe L.** Portal hypertension: Angiographic and hemodynamic evaluation. The Radiologic clinics of North America, 24 (3): 369-382, 1986.
- Kornblith PL, Boley SJ, Whitehouse BS.** Anatomy of the splanchnic circulation. Surg Clin of North America, 72 (1), 1992.

REFERENCES

- Kraus BB, ROS PR, Abbitt PL, Kerns PL, Sabatelli FW.** Comparison of ultrasound, CT, MR imaging in the evaluation of candidates for TIPS. *J Magn Reson Imaging*, 5 (5): 571-8, 1995.
- Kremku FW.** Diagnostic ultrasound principles, instruments, examples, ed 3, Philadelphia, WB Sawnders, 1989.
- Kubale R.** Color Duplex sonography: Principles and clinical applications. Thieme. Stullgart. New York, 155. 1995.
- Kudo M, Tomila S, Tochio H, Minoma K, Todo K.** Intrahepatic portosystemic venous shunt: Diagnosis by Color Doppler imaging. *Am, J. Gastroentology*; 88 (5): 723-27, 1993.
- Lafortune M, Martinet JP- Demys A, Patriquin H, Dauzat M, et al.** Interposition mesocaval shunt for treatment of portal hypertension. *Ann Surg*, 146: 435-448, 1972.
- Lafortune M, Martinet JP, Denys A, Patriquin H, Dauzat M, et al.** Short-and long-term hemodynamic effect of tranjugular intrahepatic protosystemic shunts: A Doppler/manometric colrelative study. *AM J. Roentgenol* 164 (4): 997-1002, 1995.
- Langer R, Langer M, Neuhaus R, Scholtz A, Felix R.** Angiographische diagnostic bei lebertransplantation. Teil: Evaluation vor transplantation. *Digit. Bilddiagn.* 10, 62, 1990.
- Langnas AN, Mango W, Sarata RJ, et al.** Hepatic allograft rescue following arterial thrombosis. Role of urgent revascularization. *Transplant* 51 : 86-90 1991.
- Linberg B.** Diagnosis of portal hypertension by Duplex sonography (abstr). *J ultrasound Med*; 10: 525, 1991.

REFERENCES

- Michels NA.** Newer anatomy of the liver and its variant blood supply and collateral circulation. *Am J. Surg*; 112; 337-347, 1962.
- Middleton WD, Erickson S, Melson GL.** Perivascular color artifact: pathologic significance and appearance on color Doppler US images. *Radiology*; 171: 647-652, 1989.
- Millener P., Grant EG., Rose S., Duerinckx A. et al.** Color Doppler imaging findings in patients with Budd-Chiari syndrome: Correlation with venographic findings. *AJR*, 161 (2): 307-12, 1993.
- Miller MW, Ziskin MC.** Biological consequences of hyperthermia. *Ultrasound Med Biol* 15: 707-722, 1989.
- Milliken WJ, Warren WD, Henderson M, et al.** The emory prospective randomized trial: Selective versus nonselective shunt control of variceal bleeding. Ten year follow-up. *Ann Surg*, 201: 712-722, 1985.
- Mirk P, Cotroneo AR, Palazzoni G, Bock E.** Doppler ultrasonography assessment of the inferior mesenteric artery. Feasibility of study and definition of morphologic and flowmetric characteristic. *Radiologia Medica*. March, 87 (3): 275-82, 1994.
- Mitchell DG.** Color Doppler imaging: Principles, Limitation, and artifacts. *Radiology*; 177: 1-10, 1990.
- Moncure A, Waltman A, Vandersalm T, et al.** Gastrointestinal hemorrhage from adhesion related mesenteric varices. *Ann. Surg*, 183 (1): 24-29; 1975.
- Moneta GL, Lee RW, Yeager RA, Taylor LM, Porter JM.** Mesenteric Duplex scanning: A blinded prospective study. *Journal of Vascular Surgery*, 17 (1): 79-84, 1993.

REFERENCES

- Nelson MT, Pillak R, Jonasson and Abcarian.** Anatomic variants of the celiac, superior mesenteric and inferior mesenteric arteries and their clinical relevance. *Clinical anatomy* 1: 75-91, 1988.
- Niederhuber JE, Ensminger WD.** Surgical considerations in the management of hepatic neoplasia. *Semin Oncol*; 10: 135-147, 1983.
- Noah EM, Klinzing S, Zwaan M, Schramm U, Bruch HP, Weiss HD.** Splanchnic arterial anatomy. *Anat Anz*, 177 (4): 305-12, Abstract, 1995.
- Nunnerley HB,** Angiography in: Nilkins RA, Nunnerley HB (eds) imaging of the liver, pancreas and spleen. Blackwell scientific. Oxford, PP. 39-45, 1990.
- Ogawa K, Naritaka Y, Shimakawa T, Wagatsuma Y, Kalsube T, Kajiwarra T, iwata Y, Oi I, Toda J.** Portal hemodynamic changes from TIPS-evaluation with pulse Doppler method. *Am. J. Gastroenterol.* (4): 170-5, 1994.
- Ohta M, Hashizume M, Tomikawa M, veno K, Tanoue K, Sugimachi K.** Analysis of hepatic vein waveform by Doppler ultrasonography in 100 patients with portal hypertension. *Am. J. Gastroenterol.* Feb.; 89 (2): 170-5, 1994.
- Ozaki CF, Anderson JC, Lieberman RP, et al.** Duplex ultrasonography as a noninvasive technique for assessing portal hemodynamics. *Am J Surg*; 155: 70-75, 1988.
- Parker RGF.** Occlusion of the hepatic veins in man, *Medicine* 38: 369-402, 1959.
- Parvey HR, Raval B, Sandler CM** portal vein thrombosis: Imaging findings *AJR*; 162: 77-81, 1994.

REFERENCES

- Reynolds, T.B.** The role of hemodynamic measurements in portosystemic shunt surgery. *Arch. Surg*, 108: 276-281, 1974.
- Rikkers L.** Surgical complications of cirrhosis and portal hypertension. In *Isabiston, D.C (Ed.): Textbook of Surgery, Saunders: 1015-1029 (199).*
- Rikkers LF, Rudman D, Galambos JT et al.** A randomized, controlled trial of the distal splenorenal shunt. *Ann Surg*, 188: 271-282, 1978.
- Roi DJ.** Ultrasound anatomy of the left gastric vein. *Clin Radiol*. 47 (6): 396-8, 1993.
- Rosemurgy AS; McAccister EW; Goode SE.** Direction or reversal of preshunt portal blood flow as determinants of outcome up to 1 year after small-diameter pH-graft portacaval shunt. *J Surg Res*, 58 (4): 432-4, 1995.
- Rong GH, Sindelar WF.** Aberrant peripancreatic arterial anatomy: Considerations in performing pancreatotomy for malignant neoplasms. *Am Surg*: 53, 726-729, 1987.
- Roobottom CA, Dubbins PA.** Significant disease of the celiac and superior mesenteric arteries in asymptomatic patients: predictive value of Doppler sonography *AJR*, 161 (5): 985-8, 1993.
- Ruzicka FF, Rossi P.** Arterial portography: Patterns of venous flow. *Radiology*, 92: 777-787, 1969.
- Rygarrrd H, Forrest M, Mygind T, Baden H.** Anatomic variants of the hepatic arteries. *Acta Radiol. Diag*; 27: 425-427, 1986.

REFERENCES

- Sakai T, Katah T, A sada K, yagi K and yoshida R.** Portal hepatic venous shunt via an intrahepatic portal vein aneurysm. *Internal Medicine*. 31 (7): 899-903, 1992.
- Salam AA, Warren WD, Tyras DH.** Splenic vein thrombosis: A diagnosable and curable form of portal hypertension, *Surgery*, 74 (6): 961-972, 1973.
- Schabel SI, Rittenberg GM, Javid LH, Cunningham J, Ross P.** The "Bull's eye" falciform ligament: a sonographic finding of portal hypertension. *Radiology*; 136; 157-159, 1980.
- Scott WW, Harrington DP, Siegelman SS.** Functional abnormalities of mesenteric blood flow, a guide to organic disease of the bowel. *Gastrointest Radiol* 1, 367-374, 1977.
- Serrien B, Rigauts H, Marchel G, Lambrechts P.** Congenital intrahepatic porto-systemic shunt J. *Belge de Radiologie*. 75 (6): 492-4, 1992.
- Shackelford, RT.** Reconstruction of the esophagus: In *Surgery of the Alimentary Tract*. Philadelphia: W.B. Saunders Co., PP. 881-896, 1978.
- Shaked A, Busuttil RW.** Liver transplantation in patients with portal vein thrombosis and central portocaval shunts. *Ann surg* ; 414: 696-702, 1991.
- Snell SR.** Abdominal anatomy. In *Snell SR: Clinical anatomy for medical students*, Boston. Little, Brown and Company P. 205-209: 213, 1991.
- Sterling KM, Darcy MD.** Stenosis of transjugular intrahepatic portosystemic shunts: Presentation and management. *AJR*; 168 : 239-244, 1997.

REFERENCES

- Tey PH, Sprayregen S, Afazal A, Chan KF.** Mesenteric vein thrombosis: Angiography in two cases. *AJR*, 136: 809-811, 1981.
- Tranquet T, Bescos, JM, Reparaz, B.** Non invasive methods in the diagnosis of isolated superior mesenteric vein thrombosis: US & CT Gastrointest. Radiol. 14; 321-325, 1989.
- Turcotte JG, Wallin WV, Child CG.** End-to-side versus side-to-side portacaval shunts in patients with hepatic cirrhosis. *Am J Surg*, 117: 108, 1969.
- Tylen U, Simert G, Vany J.** Hemodynamic changes after distal splenorenal shunt studied by segmental angiography. *Radiology*, 121: 585, 1976.
- Van Gansbeke D, Avni EF, Delcour C, Engelholm L, Struyven J.** Sonographic features of portal vein thrombosis. *AJR*; 144: 749-752, 1985.
- Veltri A, Corsico M, Marchisio F, Pedrazzini F, Spalluto F, Grosso M, Fava C.** Assessment of TIPS malfunction by Color Doppler Radiol Med Torino, 88 (6): 827-33, 1994.
- Vogelzang RL, Gore RM, Anschuetz SL, Blei AT.** Thrombosis of the splanchnic veins: CT diagnosis. *AJR*, 150: 93-96, 1988.
- Wachsberg RH, Simmous MZ.** Coronary vein diameter and flow direction in patients with portal hypertension: Evaluation with duplex sonography and correlation with variceal bleeding, *AJR*, 162: 637-641, 1994.
- Watson RC, Baltaxe HA.** The angiographic appearance of primary and secondary tumors of the liver. *Radiology*; 101: 539-548, 1971.

REFERENCES

- Widrich WC, Robbins AH, Nabseth DC, et al.** Pitfalls of transhepatic portal venography and therapeutic coronary vein occlusion. *Am J Roentgenol*, 131: 637-643, 1978.
- Wiersema MJ, Chak A, Kopecky KK, Wiersma LM.** Duplex Doppler endosonography in the diagnosis of splenic vein, portal vein and portosystemic shunt thrombosis. *Gastrointest Endosc*, 42 (1): 19-26, 1995.
- Williams DM, Cho KJ, Aisen AM, Eckhauses FE.** Portal hypertension evaluated by MR imaging. *Radiology*; 157: 703-706, 1985.
- Worzney P, et al.** vascular complications after liver transplantation: a 5-year experience; *AJR* 147: 657-663, 1986.
- Yamanaka N, Okamoto E.** Conditions favoring long-term survival after hepatectomy for hepatocellular carcinomas. *Cancer chemother Pharmacol*; 23: 583-586, 1989.
- Yan H, Kane KoM, Kato T. Takahashi M, Takai M. Nishimura T.** Relationship of the celiac and superior mesenteric arteries to the vertebral bodies and its clinical significance. *Radiation Medicine*. 12 (3): 105-9, 1994.
- Zajko AB, Bron KM.** Vascular complications in liver transplant recipient. Angiographic diagnosis and treatment. *Semin Intervent Radiol*, 9: 270-281, 1992.
- Zemel G, Becker GJ, Bancroft JF, Katzen BT.** Technical advances in transjugular intrahepatic portosystemic shunts. *Radiographics*; 12: 615-622, 1992.
- Zirinsky K, Markisz JA, Rubenstein WA.** MR: imaging of portal venous thrombosis: Correlation with CT and sonography. *AJR*; 150: 283-288, 1988.