

## REFERENCES

## References

REFERENCES

- 1-Ackermann H, Vogel M, Petersen D, et al: Speech deficits in ischemic cerebellar lesions. J-Neurol. 1992 Apr; 239(4): 223-7.
- 2-Ahmadi J, Miller CA, Segall HD, et al: CT patterns in histologically complex cavernous hemangiomas. AJNR 1985; 6: 389-393.
- 3-Ahn CB, Lee SY, Nalcioğlu O, et al: An improved NMR diffusion coefficient imaging method using an optimi pulse sequence. Med. Phy 13: 789, 1986.
- 4-Ahn CB, Lee SY, Nalcioğlu O, et al: The effects of random directional distributed flow in NMR imaging. Med. Phy 14:43, 1987.
- 5-Allcock JM. Aneurysms. In: Newton TH, Potts DG (eds) Radiology of the skull and the brain, Vol 2, Book 4. Mosby, ST. Louis 1974, pp 2435-2489.
- 6-Alvarez O, Hyman RA.: Even-Echo rephasing in the diagnosis of giant intracranial aneurysm. J. Comput Assisst Tomog 10 : 699-701 , 1986.
- 7-Amer A: CT of tumours along the visual sensory pathway. M.Sc. Thesis Cairo 1989 P64.
- 8-Anderson CH.M, Saloner D, Tsuruda J.S, et al : Artifacts in Maximum Intensity Projection Display of MR angiograms. AJR 154: 623-629, March 1990.
- 9-Arlart IP, Guhl L, Ulbrich D, et al: 2D-time-of-flight MR angiography in the diagnosis of abdominal aorta aneurysms. Radiology. 1993 Jul; 33(7): 420-6.
- 10-Arlart IP, Guhl L, and Edelman RR : Magnetic resonance angiography of the renal veins and the vena cava inferior for the staging of renal cell carcinoma. Rofo-Fortschr-Geb-Rontgenstr-Neuen-Bildgeb-Verfahr. 1992 Dec; 157(216):584-90.
- 11-Arlart IP, Guhl L, Fauser L, et al: MR angiography of the abdominal aorta. Rofo-Fortschr-Geb-Rontgenstr-Neuen-Bildgeb-Verfahr. 1991 May; 154(5):488-94.
- 12-Arlart IP, Guhl L, and Hausmann R: The evaluation of 2D- and 3D-"time of flight" magnetic resonance angiography (MRA) in the diagnosis of renal artery stenosis. Rofo-Fortschr-Geb-Rontgenstr-Neuen-Bildgeb-Verfahr. 1992 Jul; 157(1): 59-64.

## References

- 13-Arlart IP, Guhl L, Fauser L, et al: MR angiography of the abdominal veins. Radiology 1991 Apr; 31(4): 192-201.
- 14-Arlart IP, Guhl L, and Edelman RR: Magnetic resonance angiography of the abdominal aorta. Cardiovasc-Intervent-Radiol. 1992 Jan-Feb; 15(1) :43-50.
- 15-Atlas SW. : MR Angiography in Neurologic Disease. Radiology 1994; 193:1-16.
- 16-Atlas SW, Listerud J, Chung V, et al: Depiction on MR angiograms with a multifeature-extraction-ray-tracing postprocessing algorithm. Radiology 1994;192:129-139.
- 17-Atlas SW, Mark A, Grossman R, et al: Intracranial hemorrhage: Gradient-Echo MR Imaging at 1.5 T. Comparison with Spin-Echo Imaging and clinical applications. Radiology 1988; 168 : 803-807.
- 18-Atlas SW, Grossman R, Hackney DB, et al: Calcified intracranial lesions. Detection with gradient-echo acquisition rapid MR imaging. AJNR 1988; 9:253-259.
- 19-Atlas SW, Mark A, Fram E, et al: Vascular Intracranial lesions : Applications of Gradient-Echo MR Imaging. Radiology 1988b; 169 : 455-461.
- 20-Augustyn GT, Scott JA, Olson E, et al: Cerebral venous angiomas: MR imaging: Radiology 1985 ; 156: 391-395.
- 21-Axel L.: Blood flow effects in magnetic resonance. AJR 1984 ; 143 : 1157-1166.
- 22-Bailes DR, Young IR, Thomas DJ, et al: NMR imaging of the brain using spin-echo sequences. Clin Radiol 1982; 33:395-414.
- 23-Barnes DE. :MRA and Fast spin-echo ready for clinical use, Conference coverage: Results of clinical studies presented at the RSNA meeting help define roles for promising new MR techniques. Diagnostic Imaging International Jan/Feb. 1992 12-19.
- 24-Barth K, Deimling M, Friyschy P, et al: Visualization and measurement of flow with MRI. Biomed Tech 30: 12-17, 1985.

## References

- 25-Bauer VM, Einhupl K, Heywang SH, et al: MR of venous sinus thrombosis: a case report. AJNR 1987; 8: 713-715.
- 26-Ben Amor M, Marion CH, and Heldt N. (1971) Normal and pathological radio-anatomy of the superior choroidal vein. Neuroradiology 3, 16.
- 27-Bihan DL, Breton E, Lallemand D, et al: MRI of intravoxel incoherent motions : Applications to diffusion and perfusion in neurologic disorders. Radiology 161: 401-407, 1986.
- 28-Bihan DL.: Intravoxel incoherent motion imaging using steady-state free precession. Mag Res Med 7: 346-351, 1988.
- 29-Bilaniuk LT, Patel S, Zimmerman RA. Computed tomography of systemic lupus erythrematosus. Radiology 1977; 124: 119-121.
- 30-Blatter DD, Parker DL, and Robinson RO.: Cerebral MR angiography with multiple overlapping thin slab acquisition. Part I. Quantitative analysis of vessel visibility. Radiology 1991; 179: 805-811.
- 31-Blatter DD, Parker DL, Ahn SS, et al. Cerebral MR angiography with multiple overlapping thin slab acquisition. Part II. Early clinical experience. Radiology 1992; 183: 379-389.
- 32-Bohing DE.: Basis of MR angiography in Yoganathan A.P., Lanzer P. (eds). Vascular imaging by color doppler & magnetic resonance. Springer Verlag Press. Berlin 1991 156-208.
- 33-Bontozoglou N, Spanos H, Lasjaunias P. et al: Three dimensional display of the orifice of intracranial aneurysms: a new potential application for magnetic resonance angiography. Neuroradiology 1994 36: 346-349.
- 34-Bradley WG, Waluch V. Blood flow: magnetic resonance imaging. Radiology. 1985 ; 154: 443-450.
- 35-Bradley WG, Schmidt PC.: Effect of methemoglobin formation on the MR appearance of subarachnoid hemorrhage. Radiology 1985; 156 : 99-103.
- 36-Bradley WG. : Magnetic resonance imaging of the central nervous system. Neurol Res 1984; 6: 91-106.

## References

- 37-Bradley WG, Waluch V, Lai K, et al: The appearance of rapidly flowing blood on magnetic resonance images. AJR 1984; 143: 1167-74.
- 38-Bradley WG.: Magnetic Resonance Appearance of flowing blood and Cerebrospinal fluid. In Brant-Zawadzki M., Norman D. (eds), Magnetic Resonance Imaging of the Central Nervous System. Raven Press, New York 1987 P 83.
- 39-Bradley WG.: Pathophysiologic correlates of signal alterations. In Brant-Zawadzki., Norman. (eds). Magnetic Resonance Imaging of the Central Nervous System. Raven press New York 1987 P33-37.
- 40-Brooks RA, Battocletti JH, Saucers A, et al: Nuclear magnetic relaxation in blood: IEEE Trans Biomed Engng 1975; 1: 12-18.
- 41-Buonanno FS, Moody DM, Ball MR, et al: Computed cranial tomographic findings in cerebral sinovenous occlusion. J Comput Assist Tomogr 1978; 2 :281-290.
- 42-Burger R, Hassler W, Petersen D,: Transcranial Doppler investigation in traumatic carotid-cavernous sinus fistula. J-Ultrasound-Med 1993 Sep; 12(9): 556-8.
- 43-Burt TB: MR of CSF flow phenomenon mimicking basilar artery aneurysm AJNR 8 : 55-58, 1987.
- 44-Bydder GM, Felix R, and B)chler E. (eds). Contrast media in MRI. International work shop, Schering Berlin Februar 1-3 1990.
- 45-Bydder GM, Steiner RE, Young IR, et al: Clinical NMR imaging of the brain: 140 cases. AJR 1982; 139: 215-36.
- 46-Bydder GM, Young IR: Clinical use of the partial saturation recovery sequences in MR imaging. J Comput Assist Tomogr 1985; 9 : 1020-1032.
- 47-Camaras LR, Reicher MA, Bentson JR et al: Partially thrombosed giant aneurysm simulating an arteiovenous malformation on MR imaging. Case report. J Comput Assist Tomogr 1987; 11: 326-328.
- 48-Cammarata C, Han JS, Haaga JR, et al: Cerebral venous angiomas imaged by MR. Radiology 1985; 155: 639-643.

## References

- 49-Casey S, Alberico R, Patel Mahendra et al: Cerebral CT venography. Radiology 1996; 198: 163-170.
- 50-Chiriac V, Frasin CH, and Chiriac R. (1972). Variet  t des Sinus dur  e matris des oberen aboralen Gruppe. Anat. Anz 130, 526.
- 51-Chung W, Listerud J, Atlas S.: Contrast material-enhanced MR angiography for intracranial aneurysms with 3D time-of-flight and 3D phase contrast techniques. Radiology 1992;185(P): 121.
- 52-Cohen JM., Weinreb JC, and Redman HC. Arteriovenous malformations of the extremities. MR imaging. Radiology 1986; 158: 475-9.
- 53-Cravioto H, Feigin I: Noninfectious granulomatous angitis with a predilection for the nervous system. Neurology 1959;9:599-609.
- 54-Cupps TR, Moore PM, and Fauci AS. Isolated angitis of the central nervous system. Am J Med 1983;74:97-105.
- 55-Czervionke LF, Daniels DL.: Cervical spine anatomy and pathologic processes, applications of new MR imaging techniques. Imaging in Neuro-radiology Part II, The Radiologic Clinics of North America Vol.26/Number 5, September 1988.
- 56-De Dominicis R, Bufalini GN, and Ragognini G. (1964) II Flebogramma cerebrale nei suoi aspetti morfologici funzionali. Nunt.radiol. (Roma) 30,1.
- 57-Delapaz RL, New PFJ, Buonanno FS et al: NMR imaging of intracranial hemorrhage. J Comput Assist Tomog 1984; 8: 599-607.
- 58-Diem K, Lentner C.(eds): Scientific Tables. 7th ed. Ardsley,Geigy pharmaceuticals. 1970, pp 561-617.
- 59-Dixon WT, Du LN, Faul DD, et al: Projection angiograms of blood labeled by adiabatic fast passage. Mag Res Med 3: 454-462, 1986.
- 60-Drayer B, Burger P, Darwin R, et al: Magnetic resonance imaging of the brain iron. AJNR 1986; 7: 373-380.
- 61-Dumoulin CL, Hart HR.: Magnetic Resonance Angiography. Radiology 161: 717-720, 1986.

## References

- 62-Dumoulin CL, Souza SP, Walker MF, et al: Three dimensional phase contrast angiography. Magn. Reson in Medecine 9. 139-149 (1989).
- 63-Dumoulin CL, Souza SP, Walker MF, et al: Time resolved MR angiography. Mag Res Med 6:275-286, 1988.
- 64-Edelman RR.: The clinicians guide to the theory and practice of NMR scanning. In: FESN Foundation pour L'Etude du Syst(me Nerveux (eds). Discussions in Neurosciences. Switzerland Jan. P17 Vol I, 1984.
- 65-Edelman RR, Ahn SS, Chien D, et al: Improved time-of-flight MR angiography of the brain with magnetization transfer contrast. Radiology 1992; 184:395-399.
- 66-Edelman RR, Atkinson DJ, Silver SM, et al: FRODO Pulse Sequences. A new means of eliminating motion, flow and wraparound artifacts. Radiology 1988; 166: 231-236.
- 67-Edelman RR, Johnsan K, Buxton R, et al: MR of hemorrhage: A new approach. AJNR 1986; 7: 751-756.
- 68-Edelman RR, Mattle HP, Atkinson DJ, et al: MR angiography "Review Article". AJR 154: 937-946, May 1990.
- 69-Edelman RR, Mattle HP, Kleefield J, et al: Quantification of blood flow with dynamic MR imaging and presaturation bolus tracking. Radiology 1989; 171: 551-556.
- 70-Edelman RR, Mattle HP, O'Reilly GV, et al: Magnetic Resonance Imaging of flow dynamics in the Circle of Willis. Stroke 1990; 21 : 56-65.
- 71-Edelman RR, Mattle HP, Wallner B, et al: Extracranial Carotid Arteries: Evaluation with "Black Blood" MR angiography. Radiology 1990; 177: 45-50.
- 72-Edelman RR, Rubin JB, and Buxton RB: Flow In Edelman RR, Hessellink JR. (eds). Clinical Magnetic Resonance Imaging. W.B. Saunders company 1990, P 109-210.
- 73-Edelman RR, Wentz KU, and Mattle H.: Projection arteriography and venography. Initial clinical results using MR. Radiology 172 : 351-357, 1989.

## References

- 74-ElMohamed A, Hempel KJ. (1966) Über die Typenhäufigkeit des Confluens sinuum beim Menschen. Frankf.Z. Path. 75, 321.
- 75-Evan A, Herfkens R, Spritzer CE, et al. The effects of turbulent flow on MRI signal intensity using gradient refocused echoes. In book of abstracts: Society of Magnetic Resonance in medicine 1987. Vol I Berkely, Calif: Society of Magnetic Resonance in Medicine, 1987; 354.
- 76-Felmlee JP, Ehman RL.: Spatial presaturation: A method for suppressing flow artifacts and improving depiction of vascular anatomy in MRI. Radiology 164: 559-564, 1987.
- 77-Finnie M, Fullerton GD, and Cameron IL.: Molecular masking and unmasking of the paramagnetic effect of iron on the proton spin-lattice (T1) relaxation time in blood and blood clots. Mag Res Imag 4: 305-310, 1986.
- 78-Foo TFK, Perman YM, Poom CSO, et al: Projection flow imaging by bolus tracking using simulated echoes. Mag Res Med 1989; 9: 203-218.
- 79-Ford RG, Siekert RG. Central nervous system manifestations of periarthritis nodosa. Neurology 1965; 15: 115-122.
- 80-Friedman GB, Sandhu HS.: NMR in blood. Mag Res Rev 6: 247-307, 1981.
- 81-Fujisawa I, Asato R, Nishimura K, et al: Moyamoya disease: MR imaging Radiology 164: 103-105, 1987.
- 82-Ga'llego J, Soriano G, Zubieta J.L., et al: Magnetic resonance angiography in meningovascular syphilis. Neuroradiology 1994 36: 208-209.
- 83-Gasparotti R, Gualandi GF, Orlandini A, et al: Three dimensional MR angiography in the study of intracranial neoplasms. Neuroradiology 1991 33: 387-389.
- 84-Gejrot T, Lauren T.: Retrograde venography of the internal jugular veins and transverse sinuses. Acta Otolaryng. (Stockh.) 57, 1 (1964).



## References

- 85-George CR, Jacobs G, Mac Intyre WJ, et al: Magnetic resonance signal intensity patterns obtained from continuous pulsatile flow models. *Radiology* 151: 421-7, 1984.
- 86-Gloger S, Gloger A, Vogt H, et al: Computer-assisted 3D reconstruction of the terminal branches of the cerebral arteries I. Anterior cerebral artery. *Neuroradiology* 1994. 36: 173-180.
- 87-Goldberg HI, Grossman RI, Gomori JM, et al: Cervical internal carotid artery dissecting hemorrhage: Diagnosis using MR. *Radiology* 158: 157-161, 1985.
- 88-Gomori JM, Grossman RI, Golberg HI, et al: Intracranial hematomas: imaging by high field MR. *Radiology* 157: 87-93, 1985.
- 89-Gomori JM, Grossman RI, Goldberg HI, et al: Occult cerebral vascular malformations: high field imaging. *Radiology* 1986; 158: 707-713.
- 90-Greenan TJ, Grossman RI, and Goldberg HI.: Cerebral vasculitis : MR imaging and angiographic correlation. *Radiology* 1992;182: 65-72.
- 91-Guhl L, Arlart IP: Magnetic resonance angiography. Basics, techniques, applications. *Rontgenpraxis*. 1992 Jan; 45(1): 16-23.
- 92-Haacke EM, Tkach JA, and Parrish TB.: Reduction of T2\* dephasing in gradient field-echo imaging. *Radiology* 170: 457-462 1989.
- 93-Haase A, Frahm J, Matthaei D, et al: FLASH imaging: rapid NMR imaging using low flip angle pulses. *J Magn Reson* 1986; 67: 258-266.
- 94-Hackney DB, Lesnick LE, Zimmerman RA, et al. MR identification of bleeding site in subarachnoid hemorrhage with multiple intracranial aneurysms. Case report. *J Comput Assist Tomogr*, 1986 10: 878-880.
- 95-Hahn FJ, Chu Wk, Coleman P.E, et al: Artifacts and diagnostic pitfalls on Magnetic Resonance Imaging: A clinical review. *Imaging in Neuro-radiology Part I, The Radiologic Clinics of North America* Vol.26, Number 4 P732, July 1988.

## References

- 96-Hahn FJ, Ong E, McComb R, et al: Peripheral signal void ring in giant vertebral aneurysm: MR and pathology findings. Case report. J Comput Assist Tomogr, 1986; 10:1036-138.
- 97-Hahn HL. Spin Echoes: Phys Rev 1950; 80: 580-594.
- 98-Hale JD, Valk PE, Watts JC, et al: MRI of blood vessels using three dimensional reconstruction: Methodology. Radiology 157: 727-733, 1985.
- 99-Han JS, Benson JE, Bonstelle CT, et al: Magnetic resonant imaging of the orbit: a preliminary experience. Radiology: 1984; 150: 755-759.
- 100-Harrison MJG, Marshall J.: Does the geometry of the carotid bifurcation affect its predisposition to atheroma?. Stroke 14: 117. 1983.
- 101-Hawkes RC, Holland GN, Moore WS, et al: Nuclear Magnetic Resonance of the brain: A preliminary clinical assessment with demonstration of pathology. J. Comput Assisst Tomogr 1980; 4: 577-586.
- 102-Heiserman JE, Drayer BP, Keller PJ, et al: Intracranial vascular stenosis and occlusion: evaluation with three dimensional time-of-flight angiography. Radiology 1992; 185:667-673.
- 103-Houtteville JP. Les cavernomes intracraniens. In: Cohadon F, ed. Tumeurs du syst(me nerveux et de ses enveloppes. Paris: Flammarion, 1989; 496-507.
- 104-Hoyt WF, Newton TH, and Margolis MT: The posterior cerebral artery:section I-embryology and developmental anomalies. In:Newton TH., Potts DG., eds. Radiology of the skull and brain. Vol 2, angiography. New York: Mosby, 1974; 1540-1550.
- 105-Hu X, Tan K, Alperin N, et al: An integrated 3-D display of intracranial vasculature and the brain surface created by volume rendering MR data (abstr). In book of abstracts for SMRM 8th annual meeting San Diego: Society of magnetic resonance in Medicine 1989 : 869.

## References

- 106-Kataoka S, Hirose G, and Tsukada K.: Brain stem type neuro-Behget's syndrome: correlation of enhanced CT scans and MRI during the acute and chronic stage of the illness. *Neuroradiology* 1989; 31: 258-262.
- 107-Kaye BR, Fainstat M.: Cerebral vasculitis associated with cocaine abuse. *JAMA* 1987; 258: 2014-2016.
- 108-Kett H, Prill C.: Physical principles and signal behaviour in Magnetic Resonance Imaging. In Breit A. (ed) *Magnetic resonance in Oncology*, Springer-Verlag Berlin Heidelberg New York London Paris, P4, 1990.
- 109-King J, Richards M, and Tress B: Cerebral arteritis associated with heroin abuse. *Med J Aust* 1978; 2: 444-445.
- 110-Klose U, Petersen D. :The detailed imaging of vessels in MR angiography via projections from irregularly restricted data sets. *Rofo-Fortschr-Geb-Rontgenstr-Neuen-Bildgeb-Verfahr.* 1992 May; 156(5): 482-6.
- 111-Kneeland JB, Shimakawa A, and Wehrli FW.: Effect of intersection spacing on MR image contrast and study time. *Radiology* 1986; 158: 819-822.
- 112-Koenig SH, Brown RD, and Lindstrom TR. : Interactions of solvent with heme region of methemoglobin and fluoro-methemoglobin. *Biophys. J.* 1981; (34): 397-408.
- 113-Korogi Y, Takahashi M, Mabuchi N, et al: Intracranial vascular stenosis and occlusion: Diagnostic accuracy of three dimensional, fourier transform, time-of-flight MR angiography. *Radiology* 1994; 193: 187-193.
- 114-Korogi Y, Takahashi M, Mabuchi N, et al: Intracranial aneurysms: Diagnostic accuracy of three-dimensional, fourier transform, time-of-flight MR angiography. *Radiology* 1994; 193: 181-186.
- 115-Krendel DA, Ditter SM, Frankel MR, et al: Biopsy proven cerebral vasculitis associated with cocaine abuse. *Neurology* 1990; 40: 1092-1094.

## References

- 116-Kucharczyk W, Lemme-Pleghos L, Uske A, et al: Intracranial vascular malformations. MR and CT Imaging. Radiology 1985; 156: 383-389.
- 117-Labato RD, Perez C, Rivas JJ, Cordobes F: Clinical radiological and pathological spectrum of angiographically occult intracranial vascular malformations. J Neurosurg 1988; 68: 518-531.
- 118-Lasjaunias P, Berenstein A: Surgical neuroangiography 2 endovascular treatment of craniofacial lesions. Springer-Verlag (publishers) 1987 Berlin. P270-280.
- 119-Laub GA, Kaiser WA.: MR angiography with gradient motion refocusing. J Comput Assist Tomog 1988; 12: 378-382.
- 120-Lee BCP, Herzberg L, Zimmerman RD, et al: MR imaging of cerebral vascular malformations. AJNR 1985, 6: 863-870.
- 121-Lindgren E., (1954) Röntgenologie einschließlich Kontrastmethoden (in : Handbuch der Neurochirurgie, Vol. 2. Ed. by Olivercrona H. and Tönnis W.) Springer, Berlin-Göttingen-Heidelberg.
- 122-Lindstrom TR, Koenig SH.: Magnetic field dependant water proton spin-lattice relaxation rates of hemoglobin solutions and whole blood. J Mag Res 15: 344-353, 1974.
- 123-Litt Aw, Eidelman Em, Pinto Rs, et al: Diagnosis of carotid artery stenosis: comparison of 2DFT time-of-flight MR angiography with contrast angiography in 50 patients. AJNR 1991; 12: 149-154.
- 124-Luzsa G.: X-ray Anatomy of the Vascular system . Akademiai Kiadó, Budapest 1974, Translated by Deak A., Butterworth & CO. (Publishers) LTD. London P140-160.
- 125-Mackenzie RA, Frobes GS, Kranes WE.: Angiographic findings in herpes zoster arteritis. Ann Neurol 1981; 10: 458-464.
- 126-Macovski A.: Selective projection imaging: applications to radiology and NMR. IEEE Trans. Med Imag 1: 42-47, 1982.
- 127-Marchal G, Michiels J, Bosmans H et al: Contrast enhanced MRA of the brain: technique and first clinical results. 2nd annual European Magnetom users workshop february 18/19, 1991. MR angiography users workshop "Siemens".

128-Marchal G, Bosmans H, Fraeyenhoven L, et al: Intracranial Vascular lesions: Optimization and Clinical evaluation of Three-dimensional Time-of-Flight MR Angiography. Radiology 1990; 175:443-448.

129-Marchal G, Wilms G, Van Hecke P, et al.: MR angiography of arteriovenous malformations of the brain (abstr). 17e Congress International de Radiologie, Paris, July 17, 1989.

130-Martos J, Klose U, Peterson D et al: MR angiography of the intracranial aneurysms using advanced postprocessing methods. 3rd annual meeting of the Hungarian Neuroradiological society Győr 16-17 October 1992.

131-Masaryk TJ.: MR angiography with Siemens. Siemens Aktiengesellschaft, Medical Engineering group, Erlangen Germany 1990, P12-29.

132-Masaryk TJ, Modic MT, Ross JS, et al: MR angiography of intracranial aneurysms. AJNR 1989; 10: 893-894.

133-Mattle H, Wentz K, Edelman, et al: Cerebral venography with MR, Radiology 1991; 178: 453-458.

134-McMurdo SK, Brant-Zawadzki M, Bradley WG, et al: Dural sinus thrombosis: study using intermediate strength MR imaging. Radiology 1986; 161: 83-86.

135-Meaney T.F.: Magnetic Resonance Glossary produced by American College of Radiology Commission, Siemens AG, Medical engineering group.

136-Merboldt K.d, Bruhn M, Frahm J, et al: MRI of "diffusion" in the human brain: New results using a modified CE-FAST sequence. Mag Res Med 9: 423-429, 1989.

137-Miller DH, Ormerod IEC, Gibson A, et al: MR brain scanning in patients with vasculitis: differentiation from multiple sclerosis. Neuroradiology 1987; 226-231.

138-Mills C, De Groot J. and Posin J. Lea & Febiger. Magnetic resonance imaging: Atlas of the head, neck and spine. Philadelphia 1988. P14-18.

139-Mills TC, Ortendahl DA, Hylton NM, et al: Partial flip angle MR imaging. Radiology 1987; 162: 531-539.

## References

- 140-Mitnick JS, Pinto RS, Lin JP et al: CT of thrombosed arteriovenous malformations in children. Radiology 1984; 150: 385-389.
- 141-Moran PR.: A flow velocity zeugmatographic interlace for NMR imaging in humans. Magn Reson Imaging 1982; 1: 197-203.
- 142-Moseley ME, White DL, Wang SC et al: Vascular mapping using albumin- (GD-DTPA), an intravascular MR contrast agent, and projection MR imaging. J Comput Assist Tomogr 13: 215-221, 1989.
- 143-Nagele T, Klose U, Petersen D, et al: The effects of linearly increasing flip angles on 3D inflow MR angiography. Mag-Reson-Med. 1994 May; 31(5): 561-6.
- 144-Nagele T, Petersen D, Klose U, et al: Dynamic contrast enhancement of intracranial tumours with snapshot-FLASH MR imaging. AJNR 1993 Jan-Feb; 14(1): 89-98.
- 145-Nagele T, Petersen D, Klose U, et al: The "dural tail" adjacent to meningiomas studied by dynamic contrast-enhanced MRI: a comparison with histopathology. Neuroradiology. 1994 May; 36(4) : 303-7.
- 146-Needell WM, Maravilla KR: MR flow imaging in vascular malformations using gradient recalled acquisition 1988 AJNR 9: 637-642.
- 147-Newton TH, Cronqvist S: Involvement of dural arteries in intracranial arteriovenous malformations. Radiology 1969, 93: 1971-1978.
- 148-Nishimura DG., Macovski A. and Pauly JM.: Considerations of Magnetic Resonance Angiography by Selective Inversion Recovery. Magn. Reson im Medicine 7, 472-484, 1988.
- 149-Nornes H, Sorteberg W, Nakstad P et al: Haemodynamic aspects of clinical cerebral angiography. Acta Neurochir 1990; 105: 89-97.
- 150-Nurick S, Blackwood W, Mair WGP.: Giant cell granulomatous angitis of the central nervous system. Brain 1972; 95: 133-142.
- 151-Olson E, Gilmore RL and Richmond B: Cerebral venous angiomas. Radiology: 1984; 151: 97-104.

## References

- 152-Olsen WL, Brant-Zawadzki M, Hodes J, et al: Giant intracranial aneurysms: MR imaging. Radiology 1987, 163: 167-179.
- 153-Ondra S, Troupp H, George E, et al: The natural history of arteriovenous malformations of the brain. J Neurosurg 1990; 73: 378-391.
- 154-Partrux B., Laissy J.P., Jouini S. et al: Magnetic resonance angiography (MRA) of the circle of Willis: a prospective comparison with conventional angiography in 54 subjects. Neuroradiology 1994 36: 193-197.
- 155-Pattany PM, Phillips JJ, Chiu LC, et al: Motion artifact suppression technique (MAST) for MR imaging. J Comput Assist Tomogr, 1987; 11: 396-377.
- 156-Pauling L, Coryell C: The magnetic properties and structure of hemoglobin, oxyhemoglobin and carbon monoxyhemoglobin. Proc Natl Acad Sci USA 1936; 22: 159-63.
- 157-Pauly J, Nishimura D, and Macovski A: Line scan MR angiography. In: Book of abstracts: Society of Magnetic Resonance in Medicine, Vol. 1 Berkely, CA: Society of Magnetic Resonance in medicine, 1987: 28.
- 158-Pauly J, Nishimura D. and Macovski A.: Robust velocity selective excitation. In: Book of abstracts: Society of Magnetic Resonance in Medicine, Vol. 1 Berkely, CA. 1987: 27.
- 159-Pauly J., Nishimura D. and Macovski A.: Robust velocity selective excitation. Presented at the 6th Annual Meeting of the Society of Magnetic Resonance in Medicine, New York, August, 17-21, 1987.
- 160-Pavene P.: Low field MR angiography images carotid arteries. Diagnostic imaging international. 36-41, Sep/oct 92.
- 161-Perman WH., Moran PR., Moran RA., et al: Artifacts from pulsatile flow in MRI. J Comput Assist Tomogr 10: 473-484, 1986.
- 162-Petersen D, Bien S.: MRA in vascular malformations: Pre and Post-embolization. 2nd annual European Magnetom users workshop february 18/19, 1991. MR angiography users workshop "Siemens".

## References

- 163-Rapachi TFX, Brantley MJ, Furlow TW et al: Heterogeneity of cerebral cavernous hemangiomas diagnosed by MR imaging. J Comput Assist Tomogr. 1990; 14: 18-25.
- 164-Rapoport S., Sostman HD., Pope C., et al: Venous clots: Evaluation with MRI. Radiology 1987; 162: 527-530.
- 165-Redpath TW, Jones RA: FADE a new fast imaging sequence Mag.Res.Med. 1988; 6: 224-234.
- 166-Rossnick S, Laub G, Braeckle R, et al: Three dimensional display of blood vessels in MRI. In: Proceedings of the IEEE Computers Cardiology Conference. New York: New York Institute of Electrical and Electronic Engineers, 1986; 193-196.
- 167-Rubin J, Enzmann DR,: Imaging spinal CSF pulsation by 2 DFT MR: significance during clinical scanning. In: Annual meeting of the American Society of Neuroradiology, Jan 18-23, San Diego, 1986.
- 168-Rubinstein LJ: Tumors of the central nervous system AFIP, Washington DC. 1972.
- 169-Ruggieri PM, Laub GA, Masaryk TJ, et al.: Intracranial circulation: pulse sequence considerations in three dimensional (volume) MR angiography. Radiology 1989; 171: 785-791.
- 170-Rumancik WM, Naidich DP, Chandra R, et al: Cardiovascular disease: Evaluation with MR phase imaging . Radiology 1988; 166: 63-68.
- 171-Russel DS, Rubinstein LJ: Pathology of tumors of the nervous system. Williams and Wilkins, Baltimore 1971.
- 172-Saahs Al, Perret GE, Locksley HB, et al: Intracranial aneurysms and subarachnoid hemorrhage: a cooperative study. Philadelphia, Pa: Lippincott, 1969.
- 173-Sartor K, Karnaze MG, Winthrop JD et al: MR imaging of in infra-, para-and retrosellar mass lesions. Neuroradiology 1987; 29: 19-29.
- 174-Sartor K. In Sartor K. (ed). MR Imaging of the skull and the brain, a correlative text atlas. Springer Verlag 1992.



## References

- 175-Schubiger O, Valvanis A, and Wichmann W. Growth mechanism of giant intracranial aneurysms; demonstrations by CT and MR imaging. *Neuroradiology* 1987, 29: 266-271.
- 176-Seider M.: MR angiography: is there a role for Gd-DTPA ? in Bydder G, Felix R and B)chler E.(eds). *Contrast media in MRI. International work shop. Berlin Februar 1-3, 1991. Medica.*
- 177-Sh)rner W, Bradac GB, Treisch J et al: Magnetic Resonance imaging (MRI) in the diagnosis of cerebral arteriovenous angiomas. *Neuroradiology* 1986 28: 313-318.
- 178-Siemens news for NMR professionals. FLASH and FISP gradient echo pulse sequences. July 1993.
- 179-Simard JM, Garcia-Bengocea F, Ballinger WR et al: Cavernous angiomas: a review of 126 collected and 12 new clinical cases. *Neurosurgery* 1986; 18: 162-172.
- 180-Singer JR, Crooks LE: Some magnetic studies of normal and leukemic blood. *J Clin Engng* 1978; (3): 237-43.
- 181-Sipponen JT, Sipponen RE, Sivula A: Nuclear magnetic resonance (NMR) imaging of intracerebral hemorrhage in the acute and resolving phases. *J Comput Assist Tomogr* 1983; 7: 954-9.
- 182-Smith JH, Strother CM, Kikuchi Y et al: MR imaging in the management of supratentorial intracranial AVMs. *AJNR* 1988 9: 225-235.
- 183-Sole-Llenas J, Pons-tortella E,: Cerebral angiitis. *Neuroradiology* 1978; 15: 1-11.
- 184-Spieker S, Petersen D, Poremba M: MRI in a case of rigid Huntington's disease. *J-Neurol-Neurosurg-Psychiatry*. 1993 Jul; 56(7): 834-5.
- 185-Stevens I, Petersen D, Grodd W et al: Superficial siderosis of the central nervous system. *Eur-Arch-Psychiatry-Clin-Neurosci*. 1991; 241(1): 57-60.
- 186-Suryan G.: Nuclear resonance in flowing liquids. *Pro Indian Acad Sci [A]* 1951: 33: 107-111.

## References

- 187-Sutton D.: Magnetic Resonance Imaging -Technical aspects-; CNS and Spine. In Sutton D. (ed.). Text Book of Radiology and medical Imaging. Churchill Livingstone, Edinburgh. London Melbourne and New York 1987 P.1657.
- 188-Sze G, Krol G, Olsen WL et al: Hemorrhagic neoplasms: MR mimics of occult vascular malformations. AJNR 1987; 8: 795-802.
- 189-Takahashi S, Fukasawa H, Ishii K et al: The anterior cerebral artery syndrome I. Microangiography of the anterior choroidal artery. Neuroradiology 1994 36: 337-339.
- 190-Thomsik D.: Magnetom Insights, The Siemens News for Magnetic Resonance Professionals. July 1992.
- 191-Toro VE, Geyer CA, Sherman JL, et al: Cerebral venous angiomas: MR findings. J Comput Assist Tomogr 1994, 12: 935-940.
- 192-Trattinig S, Matula C, Gomiscek G, et al: Magnetic resonance angiography and selective angiography following extra-intracranial bypass operations. Neuroradiology 1994, 36: 198-202.
- 193-Tsuruda JS, Halbach VV, Higashida RT, et al: MR evaluation of large intracranial aneurysms using cine low flip angle gradient refocussed imaging. AJNR 1988, 9: 415-424.
- 194-Tweig DB.: The K trajectory formulation of the NMR imaging. Phy Med Biol 25: 751-756, 1980.
- 195-Valk PT, Hale JD, Crooks LE et al: MRI of blood flow: Correlation of image appearance with spin-echo phase shift and signal intensity. AJR 1986; 146 : 931-839.
- 196-Verapongse C, Cazenave C, Quisling R, et al: The empty delta sign: frequency and significance in 76 cases of dural sinus thrombosis. Radiology 1987; 162: 779-785.
- 197-Villafana T.: Fundamental Physics of Magnetic Resonance imaging. Imaging in Neuroradiology Part I, The Radiologic Clinics of North America, Vol 26, Number 4, July, 1988.
- 198-Voigt K, Hentschel F: Further possibilities for the application of the digital subtraction technique in neuroradiologic diagnosis. Rofo-Fortschr-Geb-Rontgenstr-Neuen-Bildgeb-Verfahr. 1991 Feb; 154(2): 192-6.

## References

- 199-Voigt K, Yasargil MG: Cerebral cavernous haemangiomas or cavernomas: incidence, pathology, localization, diagnosis, clinical features and treatment. Neurochirurgia (Stuttg) 1976; 19: 59-68.
- 200-Von Schulthess GK, Higgins CB: Blood flow imaging with MR: spin-phase phenomena. Radiology 1985; 157: 678-695.
- 201-Waluch V, Bradely WG: NMR even echo rephasing in slow laminar flow. J Comput Assist Tomogr 1984; 4: 594-598.
- 202-Warach S, Li W, Michael Ronthal, et al: Acute cerebral ischaemia: Evaluation with dynamic contrast-enhanced MR imaging and MR angiography. Radiology 1992; 182: 41-47.
- 203-Wehrli FW.: Fast-scan magnetic resonance imaging: Principles and contrast phenomenology. In Higgins CB, Hricak H, (eds): Magnetic Resonance Imaging of the body. New York, Raven Press, 1987.
- 204-Wehrli FW, Perkins TG, Shimakawa A et al: chemical shift-induced amplitude modulations in images obtained with gradient refocusing. Magnetic Resonance Imaging 5: 157-158, 1987.
- 205-Wentz KU, Blum K, Guckel F et al: Determination of flow direction of Intracranial arteries: Magnetic Resonance Angiography using Targeted flow presaturation. MR Angiography, Users workshop by Siemens. 2nd Annual European Magnetom Users Workshop Proceedings, Feb 18, 19, 1991.
- 206-Wentz KU, R|ther J, Blum K et al: Magnetic resonance angiography of the vertebrobasilar circulation. MR angiography, Users workshop by Siemens. 2nd Annual European Magnetom Users Workshop Proceedings, Feb 18, 19, 1991.
- 207-Whitaker JB, Latack JT, Venes JL et al: Spontaneous thrombosis of a vein of Galen aneurysm. 1987 AJNR 8: 1134-1136.
- 208-Willeit J, Schmutzhard E, Aichner F et al: CT and MR imaging in neuro-Behçet disease. J Comput Assist Tomogr 1986; 10: 313-315.
- 209-Wilms G, Demaerel P, Marchal G et al: Gadolinium-enhanced MR imaging of cerebral venous angiomas with emphasis on their drainage. J Comput Assist Tomogr 1991; 115: 199-206.

## References

- 210-Wintrobe MM, Lee GR, Boggs DR, et al: Clinical hematology Philadelphia: Lea & Febiger, 1981; 88-102.
- 211-Wood EH. Angiographic identification of the ruptured lesions in patients with multiple cerebral aneurysms. J.Neurosurg. 1964; 21: 182-198.
- 212-Yasargil MG. Cavernous and occult angiomas. In: Yasargil MG, ed. Microneurosurgery. Vol3. Stuttgart, Federal Republic of Germany: Thieme, 1988; 415-434.
- 213-Yeates A, and Enzmann D: Cryptic vascular malformations involving the brainstem. Radiology 1983; 146: 71-75.
- 214-Yilmaz A, Chu SC, Osmanoglu S: Dependence of the solvent proton T1 on the iron content in normal human serum. Mag.Res.Med. 7: 337-339, 1988.