

References

REFERENCES

- Anderson MC, Fax H, Tidy JA and Wells M. (1991):* Female reproductive system. Churchill Livingstone, Edinburgh, 3rd Ed. Chap. 16, Vol. 6, P. 228-270, 288-292.
- Ascher, S.M.; Arnold, L.L; Patt, R.H.; Schrufer, J.J.; Bagley, A.S.; Semelka, R.; Zeman, R.H. and Simon, J.A. (1994):* Adenomyosis: Prospective comparison of MR imaging and transvaginal sonography. Radiology, 190: 803-806.
- Ascher S.M. Takahama J, Jha R.C., (2001):* Top Magn, Reson, Imaging 12 (2): 105-29.
- Blaustein A (1982):* Pathology of female genital tract. Verlage, New York, 2nd Ed., Chap. 19, P. 442-461.
- Carrington MB & Hricak H. (1991a):* MRI of the uterus and vagina, in MRI of the pelvis, A text Atlas, Hricak & Carrington (Eds). Appleton & Lange, Norwalk. Connecticut /San Mateo, California.
- Carrington, B.; Hricak, H. (1991b):* MRI staging of endometrial and cervical carcinoma. Curr imaging, 3:8-5.
- Carrington MB (1991):* MRI of the adnexa, in MRI of the pelvis, A text Atlas, Hricak, & Carrington (eds). Appleton & Lange. Norwalk, Connecticut/ San Mateo, California.
- Chang YC, Hricak H, Thurners, et al., (1988):* Vagina: Evaluation with MR imaging: part 11 neoplasms. Radiology 169:175.

- Choen EK and Kressel HY (1990):** MR imaging of the pelvis (32) P. 915, in Clinical Magnetic Resonance Imaging by Edelman R.R. & Hesselink SR (eds) W.B. Saunders Company Philadelphia, London, Toronto, Montreal, Sydney, Tokyo.
- Christopherson WM, Gray LA, (1992):** Premalignant lesions of the endometrium: Endometrial hyperplasia and carcinoma in situ. In Coppleson M (ed): Gynaecologic Oncology, ed 2. London, Churchill Livingstone, PP 731-732.
- Cohen DJ (1996):** Ovary and Adenoma In : Thurmond AS, Jones MKA Cohen DJ (eds.) Gynecologic obstetric and breast radiology. Cambridge MA. Blackwell Science, P. 255-322.
- Connors, AM N Mde Souza and GA McIndoe (2003):** British journal of radiology 76, 66, 68.
- Cortier, J., Carson, L. and Twigg, L. (1992):** Gynecologic oncology: Cervical carcinoma. In Nyberg, D.A.; Hill, L., Bohm-Velez, M.; Mendelson, E. Reddy: Transvaginal ultrasound. Mosby-yearbook: St Louis, PP; 241-265.
- Cotran RS, Kumar V, Robbins SL (1989):** Robbins Pathologic Basis of Disease ed. 4 Philadelphia, WB Saunders, P1127.
- Cotran SR, Kumar V, and Robbins LS (1994):** Pathological basis of disease. W.B. Saunders Company, Philadelphia, 5th ed., Chap. 23, P. 1054-1077.
- Cotran R.S., Kumar V., Collins T. (1999):** The female genital tract. In: Robbins's pathologic basis of disease 6th ed, edited by W.B. Saunders Company, Philadelphia, London, 24: 1048-53.
- Creasman WT, Morrow CP, Bundy L, (1987):** The surgical pathologic spread pattern of endometrial cancer. A gynaecologic oncology group study. Cancer 60: 2035.

- Creasman WT, Weed JC, (1992):** Carcinoma of the endometrium (FIGO stages I and II): Clinical features and management. In coppleson M (ed): Gynaecologic Oncology, ed 2. London, Churchill Livingstone, P: 780.
- Crum C.P. (1996):** Pathology of early cervical neoplasia, New York, Churchill Living stone. P. 112-114.
- DavidD, William G Bradly et al (1998):** Magnetic Resonance Imaging 7: 275-279.
- DelMaschio A, Vanzulli A. Sironi S et al., (1993):** Estimating the depth of myometrial involvement by endometrial carcinoma: Efficacy of transvaginal sonography VS MR imaging. AJR 160: 533-538.
- Desouza NM, Hawley IC, Schwieso JE, Gilderdale DJ, Soutter WP. (1994):** The uterine cervix in vitro and in vivo MR images: A study of zonal anatomy and vascularity using an enveloping cervical coil AJR 163: 607-613.
- Disaia P. Creasman W. (1981):** Adenocarcinoma of the uterus; 167: 627-630.
- Disaia P. J., Creasman W.T. (1997):** Pre invasive disease of the cervix. In: Clinical gynecologic oncology 5th ed, Mosby, London, 1: P1. 32.
- Faysal A Saksouk, Pamela J Diprio, Bernard D Coonbs et al (2004):** Article, E medicine specialties, radiology, obstetrics and gynecology-cervical carcinoma.
- Faysal A Saksouk, Yusuf A AL-Kadhi, Harris L Cohen, Bernard D Caombs, Karen L Reuter et al (2005):** E medicine specialties, radiology, obstetrics & gynecology-Endometrial carcinoma.

References

- Fox H, Buckley C.H. (1992):** The female genital treatment in oxford text book of pathology 1st ed, edited by Me Gee J. et al., Oxford University 21: 1565-1639.
- Goodman, A.; hill, E. (1994):** Premalignant and malignant disorders of the uterine cervix. In Echerney A.; Pernoll, M. (eds). Current Obstt and Gynaecol. Diagnosis and treatment (8th ed.) Norwalk., CT: Appletion and anage P: 921-936.
- Gordon, A.N.; Fleischer, A.C.; Dudley, B.S. (1989):** Preoperative assessment of myometrial invasion of endometrial adenocarcinoma by sonography and MR imaging. Gynecol. Oncol, 34: 175-179.
- Grasel R.P. Outwater E.K., Siegleman E.S. Capuzzid, Parker L. et al. (2000):** Article radiology: 214 (1) : 47-52.
- Hirano Y, Kubo K, Hirari Y, et al., (1992):** Preliminary experience with gadolinium-enhanced dynamic MR imaging for uterine neoplasms. Radiographics 12: 243-256.
- Hoskins WJ, Ferez C, Young RC. (1989):** Gynecologic tumors in: Cancer Principles and practice of Oncolgoy, Devita Vt, Hellman S, Rosenberg SA (Eds), Lippincott: Philadelphia 1099-151.
- Hricak, H. (1986):** MRI of the female pelvis: A review. AJR, 146: 1115-1122.
- Hricak, H.; Demas, B. and Braga, C. (1986a):** Gestational trophoblastic neoplasm of the uterus: MR assessment. Radiology, 161 :11-16.
- Hricak, H.; Tscholuskoff, D. and Heinrichs, L. (1986b):** Uterine leiomyomas: correlation of MR histopathologic findings and symptoms. Radiology, 158: 385-391.

- Hricak H, Stern JL, Fischer MR, Shapeero LG, Winkler ML, Conley GL, (1987):* Endometrial carcinoma staging by MR imaging. *Radiology* 162: 297-305.
- Hricak H, Lacey C, Sandles L, Chang Y, Winkler M, Stern J., (1988):* Invasive cervical carcinoma: Comparison of MR imaging and surgical findings. *Radiology* 166:623-631.
- Hricak, H.; Rubinstein, L.; Gherman, G., Karstaedt, N. (1991a):* MR imaging evaluation of endometrial carcinoma: Results of NCI cooperative study. *Radiology*, 179: 829-932.
- Hricak H, Hamm B, Semelka RC, et al., (1991b):* Carcinoma of the uterus: use of gadopentate dimeglumine in MR imaging. *Rad* 181 :95-105.
- Hricak, H.; Finck S. and Honda, G. (1992):* MR imaging in the evaluation of benign uterine masses: value of gadopentetate dimeglumine-enhanced T1-Weighted images. *AJR*, 158: 1043-1250.
- Hricak H, Quivey JM, Campos Z, (1993a):* Carcinoma of the cervix: Rpredictive value of clinical and magnetic resonance imaging. *Radiology* 189: 381-388.
- Hricak H; Swift P.S. and Campos Z. (1993b):* Irradiation of the cervix uteri: value of unenhanced and contrast-enhanced MR imaging *Radiology* 199: 381-388.
- Hricak H, Powell C, Yu K, (1996):* Invasive cervical carcinoma: Role of MR imaging in pretreatment work-up-cost minimization and diagnostic efficacy analysis. *Radiology* 198: 403-409.
- Hricak and McCarthy, S. (1997):* The uterus and vagina. In Higgins, C.B.; Hriack, H. and Helms, C.A. (eds). *Magnetic resonance*

References

imaging of the body (third edition). Lippincott Raven, Philadelphia, 761-814.

Jain KA, Friedman DL, Pettinger TW (1993): Adrexal masses: Comparison of specificity of endovaginal US and pelvic MR imaging Radiology; 186: 697-704.

Janio Szklaru K, Tric P. Tamm and Haesun Choi (2003): Radiographics 23: 403-424.

Jung S.E. Rha S.E. Lee J.M. Park S.Y Ohsn et al. (2005): AJR Am J Roentgenal : 185 (1) : 207-15.

Kawakami; S, Togashi K, Kimura I et al., (1993): Primary malignant tumor of the fallopian tube: Appearance at CT and MR imaging. Radiology; 186: 503.

Kier R, Smith R, McCarthy S (2002): Value of lipid and water suppression MR images in distinguishing between blood and lipid within ovarian masses. MJR 158: 321-325.

Kim SH. Choi BI. Lee HP et al., (1990): Uterine cervical carcinoma: Comparison of CT and MR findings, Radiology; 175: 45-51.

Kim SH, Choi BI, HonJK, et al. (1993): Preoperative staging of uterine cervical carcinoma: comparison of CT and MRI in 99 patients. J. Comput Assist Tomogr. 17: 633-640.

Kim SH, Kim SC, Choi BI et al., (1994a): (Uteine cervical carcinoma: Evaluation of pelvic lymph node metastasis with MR imaging. Radiology, 190: 807.

Kim, S.H.; Lee, B.H. and Do, Y.S. (1994b): Stage 11 b cervical carcinoma MR evaluation of effect of intratreial chemotherapy. Radiology, 192: 61-65.

- Krag K.J. Genest D.R. (1996):* Gynecologic tumor of Malignancies. In: Dana-Ferber cancer institute Atals of diagnostic oncology 2nd ed, edited by skarin A. T., Mosby Wolfeed, 7.
- Leslie M, Scoatt and Shirly M. Mc Carthy (1998):* Magnetic Resonance Imaging; 8: 136-139.
- Mayr, N.A.; Wen, B.C.; Bendea, J.A. (1995):* Postoperative radiation therapy in clinical stage 1 endometrial cancer: Corpus, cervical and lower uterine segment involvement-pattern of failure Radiology, 196: 323-328.
- Mc Minn R.M. (1994):* Female internal genital organ and urethra. In: Last's anatomy regional and applied 9th ed. Edited by churchill livingstone, New York 5: 386-394.
- McCarthy, S., Tauber C & Gore J. (1986):* Female pelvic anatomy: MR assessment of variation during the menstrual cycle and with use of oral contraceptives. Radiology; 160: 1199-123.
- McCarthy S, Scott G, Majumdar S, et al., (1989):* Uterine Junctional zone: MR study of water content and relaxation properities. Radiology; 171: 241-243.
- McCarthy S. (1989):* MR imaging of the uterus. Radiology; 171:321-322.
- McCarthy, (1992):* Mangetic resonance imaging of the normal female pelvis. Radilogic Clinic of North America 30: 769-775.
- Mendelson EB and Bohm-velez MB (1992):* Transvaginal ultrasonography of pelvic neoplasm. Rad. Clin. North Am. PP. 703 volume 30 No 4.

- Mitchell DG, Mintz MC, Spitzer CE et al., (1987):* Andexal masses: MR observation at 1-5T, with US and CT correlation. Radiology; 162:278-281.
- Mitchell DG (1988):* Magnetic resonance imaging of the adnexa Semin ultrasound CT MR 9: 143.
- Mitchell, D.G.; Schonholz, L.; Hipert, P.L. et al., (1990):* Zones of the uterus: discrepancy between US and MR images. Radiology; 174: 827-931.
- Mitchell D.G. (1992):* Benign disease of the uterus and ovaries. Application of Magnetis Resonane Imaging. Rad. Clin. North. Am. Vol. 30 no 4, 1992.
- Morikawa, K, Hatabnu H, Togash K, Kataoka ML, Moriv Konishi J (1997):* Granulosa cell tumor of the ovary MR Findings. J. Comput. Assist. Tomogr.; 21: 1001-1004.
- Morrow CP, Townsend DE (1987):* Tumors of the ovary: general consideration (231-255) in Synopsis of Gynecology Oncology, Morrow CP, Townsend DE (eds). New York, Wiley.
- Morrow C.P., Curtin J.P., Town Send D.E. (1993):* Tumours of the cervix. In: Synopsis of gynecologic oncology 4th ed, edited by Churill living stone, New York, 5: 111-152.
- Muntz HG, Tarraza HM, Granai CO et al., (1989):* Primary adencoarcinoma of the fallopain tube. Eur J Gynaecol oncol 10: 239-49.
- Murakami T., Kutachi H., Nakamura H. et al., (1995):* Cervical invasion of endometrial carcinoma: evaluation by parasagittal MR imaging. Acta Radiolog, 36: 248-253.

- O'Rahilly R., (1986):* The female genitalia in: Gardner. Grey. O. Rahilly. Anatomy regional study of human structures 5th ed Edited by W.B. Saudnater S, Philidel phia, 44: 482-498.
- Olson, M.; Posniak, H.; Tempany, C. and Dudiak, C. (1992):* MR imaging of the female pelvic region. Radiographics, 12: 445-465.
- Outwater E & Kressel HY (1992):* Evaluation of gynecologic malignancy by magnetic resonance imaging. Radiol clin North. Am;30: 789-806.
- Outwater E, Schichler ML, Owen SR et al., (1993):* Characterization of hemorrhagic adnexal lesions with MR imaging: Blinded reader study. Radiology; 186: 489-494.
- Peel K. (1995):* Pre malignant and malignant disease of the cervix. In : Dewhurst's text book of obstetrics and Gynecology for post graduate 5th ed, edited by Chailes R., Whit Field, Black well service, 64: 717-737.
- Penagesa E, Kier R, McCarthy TR et al., (1992):* Submucosal uterine leiomyomas: Diagnosis of prolapse into the cervix and vagina based on MR imaging. AJR 159: 555-559.
- Peppercor, P.; Jeyarajah, A. and Woolas, R. (1999):* Role of MR imaging in the selection of patients with early cervical carcinoma for fertility-preserving surgery: Initial experience Radiology, 212: 395-399.
- Popovich, M.; Hriack, H.; Sugimura, K.; Stern, J. (1993):* The role of MR imaging in determing surgical eligibility for pelvic exenteration. AJR, 160: 525-531.

References

- Posniak HV, Olson MC, Dudiak CM, et al., (1990):* MR imaging of uterine Carcinoma: correlation with clinical and pathologic findings Radiographics, 10:15.
- Preidler K.W., Luschin G, Tamussino K. et al. (2002):* Magnetic resonance imaging in patients with gestational trophoblastic disease, invest radiology 31: 492.
- Reinhold, C.; McCarthy, S.; Bret, P.; Mehio, A.; Arti, M. and Zakarian, R. (1996):* uterine adenomyosis: a prospective comparative analysis of endovaginal US and MRI with histopathological correlation. Radiology (in press).
- Reinhold C, Gallix BP, Ascher SM, (1997):* Uterus and Cervix in Semelka RC, Ascher SM and Reinhold (eds). MRI of the Abdomen and Pelvis. Wiley-Liss, Inc., P: 585.
- Robby S.J., Duggan M.A., Kurman R.J. (1994):* The female reproductive system. In : Rubin E. and Farber J. pathology, 2nd ed, edited by lippincott, Philadelphia, P. 926-32.
- Roth LM (1981):* Sertoli leydig cell tumours a clinicopathologic study of 34 cases cancer, Gynaecol. Oncol.; 48: 187.
- Saez F, Urresola A, Larena J.A. et al (2000):* J. Magn, Reson. Imaging 12, 460-466.
- Schneck CD, Friedman AC, Peterson R.O. (1990):* Embryology, anatomy, and histology (Chi) in Clinical Pelvic Imaging, Friedman et al., (eds) the C.V. Mosby Company St. Louis, Baltimore, Philadelphia, Toronto.
- Scoutt, L.M.; Flynn S.D.; Luthringer, D.J.; et al., (1991):* Junctional zones of the uterus: Correlation of MR imaging and histologic examination of hysterectomy specimens. Radiology; 179: 403-407.

- Scoutt, L.M.; McCarthy TR, Flynn S.D. et al., (1993):* Zonal anatomy of the cervix: correlation of MR imaging and histological examination of hysterectomy specimens. *Radiology*; 186: 159-162.
- Scoutt, L.; McCarthy, S.; Flynn, S. (1995):* Clinical stage 1 endometrial carcinoma; pitfalls in reparative assessment with MR imaging. *Radiology*, 194: 567-572.
- Semelka R, Hricak H, Bohyun K, Forstner R, Bis K, Ascher S, Reinhold C., (1997):* Pelvic Fistulas: Appearance of MR images. *Abom Imaging* 22: 91-95.
- Seroni S., Belloni, C., Taccagni G.L., et al., (1991):* Carcinoma of the cervix: Value of MR imaging in detecting parametrial invasion *AJR*; 156: 753-758.
- Seroni S, Colombo E., Villa G et al., (1992a):* Myometrial invasion by endometrial carcinoma: Assessment with plain and gadolinium enhanced MR imaging. *Radiology* 185: 207-212.
- Seroni S, Taccagni G., Garancini P et al., (1992b):* Myometrial invasion by endometrial carcinoma: assessment by MR imaging. *AJR*: 158: 565-569.
- Seroni, S., Cobell, F., Scarfone G et al., (1993):* Carcinoma of the cervix: value of plain and gadolinium-enhanced MR imaging in assessing degree of invasiveness. *Radiology*; 188: 797-801.
- Shingleton H., Thompson J. (1997):* Cancer of cervix. In : Te linde's Operative Gynecology. 8th ed, edited by Hoskins W. et al., lippincott. Raven, Philadelphia, P. 1413-1450.
- Silverberg, S.H. (1983):* Principles and practice of surgical pathology New York: Wiley: 1323-1327.

References

- Smith, R.C.; Reinhold, C.R. and McCauley, T.R. (1992):* Multicoil high resolution fast spin-echo MR imaging of the female pelvis. *Radiology* 184: 671-676.
- Slmith R and McCarthy S. (1994):* Magnetic resonance staging of neoplasms of the uterus *Radiol Clin of North America*. 32: 109-129.
- Skarin AT (1996):* Atlas of diagnostic oncology. Mosby, london, 2nd ed., Chap. 7, P. 199-202.
- Stein M, Koeingberg M. and Han M. (1996):* Ultrasound case of the day adult type granulosa cell tumour. *AJR*; 16: 200-203.
- Stephenson WN and Laing FC (1985):* Sonography of ovarian fibroma. *AJR* 144: 1239.
- Stevens SK, Hricak H, Stern JL. (1991):* Ovarian lesions: detection and characterization with gadolinium enhanced MR imaging. *Radiology*; 181: 481-482.
- Stevens SK, Hricak H, Canpos Z et al., (1993):* Teratoma versus cystic adnexal lesions: differentiation with proton-selective fat-saturation MR imaging. *Radiology*; 186: 481-488.
- Teefey, S.; Stahl, J.; Middleton, W. (1996):* Local staging of endometrial carcinoma: Comparison of transvaginal and intraoperative sonography and gross visual inspection. *AJR*, 166: 547-552.
- Tempany, C.M. and Fielding, J.R. (1996):* Female pelvis. In Eldman RR, Hesselink JR and Zlatkin MB. *Clinical Magnetic Resonance Imaging*. 2nd ed. Philadelphia: W.B. Saudners Company PP 1432.

- Thomason, Philip Christopher L. Sistrom, Bernard Dcoombs et al., (2003):* Article, E medicine specialties, radiology, obstetrics and gynecology. Uterus (Fibroid)-Article.
- Thurnher S.A. (1992):* MR imaging of pelvic masses in women: Contrast enhanced VS unenhanced images. *AJR*; 159: 1243-1250.
- Togashi K, Nishimura K & Itahk (1986):* Uterine cervical Carcinoma: Assessment with high-field MR imaging. *Radiology*; 160: 431-435.
- Togashi K, Kishimura K, Itah K, et al., (1987):* Ovarian cystic teratoma. MR imaging, *Radiology*, 162: 689.
- Togashi, K.; Nishimura, K. and Itoh, K. (1988):* Adenomyosis: Diagnosis with MR imaging. *Radiology*, 166: 111-114.
- Togashi, K.; Ozasa, H. and Konishi, I. (1989a):* Enlarged uterus: differentiation between adenomyosis and leiomyoma with MRI. *Radiology*, 171 :531-534.
- Togashi K, Nishimura K, Sagoh T, et al., (1989b):* Carcinoma of the cervix; staging with MR imaging. *Rad*: 171: 245-251.
- Togashi, K. and Konishi, J. (1990):* Magnetic resonance imaging in the evaluation of gynecologic malignancy. *Magn. Reson. Q.* 6: 250.
- Togashi K, Kazumosa N, Kimura J et al., (1991):* Endometrial cysts: Diagnosis with MR imaging. *Radiology*, 180: 73.
- Togashi, K.; Kawakami, S. and Kimura, I. (1993):* Uterine contractions: possible diagnostic pitfall at MR imaging. *J. Magn Reson Imaging* 3: 889-893.

- Underwood CJ (1996):* General and systemic pathology, Churchill livingstone, New York, 2nd Ed., Chap. 19, P. 568-576.
- Vanzulli A, Seroni S, Dellegrino A., (1994):* MRI in stage I Carcinoma of the uterine cervix: evaluation of residual uninvolved myometrium and pericervical tissue. Eur. Radiol.; 4, 190-196.
- Walsh JE, & Gopleurd DR. (1982):* Computed tomography of primary persistent and recurrent gynecologic malignancy, AJR.; 139: 1149-1154.
- Walsh, J.W.; Goplerud, D.R. (1983):* Computed tomography of primary persistent and recurrent endometrial malignancy AJR Am J Roentgenol, 139: 1149-1154.
- Weber T, Sostman H, Sprizer C, (1995):* Cervical carcinoma: Determination of recurrent tumour extent versus radiation changes with MR imaging. Radiology 194: 135-139.
- Weinreb J, (1988):* Explanation of the MR imaging appearance of the periprostatic and uterovaginal venous plexus. Radiology; 169: 138.
- Weinreb J.; Barkoff ND, Megibow A et al., (1990):* The value of MR imaging in distinguishing leiomyomas from other solid pelvic masses when sonography is indeterminate. AJR; 145: 295-299.
- William C. Helm, Serdar H Ural, Francisco Talavera et al., (2003):* E medicine specialties, Radiology, obstetric and gynecology.
- Wright T. et al., (1994):* Precancerous lesions of the cervix. In: Blaustin's pathology of the female genital tract 4th ed, edited by Kurman R., New York, P. 229.

- Yamashita Y, Takahashi M, Sawada T, Miyazadi K, Okamura H., (1992):* Carcinoma of the cervix: Dynamic MR imaging. Radiology 138: 643-648.
- Yamashita Y, Harada M, Sawada T. et al., (1993a):* Normal uterus and FIGO stage I Endometrial Carcinoma: Dynamic Gadolinium, enhanced MR imaging. Radiology, 186: 995-501.
- Yamashita Y, Torashima m, Takahashi M, et al., (1993b):* Hyperintense uterine leiomyoma at T2-weighted imaging: Differentiation with dynamic enhanced MR imaging and clinical implications. Radiology; 189: 721-725.
- Yamashita Y. Mizutani H. Toroshima M et al., (1993c):* Assessment of myometrial invasion by endometrial carcinoma: transvaginal sonography US vs contrast-enhanced MR imaging. AJR; 166: 595-599.
- Yamshita Y, Torashima M, hatanaka Y et al., (1995):* Adnexal masses: Accuracy of characterization with transvaginal and precontrast and post contrast MR imaging Radiology; 194: 557-565.
- Young A.; Mostwin, J.; L Rosenshein, N.B. and Zerhouni, E.A. (1991):* Pelvic floor descent in women: dynamic evaluation with fast MR imaging and cinematic display. Radiology 179: 25-33.
- Young RH, Dickersin GR, Scully RE (1984):* Juvenile granulosa cell tumour of the ovary: a clinico pathologic analysis of 125 cases. AMJ Surg. Pathol.; 5: 596.
- Zaloudek C, (1994):* The ovary. In Gompel C silvertberg SG, (eds.) pathology in gynecology and obstertics. Lippincott, Philadelphia, 4th Ed., P. S313-413.

References

Zawin M, McCarthy S, Scoutt L, et al., (1989): Endometriosis: appearance and detection at MR imaging. *Radiology*; 171: 693-696.

Zawin M, McCarthy S, Socutt L. et al., (1990): Monitoring therapy with a gonadotropin releasing hormone analog: utility with MR imaging. *Radiology*; 175: 503-506.

Zawin M, McCarthy S, Scoutte L. (1991): High field MRI and US evaluation of the pelvis in women with leiomyomas. *Magn Reson Imaging*. 8: 371.