
References

A decorative border featuring stylized floral and leaf motifs in the corners of a rectangular frame. The word "References" is centered within this frame in a large, bold, serif font.

REFERENCES

- Att, R.P.; Reddi V.B and Sarembock L.A (1992).
Testicular cancer and cryptorchidism. Br. Urol., 70:656.
- ell J.D. (1985).
Ascent of the testis fact or fiction. Br. J. Urol. 51:474-477.
- er, L.L.K.; Hajet P.C. and Burkaard T.K. (1987).
MR imaging of scrotum .Normal anatomy. Radiology, 163: 89.
- khhouse, K.M. (1964).
The gubernaculum testis in hunteri: Testicular descent and maldescent. Ann R. coll. Surg. (Engl), 35:15.
- khhouse, K.M. (1981).
Embryology of the normal and cryptorchid testis. In Fonkalsrud E.W, and W. Mengel (eds):The undescended testis. Chicago, Year Book Medical Publishers, P5.
- khhouse K.M. (1982).
Embryology of testicular descent. Urol. Clin North Amer., 9:315-317.
- tata, M.A.; Whitmore W.F.Jr. and Chuy. F.C.H (1980).
Cryptorchidism and testicular cancer. J. of Urol., 124:382.
- asley, S.W, and Hutson J.M. (1988).
Role of the gubernaculum testicular descent. J. of Urol., 140:1191.
- en Menachem, Y.; De Bernardine M.C. and Salinas R. (1994).
Localization of intra-abdominal testes by selective testicular arteriography, a case report. J. Urol.; 112:493.
- ird K. and Rosenfield A.T (1988).
Testicular imaging. Textbook of Diagnostic imaging by Putman C.E and Rain C.E Vol., 2 : 1372. W.B Saunders compan.

Brooks J.D. (1988).

Anatomy of the lower urinary tract and male genitalia. In Walsh P.C, Retik A.B., Vaughan E.D., Wein A.J. Campells Urology Philadelphia W.B saunders Company 7th ed:89-117.

Butler, Bird K. and Rosenfield A.T (2002).

Testicular imaging. Textbook of Diagnostic imaging by Putman C.E and Rain C.E Vol., 2 : 1372. W.B Saunders compan

Chui, C.H. and Jacobsen, A.S. (2000):

Laparoscopy in the evaluation of non palpable undescended testes. Singapore Med. J., Vol. 41 (5): 206-208.

Cilento, B.G; Najjar S.S and Atala A. (1993).

Cryptorchidism and testicular torsion. Pediatr. Clin North Am., 40:1133.

Clements, A.A.; Reyes F.I.; Winter T.S.D. and Faiman C. (1976).

Studies on human sexual development. III. fetal pituitary and amniotic fluid concentration of L.H, HCG and FSH. J. Clin Endocrinal Metab, 42:9.

Coleman B.G.(1988):

Scrotum. in Genitourinary Ultrasound; A text/atlas. Iaku-shoin, 1sted, 406:448.

Cortada, Z. and Kousseff B.G (1984).

Cryptorchidism in mental retardation. J. Urol., 313:674.

Cour-palais I. J. (1986).

Spontaneous descent of the testicle. Lancet, 1:1903.

Docimo, S.G.; Silver, R.I. and Cromie, W. (2001):

The undescended testis: Diagnosis and management. Am. Family Physician, 1-10.

- Elder, J.S (1992).**
Epididymal anomalies associated with hydrocele/hernia and cryptorchidism. Implications regarding testicular descent. J.Urol., 148:624.
- Ewing, L.L. and Chang T. (1986).**
Physiology of the testis and epididymis. In Walsh P.C.; Relik A.B.; Vaughan E.D.; Wein A.J., Campbells Urology Philadelphia W.B., Saunders Company 5th ed., 1:200.
- Farrer, J.H.; Walker A.H. and Rafjer J. (1985).**
Management of the postpubertal cryptorchid testis. A statistical review. J. Urol., 134:1071.
- Fentener Van Vlissingen, J.M.; Van Zoelen E.J.J.; Ursem P.J.F. and Wensing C.J.G. (1988).**
In vitro model of the first phase of testicular descent; identification of a low molecular weight factor from fetal testis involved in proliferation of gubernaculum testis cells and distinct from specified polypeptide growth factors and fetal gonadal hormones. Endocrinology, 123:2868.
- Frey. H.L. and Fajfer J. (1982).**
Incidence of cryptorchidism. Urol. Clin. North Amer. 9(3) 327.
- Frey, H.L.; Peng S. and Rajfer J. (1983).**
Synergy of and androgen and Abdominal pressure in testicular descent. Biol Reprot., 29:1233.
- Friedland G.W.; Chang P. (1988) :**
The role of imaging in the management of the impalpable undescended testis. AJR. Am. J. Roentgenol. 151: 1107.
- Fritzsche, P.Y.; Hricak H. and Kogan B.A. (1987).**
Undescended testes: Value of MR imaging. Radiology, 164:169.
- Gaudio E.; Paggiarino D. and carpino F. (1984).**
Structural and Ultrastructural modifications of cryptorchid human testes. J. Urol., 161:292-6.

- George, F.W. and Peterson K.G. (1988).**
Partial catheterisation of the androgen receptor of the new born rat gubernaculum. *Biol. Repord.*, 39:536.
- Gier H.T.; Marion G.B. (1980).**
Development of the mammalian testis. In Johnson A.D Games W.R. (eds): the testis. New York, Academic press PP:1-54.
- Gill B. and Kogan S. (1997).**
Cryptorchidism current concepts. *Pediatric Clinics of North America* vol, 44, No.5: W.B Saunders company.
- Giwereman, A.; Bruun E; Frimodt-Møller C. and Skakkebaek N. (1989).**
Prevalence of carcinoma in situ and other histopathological abnormalities in testes of men with history of cryptorchidism. *J. Urol.*, 142:998.
- Gray L.B. (2001).**
The genital system: In Arey I.B (ed) : *Developmental anatomy* 7th Ed. Philadelphia, W.B. Saunders PP. -315-341.
- Green C.R. (1985).**
C.A.T V.S. Spermatic venography in localization of cryptorchid testis. *Hacker Urol.*, 26,5:513.
- Gritzman N. and Haller J. (1988)**
High resolution sonography in cryptorchidism. *Urol. A.* 27 (5):297.
- Hadziselimovic, F. (1981).**
Pathogenesis of cryptorchidism. *Clin Andrd.*, 7:147-50
- Hadziselimovic, F. and Herzog B. (1976).**
The meaning of the Leydig cells in relation to the etiology of the cryptorchidism. *J.Ped. Surg.*, 11:1-9.

- Iedinger G.H. (1999).**
Histological data in cryptorchidism, cryptorchidism. Diagnosis and treatment. *Pediatr. Adoles. Endocr.* 6B.
- Ieyns, C.F.; Human H.S. de clerk D.P. (1986).**
Hyperplasia and Hypertrophy of the gubernaculum during testicular descent in the fetus. *J. Uro.*; 135:1043.
- Hutson J.M. (1988).**
Testicular feminization: A model for testicular descent in mice and men. *J. Pediatr Surg.*, 12:195.
- Jarrow, J.P. (1990) :**
Cryptorchidism. In : Common problems in infertility and impotence edited by Rajfer, J., Chicago, London. Year Book. Medical Co. 199: 225-233.
- Jirasek J.E.; Roboch J. and Uher J. (1968).**
The relation between the development of the gonads and external genitalia in human fetuses. *Am. J. obstet Gynecol*, 101:803.
- Johnsen T.E. and Larmo A. (1988).**
Ultrasonography in undescended testis. *Acta. Radiol* 29: 159.
- Karpe,B.; Eneroth P. and Ritzen E.M (1983).**
LH-RH treatment in unilateral cryptorchidism:effect on testicular descent and hormonal response, *J. Pediatr.*, 103, 892-897.
- Khatwa, U.A. and Menon P.S. (2001).**
Management of the undescended testis. *Indian J. Pediatr.*, 67 (6): 449-454.
- Kier, R.; McCarthy S.; Rosenfield A.T.; et al. (1988).**
Non palpable testis in young boys. Evaluation with MR Imaging *Radiology*, 169:429-433.
- Kidney DD , Cohen AJ and Selville P (1999).**
Retractile testes .An incidental CTfindings in trauma patient. *AJR* 168:1233-12334.

References

- At, S.B; Kogan S.T.; Engel R.M; Weis R.M; Martin D.C. and Ehrlick D.C. (1978)
Impalpable testis a rational approach to management J Urol., 120:515-520.
- , R.; Howerton L.W. and Amin M. (1979).
Anatomy and surgical approach to the urogenital tract in male. Campbells Urology philadilphie. Saunder. Company. 4th ed., 1:3.
- igan J.G.; Shirkhoda A., Dexeus F.H. (1989).
CT and MR imaging of malignant germ cell tumour of the undescended testis. Urol Radiol. 11, (2):113-117.
- drazo B.L.; Klugo R.C.; Parks J.A and Diloreto R. (1979).
Ultrasonographic demonstration of undescended testes. Radiology, 133:181-183.
- ighnie M., Vanzulli A., Paesano, et al (1994)
The accuracy of magnetic resonance imaging and ultrasonography compared with surgical findings in the localization of undescended testes. Arch. Pediatric. Adolesc. Med.; 149(7):699-703.
- anley C.B., (1982)
Elective genital surgery at 1 yr. of age psychological and surgical concideraion Surg. Cline North Am., 62:941.
- arshall F.F. (1982)
Anomalies associated with cryptorchidism. Urol. Clin North Am., 9:339-347.
- Iartin, D.C and Menck H.R. (1995)
The undescended testis: Management after puberty. J.Urol., 144:77.

Mattrey. R.F. (1999).

Scrotum and testes. In Edelman R.R., Hesselink J.R. and Zlatkin M.B. eds: clinical magnetic resonance imaging, Philadelphia, W.B. Saunders.

McAleer I.M.; Packer M.G.; Kaplan G.W; et al (1995).

Fertility index analysis in cryptorchidism. J. urol. 153:1255.

McAninch, J.W. (1992).

Disorders of the testis, scrotum and spermatic cord. In Tanagho, E.A and G.W. McAninch. Smith general urology, Lange Medical Book Mc Grow-Hill Companies 15th ed, 13:629-657.

McAninch, J.W. (2000):

Disorders of the testis, scrotum and spermatic cord. In: Smith General Urology, edited by Tanagho, E.A. and McAninch, J.W. (15th edition), Lange Medical Book, PP. 629-693.

Mc Minn, R.M.H. (1996).

Last's Anatomy: Regional and Applied. 9th ed., Churchill Living Stones. PP. 305-315.

Mengel, W.; Heinz H.A; Sippe W.G and Hecker W.C.H. (1974).

Studies on cryptorchidism A comparison of histological findings in the germinal epithelium before and after the second year of life. J. Pediatr. Surg., 9:445.

Mengel W.; wronecki K. and Zimmerman F.A (1981).

Comparison of the morphology of normal cryptorchid testes in Fonkasirud, E.W and W. Meng el (eds). The undescended testis. Chicago year Book Medical Publishers P. 72.

Mengel, W.; Wronecki K. and sehroder J. (1982).

Histopathology of undescended testes. Urol. Clin North Amer., 9:331.

- inberg D.T. (1988).**
Histopathology of the undescended testis. Sem. In Urol:6(2), 74-88.
- Iiwa, S.; Fuse H, and Hiran S, (2000).**
Torsion of the spermatic cord in undescended testis: Report of two cases. Hinyokika kiyo, 46 (8): 561-564.
- Miyano, T.; Koboyashi H.; Iroschimoura A.H, et al (1991).**
Magnetic resonance imaging for localization the nonpalpable undescended testis. J. Ped Surge., 26 (5): 607.
- Moffat D.B. (1982) :**
Development of the urogenital system in male. In : Scientific foundations of urology, edited by Chisholem G.B. and Williams D.I. (2nd edition). London. Williams Hinman Medical books. Pp. 344-50.
- Musi L,D: Agostno S. and Cimaglia M.L., et al (1994).**
Non palpable testis: current and therapeutic trends. Pediatr Med. Chir., 16:513-516.
- Nguyen, H.T.; Cookley F. and Hricak H. (1999).**
Cryptorchidism: strategies in detection. Eur. Radiol., Vol. 9 (2): 336-43.
- Nistal M and paniagne R (1981).**
Multicorrelated Leyding cells in human cryptorchid testis andrologia, 13: 435-439.
- Noe, H.N. and Patterson T.H (1978).**
Screening urography/ in a symptomatic cryptorchid patient J.Urol., 119-669.
- Nordmark, L, (1977).**
Angiography of the testicular artery .Method of examiantion Acta radiol., 15: 25-32.

Nour El-Din M.A. and Bakr A.F. (2000).

Value of MRI in localization of undescended testis. The Egypt. Journal of radiology and Nuc. Med., 31 (2):625-631.

Page, D.C.; Moshere R;and Simpson ; (1987).

The sex determining region of the human Y chromosome encodes a finger protein-cell:51 :1091-1104.

Rains A.J. and Ritchie H.D (1994).

The testis and the scrotum. In Bailey and Loves Short Practices of Surgery 18th (ed). London: 1314-15.

Rajfer J. (1992).

Congenital anomalies of the testis. In Walsh P.C.; Retik A.B.; Stamey T.A. and vaughan E.D (eds) Compbell's Urology 6th ed, Vol. 2. Saunders, Philadelphia: 1543-1562.

Rajfer J. (1998).

Congenital anomalies of the testis and scrotum. In walsh P.C : Retik A.B ; vaughan ED and Wein A.J. Compbell's Urology 7th (ed) , phaladilphia W.B saunders Company, 4 :2172-2192.

Rholl, K.S; Lee J.K.I. and Ling D. (1987)

M.R imaging of the scrotum with high resolution surface radioloigy, 163:99.

Rigler, H.C. (1972).

Torsion of intra-abdominal testes. Surg. Clin. North Am.52: 371.

Rifkin M.D: Kurtz A.B and Goldberg B.B (1984).

Epididymis examined by ultrasound, Radiol, 155:187-190.

Robert M.; Weiss R.M., Morton G. and Clickman M.G (1982).

Venography of the undescended testis J. Urol. Clin of North Am., 9 No. 3

Robertson J.F.R; A zmy A.F. and Cochran W (1988).

Ascent of the testis. Br.j. urol., 146.

References

- Josenfield, A.T.; Blair D.N.; Maccarthy S.; et al 1989.**
The pars infravaginalis gubernaculum: important in the identification of undescended testis. Society of Uroradiology Award paper AJR, 153 (4): 775-778.
- arihan,H.; Sari A.; Abes M. and Dine H. (1998).**
Non palpable undescended testes: value of magnetic resonance imaging Minerva Urol. Nefrol. 50 (4):233-236.
- icorer, C.G., and Farrington G.H. (1971).**
Congenital derformities of the testis and epididymis. New york. Appleton. centure, Crofts .
- Shawky Kh.M.; Denewar M.A: Dawood O.A and Zaghloul M (1998).**
Role of MRI in undescended testicles Egypt. J. Rad and Nuclear Medicine, Vol. XXIX No. 2 (supple.) Dec.
- Siiteri, P.K and Wilson J.D (1974).**
Testosterone formation and metabolism during male sexual differentiation in the human embryo. J clin. Endoscrinal Metab : 38:113.
- Swerdlow A. J.; Higgins C.D and Pike M.C (1997)**
Risk of testicular cancer in cohort of boys with cryptorchidism. B.M.J ; 314:1507-11
- Tanagho, E.A (2000).**
Anatomy of the genito-urinary tract in Tanagho E.A and J.W Mcanich,Smith General urology.Lange Medical Book 15th edit 1-17.
- Tanyel. F.C: sara Y.; Ertane M.; Onur R.; Buya K. and Amukeu N.K. (1999).**
Lack of carbachol response indicates the absence of cholinergic receptors in cases associated with undescended testis. J. Pediatr. Surge. 34 (9) 1339-44.



References

- Ich, Y.; Shaher E. : Schacter A. and Dintsman M. (1980)**
Fertility and sexual developpment after bilateral orchiopexy for
cryptorchidism. J Med. Sci , 16: 707.
- erson M.K : Houtuin E: Heibery E: Sundaram M and Shields J**
(1983).
Comparison of computed tomography with high resolution real-
time ultrasound in the localization of the impalpable testis.
Radiology, 146:133-136.