
REFERENCES

- Ahuja A., Chick W., Rimg W. and Metreweli C. (1996):** Clinical significance of the comet tail artifact in thyroid. *Ultrasound*, 24: 129-133.
- Allard R.H.B. (1982):** The thyroglossal cyst. *Head Neck Surg.* 5: 134.
- Atavilla G., Pascale M. and Nenci I. (1990):** Fine needle aspiration cytology of thyroid gland disease. *Acta. Cytol.* 34: 251-256.
- Becker D., Bair H.J., Becker W., Gunter E., Lohner W., lerch S. et al. (1997):** Thyroid autonomy with color-coded image-directed doppler sonography internal hypervascularization for the recognition of autonomous adenoma. *Journal of Clinical ultrasound.* 25: 63-69.
- Belfior A., Rosa G.L., Giuffrida D., Regalbuto C., Lupo L., Fiumara A. et al. (1995):** The management of thyroid nodules. *Journal of Endocrinological Investigation.* 18: 155-158.
- Belfiore A., La Rosa G.L., La Porta G.A., Giuffrida D., Milazzo G., Lupo L., Regalbuto C. (1992):** Cancer risk in patients with cold thyroid nodules: Relevance of iodine intake, sex, age and multinodularity. *Am. J Med.* 93:363-369.
- Blum M. (2003):** Thyroid and its diseases, chapter 6, (Ultrasonography of the Thyroid) at [http:// www. thyroidmanager.org/ thyroidbook.htm](http://www.thyroidmanager.org/thyroidbook.htm).
- Brkljacic B., Cuk V., Tomic-Brzac H. et al. (1994):** Ultrasonic evaluation of benign and malignant nodules in echographically multinodular thyroids. *J. Clin. Ultrasound.* 2271.
- Bruce M. Carlson (1994):** Human embryology & developmental biology, part two, 298-299.
- Cerbone G., Spiezia S., Colao A. et al. (1999):** Power Doppler improves the diagnostic accuracy of color Doppler ultrasonography in cold thyroid nodules: follow-up results. *Horm Res.* 52:19-24.
-

- Clark K.J., Cronan J.J. and Scola F.H. (1995):** Color Doppler sonography anatomic and physiologic assessment of the thyroid. *J. Clin. Ultrasound.* 23: 215-223.
- Clark O.H. and Duh Q.Y. (1991):** Thyroid cancer. *Med. Clin. North. Am.* 75: 211.
- Cunningham J.J., Mazzaferri E.L. and Delas Santos E.T. (1990):** Cystic thyroid nodules. *Arch. Internal. Med.* 150: 142.
- David Lemaire & Dominique Dorion, 2003:** Thyroid Anatomy, at [http://www. eMedicine /Otolaryngology and Facial Plastic Surgery / Anatomy](http://www.eMedicine/Otolaryngology and Facial Plastic Surgery / Anatomy).
- Delellis R.A. and Wolfe H.J. (1981):** The pathobiology of human calcitonin (C) cells: A review. *Pathol. Annu.* 16: 29.
- Dellellis R. (1989):** The endocrine system. In : Cortun R.S., Kumar U. and Robbins S.L. Robbins pathologic basis of diseases, Ed. 4th., Philadelphia. W.B. Saunders. 1214.
- Diaz-Arias AA, Bickel JT, Loy TS, et al (1992):** Follicular carcinoma with clear cell change arising in lingual thyroid. *Oral surg oral med oral pathol*, 74:206.
- Ezzat S., Sarti D.A., Cain D.R. et al. (1994):** Thyroid incidentalomas prevalence by palpation and ultrasonography. *Arch. Intern. Med.* 154: 1838.
- Fobbe F., Finke R., Reichenstein E. et al. (1989):** Appearance of thyroid disease using colour coded duplex sonography. *Eur. J. Radiol.* 9: 29-31.
- Frates M.C., Benson C.B., Doubilet P.M., Cibas E.S and Marqusee E. (2003):** Can color Doppler sonography aid in the prediction of malignancy of thyroid nodules? *J. Ultrasound Med.* 22:127-131.
- Gatagnone D., Rivolta R., Resentli S. et al. (1996):** Color Doppler sonography in Grave's disease: Value in assessing activity of disease and predicting outcome. *AJR.* 166: 203-207.
- Gharib H. (1994):** Fine needle aspiration biopsy of thyroid nodules: advantages and limitations and effect. *Mayo clinic proceedings* 69: 44-49.
-

- Gharib H., Goellner J. and Johnson D. (1993):** Fine needle aspiration cytology of the thyroid. A 12-year experience with 11,000 biopsies. *Clin. Lab. Med.* 13:699-709
- Goellner J.R., Gharib H., Grant C.S. et al. (1987):** Fine needle aspiration cytology of the thyroid 1980 to 1986. *Acta. Cytol.* 31: 587.
- Greening W.P., Sarker S.K. and Osborne M.P. (1980):** Hemiogenesis of the thyroid gland. *Br. J. Surg.* 67: 446-448.
- Grun R., Schwerek W.B. and Wahi R. (1985):** Ultrasound diagnosis of C-cell carcinoma of the thyroid. *Carcinoma of the thyroid. Cancer*, 55: 624-630.
- Hagag P., Strauss S. and Weiss M. (1998):** Role of ultrasound-guided fine-needle aspiration biopsy in evaluation of nonpalpable thyroid nodules. *Thyroid* 8:989 -995
- Hammer M., Wortsman J. and Folse R. (1982):** Cancer in cystic lesions of thyroid. *Arch Surg.* 177: 1020-1023.
- Hamming JF, Goslings BM, Van Steenis GJ, Van Ravenswaay Classen H, Hermans J, Van de Velde CJH.(1990):** The value of fine needle aspiration biopsy in patients with nodular thyroid disease divided into groups of suspicious or malignant neoplasms on clinical grounds. *Arch Intern Med.* 150: 113-116.
- Harach H.R. (1988):** Solid cell nests in the thyroid. *J. Pathol.* 155: 191.
- Hay I.D. (1991):** Thyroid cancer. *Curr. Ther. Int. Med.* 3: 931-935.
- Hayes A.D. and Kershaw D.R. (1985):** Anatomy and development of thyroid gland. *Ear. Nose. Throat J.* 64: 318.
- Hedinger C.E. (1988):** Histological typing of thyroid tumours. Berlin, Springer Verlag.
- Holden A. (1995):** The role of colour and duplex Doppler ultrasound in the assessment of thyroid nodules. *Australas. Radiol.* 39: 343-349.
- Hopkins C.R. and Reading C.C. (1995):** Thyroid and parathyroid imaging. *Semin. Ultrasound CT. MR.* 16: 279.
-

- Ingbar S. (1985):** The thyroid gland. In : Wilson T and Foster D (Eds.). William's Textbook of Endocrinology. Philadelphia. Saunders.
- Ivy H.K. (1984):** Cancer metastatic to the thyroid: A diagnostic problem. Mayo. Clin. Proc. 59: 856.
- James EM. Charboneau JW(1985):** High-frequency (10 MHz)thyroid ultrasonography. Semin Ultrasound. CT, MR: 6:294-309.
- Jones A.J., Aitman T. J., Edmonds C.J. et al. (1990):** Comparison of fine needle aspiration cytology, radioisotopic and ultrasound scanning in management of thyroid nodules. Postgrad. Med. J. 66: 914-917.
- Karlsson (1977):** Hypothyroidism due to thyroid antibodies. N. Engl. J. Med. 296: 1145-1153.
- Kasagi K., Hatabu H., Tokuda Y. et al. (1991):** Lympho-proliferative disorders of the thyroid: Radiological appearance. Br. J. Radiol. 64: 569-575.
- Katz J.E., Kane R.A., Reyes J., Kam R.A., Reyes J., Clarke M.P. et al. (1984):** Thyroid nodules: sonographic-pathologic correlation. Radiology. 151 : 741-745.
- Kenneth C. Suen(2002):** Fine-needle aspiration biopsy of the thyroid, CMAJ ; 167 (5).
- Kerr L. (1994):** High Resolution thyroid ultrasound. The value of color Doppler. Ultrasound Quart. 12: 21-43.
- Keston M. Jones (2001):** Management of nodular thyroid disease, BMJ; 323:293-294 (11 August).
- Khan A. N., Al-Khattab Y., et al (2004):** Thyroid Nodules, at [http://www.eMedicine/Radiology/Head And Neck](http://www.eMedicine/Radiology/HeadAndNeck).
- Lagalla R., Garuso G., Benza L., et al (1993):** Echo-color Doppler in study of hypothyroidism in the adult (Ital.) Radiol Med, 86:281-283.
- Lagalla R., Garuso G., Midiri M. et al. (1992):** Echo Doppler couleur et pathologie thyroïdienne. JEMU. 13: 44-47.
-

- Larsen R. (1982):** Thyroid-pituitary interaction. *N. Engl. J. Med.* 306: 23.
- MacIntyre I. (1989):** Calcitonin: physiology, biosynthesis secretion, metabolism and mode of action. De Groot L.J. (Ed.) *Endocrinology*. Philadelphia.
- McCall A, Jarosz H, Lawrence AM, Paloyan E. (1986):** The incidence of thyroid carcinoma in solitary cold nodules and in multinodular goitres. *Surgery*; 100: 1128-1131.
- McDougal I.R. (1991):** Graves disease: Current concepts. *Med. Clin. North Am.* 75: 79.
- McMinn R.H.M. (1990):** The thyroid gland in last's anatomy. Regional and applied. 8th ed. Churchill Livingstone. 4: 430-432.
- Miller JH (1985):** Lingual thyroid gland sonographic appearance. *J Radiology*, 156:83-84.
- Moore L. Keith (1988):** Clinically applied anatomy. Williams and Wilkins, 3rd ed., 23: 2-M67.
- Pacella C., Guglielmi R., Fabbrini R. et al. (1998):** Papillary carcinoma in small hypoechoic thyroid nodules, predictive value of echo color Doppler evaluation: preliminary results. *J. Exp. Clin. Cancer Res.* 17:127-128.
- Pacini F. and Leslie J. De Groot (2003):** Thyroid and its diseases, chapter 18, (Thyroid Nodules) at <http://www.thyroidmanager.org/thyroidbook.htm>.
- Papini E., Guglielmi R., Bianchini A. et al. (2002):** Risk of malignancy in non palpable thyroid nodules: predictive value of ultrasound and color-Doppler features. *J. Clin. Endocrinol. Metab.* 87:1941-1946.
- Peter L., Williams R., Mary D. and Lawrence H. (1989):** Gray's anatomy, thirty seventh edition. 228-229; 1459:1465.
- Piera J., Garriga J., Calabuig R. et al. (1986):** Thyroid hemiagenesis. *Am. J. Surg.* 151: 419.
- Pilotti S. and Pierotti M.A. (1992):** Classificazione istologica e caratterizzazione molecolare dei tumori dell'epitelio follicolare della tiroide. *Argomenti di oncologia*, 13: 363-380.

- Rago T., Vitti P., Chiovato S., et al. (1998):** Role of conventional ultrasonography and color flow-Doppler sonography in predicting malignancy in "cold" thyroid nodules. *Eur. J. Endocrinol.* 138: 41-46.
- Ramelli F., Studer H., Forster R. et al. (1982):** Pathogenesis of thyroid nodules in multinodular goiter. *Am. J. Pathol.* 109: 215.
- Reading C.C. (1991):** Thyroid, parathyroid and cervical nodes. In: Rifkin M.D. (Ed.). *Syllabus: Special course ultrasound* Oak Brook, IL RSNA, 363.
- Robbins S. and Angell M. (1983):** Basic Pathology, 3rd ed. Medical School Dallas-Texas ISBNO. R6, P. 1378-1380.
- Rogers M.W. (1978):** Anomalous development of the thyroid. In: Werner SC and Ingbar SH (Eds.). *The thyroid*, New York. Harper and Row. 416-420.
- Rojeski M.T. and Gharib H. (1985):** Nodular thyroid disease: evaluation and management. *N. Engl. J. M. ed.* 313:428-436.
- Rosen I.B., Provras J.P. and Wafish P.G. (1993):** Pathologic nature of cystic thyroid nodules selected for surgery by needle aspiration biopsy. *Surgery*, 100: 606-610.
- Ross D.S. (1991):** Evaluation of the thyroid nodules. *Journal of Nuclear Medicine.* 32: 2181-2192.
- Rumack C.M., Wilson S.R. and Charboneau J.W. (1998):** Thyroid gland. In : *Diagnostic ultrasound*, Volume I, 2nd ed. Mosby. 703.
- Sakane S. (1990):** The prognostic application of thyroid volume determination in patients with Grave's disease. *Folia Endocrinol.* 66: 543-556.
- Shimamoto K., Endo T., Ishigaki T., Sakuma S. and Makino N. (1993):** Thyroid nodules: evaluation with color Doppler ultrasonography. *J. Ultrasound Med.* 12: 673-678.
- Singer P.A. (1991):** Thyroiditis, acute subacute and chronic. *Med. Clin. North Am.* 57: 61.
- Sinnatamby C.S. (1998):** The thyroid gland: In last's anatomy regional and applied. 10th ed. Churchill Livingstone. 330-332.
-

- Solbiati L. (1992):** La tiroide e le Aratrioidi. In : Rizzatto G. and Solbiati L (Eds.). *Anatomia Ecografica Quadri Normali Varianti e Limiti con il Pathologico* Milano, Masson, 35-45.
- Solbiati L., Gioffi V. and Ballarati E. (1992):** Ultrasonography of the neck. *Radiol. Clin. North Am.* 30: 941-954.
- Solbiati L., Livraghi T., Ballarati E., Ierace T. and Crespi L. (1996):** Thyroid Gland. In: Solbiati L, Rizzatto G, Charboneau JW, eds. *Ultrasound of superficial structures*. Edinburgh: Churchill-Livingstone ; 48 – 85.
- Solbiati L., Livraghi T., Ballarati E. et al. (1995):** Thyroid gland. In : Solbiati L. and Rizzatto G. (Eds.). *Ultrasound of superficial structures, High Frequencies, Doppler and Interventional procedures*, New York. Churchill, Livingstone. 149.
- Spiezia S., Colao A., Assanti A.P., Cerbone G., Picone G.M., Merola b. et al. (1996):** Usefulness of color echo Doppler with power Doppler in the diagnosis of hypoechoic thyroid nodules: work in progress. *Radiological Medicine*. 921: 616-621.
- Sutton R.T., Reding C.C., Ghorboneau J.W. et al. (1988):** Ultrasound-guided biopsy of neck masses in post-operative management of patients with thyroid cancer. *Radiology*. 168: 769.
- Takashima S., Fukuda H. and Kobayashi T. (1994):** Thyroid nodules: clinical effect of ultrasound-guided fine needle aspiration biopsy. *J. Clin. Ultrasound*. 22: 535-542.
- Takashima S., Fukuda H., Nomura N., Kishimoto H., Kim T., Kobayashi T. (1995):** Thyroid nodules: re-evaluation with ultrasound. *J. Clin. Ultrasound*. 23: 179-84.
- Takashima S., Matssuzka F., Nagareda T. et al. (1992):** Thyroid nodules associated with Hashimoto's thyroiditis: Assessment with ultrasound. *Radiology*. 185: 125-130.
- Tan G.H., Gharib H. and Reading C.C. (1995):** Solitary thyroid nodule. Comparison between palpation and ultrasonography. *Archives of Internal Medicine*. 155: 2418-2423.
- Ueda D. (1990):** Normal volume of the thyroid gland in children. *J. Clin. Ultrasound*. 18: 455.
-

- Ueda D., Mitamura R., Suzuki N. et al. (1992):** Sonographic imaging of thyroid gland in congenital hypothyroidism. *Pediat. Radiol.* 22: 102-105.
- Urso M., Angelillis L. and Ambrosio G.B. (1996):** Vascularization of single thyroid nodule as an indicator of malignant neoplasm: a study using echo-color-doppler. *Annales Italian Medicine Internal.* 11: 175-179.
- Wick M.R. and Sawyer M.D. (1989):** Antigenic alteration in autoimmune thyroid disease. *Arch. Pathol. Lab. Med.* 113: 77.
- Wilems J.S. and Lowhagen T. (1981):** Fine needle aspiration cytology in thyroid disease. *Clin/ Endocrinol. Metab.* 2:247
- Yang GC, Liebeskind D, Messina AV. (2001):** Ultrasound-guided fine-needle aspiration of the thyroid assessed by ultrafast Papanicolaou stain: data from 1135 biopsies with a two- to six-year follow-up. *Thyroid*; 11:581-9.
- Yeh H.C., Futterweit W. and Gilbert P. (1996):** Micronodulation: ultrasonographic sign of Hashimoto's thyroiditis. *J. Ultrasound Med.* 15: 813-819.
- Yokoyama N., Nagayama Y., Kakozono F. et al. (1986):** Determination of the volume of thyroid gland by high resolution ultrasound scanner. *J. Nucl. Med.* 27: 1475-1479.
- Zadenius J., Auer G., Backdahl M. et al. (1992):** Follicular tumors of thyroid gland: Diagnosis, clinical aspects and nuclear DNA analysis. *World J. Surg.* 16: 589.
-