
REFERENCES

- Adler DD, Wahl RL (1995).** New methods for imaging the breast: techniques, findings, and potential. *AJR AM J Roentgenol* 1995; 164: 19-30.
- Ahn CY, Narayanan K, Shaw WW (1994).** In vivo anatomic study of cutaneous perforators in free flaps using magnetic resonance imaging. *J Reconstr Microsurg* 1994; 10 (3): 157-63.
- Bartow SA (1994).** The breast in Rubin E, Farber (L) eds: *Pathology 2nd* (ed) J.B. Lippincott Company, Philadelphia.
- Berg WA, Casltey CI, Hamper UM, Anderson ND, Chan BW, Zerhouni EA, Kuhlman JE, (1993).** Diagnosing breast implant rupture with MR imaging, US, and mammography. *Radiographics* 1993 Nov; 13 (6): 1323-36.
- Boetes C, Barentsz JO, Mus RD, Van der Sluis RF, van Erning LJTO, Hendriks JHCL, Holland R, Ruys SH (1994).** MR characterization of suspicious breast lesions with a gadolinium-enhanced turbo FLASH subtraction technique. *Radiology* 1994; 193: 777-781.
- Bone B, Aspelin P, Iseberg B, Perbeck L, Veress B (1995).** Contrast-enhanced MR imaging of the breast in patients with breast implants after cancer surgery. *Acta Radiol* 1995; 36: 111-116.
- C. Whitaker Sewell (1995).** Pathology of benign and malignant breast disorders. *Radiologic Clinics of North America*. Vol.33 No.6 November 1995. pp. 1067-1080.
- Chien D, Atkinson DJ, Edelman RR. (1991).** Strategies to improve contrast in turboFLASH imaging: reordered phase encoding and K-space segmentation. *J Magn Reson Imaging* 1991; 1:63-70.

- Chummy S. Sinnatamby (1999).** Last's Anatomy (Regional and Applied). Churchill Livingstone 1999. Tenth edition: 54-55.
- Crichlow RW, Galt SW (1990).** Male breast cancer. Surg Clin North Am 70:1165-1177, 1990.
- Dao T, Rahmouni A, Campana F, Laurent M, Asselain B, Fourquet A (1993).** Tumor recurrence versus fibrosis in the irradiated breast: Differentiation with dynamic gadolinium-enhanced imaging Radiology 1993: 187-751-755.
- Davis CP, McKinnon U; Debatin JF, (1996).** Ultra-high-speed MR imaging. Eur Radiol 1996; 6:297-311.
- De Angelis GA, De Lange EE, Miller LR, Morgan RF, (1994).** MR imaging of breast implants. Radiographics 1994;14(4): 783-94.
- Dean KI; Komu M, Dean PB;Kormano M,(1994a).** Magnetization transfer contrast in gadopentetate-dimeglumine-enhanced breast magnetic resonance imaging at 0.1 Tesla. Invest Radiol 1994; 29: Suppl 2 p302-3.
- Dean KI, Komu M, (1994b).** Breast tumor imaging with ultra low field MRI. Magn Reson Imaging 1994;12(3): 395-401.
- Dupout WD, et al (1994).** Long term risk of breast cancer in women with fibroadenoma. N Engl J Med 1994, 331:10.
- Edelman RR, Kleefield J, Wentz KU, Atkinson DJ (1990).** Basic principles of magnetic resonance imaging. In: Edelman and Hesselink (eds): Clinical magnetic resonance imaging. W.B. Saunders, Philadelphia, PA, USA 1990, pp 3-38.
- EL-Bolkainy N. (2000).** Cancer breast in topographic pathology of cancer 2nd Edition. National Cancer Institute, Cairo; 2000:81-87.
- Ellis H; Colborn GL; Skandalakis JE (1993).** Surgical embryology and anatomy of the breast and its related anatomic structures. Surg Clin North Am. 1993 Aug; 73(4): 611-32.

- Elston CW, Gresham GA, Rao GS (1982).* The cancer research campaign (kings/Cambridge) trial for early breast cancer: clinicopathological aspects. *Br J Cancer* 1982; 45: 655-669.
- Fiorica JV (1994).* Special problems. Breast cancer and pregnancy. *Obstet Gynecol Clin North Am.* 1994;21:721-732.
- Fischer U, Vosschenrich R, Doler W, Hamadeh A, Oestmann JW, Grabbe E (1995).* MR imaging-guided breast intervention: experience with two systems. *Radiology* 1995; 195: 533-538.
- Fisher B, Redmond C, Poisson R (1989).* Eight year results of a randomized clinical trial comparing total mastectomy with or without irradiation in the treatment of breast cancer. *New Engl J Med* 1989;320: 822-828.
- Fobben ES, Rubin CZ, Kalisher L, Dembner AG, Seltzer MH, Santoro EJ (1995).* Breast MR imaging with commercially available techniques: radiologic-pathologic correlation. *Radiology* 1995; 196: 143-152.
- Fracchia AA, Borgen PI (1991).* Bilateral breast cancer. *Semin Surg Oncol* 1991; 1;7:300-305.
- Frahm J, Haase A, Matthaei D (1986).* Rapid three-dimensional MR imaging using the FLASH technique, *J Comput Assist Tomogr* 1986; 10:363-368.
- Frankel S, Occhipinti K, Kaufman L, Kramer D, Carlson J, Mineyev M, Friedental R, (1994b).* Characteristics of magnetic resonance sequences used for imaging silicone gel, saline, and gel-saline implants at low field strengths. *Invest Radiol* 1994; 29:781-6.
- Gilles R, Guinebretiere J, Shapeero L (1993).* Contrast-enhanced subtraction MRI for assessment of breast cancer recurrences: Preliminary results in 26 patients. *Radiology* 1993; 188:473-478.
-

- Gilles R, Guinebretiere J, Lucidarme O (1994a).** Non palpable breast tumors: diagnosis by dynamic contrast-enhanced subtraction MRI. *Radiology* (1994); 191:625-631.
- Gilles R, Guinebretiere J, Toussaint C (1994b).** Locally advanced breast cancer: contrast-enhanced subtraction MR imaging of response to preoperative chemotherapy. *Radiology* 1994; 191:633-638.
- Gilles R, Zafrani B, Guinebretiere JM, Meunier M, Lucidarme O, Tardivon AA, Rochard F, Vanel D, Neuenschwander S, Arriagada R (1995).** Ductal carcinoma in situ: MR imaging-histopathologic correlation. *Radiology* 1995; 196:415-419.
- Gorczyca DP (1994).** MR imaging of breast implants. *Magn Reson Imaging Clin N Am.* 1994 Nov; 2(4): 659-72.
- Gorczyca DP, Schneider E, De Bruhl ND, Foo TK, Ahn CY, Sayre JW, Shaw WW, Bassett LW, (1994).** Silicone breast implant rupture: Comparison between three-point Dixon and fast spin-echo MR imaging. *AJR Am J Roentgenol* 1994;162:305-10.
- Gorczyca DP, DeBruhl ND, Sullenberger PC, Farria D, Sinha S, Bassett LW (1995).** Wire localization of breast lesions before biopsy: use of MR-compatible device in phantoms and cadavers. *Am J Roentgenol*, 1995; 165:835-838.
- Gribbestad IS, Nilsen G, Fiosne HE (1992).** Contrast-enhanced magnetic resonance imaging of the breast. *Acta Oncologica* 1992;31:833-842.
- Gribbestad IS, Nilsen G, Fiosne HE, Kvinnslands S, Haugen OA, Rinck PA (1994).** Comparative signal intensity measurements in dynamic gadolinium-enhanced MR. *J Magn Reson Imaging* 1994;4:477-480.
- Harms SE (1998).** Breast magnetic resonance imaging, *Semin Ultrasound CT and MRI.* 1998 Feb., 19 (1): 104-20.

- Harms SE, Flamig OF, Hesley KL, Meches MD, Evans WP, Savino DA, Wells RV, (1993).** MR imaging of the breast with rotating delivery of excitation off resonance: clinical experience with pathologic correlation. *Radiology* 1993;187:493-501.
- Harms SE, Flamig DP, Evans WP, Harries SA, Brown S (1994).** MR imaging of the breast: Current status and future potential. *Am J. Roentgenol.* 1994; Nov, 163(5): 1039-47.
- Harms SE, Jensen RA, Meiches MD, Flamig DP, Evans WP (1995).** Silicone suppressed 3D MRI of the breast using rotating delivery of off-resonance excitation. *J Comput Assist Tomogr.* 1995;19:394-399.
- Harries SA, Amin Z, Smith ME, Lees WR, Cooke J, Cook MG, Scurr JH, Kissin MW, Bown SG (1994).** Interstitial laser photo coagulation as a treatment for breast cancer. *Br J Surg* 1994;81:1617-1619.
- Helzlouer KJ, Couzi R (1995).** Hormones and breast cancer. *Cancer* 1995, 76 (suppl): 2059.
- Hendrick RE (1994).** Basic physics of MR imaging: an introduction. *Radiographics.* 1994 Jul; 14 (4): 829-46; quiz 847-8.
- Hermanek P, Scheibe O, Spiessl B, Wagner G (1993).** Illustrierter leitfaden zur TNM/p TNM-Klassifikation maligner Tumoren. 3. Auflage. UICC Union Internationale Contre le Cancer. Springer Verlag, Berlin, 1993, pp. 184-195.
- Hermansen C, Skovgaard Poulsen H, Jensen J, et al. (1987).** Diagnostic reliability of combined physical examination. Mammography, and fine-needle puncture (triple-test) in breast tumors: a prospective study. *Cancer* 1987; 60:1866-1871.
- Heywang-Koebrunner and Beck R. (1996).** Contrast-enhanced MRI of the breast. Springer-Verlag, Berlin-Heidelberg, 1996, pp:50-100.
-

- Heywang-Koebrunner S, Wolf A, Pruss E, Hilbertr T, Eiermann W, Permanetter W (1989).** MR imaging of the breast with Gd-DTPA: use and limitations. *Radiology* 1989; 171:95-103.
- Heywang-Koebrunner SH (1994).** Contrast enhanced magnetic resonance imaging of the breast. *Invest Radiol* 1994;29:94-104.
- Heywang-Koebrunner SH, Schlegel A, Beck R, Wendt T, Kellner W, Lommatzsch B, Untsch M, Nathrath WE (1993).** Contrast-enhanced MRI of the breast after limited surgery and radiation therapy. *J Comput Assist Tomogr* 1993; 17:891-900.
- Heywang-Koebrunner SH, Haustein J, Pohl C, Lommatzsch B, Untsch M, Nathrath WE (1994a).** Contrast-enhanced MR imaging of the breast: comparison of two different doses of gadopentate dimeglumine. *Radiology* 1994; 191:639-646.
- Heywang-Koebrunner SH, Huynh AT, Viehweg P, Hanke W, Requardt H, Paprosch I, (1994b).** Prototype breast coil for MR-guided needle localization. *J Comput Assist Tomogr* 1994; 18:876-81.
- Heywang-Koebrunner SH, Wolf HD, Deimling M, Kosling S, Hofer H, Spielmann RP (1996).** Misleading changes of the signal intensity on opposed-phase MRI after injection of contrast medium *J Comput Assist Tomogr*, 1996 Mar Apr; 20(2): 173-8.
- Hulka CA, Smith BL, Segroi DC, Tan L, Edmister WB, Campbell T, Kopans DB, Brady TJ, (1995).** Benign and malignant breast lesions: differentiation with echo-planar MR imaging. *Radiology*, 1995 Oct; 197 (1): 33-38.
- Jackson VP, Hendrick RE, Feig SA, Kopans DB, (1993).** Imaging of the radiographically dense breast. *Radiology* 1993; 188(2): 297-301.

- Kaiser WA, Zeitler E (1989).** MR Imaging of the breast: fast imaging sequences with and without Gd-DTPA-preliminary observations. *Radiology* 1989, 170:681-686.
- Kerslake RW, Fox JN, Carleton PJ, Imrie MJ, Cook AM, Bowsley SJ, Horsman A (1994).** Dynamic contrast-enhanced and fat suppressed magnetic resonance imaging in suspected recurrent carcinoma of the breast: preliminary experience. *Br J Radiol.* 1994 Dec; 67(804): 1158-68.
- Kinkel K, Hylton M (2000).** Challenges to interpretation of breast MRI. *J Magen Reson imaging* 2001 Jun; 13 (6): 821-9.
- Komu M; Kormano M.(1992).** Breast coil design for low-field MR Magn Reson Med 1992;27: 165-70.
- Kopans DB (1984).** Early breast cancer detection using techniques other than mammography. *Am J Roentg* 1984; 143: 465-468.
- Kuhl CK, Milcarek P, Klaschik, leutnere et al (1999).** Dynamic breast MR Imaging: are signal intensity course data useful for differential diagnosis of enhancing lesions. *Radiology* 1999;211:101-110.
- Kumar V, Cortan R, Collins T, (1999).** The female breast in pathologic bases of disease 6th (ed) WB saunders, Philadelphia 1999; 25: 1093-1119.
- Kuske RR, Bean JM, Garsis DM, Peru CN, Andriole D, Philpott G, Fineberg B (1993).** Breast conservation therapy for intraductal carcinoma of the breast. *Int-J-Radiat- Oncol-Biol-Phys.* 1993 Jun 15; 26(3): 391-406.
- Leibman AJ, Keuse B (1990)** Breast cancer: mammographic and sonographic findings after augmentation mammoplasty. *Radiology* 1990; 174: 195-198.
-