

References

References

- 1) **Anne M.R. Agur, B.Sc. (OT), M.Sc. and Ming J. Lee, M.D. (2000):**
Grants Atlas of Anatomy. Ninth edition, 7; 451-549.
- 2) **Berry A.C. (1975):**
Factors affecting the incidence of non metrical skeletal variants, Maxillofac. Radio., 120; 519-535.
- 3) **Brandt Zawadzki M.N., Minagi M., and Federle M.P. (1992):**
High resolution CT image reformation in Maxillo-facial Pathology. AJR, 138; 477-482.
- 4) **Brink A.J. (1995):**
Technical aspect of helical CT. Radiological. Clinic of North America, 33(5); 825-841.
- 5) **Converse J.M. (1977):**
Reconstructive plastic surgery. Second edition, 43; 963-980
- 6) **Converse J.M. and Smith B. (1997):**
The treatment of blow-out fractures of the orbit. Plast. recon. Surg., 62(1); 100-120.
- 7) **Cruse C.W., Blerins P.K. and Luce E.A. (1980):**
Naso-ethmoid-orbital fractures. J. Trauma, 20; 551-561.
- 8) **Dawson R.L. (1999):**
Injuries of the facial skeleton. In diseases of the ear, nose and throat, 15; 240-275.
- 9) **DeLapaz R., Zawadzki M.B., Rowe L.D., Federle M.P., and Williams W. (1996):**
CT of maxillo facial injury. In: Computed tomography in the evaluation of trauma. Seventh edition, 185; 865-869.
- 10) **Dingman R.O. and Converse J.M. (1977):**
The Clinical management of facial injuries and fractures of facial bones. In: reconstructive plastic surgery, 18; 550-605.

- 11) Dolan D.D. and Jacoby C.G. (1998):**
Diagnostic imaging of facial fractures, 5; 130-370.
- 12) Douglas P.S., Stephen C.H. and Stephen W.W. and Foster C.A. (1987):**
Mandibular fractures, surgery of facial bone fractures, 10; 254-290.
- 13) Enlow D.H. and Harris D.B. (1964):**
Study of the postnatal growth of the human mandible. Am. J. Orthop., 50; 25-50.
- 14) Feinstein F.R. and Krizek T.J. (1987):**
Fractures of the Zygoma and Zygomatic arch. Foster C.A. and Sherman J.E. (editors): Surgery of facial bone fractures, 12; 220-270.
- 15) Ferrario V.F., Sforza C., Puleo A., Poggio C.E., Schmitz J.H. (1996):**
Three-dimensional facial morphology and conventional cephalometries. Int. J. Adult orthod. Orthognath. Surg., 11; 329-338.
- 16) Fishman E.K., Magid D., Ney D.R. and Chaney E.L. (1991):**
Three dimensional imaging, Oral Radiology, 181; 321-337.
- 17) Forbes G. (2002):**
Computerized tomography of the orbit. Radiologic Clinic of North America, 20; 37-49.
- 18) Fradkin A.H. (1991):**
Orbital fractures and ocular complications. Am. J. Ophthalmol., 72; 699-700.
- 19) Fujii N. and Yamashiro M. (1983):**
Classification of malar complex fractures using computed tomography. J. Oral maxillofacial Surgery, 44; 562-567.

20) Fujino T. (1994):

Experimental "blow out" fractures of the orbit. *Plast. recon. Surg.*, 54; 84-92.

21) Gabriel A.C. (1958):

Some anatomical features of the mandible. *Oral Surgery.*, 92; 580-586.

22) Gentry R. L., William F. M., Patrick A. T. and Charles M.S. (1983):

High resolution CT analysis of facial struts in trauma. 1. Normal anatomy. *AJR*, 140; 523-531.

23) Girod S., Keeve E., Girod B. (1996):

Advances in interactive Craniofacial Surgery planing by 3D simulation and visualization. *Int.J. Oral Maxillofac. Surg.*, 24; 120-125.

24) Gratz S.J. (1996):

Comparative imaging of the jaws. *Dentomaxillary Radiolog*, 2; 55-63.

25) Hammerschlag S.B., Hesselink J.R. and Weber A.L. (2002):

In computed tomography of eye and orbit. *Appleton- Century-crofts*, Normalk, connecticut. *J. Orofac. Ortho.*, 57; 32-45.

26) Hasso A.N. and Vignaud J. (1988):

Computed tomography of the para nasal sinuses and face. *J. Comp. Assist. Tomog.*, 2; 559-567.

27) Heiken P. J., Brink A. J. and Michael W.V. (1993):

Spiral (Helical) CT. *Radiology*, 189; 647-656.

28) Hopkins R. (1989):

Fractures of the middle third of the facial skeleton. *Proc. R. Soc. Med.*, 67; 709-712, Quoted from, Gentry et al., (1983): High resolution CT analysis of facial struts in trauma. *AJR.*, 140; 523-541.

- 29) **Jamie Wier, Peter H. Ibrahim (1997):**
Head and Neck in imaging atlas of human anatomy, 2nd edition,
1 : 1-48.
- 30) **Jelks G.W. and La trenta G. (1987):**
Orbital fractures. Foster C.A. and Sherman J.E. (editors):
Surgery of facial bone fractures, New York, Churchill Living
Stone, 12; 313-325.
- 31) **Johnson D.M. (1994):**
CT of maxillofacial trauma. Radiologic Clinic of North
America, 22; 131-144.
- 32) **Joseph S. G. (1985):**
Naso-Ethmoid-orbital fractures: Classification and role of
primary bone grafting. Plast.Recon., Surg., 75(3); 303-316.
- 33) **Jurkiewicz M.J. and Nickell W.B. (1991):**
Fractures of the skeleton of the face. J. trauma, 11; 947-958.
- 34) **Kalender W.A., Seibler W. and Vock P. (1989):**
Single breath hold spiral volumetric CT by continuous patient
translation and scanner rotation. Radiology, 173; 414-418.
- 35) **Kazanjian V.H. and Converse J.M. (1995):**
The surgical treatment of facial fractures, fourth edition, 22;
550-600.
- 36) **Keen E.N. (1971):**
Anatomy of the mandible, Oral Surg., 110; 285- 286.
- 37) **Larsen F.M. and Thomson R. (1998):**
Midface fractures: Classification and role of primary bone
grafting. Plast. Recon., Surg., 75 (3); 303-316.
- 38) **Laine F.G., Conway W.F. and Laskin D.M. (1993):**
Radiology of maxillo-facial trauma. Curr. Prob.Diag. Rad., 22;
4-145.

- 39) **Lee K.F., Wanger L.K., Lee Y.E. and Such J. (1987):**
The impact absorbing effects of facial fractures in closed head injury. *J. of neurosurgery*, 66; 542-547.
- 40) **Le Fort R. (1901):**
Etude exprementale Sur les fractures de la machoire superieure, 23; 208-219.
- 41) **Mafee F. M. (1993):**
Preoperative imaging anatomy of nasal-ethmoid complex for functional endoscopic sinus surgery. *Radiologic Clinic of North America*, 31(1); 1-20.
- 42) **Mahan P.E. (1980):**
Anatomic, histologic and physiologic features of the T.M.J. Irby, W.B. (editor): *Current advances in oral surgery*, vol. 3 St. Louis, C.V. Mosby, 96; 312-333.
- 43) **Meisel H. (1984):**
Post natal growth and anatomy of the face. Mathog, R.M.(editor): *Maxillo-facial trauma*, Williams and Wilkins, 17; 83-112.
- 44) **Mancuso A.A., and Hanafee W.N. (1982):**
Paranasal sinuses: Normal anatomy. In: *Computed tomography of the head and neck*, 4; 212-228.
- 45) **Manson P.N., Glasman D. and Vanderkolk C. (2000):**
Rigid Stabilization of sagittal fractures of the maxilla and palate. *last. Recon. Surg.*, 85; 711-717.
- 46) **Marsh J.L. and Vannier M.W. (1983):**
Three dimensional CT reconstruction images for craniofacial surgical planning and evaluation. *Radiology*, 150; 179-184.
- 47) **Matras H. and Kuderna H. (1992):**
Combined craniofacial fractures. *J.maxillo-facial Surgery*, 8; 2-59.

- 48) **Murry J.F. and Hall H.C. (1995):**
Fractures of the mandible in motor vehicle accidents. Clinics in plastic surgery, 2; 131-142.
- 49) **Olaf E.Langland (2000):**
Panoramic Radiology. Second edition, 350-399.
- 50) **Osborn A.G., William H. H. and Anthony A. M. (1982):**
Normal and Pathological CT anatomy of the mandible. AJR, 139; 555-559.
- 51) **Pathria M. and Blasiers (1999):**
Diagnostic imaging of cranio-facial fractures. Radiologic Clinic of North America, 27; 839-853.
- 52) **Polacin A., Kalender W.A. and Marchal G. (1993):**
Evaluation of section sensitivity profiles and image noise in spiral CT. Radiology, 185; 29-35.
- 53) **Robuzzi D.D. (1994):**
Revision surgery of mal-aligned mid face fractures. Otolaryngol. Clin. North. Am., 7, 1107-1117.
- 54) **Ray E.C., Maffe F.M., Michael F. and Christina N.T. (1993):**
Application of three-dimensional CT imaging in Head and Neck Pathology. Radiologic Clinic of North America, 1; 181-194.
- 55) **Remy J.M., Giraud F. and Marquette C.H. (1993):**
Pulmonary nodules: detection with thick section spiral CT versus conventional CT. Radiology, 187; 513- 520.
- 56) **Rice D.H. (1990):**
Endoscopic sinus surgery. Operative Techniques in otolaryngology Head and Neck surgery, 1; 99-103.
- 57) **Rowe N.L. and Killey H.C. (1968):**
Fractures of the mid-facial skeleton, second edition, Edisburgh, 18; 151-155.

References

- 58) **Rowe N. L., Miller E. and Brandt Z. M. (1995):**
CT in naso-ethmoido-orbital trauma, *Oral Surg.*, 91;745-757.
- 59) **Rubin M.P. (1993):**
High resolution CT image reformation in Maxillofacial Pathology. *AJR*, 138; 477-482.
- 60) **Schatz C.J. and Becker T.S. (1984):**
Normal CT anatomy of the paranasal sinuses. *Radiologic Clinic of North America*, 22; 107-118.
- 61) **Schultz R. and Oldham R. (1990):**
An over view of facial injuries. *Surg. Clin. North. Am.*, 57, 987-1010.
- 62) **Sullivan W.G. (1987):**
Maxillary fractures. Foster C.A. In: *Surgery of facial bone fracture*, *Oral Surg.*, 3; 243-256.
- 63) **Som P.M. (1984):**
The paranasal sinuses. In: *Head and Neck imaging*. C.V. Mosby company, St. Louis, 14; 296-320.
- 64) **Suojanen J.N., Dupuy D.E., Takahashi J.H. and Castello P. (1992):**
Spiral CT in evaluation of head and neck lesions. *Radiology* 183; 281-283.
- 65) **Symons N.B. (1977):**
Symposium on dentine and pulp. *Maxillo-facial Radiology*, 3; 34-67.
- 66) **Tadmor R. and New P.F. (1978):**
CT of the orbit with special emphasis on the coronal sections: Normal anatomy and CT scan. *J. Comp. Assist. Tomog.*, 2; 35-50.
- 67) **Tate E. and Cupples H. (2001):**
Detection of orbital foreign body with CT. *AJR*, 2; 363-375.

- 68) **Tello R., Suejanen J., Castello P. and McGinnes A. (2002):**
Comparison of spiral and conventional CT in 3D visualization of facial trauma. *Comp. Med. Imaging Graph.*, 18; 423-426.
- 69) **Trapnell D. (1997):**
The magnification sign of triple mandibular fractures. *Br. J. Radiol.*, 50; 97-100.
- 70) **Udupe J.K. (1991):**
Computer aspect of 3D imaging in medicine. In: 3D imaging in medicine. CRC Press, Boston, 5; 112-203.
- 71) **Unsold R., DeGroot J., and Newton T.M. (1980):**
Images of the optic nerve: Anatomic CT correlation. *AJR*, 135; 767-773.
- 72) **Warwick R. (1950):**
The relation of direction of mental foramen to growth of human mandible, 12; 200-251.
- 73) **Weir & Murry (1998):**
Imaging of head and neck. Atlas and text of clinical imaging, 9; 203-208.
- 74) **Weisenberg A. (1970):**
Atlas and text of human anatomy, 7; 420-490.
- 75) **Yanagisawa E. (1973):**
Zygomatic fractures Classification, diagnosis and treatment. A review of 200 cases (M.D. Thesis), Quoted from Yanagisawa E. (1973): Pit falls in the management of zygomatic fractures. *Laryngoscope*, 85; 527-547.
- 76) **Zimmerman R.A. and Bilaniuk L.T. (1993):**
The orbit. Lee S.H. and Rao K.C. (editors). In cranial computed tomography. McCraw. Hill book Company, 7; 53-76.