
REFERENCES

- Achem, S.R.; Kolts, B.E.; Grisnik, J. (1992):*
Pseudotumoral hepatic tuberculosis; atypical presentation
and comprehensive reviews of the literature.
J. Clin. Gastroenterol., 14: 72.
- Alder, D.D.; Glager, G.M.; Silver, T.M. (1984):*
Computed tomography of liver infarction.
AJR; 142: 315-318.
- Alberti-Flor, J.J.; O'Hara, M.F.; Weaver, F. (1985):*
Malignant fibrous histiocytoma of the liver.
Gastroenterology; 89: 890-893.
- Amendola, M.A.; Blane, C.E.; Amendola, B.E.; Glazer, G.M. (1984):*
CT findings in hepatoblastoma.
J. Comput. Assist. Tomogr., 8: 1105-110984.
- Angela, D.; Levy, LTC.; Mc. (2002) :*
Clinics in liver disease 3rd ed. Vol. 6. P. 203. Alaska and Fern
St. Washington.
- Angres, G.; Carter, J.B.; Velasco, J.M. (1980):*
Unusual ring in liver cell adenoma.
AJR; 135: 172-174.
- Apicella, P.L.; Mirowitz, S.A.; Weinreb, J.C. (1994):*
Extension of vessels through hepatic neoplasms: MR and CT
findings.
Radiology; 191: 135-136.
- Ashida, C.; Fishman, E.K.; Zerhount, E.A. (1987):*
Computed tomography of hepatic cavernous haemangioma.
J. Comput. Assist. Tomogr., 11: 453-460.
- Auh, Y.H.; Rubenstein, W.A.; Zirinsky, K. (1984):*
Accessory fissures of the liver: CT scan and sonographic
appearance.
AJR; 143: 565-572.

- Baert, A.L.; Wackenheim, A.; Jeanmart, L. (1980):**
Abdominal computed tomography.
AJR; 133: 1037-1042.
- Baker, M.E.; Wenker, J.C.; Cockerill, E.M. (1985):**
Focal fatty infiltration of the liver; diagnostic imaging.
Radiographics; 5: 923-927.
- Baron, R.L.; Freeny, C.; Moss, A.A. (1992):**
The liver. In: Moss AA, Gamau G, Genant HK (eds):
Computed tomography of the whole body.
2nd edn., WB Saunders, Philadelphia, PP: 735-822.
- Baron, R.L. (1994):**
Understanding and optimizing use of contrast material for
CT of the liver.
AJR; 163: 323-331.
- Baron, R.L.; Oliver, J.H.; Dodd, G.D.; Nalesni, K.M.; Holbert, B.L.;
Carr, B.I. (1992):**
Hepatocellular carcinoma: evaluation with biphasic,
contrast-enhanced helical CT.
Radiology; 199: 505-51.
- Barwick, K.; Rosai, J. (1989):**
Liver. In: Rosai J (ed): Ackerman's surgical pathology 7th
edn, CV Mosby, Washington. Vol. (1); PP: 706-786.
- Bashist, B.; Hecht, H.L.; Harley, W.D. (1982):**
Computed tomographic demonstration of rapid changes in
fatty infiltration of the liver.
Radiology; 142: 691-692.
- Berlow, M.E.; Spirit, B.A.; Weil, L. (1984):**
CT follow-up of hepatic and splenic microabscesses.
J. Comput. Assist. Tomogr., 8: 42-45.
- Bernardino, M.E. and Sones, P.J. (1984):**
Hepatic radiography. 2nd edn., Churchill Livingstone, PP:
109-130.

Bismuth, H. (1982):

Surgical anatomy of the liver.
World Journal of Surgery; 6-13.

Bluemke, D.A. & Fishman, E.K. (1993):

Spiral CT of the liver.
AJR; 160: 787-792.

Bluemke, D.A.; Soyer, P.; Bitss, D.F.; Fishman, E.K.; Calboun, P.S. (1995):

Spiral CT during arterial portography; technique and application.
Radiographics; 15: 623-639.

Bonaldi, V.M.; Bert, P.M.; Reinhold, C.; Atri, M. (1995):

Helical CT of the liver: value of an early hepatic arterial phase.
Radiology; 197: 357-363.

Bonfors, M. (1984):

The development of cholangiocarcinoma from multiple bile duct hamartomas.
Acta. Pathol. Microbial. Immunol. Scand., 2: 235-238.

Brandt, D.J.; Johnson, C.D.; Stephens, D.H.; Weiland, L.H. (1988):

Imaging of fibrolamellar hepatocellular carcinoma.
AJR; 151: 295-299.

Bressler, E.L.; Alpern, M.B.; Glazer, G.M.; Francis, I.R.; Ensminger, W.D. (1987):

Hypervascular hepatic metastases; CT evaluation.
Radiology; 162: 49-51.

Brown, R.J.K.; Memsic, L.D.F.; Pusey, E.J. (1986):

Hepatic abscesses in liver transplantation.
Clin. Nucl. Med., 11: 233-238.

Bruneton, J.N. and Schinder, M. (1986):

Radiology of lymphoma.
New York, Springe, Verlag.

- Bruneton, J.N.; Kerboul, P.; Drouillard, J.; Menu, Y.; Normand, R.; Santini, N. (1987):*
Hepatic lipomas; ultrasound and computed tomographic findings.
Gastrointest. Radiol., 12: 229-303.
- Buetow, P.; Pantongrag-Brown, L.; Buck, J.; Ross, P.; Godman, Z. (1996):*
Focal nodular hyperplasia of the liver: Radiologic-Pathologic correlation.
Radiographics; 16: 369-388.
- Callen, P.; Filly, R.A.; Marcus, F.S. (1980):*
Ultrasonography and computed tomography in the evaluation of hepatic abscesses in the immunosuppressed.
Radiology; 136: 433-436.
- Carr, D.H.; Hadjis, N.S.; Banks, L.M. (1985):*
Computed tomography of hilar cholangiocarcinoma; a new sign.
AJR; 145: 53-56.
- Castellino, R.A.; Hoppe, R.T.; Blank, N. (1984):*
Computed tomography, lymphography and staging laparotomy; correlation in initial staging of Hodgkin's disease.
AJR; 143: 37-41.
- Chen, K.T. and Bocian, J.J. (1983):*
Multiple hepatic adenoma.
Arch. Pathol. Lab. Med., 107: 274-275.
- Choliz, J.D.; Olaverri, F.J.L.; Casa, T.F.; Zubieta, S.O. (1982):*
Computed tomography in hepatic echinococcosis.
AJR; 139: 699-702.
- Clark, R.A.; Matusi, O.; Liu, D.R. (1983):*
CT of liver tumours.
AJR; 18: 149-162.
- Coldwell, D.M.; Baron, R.L.; Charnsangevej, C. (1989):*
Angiosarcoma; diagnosis and clinical course.
Acta. Radiol., 30: 627-631.

- Conran, R.M. and Strocker, J.T. (1985):**
Malignant fibrous histiocytoma of the liver; a case report.
Am. J. Gastroenterol., 80: 813-815.
- Costello, P.; Anderson, I.V.; Bluemke, D. (1991):**
Pulmonary nodule; evaluation with spiral volumetric CT.
Radiology; 179: 875-876.
- Costello, P.; Dupuy, D.E.; Ecker, C.P.; Tello, R. (1992):**
Spiral CT of the thorax with reduced volume of contrast material; a comparative study.
Radiology; 183: 663-666.
- Cotran, S.; Kumar, C.V.; Robbins, S.L. (1989):**
The liver and biliary tract. In: Robbins Pathologic basis of diseases.
4th edn, WB Saunders Co, Philadelphia, London, Toronto.
PP: 911-922.
- Craig, J.R. and Vantheil, D.H. (1985):**
Fibrolamellar carcinoma. In Ishak KG (ed): Hepatology Syllabus of the postgraduate course of the American association for the study of liver diseases.
- Craig, J.R.; Peters, R.L.; Edmondson, H.A. (1989):**
Tumors of the liver and intrahepatic bile ducts. Atlas of tumor pathology, face 26, ser, Washington, DC: Armed Forces institute of pathology.
- Dachman, A.H.; Ros, P.R.; Goodman, Z.D.; Olmsted, W.W.; Ishak, K.G. (1987):**
Nodular regenerative hyperplasia of the liver.
AJR; 148: 717-722.
- Dawson, P.; Adam, A.; Banks, L. (1993):**
Diagnostic iodized oil embolization of liver tumors: The Hammersmith experience.
Eur. J. Radiol., 16: 201-206.
- Didier, D.; Weiler, S.; Rohmer, P. (1985):**
Hepatic alveolar echinococcosis; correlative US and CT study.
Radiology; 154: 179-186.

Edmondson, H.A. and Craig, J.R. (1987):

Neoplasms of the liver. In: Schiff L & Schiff DR (eds):
Diseases of the liver.
JB Lippincott, Philadelphia, PP: 1109-1221.

Eggel (1901):

Über das primäre Carcinom der Leber. Beitr Path Anat UZ
Allg Path; 30: 506-604, 1901. From Kishi KK, Shikata T,
Hiornashi S (1983): A clinical and pathological analysis of
57 hepatectomy cases. Cancer; 51: 542-548.

Eisenberg, D.; Hurwitz, L.; Yo, A.C. (1986):

CT and sonography of multiple bile duct hamartomas
simulating malignant liver disease (case report).
AJR; 147: 279-280.

Fishman, E.K.; Farmlet, E.; Kadir, S.; Sieglman, S.J. (1982):

Computed tomography of benign hepatic tumors.
J. Comput. Assist. Tomogr., 6: 472-481.

Foley, W.D. et al. (1989):

Dynamic hepatic CT.
Radiology; 170: 617-622.

Foley, W.D. (1999):

Image quality in dynamic CT; a clinical discussion.
Radiographics; 13: 225-233.

Francis, I.R.; Glazer, G.M.; Amendola, M.A.; Treinker, S.W. (1986):

Hepatic abscesses in immunocompromised patient; role of
CT in detection, diagnosis, management, and follow-up.
Gastrointest. Radiol., 11: 257-262.

Francis, C.; Nichols, G.; Jon, A. (1999):

Benign liver tumors.
Surg. Clin. N. America; 69: 297-315.

Freeny, P.C.; Marks, M.W.; Menu, Y. (1986):

Hepatic haemangioma; dynamic bolus CT.
AJR; 147: 711-719.

- Freeny, P.C.; Marks, W.M.; Smith, D.F.; Thorsen, M.K. (1993):**
Hepatic perfusion abnormalities during CT angiography.
Radiology; 159: 685-691.
- Friedman, A.C.; Liechtenstein, J.E.; Goodman, Z.; Fishman, E.K.; Siegelman, S.S.; Daachman, A.H. (1985):**
Fibrolamellar hepatocellular carcinoma.
Radiology; 157: 583-587.
- Gallinger, S.; Strasbourg, S.M.; Marcus, H.I. (1986):**
Local hepatic tuberculosis; the cause of painful hepatic mass: case report and review of literature.
Can. J. Surg., 29: 451.
- Goldman, J.S. and Bradborg, L.L. (1990):**
Parasitic diseases of the liver. In: Zakim D, Boyer TD (eds).
Hepatology. WB Saunders, Philadelphia, PP: 1061-1065.
- Goldsmith, M.A. (1957):**
The surgical anatomy pertaining to liver resection.
Surg. Gynaecol. Obstet., 141: 429-437.
- Goldsmith, Z.D.; Ishak, K.G.; Langloss, J.M. (1987):**
Combined hepatocellular cholangio-carcinoma.
Cancer; 55: 124-130.
- Graf, O.; Dock, W.I.; Lammer, J. (1994):**
Determination of optimal time window for liver scanning with CT during arterial portography.
Radiology; 190: 43.
- Greany, G.C.; Reynolds, T.B.; Donovan, A.J. (1985):**
CT of amoebic liver abscess.
AJR; 120: 553-558.
- Gryspeerdt, S.; Van Hoe, L.; Marchal, G.; Baert, A.L. (1997):**
Evaluation of hepatic perfusion disorders with double-phase spiral CT.
Radiographics; 17: 337-348.
- Gualdi, E.; Sakamoto, K.; Matsuoka, Y.; Hayashi, H. (2000) :**
Helical CT of the liver. Acta Radiol. 41(2) : 133-8.

- Haaga, R.J.; LnZieri, C.F.; Sartaris, D.J. and Zerhouni, E.A. (1994) :**
Computed tomography and magnetic resonance imaging of the whole body. 3rded. Vol. 2, p. 947.
Mosby. St. Louis, New York.
- Halvorsen, R.A.; Korobkin, M.; Ram, R.C.; Thompson, W.M. (1982):**
CT appearance of focal fatty infiltration of the liver.
AJR; 139: 277-281.
- Hanninen, T.E.; Mucznski, K.A.; Kralla, M. (2000):**
Histopathology and prognosis in childhood hepatoblastoma and hepatocarcinoma.
Cancer; 64: 1082-1085.
- Heiken, J.P.; Brink, J.A.; McClennan, B.L.; Sagel, S.S.; Forman, H.P. (1993):**
Dynamic contrast-enhanced CT of the liver: comparison of contrast medium injection rates and uniphasic and biphasic injection protocols.
Radiology; 187: 327.
- Hollet, M.D.; Jeffery, R.B.Jr.; Nino-Murcia, M.; Jorgensen, M.J.; Harris, D.P. (1995):**
Dual phase helical CT of the liver: value of arterial phase in the detection of small (<or = 15mm) malignant hepatic neoplasms.
AJR; 164: 879-884.
- Horton, K.M.; Bluemke, D.A.; Hruban, R.H.; Soyer, P.; Fishman, E.K. (1999):**
CT and MR imaging of benign hepatic and biliary tumors.
Radio. Graphics; 19: 431-451.
- Ichikawa, T.; Federle, M.P.; Grazioli, L.; Nalesnik, M. (2000):**
Hepatocellular adenoma: Multiphasic CT and histopathologic findings in 25 patients.
Radiology; 214: 861-868.
- Inamoto, K.; Peters, R.L.; Stark, D.D. (1981):**
CT of hepatomas; effect of portal vein obstruction.
AJR; 136: 349-352.

Itai, Y.; Araki, T.; Furui, S.; Tasaka, A. (1981):

Differential diagnosis of hepatic mass on computed tomography, with particular reference of hepatocellular carcinoma.

J. Comput. Assist. Tomogr; 8: 834-842.

Itai, Y.; Araki, T.; Furui, S. (1983):

Computed tomography of primary intrahepatic biliary malignancy.

Radiology; 147: 485-490.

Itai, Y.; Ohashi, S.; Ohtomo, K. (1987):

Transient attenuation differences on dynamic computed tomography.

J. Comput. Assist. Tomogr., 11: 461-465.

Ishak, K.G.; Rabin, L.; Goodman, M.D. (1975):

Benign tumors of the liver.

Med. Clin. North America; 509: 995-1013.

Jaques, P.; Mauro, M.; Safrit, H.; Yankaskas, B.; Piggott, G. (1986):

CT features of intra-abdominal abscess; prediction of successful percutaneous drainage.

AJR; 146: 1041-1045.

John, S.; Verginia, A.; John, T.; Scott, H. (1993):

National medical series for independent study.

2nd edn, John Wand Sons., PP: 241-284.

Johnson, D.H.; Hainsworth, J.D.; Greco, F.A. (1985):

Evaluation of liver metastases.

Ann. Surg., 102: 487-492.

Jones, E.C.; Chezmar, J.L.; Nelson, R.C. (1992):

The frequency and significance of small (<15mm) hepatic lesion detection by CT.

AJR; 158: 533-541.

Juimo, A.G.; Geruez, F.; Angevafo, F.F. (1992):

Extraintestinal amoebiasis.

Radiology; 182: 181.

Kalender, W.A. and Polacin (1991):

Physical performance characteristics of spiral CT scanning.
Med. Phys., 18: 910.

Kalender, W.A.; Seissler, W.; Klotz, E. (1992):

Spiral volumetric CT with single-breath-hold technique,
continuous transport and continuous scanner rotation.
Radiology, 176: 181.

Kalender, W.A.; Polacin, A.; Suss, C. (1994):

A comparison of conventional and spiral CT.
J. Comput. Assist. Tomogr., 18: 167-173.

Kaplan, H.S.; Murphy, R.X.; Doppman, J.I. (1980):

Staging and management of lymphoma.
Radiology, 15: 219-226.

Katsuhiko, M.; Yasuyuki, Y.; Ichiro, O.; Joji, U.; Mutsumasa, T. (1996):

Multiple phase helical CT of the liver for detecting small
hepatomas.
AJR; 167: 752-758.

Kawashima, A.; Suehiro, S.M.; Russell, W.J. (1986):

Focal fatty infiltration of the liver mimicking a tumor;
sonographic and CT features.
J. Comput. Assist. Tomogr., 10: 329-331.

Kemmere, S.R.; Morteale, K.J.; Ros, P.R. (1998):

CT scan of the liver.
Radiol. Clin. North Am., 36: 247-262.

Keslar, P.J.; Buck, J.L.; Selby, D.M. (1993):

From the archives of the AFIP. Infantile haemangio
endothelioma of the liver revisited.
Radiographics; 13: 657.

Kissane, J.M. (1990):

Tumors and tumor like lesions. In Anderson's Pathology.
5th edn, CV Mosby Co, Philadelphia.

Klatskin, G. and Conn, H.D. (1993):

Neoplasm of the liver and intrahepatic ducts. In: Klatskin G & Conn HD (eds): Histopathology of the liver. Oxford Univ. Press New York, Vol. (1), PP: 372-426.

Knockel, J.Q.; Wolff, H.; Dean, P.B. (1980):

Diagnosis of abdominal abscess with CT. Radiology; 137: 425-432.

Koenraad, J.; Morteale, M.D.; Pablo, R.; Ros, M.D. (2002) :

Focal nodulcer hyperplasia of the liver : Contraversy over etiology. J. Gastroenterol. Hepatol; 15: 1229-1231.

Korobkin, M.; Long, J.A.; Baert, A.L. (1981):

CT of primary liver tumors in childhood. Radiology; 139: 413-435.

Kunstlinger, F.; Federle, M.P.; Moss, A.A.; Marks, W. (1980):

Computed tomography of hepatocellular carcinoma. AJR; 143: 431-437.

Kuszk, B.S.; Bluemke, D.A.; Urban, B.A.; Choti, M.R.; Hruban, R.H. (1996):

Portal-phase contrast-enhanced Helical CT for the detection of malignant hepatic tumors: sensitivity based on comparison with intra-operative and pathologic findings. AJR; 166: 91-95.

La Berge, J.M.; Laing, F.C.; Federle, M.P.; Jeffrey, R.B.Jr.; Lim, R.C.Jr. (1984):

Hepatocellular carcinoma; assessment of respectability computed tomography and ultrasound. Radiology; 152: 485-490.

LaFortune, M.; Madore, F.; Patriquin, H.; Breton, G. (1991):

Segmental anatomy of the liver: a sonographic approach to the couinaud nomenclature. Radiology; 181: 443-448.

Langer, B. and Gallinger, S. (1991):

Cystic disease of the liver. In: Zuidema GB (ed):
Shakelford's surgery of the alimentary tract. 3rd edn, WB
Saunders, Philadelphia, PP: 428-442.

**Lee, H.M.; Lu, D.S.; Krasny, R.M.; Busuttil, R.; Kadell, B.; Lucas, J.
(1997):**

Hepatic lesion characterization in cirrhosis, significance of
arterial hypervascularity on dual phase helical CT.
AJR; 169: 125-130.

Levine, E.; Wilms, G.E.; Long, G.A. (1979):

Computed tomography of carcinoma of common bile duct.
Gastroenterology; 4: 147-152.

Lewall, D.B. and McCorkell, S.J. (1985):

Rupture of echinococcal cysts; diagnosis, classification, and
clinical applications.
AJR; 146: 391-394.

Lewis, E. (1983):

The fatty liver, pitfalls in the CT and angiographic
evaluation of metastatic disease.
J. Comput. Assist. Tomogr., 7: 235-241.

**Liddell, R.M.; Baron, R.L.; Ekstorm, J.E.; Varnell, R.M.; Shuman,
W.P. (1990):**

CT depiction of intrahepatic bile ducts.
Radiology; 176: 633-635.

**Lim, J.H.; Kim, C.K.; Lee, W.J.; Parkck, Koh, K.C.; Paik, S.W.; Joh,
J.W. (2000):**

Detection of hepatocellular carcinomas and dysplastic
nodules in cirrhotic livers: accuracy of helical CT in
transplant patients.
AJR; 175: 693-698.

Livolsi, V.A.; Brooks, J.S.; Merino, H.J. (1989):

The liver pathology, 2nd edn, Wiley medical publications;
John Wiley & Sons, New York, Brisbane, Toronto.

- Lopez Hamninem, E.; Vogl, T.J.; Bechstein, W.O. (1998):**
Biphasic spiral CT for detection of hepatocellular carcinoma before resection or orthotopic liver transplantation.
Invest.Radiol., 33: 216-221.
- Loyer, E.M.; Chin, H.; Dubrow, R.A.; David, C.L.; Eftekhari, F.; Charnsangavej, C. (1999):**
Hepatocellular carcinoma and intra-hepatic peripheral cholangiocarcinoma, enhancement patterns with quadruple phase helical CT. A comparative study.
Radiology; 212: 866-875.
- Manivel, C.; Wick, M.R.; Abenzo, P. (1986):**
Pathological evaluation of hepatoblastoma.
Cancer; 37: 2172.
- Mathieu, D.; Vasile, N.; Grenier, P. (1985):**
Portal thrombosis; dynamic CT features and course.
Radiology; 154: 737-741.
- Mathieu, D.; Bruneton, J.N.; Drouillard, J.; Poitrean, C.C.; Vasile, N. (1986):**
Hepatic adenomas and focal nodular hyperplasia: Dynamic CT study.
Radiology; 160: 53-58.
- Mathieu, D.; Zafarni, E.S.; Angelade, M.C. (1989):**
Association of focal nodular hyperplasia and haemangioma.
Gastroenterol; 97: 154.
- Matsuio, O.; Takashima, T.; Kadoya, M. (1991):**
Liver metastases from colorectal cancer; detection with CT during arterial portography.
Radiology; 165: 65.
- Mays, E.T. (1972):**
Lobar dearterization for exsanguinating wounds of the liver.
J. Trauma; 12: 387-407.
- McLean, R.H.; Moller, J.H.; Warwick, W.J. (1972):**
Multinodular haemangiomatosis of the liver in infancy.
Paediatrics; 49: 563-573.

Melato, W.J.; Laurino, L.; Mueli, E. (1989):

Relationship between cirrhosis, liver cancer, and metastases;
an autopsy study.
Cancer; 64: 455-459.

**Miller, F.H.; Butler, R.S.; Hoff, F.L.; Fitzgerald, S.W.; Nemcek, A.A.;
Gore, R.M. (1998):**

Using triphasic helical CT to detect focal hepatic lesions in
patients with neoplasms.
AJR; 171: 643-649.

**Mortere, K.J.; Praet, M.; Svielberghe, H.V.; Kunnen, M.; Ros, P.R.
(2000):**

CT and MR imaging findings in focal nodular hyperplasia of
the liver. Radiologic-Pathologic correlation.
AJR; 175: 687-692.

Moss, A.A.; Brito, A.C.; Evens, R.G. (1981):

Computed tomography of the liver.
Radiology; 141: 123-128.

Moss, A.A. (1983):

Computed tomography of the hepatobiliary system. In: Moss
AA (ed): Computed tomography of the body.
Saunders; Philadelphia, PP: 599-698.

Mukai, J.K.; Stack, C.M.; Turner, D.A. (1987):

Imaging of surgically relevant hepatic vascular and
segmental anatomy II; extent and respectability of hepatic
neoplasm.
AJR; 149: 293.

Murata, S.; Itai, Y.; Asato, M. (1995):

Effect of temporary occlusion of hepatic vein on dual blood
supply in the liver, evaluation with spiral CT.
Radiology; 197: 351-356.

Nagroney, D.M.; Addison, M.A.; Weiland, L.H. (1985):

Fibrolamellar hepatoma.
Ann. J. Surg., 27: 292-298.

Nagorney, D. (1995):

Benign hepatic tumors; focal nodular hyperplasia and hepatocellular adenoma.
World J. Surg., 19: 13-48.

Nakata, K. (1989):

Computed tomography of liver sarcoidosis.
J. Comput. Assist. Tomogr., 13: 707-708.

Nelson, R.C. and Chezmar, J.L. (1990):

Diagnostic approach to hepatic haemangioma.
Radiology; 176: 11-13.

Noor, El-Serage, K.; El-Badawi, M.; Abd El-Monem, E.D. (2000):

Comparison between un-enhanced and biphasic spiral CT in evaluation of hepatocellular carcinoma.
Thesis, 123-127.

Ohashi, I.; Karou, H.; Tetsou, Y. (1993):

Two phase helical CT in detection and evaluation of hepatic masses.
Radiology; 189: 851-855.

Oliver, J.H. and Baron, R.L. (1996):

Helical biphasic contrast-enhanced CT of the liver; technique, indications, interpretation and pitfalls.
Radiology; 201: 1-14.

Parizel, P.; Van Gijsegem, L.; Vereychen, H.; Se Schepper, A. (1984):

CT demonstration of mobile echinococcal daughter cysts.
J. Comput. Assist. Tomogr.; 8: 179-180.

Pastakia, B.; Shawker, T.H.; Thaler, M.; O'Leary, T.; Pizzo, P.A. (1988):

Hepatosplenic candidiasis, wheels within wheels.
Radiology; 166: 417-421.

Patten, R.M.; Byun, J.Y.; Freeny, P.C. (1993):

CT of hypervascular tumors.
AJR; 161: 979-985.

Philip, W.W.; Rallsy, M.D. (2002) :

Clinics in liver disease. 3rded. Vol. 6. P. 305
1200 N. State St. Los Angeles.

- Pickern, J.W.; Tsukada, Y.; Lane, W.W. (1982):**
Analysis of autopsy data. In: Weiss, L, Gilbert HA (eds):
Liver metastases. Hall Medical Publisher's, Boston, PP:
2-31.
- Radin, D.R.; Criag, S.R.; Colleti, P.M. (1988):**
Hepatic epithelioid haemangio endothelioma.
Radiology; 169: 145-150.
- Ralls, P.W.; May, G.R.; Sheedy, P.F. (1979):**
CT evaluation of amoebic abscess.
Radiology; 132: 125-129.
- Rigatus, H.; Marshal, G.; Baert, A.L. (1990):**
Initial experience with helical CT.
J. Comput. Assist. Tomogr., 14: 673-680.
- Ritchings, R.J.T.; Pullman, B.R.; Lucas, S.B. (1979):**
An analysis of the spatial distribution of attenuation values
in computed tomographic scans of liver and spleen.
- Ros, P.R.; Goodman, Z.D.; Ishak, K.G. (1986):**
Mesenchymal hamartoma of the liver.
Radiology; 158: 619-624.
- Ros, P.R. (1990):**
Radiologic-pathologic correlation in liver tumors. In: Joseph
TF & David DO (eds): liver imaging. Andover medical
publishers. London, Toronto Chapt. (16);, PP: 137-152.
- Ros, P.R. and Taylor, H.M. (1998):**
Hepatic imaging; an overview.
Radiol. Clin. North Am., 36: 237-245.
- Ryan, J.; Straus, D.L.; Lange, C. (1988):**
Primary lymphoma of the liver.
Cancer; 61: 370-375.
- Sada, P.N.; Ramakrishna, B. (1994):**
Computed tomography of von Meyenburg complex
simulating miulating microabscesses.
Australas Radiol., 38: 225-226.

Pickern, J.W.; Tsukada, Y.; Lane, W.W. (1982):

Analysis of autopsy data. In: Weiss, L, Gilbert HA (eds):
Liver metastases. Hall Medical Publisher's, Boston, PP:
2-31.

Radin, D.R.; Criag, S.R.; Colleti, P.M. (1988):

Hepatic epithelioid haemangio endothelioma.
Radiology; 169: 145-150.

Ralls, P.W.; May, G.R.; Sheedy, P.F. (1979):

CT evaluation of amoebic abscess.
Radiology; 132: 125-129.

Rigatus, H.; Marshal, G.; Baert, A.L. (1990):

Initial experience with helical CT.
J. Comput. Assist. Tomogr., 14: 673-680.

Ritchings, R.J.T.; Pullman, B.R.; Lucas, S.B. (1979):

An analysis of the spatial distribution of attenuation values
in computed tomographic scans of liver and spleen.

Ros, P.R.; Goodman, Z.D.; Ishak, K.G. (1986):

Mesenchymal hamartoma of the liver.
Radiology; 158: 619-624.

Ros, P.R. (1990):

Radiologic-pathologic correlation in liver tumors. In: Joseph
TF & David DO (eds): liver imaging. Andover medical
publishers. London, Toronto Chapt. (16);, PP: 137-152.

Ros, P.R. and Taylor, H.M. (1998):

Hepatic imaging; an overview.
Radiol. Clin. North Am., 36: 237-245.

Ryan, J.; Straus, D.L.; Lange, C. (1988):

Primary lymphoma of the liver.
Cancer; 61: 370-375.

Sada, P.N.; Ramakrishna, B. (1994):

Computed tomography of von Meyenburg complex
simulating multiloculating microabscesses.
Australas Radiol., 38: 225-226.

- Scatarige, J.C.; Kenny, J.M.; Fishman, E.K.; Helong, F.H.; Siegelman, S.S. (1987):*
CT of giant cavernous hemangioma.
Radiology; 149: 83-85.
- Scott, W.W.; Magid, D.; Fishman, E.K. (1987):*
Three dimensional imaging of acetabular trauma.
J. Orthop. Trauma, 1: 227-232.
- Scott, H.; John, S.; Virginia John, T. (1993):*
National medical series for independent study.
2nd edn, John W and Sons. PP: 241-284.
- Seeley, T.T.; Blumenfeld, C.M.; Ikeda, R.; Kuapp, W.; Ruebne, B.H. (1972):*
Hepatic infarction.
Hum. Pathol., 3: 265-276.
- Sexton, C.C. and Zeman, R.K. (1984):*
Correlation of computed tomography, sonography and gross anatomy of the liver.
AJR; 141: 711-718.
- Sherlock, S. (1994):*
Viruses and hepatocellular carcinoma.
Gut; 35: 828.
- Sherlock, S. and Dooley, J. (1997):*
Diseases of the liver and biliary system.
10th edn, Blackwell Scientific publications. London, Edinburgh, Boston.
- Shirikhoda, A.; Arakawa, M.; Paajanen, H. (1987):*
CT findings in hepatic and splenic candidiasis.
J. Comput. Assist. Tomogr., 11: 795-798.
- Shirikhoda, A.; Ros, P.R.; Farah, J. (1990):*
Lymphoma of the solid abdominal viscera.
Radiol. Clin. North Am., 28: 785-788.
- Shirikhoda, A.; Farah, M.C.; Bernacki, E.; Madrazo, B.; Roberts, J. (1994):*
Hepatic focal hyperplasia; CT and sonographic spectrum.
Abdom. Imaging, 19: 34-38.

Sica, T.; Ji, H.; Ros, P.R. (2000):

CT and MR imaging of hepatic metastases.
AJR; 174: 691-697.

Silverman, P.M.; Ram, P.C.; Korobkin, M. (1983):

CT appearance of abdominal and thorotrast-induced
angiosarcoma of the liver.
J. Comput. Assist. Tomogr; 7: 655-658.

Silverman, P.M.; Brown, B.; Wary, H. (1995):

Optimal contrast enhancement of the liver using helical
(spiral) CT; value of smart prep.
AJR; 164: 1169-1171.

Simpson, I.W.; Gazin, D.; Dick, R. (1987):

Metastatic deposits of the liver.
Gastroenterology; 82: 171-178.

**Soyer, P.; Bluemke, D.A.; Bliss, D.F.; Woodhouse, C.E.; Fishman,
E.K. (1994):**

Surgical segmental anatomy of the liver; demonstration with
spiral CT during arterial portography and multiplanar
reconstruction.
AJR; 163: 99-103.

Stephens, D.H.L.; Sheedy, P.F.I.; Hattery, R.R.; McCarty, R.L. (1977):

Computed tomography of the liver.
AJR; 128: 579-590.

Stocker, J.T. and Ishak, K.G. (1978):

Undifferentiated embryonal carcinoma of the liver, report of
31 cases.
Cancer; 42: 336-348.

Stocker, J.T. and Ishak, K.G. (1981):

Focal nodular hyperplasia of the liver; a study of 21
paediatric cases.
Cancer; 48: 336.

Stocker, J.T. and Ishak, K.G. (1983):

Mesenchymal hamartoma of the liver; report of 30 cases.
Paed. Pathol., 245: 267.

Stromeyer, F.W. and Ishak, K.G. (1981):

Nodular transformation (nodular regenerative hyperplasia) of the liver. A clinico-Pathologic study of 30 cases.
Hum. Pathol., 12: 60-71.

Sutton, C.A.; Eller, J.I.; Hilton, S. (1968):

Mesenchymal hamartoma of the liver.
Cancer; 22: 29-34.

Takayasu, K.; Furukawa, H.; Wakao, F. (1995):

CT diagnosis of early hepatocellular carcinoma; sensitivity, findings, and CT, pathologic correlation.
AJR; 164: 885-890.

Taylor, G.A. (1998):

Acute hepatic disease.
Radiol. Clin. North Am., 35: 799-817.

Teefey, S.A.; Stephens, D.H.; James, E.M. (1986):

Computed tomography and ultrasonography of hepatoma.
Clin. Radiol., 37: 339-345.

Thorsen, M.K.; Quiroz, F.; Lawson, T.L.; Smith, D.F.; Foley, W.D.;

Stewart, E.T. (1984):
CT evaluation of primary biliary carcinoma.
Radiology; 142: 479-483.

Urban, B.A.; Fishman, E.K.; Kuglman, J.E.; Hennessey, J.;

Siegelman, S.S. (1993):
Detection of focal hepatic lesions with spiral CT; comparison of 4 and 8mm inter-scan spacing.
AJR; 160: 783-788.

Valls, B.; Roche, A.; Mathieu, D. (1999):

CT of hepatocellular carcinoma of the liver.
J. Comput. Assist. Tomogr., 16: 420-424.

Van Leeuwen, M.S.; Noordzij, J.; Feldberg, M.A.; Hennipman, A.H.;

Doornward, H. (1996):
Focal liver lesions; characterization with triphasic spiral CT.
Radiology; 201: 327-336.

- Vanneir, M.W.; March, J.K.; Warren, J.O. (1984):**
Three-dimensional CT reconstruction images for craniofacial surgical planning and evaluation.
Radiology; 150: 179-184.
- Vasile, N.; Larde, D.; Zafrani, E.S.; Bernard, H.; Mathieu, D. (1981):**
Hepatic angiosarcoma.
J. Comput. Assist. Tomogr., 7: 899-901.
- Volk, K.; Walter, J. and Israel, T. (2001):**
General pathology, 7th edn, Churchill Livingstone, PP: 353-385.
- Wanless, I.R.; Mawasby, C.; Dams, R. (1985):**
On the pathogenesis of focal nodular hyperplasia.
Hepatology; 5: 1194.
- Warschaeuer, D.M.; Molina, P.L.; Hamman, S.M.; Koehler, R.E.; Paulson, E.K.; Woosley, T.J.; Francis, I.R. (1995):**
Nodular sarcoidosis of the liver and spleen.
Radiology; 195: 757-762.
- Yamasaki, H. (1980):**
Computed tomography and angiography of hepatocellular carcinoma.
J. Comput. Assist. Tomogr; 4: 832-835.
- Yates, C.K. and Streight, R.A. (1986):**
Focal fatty infiltration of the liver simulating metastatic disease.
Radiology; 159: 83-84.
- Yoshikawa, J.; Matusi, O.; Takashima, T. (1988):**
Fatty metamorphosis in hepatocellular carcinoma; radiologic features in 10 cases.
AJR; 151: 717-720.
- Zafrani, E.S. (1989):**
Update on vascular tumors of the liver.
Hepatology; 8: 125.
- Zornoza, J.; Ginaldi, S.; Matsui, O. (1981):**
Computed tomography in hepatic lymphoma.
Radiology; 138: 405-410.