




REFERENCES

Abrams' Angiography. (1998):

Baum S and Pentecost M.(eds.): The central nervous system: Interventional and vascular radiology on CD. Lippincott Raven Publishers. Volume 2, Chapter 12.

AbuRahma AF, Covelli MA, Robinson PA et al., (1999):

The role of carotid duplex ultrasound in evaluating plaque morphology: potential use in selecting patients for carotid stenting.

J Endovasc Surg. 1999 Feb;6(1):59-65.

AbuRahma AF, Richmond BK, Robinson PA, et al. (1995):

Effect of contralateral severe stenosis or occlusion on duplex criteria of ipsilateral stenosis: Comparative study of various duplex parameters. Journal of Vascular Surgery 1995; 22: 751.

AbuRahma AF, Wulu JT Jr, Crotty B. (2002):

Carotid plaque ultrasonic heterogeneity and severity of stenosis. Stroke. 2002 Jul;33:1772.

Admanic AK, Mangion DM, Naik DR. (1991):

Extracranial carotid artery stenosis, prevalence and associated risk factors in elderly stroke patients. Atherosclerosis 1991;86:31-37

Allan Clinical Doppler Ultrasound. (2000):

Allan PL, Dubbins PA, Pozniak MA and McDicken WN (eds.), (1st ed.), Churchill Livingstone, London. (*figure*)

Angel P., Sempere, Jacinto Duarte, et al. (1998):

Etiopathogenesis of Transient Ischemic Attacks and Minor Ischemic Strokes(*Stroke*. 1998;29:40-45.)

Antonio Culebras, , Carlos S., Kase, et al. (1997):
Practice Guidelines for the Use of Imaging in Transient Ischemic Attacks and Acute Stroke (*Stroke*. 1997;28:1480-1497.)

Arosio E, Pancera P, Zannoni M et al. (1989):
Progression of carotid atheromataous involvement in cerebrovascular patients. (*Advances in vascular pathology* 1989;77-81

Baker JD. (2000):
The vascular laboratory: Rutherford vascular surgery (5th ed.), WB Saunders company, Philadelphia, p 131-159.

Barker D.W. (1986):
Application of pulsed Doppler technique. *Radio. Clin. North. AM.* 1986.

Bashour TT, Crew JP, Dean M, et al. (1985):
Ultrasonic imaging of common carotid artery dissection: *Journal of Clinical Ultrasound* 13: 210.

Bengtsson BA. (1987):
Incidence of giant cell arteritis. *ACTA Med Scand* 15: 658.

Bluth EI, Wetzner SM, Stavros AT, et al. (1988):
Carotid duplex sonography: A multicenter recommendation for standardized imaging and Doppler criteria. *Radiographics* 1988; 8: 487.

Calalini R, Stutbinis, Pessi P, et al. (1989):

None invasive evaluation of the carotid atherosclerosis by means of high resolution B-mode ultrasonography in 200 patients. *Advances in vascular surgery* 1989; 903-905

Carroll BA. (1991):

Carotid sonography. *Radiology* 1991; 178: 303.

Carroll BA. (1992):

Carotid, vertebral & jugular evaluation: *General Ultrasound* (1st ed.), Churchill Livingstone, New York, pp. 143-172.

Carter SA. (2000):

Hemodynamic consideration in peripheral vascular and cerebrovascular disease: *Zweibel Introduction to Vascular Ultrasound* (4th ed.), WB Saunders company, Philadelphia, pp. 4 - 5.

Cattrell ED and Smith LL. (1995):

Management of uncommon lesions affecting the extracranial vessels: *Rutherford Vascular Surgery* (4th ed.), WB Saunders company, Philadelphia, pp. 1622-1636.

Clark WW, Hatten HP (1991):

Noninvasive screening of extracranial carotid disease: duplex sonography with angiographic correlation. *AJNR* 1991; 443-447

Comerata AJ, Granley JJ and Cook SE. (1981):

Real time B- mode carotid imaging in diagnosis of cerebrovascular disease. *Surgery* 1981; 6: 718.

Deutsh LS. (2000):

Anatomy and angiographic diagnosis of extracranial and intracranial vascular disease: Rutherford Vascular Surgery (5th ed.), WB Saunders company, Philadelphia, pp. 1744-1774.

El-Barghouti N, Nicolaides AN, Tegos T et al., (1996):

The relative effect of carotid plaque heterogeneity and echogenicity on ipsilateral cerebral infarction and symptoms of cerebrovascular disease.

Int Angiol. 1996 Dec;15(4):300-6.

Fujii K, Abe I, Ohya Y et al. (2003):

Risk factors for the progression of early carotid atherosclerosis in a male working population. (Hypertension Res. 2003 Jun;26(6):465-71)

Fujitani RM, Mills JL, Wang LM, et al. (1992):

Internal carotid arterial occlusion on contralateral duplex study: Criteria for accurate interpretation. Journal of Vascular Surgery 1992; 16: 459.

Furie DM and Tien RD. (1994):

Fibromuscular dysplasia of arteries of head and neck: Imaging findings. American Journal of Rontegenology 1994; 162: 1205.

García JH and Loon KH. (1996):

Carotid atherosclerosis: Definition, pathogenesis, and clinical significance. Neuroimaging clinic of North America 1996; 6: 801.

Garcia Pastor A, Diaz Otero F, Garcia B, et al. (2002):

Transient ischaemic attacks: risk factors, duration and neuroimaging in a series of 173 patients
Rev Neurol. 2002 Jul 35:107

Gee W, Kaupp HA, McDonald KM, et al. (1980):
Spontaneous dissection of internal carotid artery. Archives of Surgery 1980: 115: 944.

Gerlock AJ, Giyanani VL and Krebs C (1988):
Anatomical variation of the carotid bifurcation. Application of noninvasive vascular techniques. Surgical clin. North. Am. 1988 ; 70 : 213-223

Geroulakos G, O'gorman DJ, Kalodiki E, et al. (1994):
The carotid intima-media thickness as a marker of severe symptomatic coronary artery disease. European Heart Journal 1994: 15: 781.

Giordano JM, Leavitt RY, Hoffman G, et al. (1991):
Experience with surgical treatment of Takayasu's disease. Surgery 1991: 109: 252.

Glagov S, Zarins CK, Giddens DP, et al. (1988):
Hemodynamics and atherosclerosis. Arch Pathol Lab Medicine 1988: 112: 1018.

Gray's anatomy. (1984):
Williams PL, Warwick R (eds.): Head and neck (36th ed.), Churchill Livingstone, London. (*figure*)

Gomez CR and Charles HB. (1990):

Carotid plaque morphology and risk for stroke. Stroke 1990; 21: 148.

Guo Y, Jiang X, Chen S et al., (2003):

Aortic arch and intra-/extracranial cerebral arterial atherosclerosis in patients suffering acute ischemic strokes.

Chin Med J (Engl). 2003 Dec;116(12):1840-4.

Hennessy MJ, Britton TC. (2000):

Transient ischaemic attacks: evaluation and management.

International journal of Clinical Practice. 2000 Sep; 54:432

Hoskins PR. (1999):

Spectral Doppler system and physics of blood flow: Clinical diagnostic ultrasound (2nd ed.). Blackwell Science, London, pp. 39 – 51.

Hoskins PR, McDiken WN and Allan PL. (2000):

Hemodynamics and blood flow: Clinical Doppler Ultrasound (1st ed.), Harcourt publishers limited, pp. 27- 38.

Ishikawa K. (1981):

Survival and morbidity after diagnosis of Takayasu's disease. American Journal of Cardiology 1981; 47: 1026.

Kennedy JT, Krouse CJ and Loevy S. (1987):

The importance of tumor attachment to carotid artery. Archives of Otolaryngology 1987;103: 70.

Kissel JT. (1989):

Neurologic manifestation of vasculitis. Neurol clin 1989; 7: 655.

Klews PM. (1995):

Introduction to color duplex sonography: Color Doppler Sonography (1st ed.), Thieme Medical Publishers, New York, pp. 81-113.

Kliwer MA and Carroll BA. (1991):

Carotid web. Radiographics 1991; 11: 504.

Koga M, Kimura K and Minematsu K (2001):

National Cardiovascular Center, Suita, Osaka, Japan AJNR Am J Neuroradiol 2001 Feb;22(2)

Kumar V, Cortan RS and Robbins SL. (1997):

Blood vessels: Basic Pathology (6th ed.), WB Saunders company, Philadelphia. pp. 283-297.

Landwehr P. (1995)¹:

Basic hemodynamics: Color Doppler Sonography, (1st ed.), Thieme Medical Publishers, New York, pp. 20-36.

Lancet. (1997):

Large multi-centre controlled studies European Carotid Surgery Trilist Group. Grenger Radiology 1997

Landwehr P. (1995)²:

Carotid and vertebral arteries: Color Doppler Sonography (1st ed.), Thieme Medical Publishers, New York, pp. 45-76.

Leahy AL, Mc Collum PT, Feely TM, et al. (1998):

Duplex ultrasound and selection of the patients for carotid endarterectomy (J vasc. surg. 1998).

Cerebral atherosclerosis as predictor of stroke and mortality in representative elderly population.

Stroke. 2002 Jan;33(1):224-9.

Ludwig M, von Petzinger-Kruthoff A, von Buquoy M, et al., (2003):

Intima media thickness of the carotid arteries: early pointer to arteriosclerosis and therapeutic endpoint.

Ultraschall Med. 2003 Jun;24(3):162-74.

Maed H, Handa N, Matsumota M, et al. (1991):

Carotid lesion detected by B-mode ultrasonography in Takayasu's arteritis: Macaroni sign as an indicator of the disease, Ultrasound Medical Biology 1991: 17: 695.

Mast H, Thompson JL, Lin IF. et al., (1998):

Cigarette smoking as a determinant of high-grade carotid artery stenosis in Hispanic, black, and white patients with stroke or transient ischemic attack.

Stroke. 1998 May;29(5):908-12

Mayor I, Momjian S, Lalive P et al., (2003):

Carotid plaque: comparison between visual and grey-scale median analysis.

Ultrasound Med Biol. 2003 Jul;29(7):961-6

McDicken WN and Hoskins PR. (2000):

Physical principles and artifact: Clinical Doppler Ultrasound (1st ed.), Churchill Livingstone, London, pp. 23-31.

McDiken WN. (1991):

Principles and use of instruments: Diagnostic Ultrasonics, Churchill Livingstone, London, pp. 72-85.

McMinn Atlas of Head and Neck. (1994):

McMinn RM, Hulchings RT and Logan BM (eds.), Atlas of head and neck (2nd ed.), Wolf Medical Publishers. (*figure*)

Meire HB. (2001):

Doppler: Abdominal and General Ultrasound (2nd ed.), Churchill Livingston, London, pp. 81-113.

Michael J, Aminoff MD. (1990):

Nervous system in current medical diagnosis & treatment 1990: 595-597

Michiel L. Bots, MD, PhD; Eline C. van der Wilk, MSc; et al. (1997):

Transient Neurological Attacks in the General Population *Stroke*.1997;28:768-773.)

Michael Brainin, MD; Lisa M. McShane, PhD; Michaela Steiner, MD. (1995):

Silent Brain Infarcts and Transient Ischemic Attacks (*Stroke*.1995;26:1348-1352.)

Middleton WB, Erickson S and Melson GL. (1989):

Perivascular color artifact: Pathologic significance and appearance on color Doppler ultrasound images. *Radiology* 1989: 171: 647.

Mokri B. (1994):

Dissection of cervical and carotid arteries: Occlusive cerebrovascular disease, WB Saunders company, Philadelphia, pp. 46-61.

Mokri B and Okazaki H. (1992):

Central medial necrosis and dissection of internal carotid arteries in Marfan sibling: Expression of Marfan syndrome. Journal of Cerebrovascular Stroke 1992; 2: 100.

Moneta GL, Edward JM, Papanicolaou G, et al. (1995):

Screening for asymptomatic internal carotid artery stenosis: Duplex criteria for discriminating 60% to 99% stenosis. Journal of Vascular Surgery 1995; 21: 989.

Moore WS. (2000):

Fundamental consideration in cerebrovascular disease: Rutherford Vascular Surgery (5th ed.), WB Saunders company, Philadelphia, pp. 1717-1732.

Muller HR, Buser MW. (1991):

Smoking and hypertension: risk factors for carotid stenosis. J neural 1991;238: 97-102.

Murphy KJ and Rubin JM. (1997):

Power Doppler: Is it a good thing? Semin Ultrasound 1997; 18: 13.

Nakashima A, Yorioka N, Asakimori Y et al. (2003):

Different risk factors for the maximum and the mean carotid intima-media thickness in hemodialysis patients.(Intern Med. 2003 Nov;42:1095.

New G, Roubin GS, Oetgen ME, et al. (2001):

Validity of duplex ultrasound as a diagnostic modality for internal carotid artery disease. Catheter Cardiovasc Interv. 2001 Jan;9: 15.

Norris JW, Zhu CA and Bornstein NM. (1991):

Vascular risks of asymptomatic carotid stenosis. Stroke 1991; 22: 1485.

O'leary DH and Polak IF. (1989):

High resolution carotid sonography: Past, present and future. AJR 1989; 135: 699.

Otis SM, Rush MP, Dalessio DJ et al. (1987):

Doppler imaging of the carotid arteries. (Bull Los Angeles Neurol Soc. 1987;43(2-4):79-86

Peter KJ.(1990):

Head and neck anatomy 1990: 435-438

Plegnoli PP, Themoli ET and Poli A. (1986):

Intimal plus medial thickness of the carotid wall: A direct measurement with ultrasound imaging. Circulation 1986; 74: 1399.

Pohl ML. (1994):

Carotid plaque morphology and risk for stroke Optom Clin 1994;3(4)

Polak JF, O'Leary DH, Kronmal RA et al. (1993):

Sonographic evaluation of carotid artery atherosclerosis in the elderly: relationship of disease severity to stroke and transient ischemic attack. (Radiology. 1993 Aug;188:363.

Polak JF, Bajakian RL, O'leary D, et al. (1992):

Comparison of MR angiography, color Doppler sonography and arteriography. Radiology 1992; 182: 35.

Color-coded Doppler sonography in the diagnosis of carotid artery diseases. *Wien Klin Wochenschr.* 1990 Sep14;102(17):496-503.

Seeger JM and Klingman N. (1987):

The relationship between carotid plaque composition and neurologic symptoms. *Journal of Surgical Research* 1987: 43: 78.

Sempere AP, Duarte J, Cabezas C, et al. (1998):

Etiopathogenesis of transient ischemic attacks and minor ischemic strokes: a community-based study in Segovia, Spain. *Stroke.* 1998 Jan;29:40

Snell RS. (1992):

Anatomy of head and neck: *Clinical Anatomy* (4th ed.), Little Brown Company, Boston, pp. 717- 940.

Spandone DP, Barkmeier L, Hodgson K, et al. (1990):

Contralateral internal carotid artery stenosis or occlusion: Pitfalls of correct ipsilateral classification: A study performed with color flow imaging. *Journal of Vascular Surgery* 1990: 11: 42.

Stanly JC and Wakefield TW (1990):

Arterial fibrodysplasia: *Rutherford Vascular Surgery* (3rd ed.). WB Saunders company, Philadelphia, pp. 245-256.

Stephen WK, Albert CW, Lam LK, et al. (2000):

Head and neck surgery. *Archives of Otolaryngology* 2000: 126: 517.

Steyart Color Doppler Sonography on CD. (1995):

Steyart L (ed), Agfa. (*Figure*)

Strandness DE. (1993):

Extracranial arterial disease: Duplex Scanning in Vascular Disorders (2nd ed.), Raven Press, New York, pp. 113-158.

Streptti AV,shultz RD,Feldhous RJ,et al. (1989):

Ultrasonographic feature of carotid plaque and the risk of subsequent neurologic deficits.(surgery 1989:652-660)

Stuart B, Brumm J, Fitzgerald DE, et al. (1980):

Fetal blood velocity waveforms in normal pregnancy. British Journal of Obstetric and Gynecology 1980: 87: 780.

Subrmagan BR, Horii SC. (1984):

Sonographic demonstration of the buckling of the great vessels of the neck. AJNR 1984 ; 142:1111-1113.

Tatsukawa M, Sawayama Y, Maeda N et al. (2004):

Carotid atherosclerosis and cardiovascular risk factors: a comparison of residents of a rural area of Okinawa with residents of a typical suburban area of Fukuoka, Japan. Atherosclerosis. 2004 Feb;172:337

Thiele BL, Jones AM, Hobson RW, et al. (1992):

Standers in non-invasive cerebrovascular testing. Journal of Vascular Surgery 1992: 15: 495.

Todua FI, Gachechiladze DG, Balavadze MB, et al. (2003):

Effect of atherogenic risk factors on the state of complex intima-media of common carotid artery.(Kardiologiia. 2003;43:50

Wang Y, Guo D, Fu W.(1998):

Is there any relation between ischemic cerebrovascular disease and extracranial internal carotid stenosis?(Chin med. journal 1998Jun;111:510)

Whitehill TA and Krupski WC. (2000):

Uncommon disorders affecting the carotid arteries: Rutherford Vascular Surgery (5th ed.), WB Saunders company, Philadelphia, pp. 1854-1962.

Widder b, Paulat k, hackspacher j, et al. (1990):

Morphological characterization of carotid artery stenosis.(ultrasound Med Biol 1990 :16:349-354

Wilman AH, Riederer SJ, Huston JH and Wald JT. (1998):

Arterial phase carotid and vertebral arteries imaging in 3D contrast enhanced MR angiography by combining fluoroscopic triggering with an elliptical centric acquisition order. Magnetic Resonance in Medicine 1998: 40: 24.

Wolf Color Duplex Sonography. (1995):

Wolf KJ and Fobbe F (eds.), (1st ed.), Thieme Medical Publishers, New York. (*figure*)

Worsey MJ, Laborde AL, Bower T, et al. (1992):

Evaluation of color duplex scanning in the primary diagnosis and management of carotid body tumor, Annual Surgery 1992: 6: 90.

Zagzebski JA. (2000):

Physics and introduction in Doppler and B-mode ultrasonography: Zwiebel Introduction to Vascular Ultrasonography (4th ed.), WB Saunders company, Philadelphia, pp. 17-43.

Zarins CK and Glagov SS. (2000):

Arterial wall pathology in atherosclerosis: Rutherford Vascular Surgery (5th ed.), WB Saunders company, Philadelphia. pp. 313-333.

Zierler RE and Sumner DS. (2000):

Physiologic assessment of peripheral arterial occlusive Disease: Rutherford vascular surgery (5th ed.), WB Saunders company, Philadelphia, p 151.

Zweibel WJ and Knighton R. (1990):

Duplex examination of the carotid arteries. Semin ultrasound CT-MR 11:97-135.

Zwiebel WJ. (1992):

Duplex sonography of the cerebral arteries: Efficacy, limitations, and indications. AJR, 158: 29-36.

Zwiebel WJ. (1995)¹:

Cerebrovascular application of Doppler ultrasound: Clinical Doppler Ultrasound (2nd ed.), New York, Raven Press, pp. 109-131.

Zwiebel WJ. (1995)²:

Doppler evaluation of carotid stenosis: Zwiebel Introduction to Vascular Ultrasonography (3rd ed.), WB Saunders company, Philadelphia, p 128.

Zwiebel WJ. (2000)¹:

Doppler frequency spectrum analysis: Zwiebel Introduction to Vascular Ultrasonography (4th ed.), WB Saunders company, Philadelphia, pp. 45-65.

Zwiebel WJ. (2000)²:

Normal carotid arteries and carotid examination technique: Zwiebel Introduction to vascular ultrasonography (4th ed.), WB Saunders company, Philadelphia. pp. 113- 124.

Zwiebel WJ (2000)³:

Doppler evaluation of carotid stenosis: Zwiebel Introduction to Vascular Ultrasound (4th ed.), WB Saunders company, Philadelphia, pp. 137-154.