

REFERENCES

- Ackery D.; Tippet P and Condon B.; et al., (1984):** New approach to the localization of pheochromoctoma: Imaging with 131 I-MIBG. Br Med J; 288 – 1587.
- Avisse C, Marcus C, Patey M, Marcus LV, Delattre JF, Flament JB (2000):** Surgical anatomy and embryology of the adrenal glands. Surgical Clinics of North America; 80 (1): 403-415.
- Avni E.F.; Rypens, F.; Smet, M.H. and Galetty, E. (1993):** Sonogrpahic demonstration of congenital adrenal hyperplasia in the neonate: the cerebriform pattern. Pediatr. Radiol; 23: 88 – 90.
- Bates JA (1999):** The retroperitoneum and gastrointestinal tract. In "Abdominal Ultrasound" 1st edition, chapter 8, P 183. Churchill livingstone.
- Bilal M.M.; Brown-JJ. (1997):** Imaging of renal and adrenal masses in children. Magn-Reson-Imaging-Clin-N-Am. Feb. 5 (1): 179 – 197.
- Bitter, D.A.; Ross, D.S (1989):** Incidentally discovered adrenal masses. Am.J. Surg. 158 : 159 – 161.
- Bodie, B.; Novick, A.C., Pontes, J.E. et al., (1989):** The Cleveland clinic experience with adrenal cortical carcinoma. J. Urol. 141 : 257 – 260.
- Boechat, MI., Ortega, J.; Hoffman, AD., et al., (1985):** Computed tomography in stage III neuroblastoma. AJR 1985; 145: 1283.

- Bossi, M.C. (1996):** Kidney and adrenal gland in Goldberg EB., Pettersson H. The Nicer Year Book Ultrasonography Oslo; The Nicer Institute. 212 – 217.
- Bowen, A.; Keslar PJ. Newman B. Hashida Y. (1990):** Adrenal haemorrhage after liver transplantation. Radiology; 176: 58 – 88.
- Brash, J.C. (1964):** Cunningham's Manual of Practical Anatomy. 12th. Ed . London. Oxford University Press. 309 – 311.
- Butler H., Bick R.; Morrison S. (1988):** Unsuspected adrenal masses in the neonate: adrenal cortical carcinoma and neuroblastoma. *pediatr Radiol*; 18: 237 – 239.
- Casselman, JW., Smet MH., Van Damme B., Lemahieu SF. (1988):** Primary cervical neuroblastoma: CT and MR findings. *J. Comput Assist Tomogr*; 12: 684 – 486.
- Chang, A., Glazer HS., Lee JKT., Ling D., Heiken JP. (1987):** Adrenal gland: MR imaging. *Radiology*; 163 : 123 – 128.
- Cirillo RL, Krinsky G, Coombs BD, Friedman AC, Krasny RK, Lin EC (2001):** Adrenal Carcinoma. “[http://www. emedicine. com/ RADIO/ topic 14. htm](http://www.emedicine.com/RADIO/topic14.htm)”.
- Cohen MD. (1990):** Reticuloendothelial and Endocrine system in Cohen MD., Edwards MK. *Magnetic Resonance Imaging of children*. Philadelphia: B.C. Decker; 727 – 745.
- Conn JW., Conn ES. (1991):** Primary aldosteronism versus hypertensive disease with secondary aldosteronism. *Rec Prog Horm REs*; 17 : 389 – 414.

- Cotran R.S. (1994):** The endocrine system. In: Cotran RS., Kumar V., Robbins, SL., es. Pathologic basis of disease. 5th ed. Philadelphia: WB. Saunders CO; 1149 – 1165.
- Daneman A. (1988):** Adrenal neoplasms in children. Semin Roentgenol; 23 : 205 – 215.
- Davies RP., Lam A.H. (1987):** Adrenocortical neoplasm in children. J. Ultrasound Med 6 : 325 – 328.
- De Blois GG., De May R.M. (1985):** Adrenal myelolipoma diagnosis by computed-tomography-guided fine-needle aspiration. Cancer; 55 : 848 – 850.
- De Bruyn R. (1996):** Pediatric Abdomen in Goldberg BB., Pettersson H. The Nicer Year Book Ultrasonography. Oslo: The Nicer Institute. 453 – 467.
- Demirci A., Selcuk M.B., Yaziciogm J. (1991):** Belateral adrenal haemorrhage associated with bilateral renal vein and vena cava thrombosis. Pediatr; 21 : 130.
- Desai MB., Kapadia SN. (1988):** Feminizing adrenocrotical tumours in male patients: adenoma versus carcinoma. J. Urol. 139 : 101 – 103.
- Dietrich R.B., Kangarloo H., Lanarsky C., Feig SA., (1987):** Neuroblastoma: The role of MR imaging. AJR; 148 : 937 – 942.
- Dobbie JW, Symington T (1996):** The human adrenal gland with special reference to the vasculature. J Endocrinol; 34:479–489.

Donald R, Kirks et al., (1997): Practical pediatric imaging 2nd edition, P. 1015 – 1030.

Doppman JL., Travis W.D. Nieman L., et al., (1989): Cushing syndrome due to primary pigmented nodular adrenocortical disease: Findings at CT and MR imaging. Radiology; 172. 415 – 420.

Doppman, JL. (1993): The dilemma of bilateral adrenocortical nodularity in Conn's and Cushing's syndromes. Radiol Clin North Am.; 31 : 1039 – 1050.

Dunnick NR (1990): Adrenal imaging: current status. AJR 154 : 927 – 936.

Egglin TK., Hahn PF., Stark DD. (1988): MRI of the adrenal glands. Semin Roentgenol; 23 : 280 – 287.

Falke TH., te-Strake L., Shaff MI., et al., (1986): MR imaging of the adrenals: correlation with computed tomography. J.Comput Assist Tomogr 10 : 242 – 253.

Ferraro EM., Fakhry J., Aruny JE., Bracero LA. (1988): Prenatal adrenal neuroblastoma. J. Ultrasound Med; 7 : 275 – 278.

Filly RA (1997): Upper abdominal sonography anatomy on CD. Lippincott-Raven publisher

Fishman E.K., Deutch BM., Hartman DS., Goldman SM., Zerhouni EA., Siegelman S.S. (1987): Primary adrenocortical carcinoma: CT evaluation with clinical correlation. AJR 148 : 531 – 535.

- Fletcher BD., Kopiwoda SY., Strandjor SE., et al., (1985):** Abdominal neuroblastoma: magnetic resonance imaging and tissue characterization. *Radiology*; 155 : 699 – 703.
- Forman HB., Leonidas JC., Berdon WE., Slovis TL., Wood BP., Samudrala R., (1990):** Congential neuroblastoma: evaluation with multimodality imaging. *Radiology*; 175 : 365 – 368.
- Francis IR., Gross MD., Shapiro B., Korobkin M., Quint LE., (1992):** Integrated imaging of adrenal disease. *Radiology*; 184 : 1-13.
- Glazer GM. (1988):** MR imaging of the liver, kidneys, and adrenal glands. *Radiology*; 166 : 303 – 312.
- Glazer GM., Woolsey EJ., Borrello J. et al., (1986):** Adrenal tissue characterization using MR imaging. *Radiology*; 158 : 73 – 79.
- Godine LB., Berdon WE., Brasch RC., Leonidas JC. (1990):** Adrenocortical carcinoma with extension into inferior vena cava and right atrium: report of 3 cases in children. *Pediatr Radiol*; 20: 166 – 168.
- Gore R.M., Callen P.W., Filly R.A.(1982):** Displaced retroperitoneal fat: sonographic guide to right upper quadrant mass localization. *Radiology*; 142 : 701 – 705.
- Gunter RW., Ketbell C., Lenner V. (1984):** Real-time ultrasound of normal adrenal glands and small tumours. *J. Clin Ultrasound*; 12 : 211 – 217.
- Hamper UM., Fischmann EK. (1987):** Primary adrenocortical carcinoma: Sonographic evaluation with clinical and pathological correlation in 26 patients. *AJR*; 148 : 915 – 917.

Harinarayana CV., Renu G. Ammini AC. et al., (1991); Computed tomography in untreated congenital adrenal hyperplasia. *Pediatr Radiol*; 21 : 103 – 105.

Heij HA., Taets Van Amerongen AHM., EKKetkamp S., Vos A. (1989): Diagnosis and management of neonatal adrenal haemorrhage. *Pediatr Radiol*; 19 : 391 – 394.

Horton R., Finck E (1972): Diagnosis and localization in primary aldosteronism. *Ann Intern Med.* 76 : 885 – 890.

Hubbard MM., Husami TW. Abumrad NN. , (1989): Functioning adrenal tumours. *Am.J. Surg*; 5 : 516 – 522.

Huebener KH., (1984): Adrenal cortex dysfunction : CT Findings. *Radiology*; 15 : 195 – 199.

Hussain HK, Korobkin M (2004): MR imaging of the adrenal glands. *Magn Reson Imaging Clin N Am*; 12: 515–544

Hussain S., et al., (1985): Differentiation of malignant from benign adrenal masses: Predictive indices on computed tomography. *AJR* 144 : 61 – 65.

Icard P., Chapuis Y., Andreasson B., Bernard A., Proye C. (1992): Adrenocortical carcinoma in surgically treated patients: a retrospective study on 156 cases by the French Association of Endocrine Surgery; 112 : 972 – 980.

Ilias I and Pacak K (2004): Clinical Problem Solving, Current Approaches and Recommended Algorithm for the Diagnostic Localization of Pheochromocytoma. *Journal of Clinical Endocrinology and Metabolism* 89(2) 480-491.

Itoh K., Yamashita K., Satoh Y., Sawada H. (1988): Case report MR imaging of bilateral adrenal haemorrhage. J. Comput Assist Tomogr; 12 : 1054 – 1056.

Kenney PJ and Lee JKT (1998): The Adrenals. In: "Computed Body Tomography with MRI Correlation", edited by: Lee JKT, Sagel SS, Stanley RJ and Heiken JP. 3ed edition, chapter 19, Lippincott, Williams & Wilkins 9:9

Kenney PJ, Wagner BJ, Rao P, Heffess CS (1998): Myelolipoma: CT and pathologic features. Radiology; 208(1):87–95.

Kenney PJ., Lee JKT. (1988): The Adrenals in Lee JKT, Sagel SS., Stanley RJ., Heiken JP. Computed Body Tomography and MRI correlation. 3rd ed. Philadelphia: Lippincott-Raven; 1171 – 1208.

Kenney PJ., Robbins GL., Elhis DA., Spirt BA. (1985): Adrenal glands in patients with congenital renal anomalies: CT appearance. Radiology; 155 : 181 – 182.

Kenney PJ., Stanley R.J. (1987): Calcified adrenal masses. Urologic Radiol 9 : 9 -15.

Kier R., McCarthy S.(1989): MR characterization of adrenal masses: field strength and pulse sequence considerations. Radiology; 171 : 671 – 674.

King BF., Kopecky KK., Baker MK., Clark SA. (1987): Extramedullary hematopoiesis in the adrenal glands: CT characteristics. J.Comput Assist Tomogr; 11: 342 – 343.

Koch KJ., Cory DA. (1986): Simultaneous renal vein thrombosis and bilateral adrenal haemorrhage: MR demonstration. J. Comput Assist Tomogr; 10 : 681 – 683.

Krebs TL, Wagner BJ (1998): MR imaging of the adrenal gland: radiologic- pathologic correlation. Radiographics; 18:1425–40.

Krestin GP., Friedmann G., Fishbach R., Neufang KFR., Allolio B. (1991): Evaluation of adrenal masses in oncologic patients: dynamic contrast-enhanced MR vs CT. J. Comput Assist Tomogr 1991; 15 : 404 – 110.

Krestin GP., Stenbrich W., Friedman G. (1989): Adrenal masses: evaluation with fast gradient-echo MR imaging and Gd-DTPA-enhanced dynamic studies. Radiology. 171 : 675 – 680.

Krishnan A , Tello R ,Coombs BD, Friedman AC, Krasny RK, Lin EC (2002): Pheochromocytoma. “<http://www.emedicine.com/RADIO/topic552.htm>”

Lee MJ, et al (1994): State-of-the-art MR imaging of the adrenal gland, Radiographics 14:1015

Lee W., Comstock CH., Jurcak-Zaleski S. (1992): Prenatal diagnosis of adrenal haemorrhage by ultrasonography. J.Ultrasound Med. 11: 369 – 371.

Lipsell MB., Hertz r., Ross GT. (1963): Clinical and pathophysiologic aspects of adrenocortical carcinoma. Am. J. Med. 35 : 374 – 383.

Lombardi TJ., Korobkin M., Aisen AM., et al., (1994): Differentiation of adrenal adenomas from nonadenomas using chemical shift and

gadolinium enhanced MR imaging. Presented at the annual meeting of the Society of Uroradiology, Laguna Niguel., CA. January.

Lpez-Ibor B., Schewartz AD (1985): Neuroblastoma (reviews). *Pediatrc Clin. North. Am*; 32 : 755 – 778.

Marchal g., Gelin J., Verbeken E. et al., (1986): High resolution real time songoraphy of the adrenal glands: a routine examination. *J. Ultrasound Med.*; 5 : 65 – 68.

Mayo-Smith WW, Boland GW, Noto RB, and Lee MJ (2001): State-of-The-art adrenal imaging. *Radiographics*; 21(4): 995-1012.

McCauley RG., Beckwith JB, Elias ER., Faerber EN., Prewitt LHJr. Berdon WE., (1991): Benign haemorrhagic adrenontrical macrocysts in beck with-Wiedemann syndrome: *AJR*. 157 : 549 – 552.

McGahan JP., Myracle MR. (1986): Adrenal hypertrophy: Possible pitfall in the songorpahic diagnosis of renal agenesis. *J. Ultrasound Med.*; 5 : 265 – 268.

McMinn R.M.H. (1994): Kidney, ureters and s suprarenal gland. In McMinn Last's anatomy Regional and Applied 9th ed. Edimburg. Churchill Livingstone; 372.

Miraldi FD., Nelson AD., Kraly C., et al., (1986): Diagnostic imaging of human neurolastoma with radiolabeted antibody radiology; 161 : 413 – 418.

- Mitchell DG., Crovello M., Matteucci T., Peterson RO., (1992):** Mietinen MM. Benign adrethocortical masses: diagnosis with chemical shift MR imaging. Radiology; 185 : 345 – 351.
- Mitty HA., Yeh H.C (1982):** Radiology of the adrenals with sonogrpahy and CT. Philadelphia: WB.Saunders Co. 1982.
- Moley JF and Wells SA (2001):** Pituitary and Adrenal Glands. In: " Sabiston Textbook of Surgery", edited by Townsend CM, Beauchamp RD, Evers BM, and Mattox KL , 16th ed., Chapter 35 , W B Saunders.
- Morrison SC., Comisky E., Flotcher BD. (1988):** Calcification in the adrenal glands associated with disseminated herpes simplex infection. Pediatr Radiol; 18 : 240 – 241.
- Murphy BJ., Casillas J., Y rizarry JM. (1988):** Traumatic adrenal hemorrhage: radiologic findings. Radiology; 169 : 701 – 703.
- Musante F., Derchi LE., Zappasodi F. (1988):** Myelolipoma of the adrenal gland: Songoraphic and CT features. AJ; 151 : 961 – 963.
- O'rahilly R. (1986):** Kidney ureters and suprarenal glands in Gardner Gray. O'rahilly Anatomy 5th ed. Philadelphia W.B. saunders Compnay. 423.
- Orazi C., Fariello G., Malena S., Schingo P., Ferro F., Bagolan P. (1993):** Renal vein thrombosis and adrenal haemorrhage in the newborn: Ultrasound evaluation of 4 cases. JCU; 21 : 163 – 163.

- Ozmen MN., Aygun A., Kilic I., Kuran L., Yalcin B., Besim A.** *Wolman's disease (1992):* Ultrasonographic and computed tomographic findings. *Pediatr Radiol*; 22: 541 – 542.
- Paterson A. (2002):** Adrenal pathology in childhood: a spectrum of disease. *Eur Radiol*; 12:2491–2508
- Peppercorn PD, Reznick RH (1997):** State-of-the-art CT and MRI of the adrenal gland. *Eur Radiol*; 7:822–36.
- Rosenfield NS., Leonidas JC., Barwick KW. (1988):** Aggressive neuroblastoma simulating Wilms' tumour. *Radiology*; 166 : 165 – 167.
- Ryan S and McNicholas M (1998):** *Anatomy for Diagnostic Imaging*, 1st ed., WB Saunders.
- Sharon SB and Pablo RR (1998):** *Magnetic Resonance Imaging*, edited by David D. Stark and William G. Bradley, 3ed., Mosby.
- Shinozaki K, Yoshimitsu K, Honda H, Kuroiwa T, Irie H, Aibe H, et al (2001):** Metastatic adrenal tumor from clear-cell renal cell carcinoma: a pitfall of chemical shift MR imaging. *Abdom Imaging*; 26(4):439–42.
- Silverman SG., Mueller PR., Pinkney LP., Koenker RM., Seltzer SE. (1993):** Predictive value of image-guided adrenal biopsy: analysis of result of 101 biopsies. *Radiology*; 187 : 715 – 718.
- Sivit C., Hung W., Taylor GA., Catena LM., Brown-Jones C., Kushner DC. (1991):** Sonography in neonatal congenital adrenal hyperplasia. *AJR*; 156 : 141 – 143.

- Sivit CJ., Ingram JD., Taylor GA., Bulas DI., Kushner DC., Eicnelberger MR. (1992):** Post-traumatic adrenal haemorrhage in children: CT findings in 34 patients. *AJR*; 158 : 1299 – 1302.
- Slee PH., Schatereg A., Van Brummelen P. (1983):** Carcinoma of the adrenal cortex causing primary aldosteronism. *Cancer* 1983; 51: 2341 – 2345.
- Smith SM., Patel SK., Turner DA., Matalon TA. (1989):** Magnetic resonance imaging of adrenal cortical carcinoma. *Urol Radiol*; 11: 1-6.
- Sommers SC. (1977):** Adrenal glands. In: Anderson WAD., Kissane JM. *Pathology*, Vol 2. St. louis: Mosby; 1058 – 1679.
- Stewart PM (2003):** The Adrenal Cortex. In: *Williams Textbook of Endocrinology*, edited by P Reed Larsen , Henry M Kronenberg, Shlomo Melmed and Kenneth S Polonsky, 10th ed., Chapter 14, Elsevier.
- Stocksley M (2001):** Adrenal Gland. In "Abdominal Ultrasound", 1st edition, Chapter 12, Greenwich Medical Media
- Sutton D and Robinson JA (2003):** The adrenal glands. In “Textbook of radiology and imaging”, edited by: Sutton D, Robinson JA, Whitehouse RW, Allan PL, Wild P, Stevens JM, 7th editon, chapter 27, P825-848.Churchill Livingstone.
- Thurston W., Wilson SR. (1998):** The adrenal glands. In Rumack CM., Wilson SR., Charboneau JW. *Diagnostic Ultrasound*. 2nd ed. ST. Louis: Mosby; 432 – 451.

Tsushima Y., Ishizaka H., Matsumoto M. (1993): Adrenal masses : differentiation with chemical shift, fast low-angle shot MR imaging. *Radiology*; 186 : 705 – 709.

Tung GA., Pfister RC., Papnicolau N., Yoder IC. (1989): Adrenal cysts: imaging and percutaneous aspiration. *Radiology*; 173 : 107 – 110.

Varghese JC, Hahn PF, Papanicolaou N, Mayo-Smith WW, Gaa JA and Lee MJ (1997): MR differentiation of pheochromocytoma from other adrenal lesions based on qualitative analysis of T2 relaxation times. *Clin Radiol*; 52(8):603–6.

Vaughan ED, Blumenfeld JD, Pizzo JD, Schichman SJ and Sosa RE (2002): The Adrenals. In "Campbell's Urology", edited by Walsh PC, Retik AB, Vaughan ED, and Wein AJ, 8th ed., Chapter 101, Elsevier.

Vssiliades VG., Bernardino ME. (1991): Percutaneous renal and adrenal biopsies. *Cardiovasc Intervent Radiol*; 14 : 50 – 54.

Wansaicheong G, Krinsky G, Coombs BD, Friedman AC, Krasny RK, Lin EC (2002): Adrenal Metastases. "http://www.emedicine.com/ RADIO/topic18.htm".

Weir J., Abrahams PH., Belli AM., Hourihan MD., Moore NR., Needham G., Owen JP. (1997): Imaging Atlas of Human Anatomy. 2nd ed. London: Mosby-Wolfe; 125.

Welch TJ., Sheedy P.F., Van Heerden JA. et al., (1983): Pheochromocytoma: Value of computed tomography. Radiology, 148 : 501 – 503.

Welch TJ., Sheedy PF., Hattery RR. (1994): The adrenal glands. In Harge JR. Lanzieri CF., Sartoris DJ., Zerhouni EA. Computed Tomography and Magnetic Resonance Imaging of the whole body 3rd ed. St. Louis: Mosby; 1151 – 1175.

Westra S.J., Zaniovic A.C., Hall T.R., Kangarloo H., Boecbat M.I. (1994): Imaging of the adrenal gland in children. Radiographic 41 : 1323 – 1340.

Willemse APP., Coppes MJ., Feldberg MAM., PPG., Witkamp ID (1989): Magnetic resonance appearance of adrenal haemorrhage in a neonate. Pediatric Radiol 19 : 210 – 211.

Williams PL, Warwick R, Dyson M, Berry MM, Collins P, Dussek JE, Ferguson MWJ, and Bannister LH (1996): Endocrine System. In “Gray's anatomy”, 38th ed., Section 15. Longmans.

Yeh H. (1988): Ultrasonography of the adrenals. Semin Roentgenol; 23: 250 – 258 .

Yeh HC., (1980): Sonography of the adrenal glands: normal glands and small masses. AJR; 135 : 1167 – 1177.

Ziegelbaum MM., Kay R., Rothner D., Lorig. (1988): The association of neuroblastoma with myoclonic encephalopathy of infants: The use of magnetic resonance as an imaging modality. J. Urol; 139 : 81 – 82.