

## REFERENCES

1. **AAP. (2000):** American Academy of Pediatrics. Clinical practice guideline: Early Detection of Developmental Dysplasia of the Hip. Committee on Quality Improvement, Subcommittee on Developmental Dysplasia of the Hip. Pediatrics 2000 Apr; 105(4 Pt 1): 896-905
2. **ACR. (2003):** American College of Radiology Standard for the Performance of the Ultrasound Examination for Detection of Developmental Dysplasia of the Hip. Available at: [http://www.acr.org/standards/pdf/hip\\_dysplasia](http://www.acr.org/standards/pdf/hip_dysplasia). Revised 2003 (Res. 21). Effective 10/1/2003. P.597-6001.
3. **After Stoller DW and Maloney WJ. (1993):** Magnetic resonance imaging in orthopaedics and sports medicine. JB Lippincott Philadelphia: 31-137.
4. **Aronsson DD, Goldberg MJ, Kling TF, Roy DR. (1994):** Developmental dysplasia of the hip. Pediatrics 94:201-208, Apely A.G. and Solomon L. (1993) Apely's system of orthopedics and fractures. Seventh edition. Part 2, Regional Orthopedics, The hip p. 383-431, Butterworth, Heinemann Ltd.
5. **Barlow, T. G. (1962):** Early diagnosis and treatment of congenital dislocation of the hip. J. Bone and Joint Surg., 44-B(2): 292-301,.
6. **Bond CD, Hennrikus WL, Della Maggiore E. (1997):** Prospective evaluation of newborn soft tissue hip clicks with ultrasound. J Pediatr Orthop 1997; 17:199-201
7. **Brasch R.C. (1983):** Computed tomography of children . In Computed tomography of body. Moss A.A., Gamas G., Genant H.K.W.B. Saunders Company, Philadelphia, London, Toronto, Mexico City, Sydney and Tokyo.

8. **Bennet GC, Rang M, Roye DP, et al. (1982):** Dislocation of the hip in trisomy 21. *J Bone Joint Surg [Br]* 64:289, 1982.
9. **Boal DKB, Schwentker EP(1991):** Assessment of congenital hip dislocation with real-time ultrasound: A pictorial essay. *Clin Imaging* 15:77, 1991.
10. **Berman L, Hollingdale J. (1987):** The ultrasound appearance of positive hip instability tests. *Clin Radiol* 38:117, 1987.
11. **Carol M, Stephanie R, J. William Chaboneau (1998):** DIAGNOSTIC ULTRASOUND, Vol. 2, Chap. 62, The Pediatric Hip, p. 1799-1814.
12. **Clarke MNP. (1986):** Sonographic clarification of the problems of neonatal hip instability. *J Pediatr Orthop* 6:527, 1986.
13. **Dahlstrom H, Oberg L, Friberg S. (1986):** Sonography in congenital dislocation of the hip. *Acta Orthop Scand* 57-402-406.
14. **De Pellegrin M. (1991):** Ultrasound screening for congenital dislocation of the hip: results and correlations between clinical and ultrasound findings. *Ital J Orthop Traumatol*; 17:547-553
15. **David Sutton (2003):** A Textbook of radiology and imaging vol. 2: Congenital skeletal anomalies. P.1107-1113, Charchil Livingstone, Edinburgh, London, Melbourne, New York and Tokyo.
16. **Drummond DS., O'Donnell J., Breed A., et al. (1989):** Arthrography in the evaluation of congenital dislocation of the hip. *Clin Orthop* 243-148.
17. **Duthie R.B. and Bentley G. (1983):** Mercer's Orthopedic Surgery, Eighth Edition. Chapter 3: Congenital Malformation, 124-135.
18. **Engesaeter L.B., Wilson D.J., Nag D., Benson M.K. (1990):** Ultrasound and congenital dislocation of the hip. *J. Bone and Joint Surg. (Br.)* 72, 197-201.

19. **Goldman A.B. (1981):** Hip Arthrography: Evaluation of disorders of children, adolescents and adults without prothesis. Radiologic Clinics of North America, Vol. 19. No.2 June.
20. **Goodman S. b., Adler S.J., Fyhrie DP and Schurman D.J. (1988):** The acetabular tear drops and its relevance to acetabular migration. Clin. Ortho. 236: 199-204.
21. **Gamble JG, Mochizuki C, Bleck EE, et al. (1985):** Coxa magna following surgical treatment of congenital hip dislocation. J Pediatr Orthop 5:528, 1985.
22. **Gardiner HM, Dunn PM. (1990):** Controlled trial of immediate splinting versus ultrasonographic surveillance in congenitally dislocatable hips. Lancet 336:1553, 1990.
23. **Gerscovich,E.O., MD. (1999):** Infant hip in developmental dysplasia: Facts to consider for a successful diagnostic ultrasound examination; Applied Radiology J., March 1999.
24. **Graf R (1980):** The diagnosis of congenital hip-joint dislocation by the ultrasonic compound treatment. Arch Orthop Trauma Surg 97-117.
25. **Graiger R.G. and Allison D.J. (1997):** Diagnostic Radiology, Third edition, Vol. 3, section 7: The skeletal system II, p. 1836-1842.
26. **Gray. (2000):** Henry Gray's, Anatomy of the Human Body. The skeleton of the lower limb. Philadelphia: Lea & Febiger, Bartleby.com,2000, available at: <http://yahooligans.yahoo.com/reference/gray>.
27. **Grissom L.E., Haecke H.T., Kumar S.J., et al. (1988):** Ultrasound evaluation of hip position in the Pavlik harness. J Ultrasound Med 7:1.

- 28. Harcke H.T., Clarke M.N.P., Lee M.S., et al. (1984):** Examination of the hip with real time ultrasound. *J ultrasound Med* 1984; 3:131-137.
- 29. Harcke HT. (1994):** Screening newborns for developmental dysplasia of the hip: the role of sonography. *AJR Am J Roentgenol* 1994; 162(2):395-7.
- 30. Hema Patel, John W. Feightner Richard, Goldbloom. (2001):** Screening and Management of Developmental Dysplasia of the Hip in Newborns. Canadian Medical Association "CMAJ", 2001; 164(12):1669-77.
- 31. Hernandez J, Poznanski AK. (1985):** CT evaluation of pediatric hip disorders. *Orthop Clin North Am* 16:513, 1985.
- 32. Jangenskiod A. and Salenius P.J. (1967):** Epiphyseodesis of the greater trochanter. *Acta Orthop. Scand* 38: 199-219.
- 33. Joseph F. Smith. (2004):** Medical library J. July,30 2004 Congenital hip dysplasia.
- 34. Kaplan AA, Anderson JC, et al. (1990):** Sonography of musculoskeletal system. *AJR* 155: 237-245.
- 35. Karen Norton, MD. (2003):** Director of Pediatric Radiology, Associate Professor of Radiology and Pediatrics, Department of Radiology, Mount Sinai School of Medicine: In: Developmental Dysplasia of the Hip. Last Updated: April 22, 2003,
- 36. Kashiwagi N., Suzuki S., Kashara Y. (1996):** Prediction of reduction in developmental dysplasia of the hip by MRI. *J.Orthop. Mar-Apr.(16) (2):* 254-8.
- 37. Kasser J.R. (1994):** U.S. in the management of developmental dysplasia of the hip. In: *Advances in Operative orthopedics. Vol. 2* Stauffer R.N. Mosby.

- 38. Keller MS, Chawla HS, Weiss AA. (1986):** Real-time sonography of infant hip dislocation. *RadioGraphics* 6:447, 1986.
- 39. Koliber R, Pavlosky W, Portner O, et al. (1983):** Bone scintigraphy of hip joint effusions in children. *AJR* 140: 990-990.
- 40. Lang P, Genant HK, Steiger P, et al. (1989):** Three-dimensional digital displays in congenital dislocation of the hip: Preliminary experience. *J Pediatr Orthop* 9:532.
- 41. Lang P. et al. (1987):** Three-dimensional CT and MRI imaging in congenital dislocation of the hip: technical considerations. *Radiology*, 165-279.
- 42. Laor T., Jaramillo D., Gestreich AE. (1998):** Musculoskeletal system. In: Kirks DR, *Practical Pediatric Imaging: Diagnostic radiology of infants and children*. 3<sup>rd</sup> ed. Philadelphia: Lippincott-Raven Publishers; 327-510.
- 43. Lehmann H.P., Hinton R, Morelo P, Santoli J. (2000):** Developmental dysplasia of the hip practice guideline: technical report. Committee on Quality Improvement, and Subcommittee on Developmental Dysplasia of the Hip. *Pediatrics J.*, 105:E57.
- 44. Le Tournel E. and Judet R. (1981):** Fractures of the acetabulum. New York, Springer. Verlag. Quoted from *orthopedic clinics of North America*, Vol. 21, No.3, July.
- 45. Lonnerhorm T. (1980):** Arthrography of the hip in children. *Act. Radiol. (Diagn."Stokh")* 21: 279.
- 46. McEwen G.D., Bunnell W.P., Ramsey P.L. (1986):** Pediatric orthopedics, edition 2, p. 703-708, Philadelphia, JB Lippincott.
- 47. McVay C.B. (1984):** Anson and McVay Surgical Anatomy, sixth edition. The Lower Extremity, chapter 34. The hip p. 1149-1175. W.B Saunders Company.

48. **Miralles M, Gonzalez G, Pulpeiro JR, et al. (1989):** Sonography of the painful hip in children: 500 consecutive cases. *AJR* 152:579, 1989.
49. **Mitchell D.G., Joseph P.M., Fallon M. et al. (1987):** Chemical Shift M.R. imaging of the femoral head: an in vitro study of normal hips and hips with avascular necrosis. *AJR*, 148: 1159.
50. **Morgan J.D. and Somervill E.W. (1960):** Normal and abnormal growth of the upper end of the femur. *J Bone Joint Surg.* 42-B: 204-272.
51. **Morin C, Harcke HT, MacEwen GD. (1985):** The infant hip: Real-time US assessment of acetabular development. *Radiology* 157:673, 1985.
52. **Mubarak S, Garfin S, Vance R, et al. (1981):** Pitfalls in the use of the Pavlik harness for treatment of congenital dysplasia, subluxation, and dislocation of the hip. *J Bone Joint Surg [Am]* 63:1239, 1981.
53. **Naidich D.P., Freeman M.T., Bowerman J.W., Siegelman S.S. (1980):** Ten section approach to computed tomography of the pelvis. *Skel. Radiol.* 5: 231.
54. **Netter F.H. (1990):** The Ciba Collection of Medical Illustrations. Vol.8, part II.
55. **Novick GS. (1988):** Sonography in pediatric hip disorders. *Radiol Clin North Am* 26:29, 1988.
56. **Ogden JA (1982):** Dynamic pathobiology of congenital hip dysplasia. In MO Tachdjian (Ed): *Congenital Hip Disease*. New York, Churchill Livingstone, pp 93-144.
57. **Ogden JA (1983):** Development and growth of the hip. In JF Katz, RS Siffert (Eds): *Management of Hip Disorders in Children*. Philadelphia, JB Lippincott, pp 6-32

58. **Ogden JA (1988):** Congenital Dysplasia of the Hip, In: Diagnosis of Bone and Joint Disorders, Resnick D. and Niwayama G. Second edition, W.B., Saunders Company.
59. **Ortolani, M. (1976):** The classic. Congenital hip dysplasia in the light of early and very early diagnosis. Clin. Orthop., 119: 6-10,.
60. **Ozonoff MB. (1992):** Pediatric Orthopedic Radiology. 2nd Ed. Philadelphia, WB Saunders Company, 1992, p 164.
61. **O'Hara JN. (1989):** Congenital dislocation of the hip: Acetabular deficiency in adolescence (absence of the lateral acetabular epiphysis) after limbectomy in infancy. J Pediatr Orthop 9:640, 1989.
62. **Parker MD, Clark RL, Cuttino JT, et al. (1989):** Streptococcal antigen-induced dislocation and dysplasia of the hip in newborn rats: Radiologic and histologic evaluation of a model of congenital dislocation of the hip. Invest Radiol 24:604.
63. **Pauwels F. (1979):** Biomechanics of the Normal and Diseased Hip. Berlin, Springer, Verlag. Quoted from the Orthopaedic Clinics of North America, Vol. 21, No. 3.
64. **Pitt M.J., Lund P.J. and Speer D.P. (1990):** Imaging of the pelvis and hip orthopedic clinics of North America. Vol. 21, No. 3: 545-559.
65. **Polaneur PA, Harcke HT, Bowen JR. (1990):** Effective use of ultrasound in the management of congenital dislocation and/or dysplasia of the hip. Clin Orthop 252:176, 1990.
66. **Ponesti I.V. (1978):** Morphology of the acetabulum in congenital dislocation of the hip: gross, histological and roentgenographic studies. J. Bone Joint Surgery 60 (A): 586.
67. **Poul J, Bajerova J, Sommernitz M, et al. (1992):** Early diagnosis of congenital dislocation of the hip. J Bone Joint Surg [Br] 74:695, 1992.

68. Resjo I.M., Harwood, Nash D.C., Fitz C.R.,Chuang S. (1979): CT metrizamide myelography for intraspinal and neoplasms in infants and children AJR,132-367.
69. Resnick D., Niwayama G., Sledge C.B. (1990): Developmental anatomy of joints: Diagnosis of Bone and Joint Disorders, Vol. 1,Philadelphia, WB Saunders.
70. Robin PW, Hossain S, Eccles K. (2002): Eight year prospective targeted ultrasound screening programme for instability and at risk hip joints in developmental dysplasia of the hip. J Paed Orthopaedics; 22: 338-41.
71. Rockwood. (1984): Orthopedics C, and Green D. Vol. II, Chapter 14; Fracture and dislocations of the hip. Second edition.
72. Rombouts JJ, Kaelin A. (1992): Inferior (obturator) dislocation of the hip in neonates: A complication of treatment by the Pavlik harness. J Bone Joint Surg [Br] 74:708.
73. Singapore Med J (2002): Developmental dysplasia of the hip, ultrasound, infants Vol 43(1):049-052
74. Sosnierz A, Karel M, Maj S, et al., (1991): Ultrasound appearance of the hip joint in newborns during the first week of life. J Clin Ultrasound 19:271.
75. Stanely and Chang (1981): Hip disorders in infant and children. Chapter 1: Normal Hip Development, 1-30.
76. Stephen J. Stricker, MD; Stephen R. Barone, MS. (2001): Tips About Hips in Children. International Pediatrics, Vol. 16, No. 4, 2001, P.196-205.
77. Stoffelen D, Urlus M, Molenaers G, Fabry G. (1995): Ultrasound, radiographs, and clinical symptoms in developmental



88. Williams PR, Jones DA, Bishay M. (1999): Avascular necrosis and the aberdeen splint in developmental dysplasia of the hip. *J Bone Joint Surg* 1999; 81-B:1023-1028.
89. Wilson DJ, Green DJ, Mac Larnon JC. (1984): Arthrography of painful hip. *Clin Radiol* 35: 17-19.
90. Xenakis T.A., Gelalis I.D., Koukoubis T.D. (1996): Neglected congenital dislocation of the hip. Role of computed tomography and computed-aided design for total hip arthroplasty *J. Arthroplasty*, 11: 893-898.
91. Yamamuro T. and Ishida K. (1984): Recent advances in the prevention, early diagnosis and treatment of congenital dislocation of the hip in Japan. *Clinical Orthopaedics and Research* 184, 34-40.
92. Yousefzadeh D.K., Ramilo HL. (1987): Normal hip in children: Correlation of US with anatomic and cryomicrotome sections. *Radiology* 165:647.
93. Zieger M, Hilpert S., and Schulz R.D. (1986): Ultrasoun of the infant hip. *Pediatric Radiology*, 16:483-487.