

A

Ahn SH, Mayo-Smith WM, Murphy BL, Reinert SE and Cronan JJ.(2002): Acute nontraumatic abdominal pain in adult patients: abdominal radiography compared with CT evaluation. Radiology 225:159– 64.

Alobaidi M and Shirkhoda A.(2003): Value of bone window settings on CT for revealing appendicoliths in patients with appendicitis. AJR Am J Roentgenol. 180: 201-205.

Alonso-Perez M, Segura RJ, Sanchez J, et al.(2001): Factors increasing the mortality rate for patients with ruptured abdominal aortic aneurysms. Ann Vasc Surg 15: 601–7.

Auh YH, Rubenstein WA, Zirinsky K, et al (1984): Accessory fissures of the liver: CT and sonographic appearance. AJR; 143:565-72.

B

Balthazar EJ.(2002): Acute pancreatitis: assessment of severity with clinical and CT evaluation. Radiology ; 223:603 –613.

Baron TH and Morgan DE.(1999): Acute necrotizing pancreatitis. N Engl J Med ;340: 1412 -1417.

Basile KE, Sivit CJ, O’Riordan MA, Marsh E, Grisoni ER.(2000): Acute hemoperitoneum in children: prevalence of low-attenuation fluid. Pediatr Radiol 30: 168– 70.

Bell R.(1996): Diagnosing the causes of abdominal pain in children. Practitioner; 240:598-601,602.

Benjaminov O, Atri M, Hamilton P and Rappaport D.(2002): Frequency of visualization and thickness of normal appendix at nonenhanced helical CT. Radiology. 225:400-406.

Bennett GL. and Balthazar E J.(2003): Ultrasound and CT evaluation of emergent gallbladder pathology. Radiol Clin N Am (41) 1203– 1216.

Bennett GL, Birnbaum BA, Balthazar EJ.(2004): CT of Meckel's diverticulitis in 11 patients. AJR Am J Roentgenol 182:625-62.

Bennett GL, Rusinek H, Lisi V, Israel GM, Krinsky GA, Slywotzky CM, et al. (2002): CT findings in acute gangrenous cholecystitis. AJR 178:275–81.

Bhalla S, Menias CO and Heiken JP.(2003): CT of acute abdominal aortic disorders. Radiol Clin N Am (41) 1153– 1169

Birnbaum BA and Wilson SR.(2000): Appendicitis at the millennium. Radiology. 215:337-348.

Brewer BJ, Golden GT, Hitch DC, et al.(1976): Abdominal pain. An analysis of 1000 consecutive cases in a university hospital emergency room. Am J Surg; 131:219-23.

Brusca GT, Lane MJ, York GE and Katz DS.(2001): The normal appendix on unenhanced thin-section helical CT: How often does its lumen contain gas? [abstract]. AJR Am J Roentgenol. 176(P):14.

Brusca GT, Licht M, Stillman CA, et al.(2001): The normal appendix: What is its actual diameter? [abstract]. AJR Am J Roentgenol. 176(P):12-13.

Burkill GJC, Bell JRG and Healy JC.(2001): The utility of computed tomography in acute small bowel obstruction. Clin Radiol 56:350 –359

C

Caoili EM and Paulson EK.(2000): CT of small-bowel obstruction: another perspective using multiplanar reformations. AJR 174:993 – 998.

Charnsangavjev C, DuBrow RA, Varma DG, Herron DG, Robinson TJ, Whitley NO.(1993): CT of the mesocolon: Part I. Anatomic considerations. Radiographics; 13:1035-45.

Chow LC, Chan FP and Li KC.(2002): A comprehensive approach to MR imaging of mesenteric ischemia. Abdom Imaging 27:507–16.

Colistro R, Torreggiani W, Lyburn I, et al.(2002): Unenhanced helical CT in the investigation of acute flank pain. Clin Radiol; 57:435-441.

Coll D, Varanelli M. and Smith R.(2002): Relationship of spontaneous passage of ureteral calculi to stone size and location as revealed by unenhanced helical CT. AJR Am J Roentgenol 178:101-103.

D

Dalrymple N, Casford B, Raiken D, Elsass K and Pagan R.(2000): Pearls and pitfalls in the diagnosis of ureterolithiasis with unenhanced helical CT. RadioGraphics; 20:439-447.

Desai RK, Tagliabue JR, Wegryn SA and Einstein DM.(1991): CT evaluation of wall thickening in the alimentary tract. Radiographics ; 11:771-83.

E

EGE G., AKMAN H, SAHIN A, BUGRA D. and KUZUCU K.(2002): Diagnostic value of unenhanced helical CT in adult patients with suspected acute appendicitis. The British Journal of Radiology (75) 721–725.

F

Farber A, Wagner WH, Cossman DV, et al.(2002): Isolated dissection of the abdominal aorta: clinical presentation and therapeutic options. J Vasc Surg 36:205– 10.

Foley TA, Earnest F 4th, Nathan MA, et al.(2005): Differentiation of nonperforated from perforated appendicitis: Accuracy of CT diagnosis and relationship of CT findings to length of hospital stay. Radiology. 235:89-96.

Fuchsjager MH.(2002): The small bowel feces sign. Radiology 225:378 –379

Furukawa A, Yamasaki M, Furuichi K, et al.(2001): Helical CT in the diagnosis of small bowel obstruction. *RadioGraphics*2001; 21:341–355

G

Gallagher PJ.(1999): Blood vessels. In: Sternberg SS, editor. *Diagnostic surgical pathology*. Philadelphia: Lippincott Williams & Wilkins p. 1256–8.

Glazer GM, Axel L, Goldberg HI and Moss AA.(1981): Dynamic CT of the normal spleen. *AJR*; 137:343-6.

Gonsalves CF.(1999): The hyperattenuating crescent sign. *Radiology* 211:37–8.

Gore RM, Miller FH, Pereles FS, Yaghmai V and Berlin JW(2000): Helical CT in the Evaluation of the Acute Abdomen. *AJR* 174: 901–913.

Grand D, Horton KM and Fishman E (2004): CT of the Gallbladder: Spectrum of Disease. *AJR* 183:163-170.

Grattan-Smith JD, Blews DE and Vrand T.(2002): Omental infarction in pediatric patients: sonographic and CT findings. *AJR Am J Roentgenol* 178:1537 –9.

Grazioli L, Federle MP, Brancatelli G, Ichikawa T, Olivetti L and Blachar A.(2001): Hepatic adenomas: imaging and pathologic findings. *Radiographics* 21: 877–913.

Guest A, Cohan R, Korobkin M, et al.(2001): Assessment of the clinical utility of the rim and comet-tail signs in differentiating

ureteral stones from phleboliths. AJR Am J Roentgenol 177:1285-1291.

H

Ha HK, Lee SH, Rha SE, Kim JH, Byun JY, Lim HK, et al.(2000): Radiologic features of vasculitis involving the gastrointestinal tract. Radiographics 20:779–94.

Hagan PG, Nienaber CA, Isselbacher EM, et al.(2000): The International Registry of Acute Aortic Dissection (IRAD): new insights into an old disease. JAMA 283:897– 903.

Heiken JP.(1998): Anatomy and gross morphology. In: Computed Tomography with MRI correlation. Lee JK, Sagel SS, Stanley RJ; eds. Volume1. Chapter12;Liver. 3rd edition. Lippincott, Williams, and Wilkins.

Hertzberg BS, Kliever MA and Bowie JD.(1999): Adnexal ring sign and hemoperitoneum caused by hemorrhagic ovarian cyst: pitfall in the sonographic diagnosis of ectopic pregnancy. AJR Am J Roentgenol 173: 1301– 2.

Horror MM, White DS and Horror JC.(2003): Differentiation of perforated from nonperforated appendicitis at CT. Radiology. 227:46-51.

Horton KM and Fishman EK (2003): Current Role of CT in Imaging of the Stomach. Radiographics. 23:75-87.

I

Irvin TT.(1989): Abdominal pain: a surgical audit of 1190 emergency admission. Br J Surg; 76:1121-5.

J

Jang HJ, Lim HK, Lee SJ, Lee WJ, Kim EY and Kim SH.(2000): Acute diverticulitis of the cecum and ascending colon: the value of thin section helical CT findings in excluding colonic carcinoma. AJR Am J Roentgenol 174:1397– 402.

Jeffrey RB and Federle MP.(1988): The inferior vena cava: CT evidence of hypovolemia. AJR ; 150:431-2.

Jeong JY, Kim SH, Lee HJ and Sim JS.(2002): Atypical lowsignal- intensity renal parenchyma: causes and patterns. Radiographics 22:833– 46.

K

Karstaedt N, Sagel SS, Stanley RJ, Melson GL and Levitt RG.(1987): Computed tomography of the adrenal gland. Radiology ; 129:753-30.

Katz DS., Belfi L and Weston SR (2005): CT of Suspected Appendicitis in Adults: Current Status Applied Radiology 34(7):8-16.

Katz DS and Jain M(2004): Invited Commentary • Authors' Response. RadioGraphics 24:S28-S33

Katz D, Scheer M, Lumerman J, Mellinger B, Stillman C and Lane M.(2000): Alternative or additional diagnoses on unenhanced helical computed tomography for suspected renal colic: experience with 1000 consecutive examinations. *Urology*; 56:53-57.

Kawamoto S, Horton KM and Fishman EK.(1999): Pseudomembranous colitis: can CT predict which patients will need surgical intervention? *J Comput Assist Tomogr* 23:79–85

Kaynak K, Koksall C, Kazimoglu K and Ozbek C.(2002): Vascular echinococcus. *Asian Cardiovasc Thorac Ann* 10:259–61.

Kenney PJ and Lee JK.(1998): Normal Anatomy (computed tomography). In: *Computed tomography with MRI correlation*. Lee JK, Sagel SS, Stanley RJ;eds. Volum 1. Chapter 13; adrenals. 3rd edetion. Lippincott, Williams, and Wilkins.

Kenney PJ and McClennan BL.(1998): Contrast media in renal computed tomography. In: *Computed tomography with MRI correlation*. Lee JK, Sagel SS, Stanley RJ;eds. Volume 1. Chapter 18 the kidney. 3rd edition. Lippincott, Williams, and Wilkins.

Kircher MF, Kihiczak D, Rhea JT and Novelline RA.(2001): Safety of colon contrast in the helical CT examination of patients with suspected diverticulitis. *Emerg Radiol* 8:94 –98.

Kircher MF, Rhea JT, Kihiczak D and Novelline RA (2002): Frequency, Sensitivity, and Specificity of Individual Signs of Diverticulitis on Thin-Section Helical CT with Colonic Contrast Material: Experience with 312 Cases. *AJR* 178:1313-1318.

Koehler RE, Memel DS, and Stanley RJ.(1998): Dudenum and mesentric small intestine, anatomy and techniques. In: Computed tomography with MRI correlation. Lee JK, Sagel SS, Stanley RJ; eds. Volume 1. Chapter 11; Gastrointestinal tract. 3rd edetion Lippincott, Williams, and Wilkins.

Korzets Z, Plotkin E , Bernheim J and Zissin R (2002): The Clinical Spectrum of Acute Renal Infarction. IMAJ;4:781-784.

Kosowsky JM and Gibler WB.(2000): Massive hemoperitoneum due to rupture of a retroperitoneal varix. J Emerg Med 19:347– 9.

Kumar S, Sarr MG and Kamath PS.(2001): Current concepts: mesenteric venous thrombosis. N Engl J Med 345:1683 –1688.

L

Lazarus DE, Slywotsky C, Bennett GL, Megibow AJ and Macari M (2004): Frequency and Relevance of the "Small-Bowel Feces" Sign on CT in Patients with Small-Bowel Obstruction. AJR 183:1361-1366

Lee SS, Ha HK, Yang SK, Kim AY, Kim TK, Kim PN, et al.(2002): CT of prominent pericolic or perienteric vasculature in patients with Crohn's disease: correlation with clinical disease activity and findings on barium studies. AJR Am J Roentgenol 179:1029 –36.

Liddell RM, Baron RL, Ekstrom JE, Varnell RM and Shuman WP.(1990): Normal intrahepatic bile ducts: CT depiction. Radiology 1990; 176:633-5.

Liu CC, Li CC, Shih MC, Chou YH, Huang CH.(2003): Matrix stone. J Comput Assist Tomogr 27:810-813.

M

Macari M and Balthazar EJ.(2001): Computed tomography of bowel wall thickening: significance and pitfalls of interpretation [review]. AJR Am J Roentgenol 176: 1105– 16.

Macari M. and Balthazar E J. (2003): The acute right lower quadrant: CT evaluation. Radiol Clin N Am (41) 1117– 1136

Macari M, Chandarana H, Balthazar EJ and Babb J.(2003): Small intestinal ischemia versus intramural hemorrhage: CT evaluation. AJR Am J Roentgenol 180:177–184.

Macari M, Hines J, Balthazar EJ and Megibow AJ. (2002): Mesenteric adenitis: CT diagnosis of primary vs. secondary causes, incidence, and clinical significance. AJR Am J Roentgenol 178:853– 8.

Macari M and Megibow A.(2001): Imaging of suspected acute small bowel obstruction. Semin Roentgenol 36 : 108-117.

Maglinte DDT, Heitkamp DE, Howard TJ, et al.(2003): Current concepts in imaging of small bowel obstruction. Radiol Clin North Am 41:263 –283.

Martin RF and Rossi RL.(1997): The acute abdomen. An overview and algorithms. Surg Clin North Am; 77:1227-43.

Memel DS, Balfe DM, and Semelka RC.(1998): Normal Anatomy (computed tomography). In: Computed tomography with MRI correlation. Lee JK, Sagel SS, Stanley RJ;eds. Volum1. Chapter13; Biliary tree. 3rd edition. Lippincott, Williams, and Wilkins

Merckle E and Gorich J.(2002): Imaging of acute pancreatitis. Eur Radiol 12:1979– 92.

Meyers MA.(1982): Dynamic radiology of the abdomen: normal and pathologic anatomy, 2nd edition. New York: Springer-Verlag.

Mikich M.(2003): Dissection of the aorta: a new approach. Heart 89:6– 8.

Miller FH, Hwang CM, Gabriel H, Goodhartz LA, Omar AJ and Parsons WG (2003): Contrast-Enhanced Helical CT of Choledocholithiasis. AJR 2003; 181:125-130.

Miller FH, Keppke AL, Dalal K, Ly JN, Kamler VA and Sica GT(2004): MRI of Pancreatitis and Its Complications: Part 1, Acute Pancreatitis. Am. J. Roentgenol 183: 1637 - 1644.

Morteale K J, Cantisani V, Douglas L. Brown D L and Ros P R(2003): Spontaneous intraperitoneal hemorrhage: imaging features. Radiol Clin N Am (41) 1183– 1201.

Murtagh J.(1994): Acute abdominal pain: a diagnostic approach. Aust Fam Physician; 23:358-61, 364-74.

Musawi D and Thompson J.(2000): The important signs in acute abdominal pain. Practitioner; 244:312-4, 316-8, 320.

N

Nelson RC, Chezmar JL and Peterson JE.(1989): Contrast-enhanced CT of the liver and spleen: comparison of ionic and nonionic contrast agents. AJR; 153:973-6.

Nicolaou S, Kai B, Ho S, Su J and Ahamed K(2005): Imaging of Acute Small-Bowel Obstruction. AJR 185:1036-1044

Nienaber CA and Kodolitsch YV.(1999): Therapeutic management of patients with Marfan syndrome: focus on cardiovascular involvement. *Cardiol Rev* 7: 332–41.

Nikolaidis P, Hwang CM, Miller FH and Papanicolaou N.(2004): The nonvisualized appendix: incidence of acute appendicitis when secondary inflammatory changes are absent. *AJR Am J Roentgenol.* 183: 889-892.

O

Oliak D, Sinow R, French S, et al.(1999): Computed tomography scanning for the diagnosis of perforated appendicitis. *Am Surg.* 65:959-964.

P

Papaioannou A, Watts N, Kendler D, Yuen C, Adachi J and Ferko N.(2002): Diagnosis and management of vertebral fractures in elderly adults. *Am J Med* 113:220-228

Paulson EK. (2000): CT findings **Acute cholecystitis**. *Seminars in US, CT, and MRI.* 21:56–63.

Paulson EK, Kalady MF and Pappas TN.(2003): Clinical practice. Suspected appendicitis. *N Engl J Med.* 348: 236-242.

Pedrosa I and Rofsky N M. (2003): MR imaging in abdominal emergencies. *Radiol Clin N Am* 41 1243– 1273.

Piekarski J, Goldberg HI, Royal SA, Axel L and Moss AA.(1980): Difference between liver and spleen CT numbers in the normal adult:

its usefulness in predicting the presence of diffuse liver disease. Radiology; 137:727-9.

Pun E and Firkin A (2004): Computed tomography and complicated peptic ulcer disease. Australasian Radiology. 48 (4), 516-519.

R

Rao PM and Novelline RA.(1999): Diagnosis please Case 6: primary epiploic appendagitis. Radiology 210:145– 8.

Rao PM, Rhea JT and Novelline RA. (1997): CT diagnosis of mesenteric adenitis. Radiology 202:145– 9.

Rao PM, Rhea JT and Novelline RA.(1997): Appendiceal and peri-appendiceal air at CT: Prevalence, appearance, and clinical significance. Clin Radiol. 52: 750-754.

Raptopoulpus V, Kleinman PK, Marks S, Snyder M and Silverman PM.(1986): Renal fascial pathway: posterior extension of pancreatic effusion within the anterior pararenal space. Radiology; 158:367-74.

Rha SE, Ha HK, Lee SH, et al.(2000): CT and MR imaging findings of bowel ischemia from various primary causes. RadioGraphics 20:29-42

Roberts JA.(1999): Management of pyelonephritis and upper urinary tract infections. Urol Clin North Am 26: 753– 63.

Ruddy RM.(2000): Pain--abdomen. In: Fleisher GR, Ludwig S. Textbook of pediatric emergency medicine. 4th ed. Philadelphia: Lippincott Williams & Wilkins :421-8.

Rubesin SE and Levine MS (2003): Radiologic diagnosis of gastrointestinal perforation. Radiol Clin N Am 41 1095–1115.

Rucker CM, Menias CO and Bhalla S (2004): Mimics of Renal Colic: Alternative Diagnoses at Unenhanced Helical CT. RadioGraphics 24:S11-S28.

Ruiz-Healy F, Manzanilla-Sevilla M and Orozco-Vasquez J.(1999): Acute abdomen caused by inflammatory colonic non-parasitic pathology: staging by CT. Int Surg;26:39–42.

Ryan JM and Mueller PR.(2000): Abdominal abscess. In: Gore RM, Levine MS, eds. Textbook of gastrointestinal radiology, 2nd ed. Philadelphia:Saunders 1234–1249.

S

Sanson TG and O`Keefe KP(1996): Evaluation of abdominal pain in elderly. Emerg Med Clin North Am; 14:615-27.

Schulte SJ.(1995): Congenital anomalies of the biliary system and pancreas. In: Taveras JM, Ferrucci JT; eds. Radiology: diagnosis, imaging, intervention, Volume 4. Philadelphia: Lippincott-Raven,:1-23.

Schulte SJ, Baron RL, Teeffey SA, et al.(1990): CT of the extrahepatic bile ducts: wall thickness and contrast enhancement in normal and abnormal ducts. AJR; 154:79-85.

SEE TC, NG CS, WATSON CJE and DIXON AK (2002): Appendicitis: spectrum of appearances on helical CT. The British Journal of Radiology (75) 775–781.

Sexton CC, Zeman RK.(1983): Correlation of computed tomography, sonography and gross anatomy of the liver. AJR; 141:711-18.

Shanley DJ, Gagliardi JA and DaumKowalski R.(1994): Choledochal cyst complicating pregnancy: antepartum diagnosis with MRI. Abdom Imaging ; 19:61-3.

Shin MS, Berland LL and Ho KJ.(1990): Small aorta: CT detection and clinical significance. J Comput Assist Tomogr ; 14(1): 102-3.

Simeone JF and Brink JA.(1994): The gallbladder pathology In: Taveras JM, Ferrucci JT; eds. Radiology: diagnosis, imaging intervention, Volume 4. Philadelphia: JB Lippincott; 1-17.

Simoni G, Beghello A, Ermirio D and Caprio J.(2002): Growth rate of abdominal aortic aneurysms: ultrasounds study and clinical outcome. Minerva Cardioangiol 50: 371–7.

Sudah M, Vanninen RL, Partanen K, et al.(2002): Patients with acute flank pain: comparison of MR urography with unenhanced helical CT. Radiology 223: 98– 105.

T

Talner L and Vaughan M.(2003): Nonobstructive renal causes of flank pain: findings on noncontrast helical CT (CT KUB). Abdom Imaging; 28:210-216.

Tillou A, Romero J, Asensio JA, et al.(2001): Renal vascular injuries. Surg Clin North Am 81:1417–30.

U

Urban B.A. and Fishman E.K. (2000): Tailored Helical CT Evaluation of Acute Abdomen. Radiographics. 20:725-749.

V

Vinnicombe SJ, Norman AR, Nicholson V and Husband JE.(1995): Normal pelvic lymph nodes: evaluation with CT after bipedal lymphangiography. Radiology ; 194:349-55.

Voloudaki A, Tsagaraki K, Mouzas J and Gourtsoyiannis N.(1999): Gastric ulcer bleeding: diagnosis by computed tomography. Eur J Radiol 30:245– 7.

W

Warshauer DM, Lee JK, Mauro MA and White II GC.(2001): Superior mesenteric vein thrombosis with radiologically occult cause: a retrospective study of 43 cases. AJR Am J Roentgenol 177:837–41.

Wu CM, Davis F and Fishman EK.(1999): Radiologic evaluation of the acute abdomen in the patient with acquired immunodeficiency syndrome (AIDS): the role of CT scanning. Semin Ultrasound CT MR 19:190–200

Y

Yantiss RK, Clement PB and Young RH. (2001): Endometriosis of the intestinal tract: a study of 44 cases of a disease that may cause diverse challenges in clinical and pathologic evaluation. Am J Surg Pathol ;25: 445–454

Yu J., Fulcher A S., Turner M A. and Halvorsen R A (2005):
Helical CT Evaluation of Acute Right Lower Quadrant Pain: Part I,
Common Mimics of Appendicitis AJR;184:1136–1142.

Yu J., Fulcher A S., Turner M A. and Halvorsen R A (2005)
Helical CT Evaluation of Acute Right Lower Quadrant Pain: Part I,
Uncommon Mimics of Appendicitis AJR;184: 1143–1149.

Z

Zalcman M, Sy M, Donckier V, Closset J and Van Gansbeke D.(2000): Helical CT signs in the diagnosis of intestinal ischemia in
small-bowel obstruction. AJR 175:1601 –1607.

Zissin R, Osadchy A, Shapiro-Feinberg M and Gayer G (2003):
CT of a thickened-wall gall bladder. British Journal of Radiology 76,
137-143.