

References

- Abrams H.L.(1983):** Renal arteriography in hypertension. In: Abrams Angiography, 3rd edition. Little Brown, Boston ; 1247-1297.
- Alfrey E.J., Rubin G.D. and Kuo P.C. (1995):** The use of spiral computed tomography in the evaluation of living donors for kidney transplantation. Transplantation; 59: 643.
- Allison D, Webb JA and Maisey MN (1997):** Renal arteriography, renovascular disorders and renovascular hypertension, Diagnostic radiology, Textbook of medical imaging; 71: 1465-1468
- Alvarez-Castells A, Sebastia Cerqueda C and Quiroga Gomez S (2001) :** Computerized tomography angiography of the renal vessels Arch. Esp. Urol.; 54(6):603-15
- Beckmann C.F. and Abrams H.L. (1983):** Renal venography, anatomy technique and applications. Analysis of 132 venograms and a review of the literature. Cardiovasc. Intervent. Radiol.; 3: 45-70.
- Beets-Tan RG, Koster D, Janevski BK.(1999):** Left renal vein compression syndrome. J. Belg. Radiol. ; 81(5):233.
- Beinard C, Sniderman KW, Saddekni S, Winer M, Vaughan ED and Sos TA (1996):** Left renal vein hypertension: A cause of occult haematuria. Radiology ; 145:647-650

- Beregi JP, Elkohen M and Deklunder G (1996) :** Helical CT angiography compared with arteriography in the detection of renal artery stenosis. *AJR* 1996; 167:495-501.
- Beregi JP, Louvegny S and Gautier C (1999) :** Fibromuscular dysplasia of the renal arteries: comparison of helical CT angiography and arteriography. *AJR Am.J. Roentgenol*; 172:27-34.
- Bluemke D.A. and Fishman E.K.(1994):** Spiral CT of the abdomen: clinical applications. *J.Comput.Assist Tomogr.*;16(5):704-8.
- Bostwick, D., Eble, J.(1999):** Diagnosis and classification of renal cell carcinoma. *Urologic Clinics of North America* ;26, Number3.
- Brink JA (1995):** Technical aspects of helical (spiral) CT.*Radiologic Clinics of North America* ; 33:825-840.
- Brink J.A. and Davros W.J. (1995):** Helical/spiral CT; technical principles.In:Zeman RK, Brink JA, Costello P (eds); *Helical/Spiral CT. a practical approach*. New York,McGrawHill; 1-26.
- Brink J.A., Heiken J.P. and Wang G (1994):** Spiral CT; principles and technical considerations. *Radiographics*; 14:887-893 .

- Bruce A. Urban, MD and Elliot K. Fishman, MD (2000) :** Tailored Helical CT Evaluation of Acute Abdomen. *Radiographics*.;20:725-749
- Bulbul MA and Farrow GA (1992) :** Renal artery aneurysms. *Urology*.; 40:124-126.
- Calhoun PS, Kuszyk B, Heath DG, Carley JC and Fishman EK (1999) :** Three-dimensional volume rendering of spiral CT data: theory and method. *RadioGraphics*; 19:745-764.
- Carmen Sebastià, MD, Sergi Quiroga, MD and Rosa Boyé, MD (2001):** Helical CT in renal transplantation: normal findings and early and late complications. *Radiographics*.;21:1103-1117.
- Catalano C, Fraioli F, Laghi A, Napoli A, Pediconi F, Danti M, Nardis P and Passariello R (2003) :** High-Resolution Multidetector CT in the Preoperative Evaluation of Patients with Renal Cell Carcinoma. *AJR* ; 180:1271-1277
- Chu C, Young N and Lau H (2001) :** Comparison of spiral CT angiography with conventional digital subtraction angiography in the evaluation of renal transplant donors. *Radiol*.;45(2):118-22.

Collins HA and Jacobs JK (1961): Acute arterial injuries due to blunt trauma. J. Bone Joint Surg.; 43:193-194.

Crotty KL, Orihuela E and Warren MM (1993): Recent advances in the diagnosis and treatment of renal arteriovenous malformations and fistulas. J Urol.; 150:1355-1359.

Cummings KB, Lecky JW and Kaufman JJ(1973): Renal artery aneurysms and hypertension. J. Urol.; 109:144-148.

Davros WJ, Obuchowski NA and Berman PM (1997): A phantom study: evaluation of renal artery stenosis using helical CT and 3D reconstructions. J.Comput.Assist.Tomogr.; 21:156-161.

Deitch JS, Hansen KJ, Regan JD, Burkhart JM and Ligush J(1998): Infected renal artery pseudoaneurysm and mycotic aortic aneurysm after percutaneous transluminal renal artery angioplasty and stent placement in a patient with a solitary kidney. J.Vase. Surg.; 28:340-344.

DeScantis RW, Doroghozi RM and Austin WG(1987): Aortic dissection. N. Engl. J. Med.; 317-1060.

Domanovits H, Paulis M and Nikfardjam M (1999): Acute renal infarction: clinical characteristics in 17 patients .Medicine ;78: 386-394

- Duddalwar VA.(2004):** Multislice CT angiography: a practical guide to CT angiography in vascular imaging and intervention. Br.J.Radiol.; 1:S27-38
- Dyer RB, Chen MYM and Zagoria RJ(1998):** Abnormal calcifications in the urinary tract. RadioGraphics; 18:1405-1424.
- Freund M., J. Link, J. Brossmann, E. Schweizer and M. Heller (1997):** Evaluation of vascular stent patency with spiral CT angiography, Doppler ultrasound and clinical findings. AJR;169 : 441- 443.
- Galanski M., Prokop M. and Chavan A. (1993):** Renal artery stenosis CT angiography. Radiology; 189: 185-192.
- Gurung J, Khan MF, Maataoui A, Ackermann H and Vogl TJ.(2005):**Multislice CT of the pelvis: dose reduction with regard to image quality using 16-row CT. Radiol Med ;109(3):198-207
- Hall S.(1985):** Takayasu arteritis. A study of 32 North American patients. Medicine; 64-89.
- Harrison EG, Jr, Hunt JC, Bernatz PE (1980):** Morphology of fibromuscular dysplasia of the renal artery in renovascular hypertension. Am J.Med.; 43:97-112.
- Heiken J.P., Brink J.A. and Michel W. (1993):** Spiral (helical) CT. Radiology; 189: 647-656.
-

Heiken J.P., Wang G, Vannier MW and Lim JT(2000) : Technical optimization of spiral CT for depiction of renal artery stenosis. Radiology 194 : 157 – 163.

Hofmann LV, Smith PA, Kuszyk BS, Kraus E and Fishman EK (1999): Three-dimensional helical CT angiography in renal transplant recipients: a new problem-solving tool. AJR. Am..J.Roentgenol.; 173(4):1085-9.

Honda H, Onitsuka H, Naitou S, Hasuo K, Kamoi I, Hanada K, Kumazawa J and Masuda K (1991): Renal arteriovenous malformations: CT features. J.Comput.Assist.Tomog; 15(2):261- 4

Ishikawa K (1978): Natural history and classification of occlusive thromboaropathy (Takayasu's disease). Circulation; 57:27.

Johannes F.E., Jeno A. and Luft F.C. (1998): Heptinstall's pathology of the kidney, 5th edition, Vol. 2 chapter 7, Library of congress cataloging Lippincott Raven USA.

Johnson PT, Halpern EJ and Kuszyk BS(1999): Renal artery stenosis: CT angiography—comparison of real-time volume-rendering and maximum intensity projection algorithms. Radiology ; 211:337-343.

Johnson PT, Heath DG and Bliss DB(1996): Three-dimensional CT: real-time interactive volume rendering. *AJR* ; 167:581-583.

Joshi AR, Nalavde S, Merchant S and Gujare S (2003) : Renal Vasculature Evaluation Using A Multidetector CT Scanner. *Genitourinary Imaging* ; 116: 293-296

Kaatee R, Beek FJ and de Lange EE (1997): Renal artery stenosis: detection and quantification with spiral CT angiography versus optimized digital subtraction angiography. *Radiology* ; 205:121-127.

Kadir S. (1986): Angiography of the kidneys. In Kadir S, ed. *Diagnostic Angiography*, 1st ed. Philadelphia, W.B. Saunders Company; 445-495.

Kaufman JJ, Goodwill WE and Waisman J (1972): Renovascular hypertension in children. *Am. J. Surg.*; 124:149-157.

Kawashima A., Sandier C. M., Ernst R. D.Tamm E. P., Goldman S. M., and Fishman E. K.(2000): CT Evaluation of Renovascular Disease. *RadioGraphics*; 5:1321-1340.

Kissane JM (1990): Anderson's Pathology, St.Louis, CV Mosby Company: 780-784.

Koichiro Yamakado, MD, Naoshi Tanaka, MD, Toshio Nakagawa, MD and Kan Takeda, MD (2002) : Renal Angiomyolipoma: Relationships between Tumor Size, Aneurysm Formation, and Rupture. *Radiology*;225:78-82

Kulama E.(2004): Scanning protocols for multislice CT scanners. *Br.J.Radiol.*; 1:S2-9.

Last RJ (1984): Anatomy, regional and applied Churchill Livingstone, Edinburgh; 316-320.

Leo P. Lawler, MD, FRCR, Thomas W. Jarret, MD, Frank M. Corl, MS and Elliot K. Fishman, MD (2005) : Adult Ureteropelvic Junction Obstruction: Insights with Three-dimensional Multi-Detector Row CT. *RadioGraphics* ;25:121-134

Lhote F. and Guillevin L. (1995): polyarteritis nodosa, microscopic polyangitis and churg-strauss syndrome: clinical aspects and treatment, *Rheum.Dis.Clin.North.Am.*; 21:911

Libertmo JA.(1998): Renovascular surgery. In: Walsh PC Retik AB, Vaughan ED, Jr, Wein AJ, eds. *Campbell's urology*. Philadelphia, Pa: Saunders ; 460-489.

Lumsden AB, Salam TA and Walton KG(1996): Renal artery aneurysm: a report of 28 cases. *Cardiovasc Surg.*; 4:185-189.

- Magnusson M., Lenz -R. and Danielsson P.E. (1991):** Evaluation of methods for shaded surface display of CT volumes. *Computed Med. Imaging Graph.*; 15: 247-256.
- Molde A, Aspelin P, Hildell J, Husberg BS and Nyman U (1997):** Evaluation of transplanted kidneys with computed tomography and ultrasound. *Scand. J. Urol. Nephrol. Suppl.*;64:230-6.
- Massoud Majd, MD, Anna R. Nussbaum Blask, MD, Bruce M. (2001) :** Acute Pyelonephritis: Comparison of Diagnosis with 99mTc-DMSA SPECT, Spiral CT, MR Imaging, and Power Doppler US. *Radiology.*;218:101-108
- Nauman Tarif, Ahmed H. Mitwalli¹, Saleh A. Al Samayer, Hassan Abu-Aisha¹ and Jamal S. Al Wakeel (2002):** Congenital renal arteriovenous malformation presenting as severe hypertension. *Nephrol. Dial. Transplant*; 17: 291-294
- Netter F.N.(1980):** kidney, ureters and urinary bladder in CIBA collection of medical illustrations ed. by Hapter R.K. and Yonkman F.F.; 6:14-17
- Ney D.R., Fishman E.K. and Niederhuber J.E. (1992):** Three dimensional display of hepatic venous anatomy generated from helical computed tomography data, preliminary experience. *J. Digit.Imaging*; 5: 242-245.
-

Nghiem DD, Goldman MH, Mendez-Picon G and Lee HM (1996):

Noninvasive assessment of the transplanted kidney: ultrasound vs. computerized tomography. *Am Surg.*;47(11):492-4.

Nishimura Y, Fushiki M, Yoshida M and Komatz Y (2001): Left

renal vein hypertension in patients with left renal bleeding of unknown origin. *Radiology*; 160:663-667

Olbricht CJ, Paul K and Prokop M(1995): Minimally invasive

diagnosis of renal artery stenosis by spiral computed tomography angiography. *Kidney Int.*;48:1332-1337.

Olivier Rouvière, MD, Denis Lyonnet, MD and Xavier Martin, MD

(1999) :Ureteropelvic Junction Obstruction: Use of Helical CT for Preoperative Assessment. *Radiology*; 213:668-673

O.M. Gatewood, EK Fishman, CR Burrow, WG Walker, SM

Goldman and SS Siegelman (1996): Renal vein thrombosis in patients with nephrotic syndrome: CT diagnosis. *Radiology*; 159: 117-122

Pannu H.K. and Fishman E.K. (2002) : Multidetector computed

tomographic evaluation of the renal artery. *Abdom Imaging.* ; 27(6): 611-9.

- Paul Carmichael (1999):** Atherosclerotic renal artery stenosis: from diagnosis to treatment. *Postgrad. Med. J.* ;75:527-536
- Ph. Hilgard, K. Oberholzer, R. Hohenfellner and G. Gerken (1999):** The patient with intermittent abdominal pain and no renal disease. *Nephrol.Dial.Transplant.*; 14: 2953-2956
- Piccoli G, Gasparini D, Smania S, Sponza M, Marzio A, Vit A and Bazzocchi M (2003) :** Multislice CT angiography in the assessment of peripheral aneurysms. *Radiol Med (Torino).* ;106(5-6):504-11.
- Platt J, Ellis J, Korobkin M and Reige K(1997):** Helical CT evaluation of potential kidney donors: findings in 154 subjects. *AJR Am.J.Roentgenol.*; 169:1325-1330.
- Pozniak MA, Balison DJ, Lee FT, Jr, Tambeaux RH, Uehling DT and Moon TD(1998):** CT angiography of potential renal transplant donors. *RadioGraphics*; 18:565-587.
- Prokop M. (2003):** General principles of Multidetector CT (MDCT) .*Eur. J.Radiol.Suppl.*; 1:4-10 .
- Rankin SC (1998): Spiral** CT: vascular applications. *Eur. J.Radiol.* ; 28(1):18-29. Review.

Raptopoulos V, Rosen MP, Kent KC, Kuestner LM, Sheiman RG and Pearlman JD(1996): Sequential helical CT angiography of aortoiliac disease. *AJR* ; 166:1347-1354.

Reid J.H.(2004): Multislice CT pulmonary angiography and CT venography. *Br.J.Radiol.*;1:S39-45.

Robbins SL, Kumar V and Corton R (1994): Robbin's pathologic basis of disease. Philadelphia, WB Saunders Company; 972-989.

Rubin G.D. and Silverman S.G. (1995): Helical (spiral) CT of the retroperitoneum. *Radiol. Clin. Nor. Am.*; 33(5): 903-932.

Rubin G.D., Alfrey E.J., Dake M.D., Semba C.P. Sommer F.G., Ku P.C., Dafoe D.C., Waskerwitz J.A.,Block D.A. and Jeffrey R.B. (1995): Assessment of living renal donors with spiral CT. *Radiology*; 195: 457-462.

Rubin G.D., Dake M.D. and Napel S. A. (1994): Spiral CT of renal artery stenosis; comparison of three dimensional rendering techniques. *Radiology*; 190: 181-189

Rubin GD, Dake MD and Napel SA (1993): Three dimensional spiral CT angiography of the abdomen_ initial clinical experience. *Radiology*; 186:147-152.

Rydberg J, Buckwalter KA and Caldemeyer KS (2000): Multisection CT: scanning techniques and clinical applications. *RadioGraphics*; 20:1787-1806.

Satomi Kawamoto, MD, Robert A. Montgomery, MD, PhD, Leo P. Lawler, MD, Karen M. Horton, MD and Elliot K. Fishman, MD (2004) : Multi-Detector Row CT Evaluation of Living Renal Donors Prior to Laparoscopic Nephrectomy. *RadioGraphics* ;24:453-466

Schild H.H. and Echmann A. (1992): CT anatomy: computed tomography in urology ed. by Schild H.H., Schweden F.J. and Lang E.K. Vol.1 chapter 3:15-18.

Schorn B, Falk V, Dalichau H and Mohr FW (1996): Kidney salvage in a case of ruptured renal artery aneurysm: case report and literature review. *Cardiovasc.Surg.*; 5:134-136.

Schreiber M.J., Pohl M.A. and Novick A.C.(1984): The natural history of atherosclerotic and fibrous renal artery disease. *Urol. Clin. North. Am.*; 11: 383.

Sheikhzadeh A, Tettenborn I, Noohi F, Eftekharzadeh M and Schnabel A(2002): Occlusive thromboangiopathy (Takayasu disease): clinical and angiographic features. *Antilogy* ; 53: 29-40.

Sheila Sheth, MD and Elliot K. Fishman, MD (2004) : Multi-Detector Row CT of the Kidneys and Urinary Tract: Techniques and Applications in the Diagnosis of Benign Diseases. *RadioGraphics* ;24:20

Sheila Sheth, MD, John C. Scatarige, MD, Karen M. Horton, MD, Frank M. Corl, MS and Elliot K. Fishman, MD (2001):Current Concepts in the Diagnosis and Management of Renal Cell Carcinoma: Role of Multidetector CT and Three-dimensional CT Radiographics.;21:237-254.)

Shokeir AA, El-Diasty TA and Ghoneim MA (1994): The nutcracker syndrome: new methods of diagnosis and treatment. *Br. J.Urol.*;74:139-143

Siegel CL, Ellis JH, Korobkin M and Dunnick NR (1994): CT-detected renal arterial calcification: correlation with renal artery stenosis on angiography. *AJR Am. J.Roentgenol.*; 163:867-872.

Smith PA and, Fishman EK (1998): CT angiography: renal applications. In: Ferns EJ, Waltman AC, Fishman EK, Polak JF, Potchen EJ, eds. *Syllabus: a categorical course in diagnostic radiology-vascular imaging*. Oak Brook, III: Radiological Society of North America; 35-45.

- Sueyoshi E, Sakamoto I, Hayashi N (1996):** Ruptured renal artery aneurysm due to Behcet's disease. *Abdom. Imaging.*; 21:166-167.
- Szeimies U, Kueffer GV and Steckmeier B (1996):** Comparison of three rendering techniques in helical CT angiography: surface-shaded display, maximum intensity projection, and 3D volume-rendering technique. *Radiology* ; 201(P):419.
- Tham J., Ekelund L. and Herrlin K. (1983):**Renal artery aneurysm: natural history and prognosis. *Ann.Surg.*; 197: 348-352.
- Thomas Frauenfelder, MD, Simon Wildermuth, MD, Borut Marincek, MD and Thomas Boehm, MD (2004) :** Nontraumatic Emergent Abdominal Vascular Conditions: Advantages of Multi-Detector Row CT and Three-Dimensional Imaging. *RadioGraphics* ;24:481-496
- Urban BA, Ratner LE and Fishman EK(2001):** Three-dimensional volume rendered CT angiography of the renal arteries and veins: normal anatomy, variants, and clinical applications. *Radiographics*; 21(2):373-386.
- Vaughan ED. Jr and Sosa RE (1998) :** Renovascular hypertension and other renal vascular diseases. In: Walsh PC, Retik AB, Vaughan ED, Jr, Wein AJ, eds. *Campbell's urology*. 7th ed. Philadelphia, Pa: Saunders; 423-459.
-

- Venkata Amilineni, David F. Lackner, William S. Morse and Narain Srinivas (2000)** : Contrast-Enhanced CT for Acute Flank Pain Caused by Acute Renal Artery Occlusion. *AJR* ; 174:105-106
- Walsh P.C., Retik A.B. and Stamey T.A. (1992)**: *Campbell's Urology*, Philadelphia, WB Saunders Company: 2522-2527.
- Williams P.L. and Warwick R. (1989)**: Abdominal aorta. In Williams PL, Warwick R, Dyson M, Bannister L,(eds.) *Gray's anatomy*, 37th ed. London. Churchill Livingstone: 773-773.
- Yang JC and Hye RJ (1996)**: Ruptured renal artery aneurysm during pregnancy. *Med.Clin.North.Am.*89:824-831.
- Yong Bum Park, Seong Hoon Lim, Joo Hee Ahn and Eungtaek Kang (2000)**: Nutcracker syndrome: intravascular stenting approach . *Nephrol Dial Transplant.* ; 15: 99-101
- Youngberg JP, Sheps SG and Strong CG (1977)**: Fibromuscular disease of the renal arteries. *Med.Clin.North.Am.*; 61:623-641.
- Zerin JM, Hernandez RJ, Sedman AB and Kelsch RC (1999)**: Dilatation of the left renal vein on computed tomography in children. *Pediatr. Radiol.*; 21(4):267-9