

Referances

- Abramson S., Walders N., Applegate K.E., Gilkeson R.C. and Robbin M.R. Impact in the emergency department of unenhanced CT on diagnostic confidence and therapeutic efficacy in patients with suspected renal colic a prospective survey. AJR 2000; 175: 1689-1695.
- Amis E.S. Epitaph for the urogram. Radiology 1999; 213: 639-640.
- Anderson K.R. and Smith R.C. CT for the evaluation of flank pain. J Endourol 2001; 15: 25-29.
- Asplin J.R. Uric acid stones. Siemin Nephrol 1996; 16: 412-424.
- Bell T.V., Fenlon H.M., Davison B.D., Ahari H..K. and Hussain S. Unenhanced helical CT criteria to diffnetiate distal ureteral calculi from pelvic phleboli . Radiology 1998; 207: 363-367.
- Blake S.P., Mc Nicholas M.M.J. and Raptopoulos V. Non opaque-crystal deposition causing uretric obstruction in patients with HIV undergoing Indinavir therapy. AJR 1998; 171: 717-720.
- Bluemke D.A. and Fishman E.K. Spiral CT of the liver. AJR 1993; 160: 786-792.
- Bluemke D.A., Soyer D., Chan B., and Fishman E.K. Spiral CT during arterial portography: Techniques and applications. Radiographics 1995; 15: 633-637.
- Boridy I.C., Nikolaidis P., Kawashima A., Sandler C.M. and Goldman S.M. Noncontrast helical CT for ureteral stones. world J urol 1998; 16: 121-126.

- Boridy I.C., Nikolaidis P., Kawashima A., Goldman S.M. and Sandler C.M. Ureterolithiasis; value of the tail sign in differentiating phlebli from ureteral calculi at non enhanced CT. Radiology 1999; 211: 619-621.
- Boridy I.C., Kawashima A., Goldman S.M. and Sandler C.M. Acute urolithiasis: Nonenhanced helical CT findings of perinephic ordema for prediction of degree of ureteral obstruction. Radiology 1999; 213: 663-667.
- Boulay I., Holtz P., Foley W.D., White B. and Begun F.P. Ureteral calculi : diagnostic efficacy of helical CT and implication for treatment of patients. AJR 1999; 172: 1485-1490.
- Brenner B.M. (ed.) The kidney. P.P. 53-69 WB Saunders Philadelphia, 1996.
- Brink J.A. Spiral CT: decreased spiral spatial resolution in vivo due to broadening of section sensitivity profil. Radiology 1992; 185: 469-474.
- Brooks J.D. Anatomy of the lower urinary tract and male genitalia. In Walsh P.C., Retik A.B. and Vaughan E.D. (eds): Campbell's urology, 7th edition P.P. 107-110 W.B. Saunders Campany. Philadelphia, Pennsylvania., 1998.
- Burkitt D.P., Latto C., Jainvrin S.B., et al., Pelvic phleboli: epidemiology and postulated etiology. N Engl J Med 1977, 296: 1387-1389.
- Calhoun P.S., Kuszyk B.S., Heath D.G., et al., Three dimensional volume rendering of spinal CT data: Theory and method. Radiographics 1999; 19: 745-754.

- Castello P., Anderson W. and Blume D. Spiral volumetric CT in the search of pulmonary nodule (Abst.). Radiology 1991; 179: 875-879.
- Castello P., Dupuy D.E., Echer C.P. and Tello R. Spiral CT of the thorax with reduced volume of contrast media : a comparative study. Radiology 1992; 183: 663-666.
- Catalano C., Pavone P., Laghi A., Scipioni A., Ponebianco V., Brillo R., Fraioli F. and passariello R. MR pyelography and conventional MR imaging in urinary tract obstruction. Acta Radiol 1999; 40: 198-202.
- Chen M.Y.M. and Zagoria R.J. Can unenhanced helical computed tomography replace excretory urography for evaluation of patients with acute urinary tract colic. J Emerg Med 1999; 17: 299-303.
- Chow G.K. and Streem S.B. Extracorporeal lithotripsy: Update on technology. Urol Clin North Am. 2000; 27: 315-321.
- Chu G., Rosenfield A.T., Anderson K., Scot C. and Smith R.C. Sensitivity and value of digital CT scout radiography for detecting ureteral stones in patients with ureterolithiasis diagnosed on unenhanced CT. AJR 1999; 172: 141-145.
- Crawford C.R. and King K.F. Computed tomography Scanning with simultaneous patient translation. Med. Phys. 1990; 17: 967-982.
- Dalla Palma L. What is the left of IV urography? Eur. Radiology 2001; 11: 931-939.

- Dalrymple N.C., Verga M., Anderson K.R., et al., The value of unenhanced helical computed tomography in the management of acute flank pain. J Urol 1998; 159: 735-740.
- Dillon E.H., Van Leeuwen M.S., Fernandez M.A. and Ali M. Spiral CT angiography. AJR 1993; 160: 1273-1278.
- Dobbins J.M., Novelline R.A., Rhea J.T., et al., Helical computed tomography of urinary tract stones: Accuracy and diagnostic value of stone size and density measurements. Emerg radiol 1997; 4: 303-309.
- Drach G.W. urinary lithiasis etiology, diagnosis and medical management. In Walsh PC, Stanley TA, Vaughan ED eds. Campbell's urology. 6th ed. Philadelphia: Saunders 1992; 2085-2156.
- Dretler S.P. and Spencer B.A. CT and stone fragility. J. endourology 2001; 15: 31-36.
- Dunnick N.R., Sandler C.M., Amis E.S. and Newhouse J.H. Nephrocalcinosis and nephrolithiasis. Textbook of urology. P.P.278-290. 2nd ed Williams & Wilkins, Baltimore, 1997.
- El-bahnasy A.M., Shalhar A.L., Henig D.M., El-Ashry O.M., Smith D.S., MC Dougall E.M. and Clayman R.V. Lower calyceal stone clearance after shock wave lithotripsy or ureteroscopy: The impact of lower pole radiographic anatomy. J urol. 1998; 159: 676-682.
- Fenlon H., Bell T.V., Kamal M., Hussain S. CT criteria to differentiate ureteric calculi from phleboliths in the pelvis. AJR 1997; 168:68-69.

- Fielding J.R., Fox L.A., Heller H., et al., Spiral CT in the evaluation of flank pain overall accuracy and feature analysis. *J Comput Assist Tomogr* 1997, 12: 635-638.
- Fielding J.R., Streele G., Fox L.A., Heler H. and Loughlin K.R. Spiral computerized tomography in the evaluation of acute flank pain: a replacement for excretory urography. *J Urol* 1997; 157: 2071-2073.
- Fielding J.R., Silverman S.G., Samuel S., Zou K.H. and Loughlin K.R. Unenhanced helical CT of ureteral stones: A replacement for excretory urography in planning treatment. *AJR* 1998; 171: 1051-1053.
- Fielding J.R., Silverman S.G. and Rubin G.D. Helical CT of the urinary tract. *AJR* 1999; 182: 1199-1206.
- Fox L.A., Fielding J.R. and Seltzer S.E. Differentiation between pelvic ureteral calculi and phleboliths: Spiral CT image analysis. *AJR* 1997; 168: 64-68.
- Heliken J.P., Brink J.A. and Vonnier M.W. Spiral CT. *Radiology* 1993; 189: 647-656.
- Heneghan J., Smith R.C. and Dalrymple N.C. Value of the "rim sign" in the diagnosis of ureteral stones on unenhanced helical CT. *Radiology* 1997; 202:709-711.
- Henning J. and Freidburgh H. Clinical applications and methodological developments of the RARE technique. *Magn Reson Imaging* 1998; 6: 391-395.
- Herts B.R., Einstein D.M. and Paushter D.M. Spiral CT of the abdomen: Artifacts and potential pitfalls. *AJR* 1993; 161: 1185-1190.

- Hu H. and Fox S.H. The effect helical pitch and beam collimation on the lesion contrast and slice profile in helical CT imaging. Med phys 1996; 19:143-154.
- Hubert J., Blum A., Cormier L., Claudon M., Regent D. and Mangin P. Three-dimensional CT scan reconstruction of renal calculi: Eur urol 1997; 31: 297-301.
- James A.B. Technical aspects of helical CT. In helical computed tomography ed. By Silverman PM, 1995 Vol. 33, Number 5, P: 825-840, W. B. Saunders Company.
- Kabalin J.N. Surgical anatomy of the retroperitoneum kidney and ureters. In Walsh P.C., Retik A.B., and Vaughan E.D. (eds): Campbell's urology, 7th edition P.P. 49-88. W.B. Saunders company, Philadelphia, Pennsylvania, 1998.
- Kabalin J.N. Surgical anatomy of the retroperitoneum, kidney and ureters. In Walsh P.C., Retik A.B., and Vaughan E.D. (eds): Campbell's urology, 8th edition P.P. 69-88. W.B. Saunders company. Philadelphia, Pennsylvania, 2002.
- Kalender W.A., Seissler W., Klotz E. and Vock P. Spiral volumetric CT with single breath hold technique, continuous transport and continuous scanner rotation. Radiology 1990; 176: 181-183.
- Kalender W.A. and Polacin A. Physical performance and characteristics of spiral CT scanning. Med. Physics 1991; 18: 910-915.

- Kalender W., Polacin A. and Suess C. A comparison of conventional and spiral CT as regard to contrast and spatial resolution an expinemental study on the detection of spherical lesious. J Comput Assist Tomogr 1994; 18: 167-176.
- Kalender W.A., Siessler W. and Vock P. Single breath hold spiral volumetric CT by contineous patient translation and scanner rotation. Radiology 1999; 173: 414-418.
- Katz D.S., Lane M.J. and Sommer F.G. Unenhanced helical CT of ureteral stones incidence of associated urinary tract findings. AJR 1996; 166: 1319-1322.
- Katz D.S., Hines J., Rausch D.R., et al., Unenhanced helical CT for suspected renal colic. AJR 1999; 173; 425-430.
- Kawashima A., Sandler C.M., Boridy I.C., Takahashi N., Benson G.S. and Goldman S.M. Unenhanced helical CT of ureterolithiasis: Value of the tissue rim sign. AJR 1997; 168: 997-1002.
- Koelloker S.L. and Cronan J.J. Acute urinary tract obstruction Imaging update. Urol. Clin North Am 1997; 24: 571-583.
- Kupeli B., Biri H. and Ispn K. Treatment of ureteral stones: Comparison of extracorporeal shock wave lithotripsy and endourology. Eur. Urol 1998, 34: 474-479.
- Leeuwan W.S., Vanwaes P.F., Fernandez M.A. and Steenbeck J.M. Volumetric CT in clinical practice. AJR 1993; 160: 31-34.

- Levine J.A., Neitlich J., Verga M., Dalrymple N. and Smith R.C.
Ureteral calculi in patients with flank pain: correlation of
plain radiography with unenhanced helical CT. Radiology
1997; 204: 27-31.
- Lewis M.C. Multislice CT; opportunities and challenges.
Br J Radiol 2001; 74: 779-781.
- Madbouly Kh., Sheir Kh. Z. and Elsobky E. Impact of lower pole
renal anatomy on stone clearance after shock wave
lithotripsy: Fact or fiction? J urol 2001; 165: 1415-1418.
- Midelzum R.E. and Jeffrey R.B. Unenhanced helical CT for
evaluation acute abdominal pain: a little more cost, a lot more
information. Radiology 1997; 205: 43-47.
- Miller O.F., Rineer S.K., Reichert S.R., et al., Prospective
comparison of unenhanced spiral computed tomography and
intravenous urography in the evaluation of acute flank pain.
Urology 1998; 52: 982-987.
- Mostafavi M.R., Ernst R.D. and Saltzman B. Accurate
determination of chemical composition of urinary calculi by
spiral computerized tomography. J urol 1998; 159: 673-675.
- Motley G., Dalrymple N., Keesling C., Fischer J. and Haimon W.
Hounsfield unit density in the determination of urinary stone
composition. Elsevier science Inc. 2001.
- Nakada S.Y., Hoff D.G., Attai S., et al., Determination of stone
composition by noncontrast spiral CT in the clinical setting.
Urology 2000; 55: 816-821.

- Olcott E.W., Ommer F.G .and Napel S. Accuracy of detection and measurement of renal calculi: In-vitro comparison of three dimensional Spinal CT, Radiography and Nephrotomography. Radiology 1997; 204: 19-23.
- Patel M., Stephen S., Han Y., Vox K., Saalfeld J. and Alexander J.A. Protocol of early spiral computed tomography for the detection of stones in patients with renal colic has reduced the time to diagnosis & over all management costs. Aust J surg 2000; 70: 39-42.
- Patlas M., Farkas A., Fisher D., Zayhal I. and Hadas-Halperm I. Ultrasound VS CT for the detection of ureteric stones in patients with renal colic. The British Journal of Radiology 2001; 74:901-904.
- Pearle M.S., Watamull L. and Multican M.A. Comparison of non contrast helical CT and KUB with flexible nephroscopy for detecting residual stones after PCNL. J Urol 1998; 159 (suppl): 56.
- Platt J.F. Urinary obstruction. Rad. Clin. North Am 1996; 34: 1113-1129.
- Polacin A., Kalender W.A. and Marchal G. Evaluation of sensitivity profil image noise in spiral CT. Radiology 1992; 185: 29-35.
- Preminger G.M., Vieweg J., Leder R.A. and Nelson R.C. Urolithiasis detection and management with unenhanced spiral CT a urologic prospective study. Radiology 1998; 207: 308-309.

- Ramakumar S., Patterson D.E., Le Roy A.J., et al., Prediction of stone composition from plain radiographs a prospective study. J endourol 1999; 13: 397-401.
- Remer E.M., Herts B.R. and Streem S.B. Spinal noncontrast CT versus combined plain radiography and renal US after extracorporeal Shock wave lithotripsy: Cost identification analysis. Radiology 1997; 204: 33-37.
- Remy J.M. Pulmonary nodules: detection with thick section spiral CT versus conventional CT. Radiology 1995; 187: 513-520.
- Rigauts H., Marcharl G. and Baert A.L. Initial experience with volume CT Scanning. J. Comput. Assist. Tomog.1990; 14: 975-981.
- Robert M., Segui B., Vergnes C., Taourel P. and Guiter J. Pizoelectric extracorporeal shock wave lithotipsy of distal ureteric calculi: Assessment of shock wave focusing with unenhanced computed tomography. BJU international 2001; 87: 316-321.
- Rubin F.D., Chiau M.C. and Schmidt A.J. Computed tomographic angiography: Historical prospective and new state of the art using multidetector helical computed tomography. J Comput Assist Tomogr 1999; 23: 83-90.
- Saw K.C., Lingeman J., Mc Atter J.A., et al., Spiral CT scans for predicting stone composition-effect of CT collimation and stone size. J urol. 1999; 161: 392-399.
- Saw K.C., Mc Ateer J.A., Frienberg N.S., et al., Calcium stone fragility is predicted by helical CT attenuation values. J Endourol 2000; 14: 417-423.

- Saw K.C., Mc Ateer J.A., Mong A.G., Chua G.T., Lingemem J.E. and Williams J.C. Helical CT of urinary calculi : Effect of stone composition, stone size and scan collimation. AJR 2000; 175: 329-332.
- Schwartz B.F., Schenkaman N., Armenakas N.A. and Stoller M.L. Imaging characteristics of indinavir calculi. J urol 1999; 161: 1085-1087.
- Segura J.W., Preminger G.M., Assimos D.G., et al., Ureteral stones; clinical guidelines and summary report on the management of ureteral calculi. J Urol 1997; 158: 1915-1921.
- Sheley R.C., Semonsen K.G. and Qnirin S.F. Helical CT in the evaluation of renal colic. Am J Emergency Med. 1999; 17: 279-283.
- Shemidt P. The origin of phleboliths. Eur J surg 1972; 59: 695-700.
- Singal B.K. and Denstedt J.D. Management of uretral stones. Urol Clin North Am 1997; 24: 59-68.
- Smith R.C., Rosenfield A.T., Choe K.A., et al., Acute flank pain: comparison of noncontrast enhanced CT and intravenous urography. Radiology 1995; 194 : 789-794.
- Smith R.C., Verga M., McCarthy S. and Rossenfield A.T. Diagnosis of acute flank pain: value of unenhanced helical CT. AJR Am J roentgenol 1996: 166: 97-101.
- Smith R.C., Verga M., Dalrmples N., McCarthy S. and Rosenfield A.T. Acute ureteral obstruction: value of secondary signs on helical unenhanced CT. AJR 1996; 176 : 1109-1113.

- Smith R.C., Dalrymple N.C. and Neitlich J. Noncontrast helical CT in the evaluation of acute flank pain. abdom imaging 1998; 23: 16-21.
- Sommer F.G., Jeffrey R.B.J. and Rubin G.D. Detection of ureteral calculi in patient with suspected renal colic: value of reformatted non contrast helical CT images. AJR 1995; 165: 509-513.
- Sourtzis S., Thibeau J.F., Damry N., Raslan A., Vandendris M. and Bellemans M. Radiologic investigation or renal colic unenhanced helical CT compared with excretory urography. AJR 1999; 172 : 1491-1494.
- Spencer B.A., Bush J.A., Rao P.M., Dretler S.P., Rhea J.T. and Novelline R.A. Unenhanced helical CT for clinically suspected acutely symptomatic ureteral calculi: Experience with 339 examinations. Presented at the American roentgen ray society annual meeting san Francisco 1998.
- Stapakis J., Stamm E., Townsend R. and Thickman D. Liver volume assessment by conventional vs helical CT. Abdom Imag 1995; 20: 209-210.
- Stephen W. Spiral computed tomography and computed tomographic angiography. In computed tomography and magnetic resonance imaging of the whole body ed. By Hagga J.R., Lanzieri C.H., Statoris D.J. and Zerhouni E.A. 3rd edition, 1994 volume I., chapter 47, P: 1694-1700, by Mosby company.
- Sterward C. Nephrolithiasis. Emerg Med Clin North Am 1988; 6: 617-630.

- Takashi N., Kawashima A. and Ernst R.D. Ureterolithiasis: can clinical outcome be predicted with unenhanced helical CT. *Radiology* 1998 ; 208: 97-102.
- Tanagho E.A. Anatomy of the lower urinary tract. In Walsh PC, Retik AB, Stamey TA, Vaughan ED. (eds): *Campbell's urology*, 6th edition P.P. 40-69 W.B. Saunders Company. Philadelphia, 1992.
- Thomson J.M., Glocher J., Abbot C., Maling T.M. and Mark S. Computed tomography versus intravenous urography diagnosis of acute flank pain from urolithiasis: a randomized study comparing imaging costs and radiation dose. *Austr J Radiol* 2001; 45: 291-297.
- Traubici J., Neitlich J.D. and Smith R.C. Distinguishing pelvic phleloliths from distal ureteral stones on routine unenhanced helical CT: Is these a radiolucent centre? *AJR* 1999; 172: 13-17.
- Turk T.M. and Jenkins A.D. A comparison of ureteroscopy to in situ extracorporeal shock wave lithotripsy in the treatment of distal ureteral calculi. *J Urol* 1999; 161: 45-48.
- Urban B.A., Fishman E.K., Kuhlman J.E., Kawashima A., Hennessey J.G. and Sigelman S.S. Detection of focal hepatic lesion with spiral CT: comparison of 4 mm and 8 mm interscan spacing . *AJR* 1993 ; 160: 783-785.
- Uzzo R.G., Coll D. and Novic A.C. The role of three dimensional CT in renal imaging. *AUA update series* 2000; volume 19: lesson 38: 298-304.

- Van Beers B.E., Dechanbre S., Hulcelle .P, Martene R. and Jamant J. Value of multislice helical CT scans and maximum intensity projection images to improve detection of ureteral stones at abdominal radiography. AJR 2001; 177: 1117-1121.
- Van Hoe L., Haren F., Bellon E., Bosmans H., Feron M., Sureties P. and Marshal G. Factors influencing the accuracy of volume measurements in spinal CT: A phantom study. J Comput Assist Tomo 1997; 21: 322-328.
- Vieweg J., The C.L. and Preminger G.M. The value of unenhanced helical CT in patients with acute flank pain. J urol. 1997; 157: 124-129.
- Vieweg J., The C., Freed- K., et al., Unenhanced helical computerized tomography for the evaluation of patients with acute flank pain. Urol 1998; 160: 679-684.
- Vock P., Jung H. and Kalender W.A. Single breathhold spiral volumetric CT of the hepatobiliary system (Abst.) Radiology 1989; 173: 377-381.
- Vock P., Jung H. and Kalender W.A. Single breath hold spiral volumetric CT of the lung. Radiology 1990; 176: 864-867.
- Williams JC, Saw KC, Monga AG et al., Can calcium stone SWL fragility be predicted by spiral CT scan ? J urol. 1999; 161: 251-257.
- Willams J.C., Paterson R.F., Kopecky K.K., Lingeman G.E. and Mc Ateer J.A. High resolution detection of internal structure of renal calculi by helical computerized tomography. J urol 2002; 167: 322-326.

- Wrenn K. Emergency intravenous pyelography in the setting of possible renal colic is it indicated? Ann emerg med 1995; 26: 304-308.
- Yanez M.H., Naidich J.B. and Kaplan M.H. Urolithiasis as a consequence of Indinavir therapy: evaluation of its frequency and radiographic appearance. Radiology 1997; 205: 509-512.
- Yilmaz S., Sindle T. and Arslan G. Renal colic: comparison of spiral CT, US and IVU in detection of ureteral calculi. Eur. Radiology 1998; 8: 212-217.
- Youssefzadeh D., Katz D.S., Leumerman J.H. Unenhanced helical CT in the evaluation of suspected renal colic AUA update series 1999; 18: lesson 26, 53-59.
- Zeman R.K. Routine helical CT of the abdomen: image quality consideration. Radiology 1993; 189: 395-400.
- Zimmerman R.A. and gusnard D.A. Spiral CT. Med Phys 1993.