

REFERENCES

Aberle DR, Gamsu G and Ray CS (1988): High resolution CT of benign asbestos related diseases: clinical and radiological correlation. *AJR* 151:883-891.

Aberle DR, Gamsu G, Ray CS and Feuerstein IM (1991): Asbestos related pleural and parenchymal fibrosis, detection with high resolution CT. *Radiology* 166:729-734.

Abu yousef MM, (1980): Case of fall season: inversion of the right hemidiaphragm from pleural effusion. *Semin Roentgenol* 15:269.

Allison D J and Hemingway A P (1981): Percutaneous needle biopsy of the lung. *MJ* 282:875-878.

Anderson JR, (1985): Pleural reaction to environmental agents. English language book society/ Edward Arnold. *Fed. Proc* 12th ed. 37:2496-2500.

Aquino SL, Webb WR and gushikn BJ (1994): Pleural exudate and transudate diagnosis with contrast enhanced CT. *Radiology*, Sep.192 (3): 803-808.

Armstrong P and Flower CDR (2001): Technique. In imaging of diseases of the chest .4th ed St. Louis, Mosby- year book, ch.11: 211-221.

Armstrong P, Wilson AG, Dee P and Hansell DM, eds (1995): Imaging of diseases of the chest. 2nd Edition, Mosby-year book, Inc., St. Louis, 641-703.

Ashizawa K, (1993): Finding of diffuse pleural disease, alteration of plural and extrapleural fat. Nippon-Lgaku-Hoshasen-Gakkai-Zasshi. Mar 25(3): 283-296.

Auerbach O and Garfinkel L (1991): The changing pattern of lung carcinoma. Cancer 68:1973-1977.

Austin JHM (1986): The left minor fissure. Radiology 161: 433.

Barbara H. Miller, (Retired) Melissa L. Rosado-de-Christenson, Lt Col, USAF, MC Andrew C. Mason, Marian V. Fleming, JD, Charles C. White, Mark J and Krasna M, (1996): Malignant Pleural Mesothelioma Radiologic-Pathologic Correlation Radiographic: May 1, Volume 16, Number 3.

Barber CE, Hedlund LW, Oddson TA and Pulman CE (1990): Differentiating empyemas and peripheral pulmonary abscess: the value of computed tomography. Radiology 135: 755-758.

Bentley FJ and Grzybowski S, In Seaton A, (2000): Diseases of the pleura. Respiratory diseases of the chest. 5th ed. St. Louis, Mosby-year book, Vol.2 vol.2, ch.43: 1152-1187.

Berkman YM, Auh YH and Davis S D et al (1989): Anatomy of the minor fissure: Evaluation with thin section CT. Radiology 170: 647-651.

Berquist T H, Bailey P B, Cortese D A, Miller W E (1980): Trans-thoracic needle biopsy: accuracy and complications in relation to location and type of lesion. Mayo Clin Proc 55:475-481

Borre A, Feraris MM, Facone C, Verna V, Scala A (1992): pneumothorax in multiple trauma, radiological and CT study. Radiol. Med. Torino. Oct. 84(4): 363-367

Boyden EA (1992): The distribution of bronchi in gross anomalies of the right upper lobe, particularly lobes subdivided by the azygos vein and those containing preperibronchovascular bronchi. Radiology, 198: 397

Bouros D, Schiza S, Panagou P, Drositis J, Siafakas N (1994): Role of streptokinase in the treatment of acute loculated parapneumonic pleural effusions and empyema. Thorax 49: 852-855

Bragg D G (1987): The clinical, pathologic and radiographic spectrum of the intrathoracic lymphomas. Invest Radiol 1978 13:2-11

Braunwald E, Isselbacher KJ, Petersdorf RG, Wilson JD, Martin JB, Fauci AS (1987): Harrison principles of internal medicine. 11th ed. McGraw Hill book co., New York, St. Louis, Toronto, London 1124-1127

Casola G, Vansonneberg E, Keightley A, Ho M, Withers C, Lee AS (1988): Pneumothorax: Radiologic treatment with small catheters. Radiology 166: 89-91

Cobby M, Whipp E and Bullimore J et al (1990): CT appearances of relapse of lymphoma in the lung. Clin Radiol 41:232–238.

David P, Elias A and Stanley S (1991): Computed tomography and magnetic resonance of the thorax. 2nd Ed. New York: Raven 407-415.

Faurschou P, Francis D and Faarup P (1985): Thoracoscopic, histological and clinical findings in nine cases of rheumatoid pleural effusion. Thorax 40: 371.

Fish G D, Stanley J H, Miller K S, Schabel S I and Sutherland S E (1988): Post-biopsy pneumothorax: estimating the risk by chest radiography and pulmonary function tests. AJR 150:71–74.

Fisher MS 1985: Asymmetric changes in asbestos related pleural disease. J can assoc. Radiol 36:110-112.

Fleischner FG, (2001): Atypical arrangement of free pleural effusion. Radiol Clin North Am 1: 347-362.

Fraser RG, parē JAP, Parē PD, Fraser RS and Genereux GP (1999): Diagnosis of diseases of the chest, ed (4), Philadelphia, WB Saunders 7: 154-189.

Friedman PJ and Hellekant AG (1997): Radiological recognition of broncho-pleural fistula. Radiology 124: 289-295.

Friedman A C, Fiel S B, Fisher M S, Radecki P D, Lev-Toaff A S and Caroline D F (1988): Asbestos-related pleural disease and asbestosis: A comparison of CT and chest radiography. *AJR* 150:269-275.

Frija J., Yana C. and Laval-jeantet M (1989): Anatomy of the minor fissure: Evaluation with thin section CT. *Radiography* 173:571-572.

Gale ME and Greif WL (1986): Intra fissural fat: CT correlation with chest radiography. *Radiology* 160: 333.

Gardner D, van Sonnenberg E, D'Agostino H B, Casola G, Taggart S and May S (1991): CT-guided transthoracic needle biopsy. *Cardiovasc Intervent Radiol* 14:17-23.

Gilmartin D, (2001). The serratus anterior muscle on chest radiographs. *Radiology* 131: 629-635.

Godwin JD ed (1984): Computed tomography of the chest. Philadelphia, PA: J.B. lippincott, 256:300.

Godwin JD and Tarver RD (1985): Accessory fissures of the lung. *Am J Roentgenol* 144: 39.

Good JT, King TE, Antony VB and sahan SA (1983): Lupus pleuritis: clinical features and pleural fluid characteristics with special reference to pleural fluid antinuclear antibodies. *Chest* 84: 714.

Gordon R (2001): The deep sulcus sing. *Radiology* 136: 25-27.

Graighead JE (1987): Current pathogenetic concepts of diffuse malignant mesothelioma. *Human Pathol* 18: 544-557

Greene R, McLoud TC, StarkP (1988): Pneumothorax *Semin Roentgenol* 12:313-325

GREEN R, BOGGIS C AND JANTSCH H (1994): Asbestos related pleural thickening: Effect of threshold criteria on the interpretation. *Radiology* 152: 269-273.

Groskin SA (1993): Radiologic-pathologic correlations. In: Hitzman's the lung. St.Louis, MO: Mosby, 575-609

Haaga IR, Alfidi RJ (1983): Computed tomography of the whole body. Vol. 2 C V Mosby co., St Louis, Tornoto, London 941-950

Halvorsen Ra, fedyshin PJ, Korobkin M, Foster WL Jr, Thompson WM (1986): Ascites or pleural effusion? *Radiographics* 6: 135-149.

Hendin AS, Greenspan RH. In Fraser RG, parē JAP, Parē PD, Fraser RS, Genereux GP (1999): Diagnosis of diseases of the chest, ed (4), philadelphia, WB Saunders, 7:182

Hill AR, premkumar S, Brustein S, et al (1991): Disseminated tuberculosis in acquies immunodeficiency syndrome era. *Am Rev Respir Dis* 144:1164

Hindle W, PonserE, SweetmanJT, Tan RSH (2000): Pleural effusion and fibrosis during treatment with Methysergide. *Br Md J I*: 605

Im JG, Webb WR, Rosan A and Gamsa G (1989) Costal pleural appearances at high resolution CT. Radiology 171:125-131.

Kawashima A and Libshitz III (1990): Malignant pleural mesothelioma: CT manifestations in 50 cases. AJR 155: 965-969.

Kinsely BL and Kuhlman JE (1997): Computed tomography of pleural disease. Crit Rev Diagn Imaging 38(1): 1-8.

Kissance JM (1990): Anderson pathology vol. 1 9th ed. CV Mosby co. St. Louis, Altamare, Philadelphia, Toronto 1134- 1150.

Flein JS, Schultz S and Heffner JE (1995): Interventional radiology of the chest: Image- guided percutaneous drainage of pleural effusions, lung abscess and pneumothorax. AJR 164: 581-585.

Kollef MH and Dothager DW (1991): Reversible cardiogenic shock due to chest tube compression of the right ventricle. Chest99: 976-980.

Kuhlman JE and Singha NK (1997): Complex disease of the pleural space: radiographic and CT evaluation. Radiographics 17: 63-79.

Lams P, (1988): Radiographic signs in post pneumonectomy broncho-pleural fistula. J Can Assoc Radiol.31: 178-180.

Last RG (1984): Anatomy: regional and applied. Churchill livingstone. 6th Ed, 240-242.

Lauweryns JM, In Fraser KG, parē JAP, Parē PD, Fraser RS and Genereux GP (1999): Diagnosis of diseases of the chest, ed (4), philadelphia, WB Saunders, 7:175-179.

Lee JK, Sage SS and Stanley RJ (1989): Computed body tomography. Raven press, New York 15: 287-299.

Lee KS, Im JG, Choe KO, Kim CJ and Lee BH (1992): CT finding in benign fibrous mesothelioma of the pleura: pathological correlation in nine patients. AJR 158: 983-986.

Lee M J, Grogan L and Meehan S et al (1991): Pleural granulocytic sarcoma: CT characteristics. Clin Radiol. 43: 57-59.

Leigh TF and Weens HS (1999): The mediastinum. Springfield, IL, Charles C Thomas, pp16-27.

Leung AN, Muller NL and Miller RR (1990): CT in differential diagnosis of diffuse pleural diseases. AJR 154:487-492.

Levy H and Simpson SQ (1994): Hantavirus pulmonary syndrome. Am J Respir Crit Care Med 149:1710.

Liberman FL and Peters RL (2001): Cirrhotic hydrothorax: further evidence that an acquired diaphragmatic defect is at fault. Arch Intern Med 125: 114-117.

Light WR (1995): Pleural disease: chest tubes 3rd ed., 24: 336-337.

Lomas DJ, Padley SG and Flower CDR (1993): The sonographic appearance of pleural fluid. Br J Radiol.66: 619-624.

Marks WM, Filly RA and Callen PW (1982): Real time evaluation of pleural lesions: new observations regarding the probability of obtaining free fluid. Radiology142: 163-164.

Marks BW and Kuhns LR (1982): Identification of the pleural fissures with computed tomography. Radiology143: 139.

Mata J, Caceres J and Alegret X (1991). Imaging of the azygos lobe: normal anatomy and variations. Am J Roentgenol 156: 931.

McCloud TC, (1998): Thoracic radiology. The pleura, 18:483-501

McCloud TC and Flower CDR (1991): Imaging the pleura: sonography. CT and MR imaging. AJR 156: 1145-1153.

Mendelson DS, Meary E, Buy JN, Pigeau J and Kirchner PA (1991): Localized fibrous mesothelioma: CT findings. Clin. Imaging 19: 105-108.

Metintas M, Ordemir N, Isikosz S, Kaya T, Erci M, Erginal S, Harmanci E, Erdine P, Ulgey N and Atalay F (1995): CT guided pleural biopsy in the diagnosis of malignant pleural mesothelioma. Comput Assist Tomogr.19 (3): 370-400.

Miller A (1990): Chronic pleuritic pain in four patients with asbestos induced pleural fibrosis. Br J Ind Med.47: 147.

- Moore Eh, Shepard JO and McLoud TC et al (1990):* Positional precautions in needle aspiration lung biopsy. *Radiology*175: 733-735.
- MoskowitzH Platt Rt, Schachar R and Mellins H (2001):* Roentgen visualization of minute plural effusion. *Radiology* 109: 33 -35.
- Muller NL, (1993):* Imaging of the pleura. *Radiology*186: 297-309.
- Muller R and Lofstedt S (2001):* The reaction of the pleura in primary tuberculosis of the lung. *Acta med scand*.122: 105-133
- MunkPL and Muller NL (1988):* Pleural lioposarcoma: Ctdiagnosis. *J Comput Assist Tomogr*.12: 709-710.
- Naidich DP, Zerhouni EA and Sieglman SS (1991): Pleura and chest wall. In Naidich DP, Zerhouni EA, Sieglman SS, editors; Computed tomography and magnatic resonance of the thorax, ed2, New York, Raven Lippincotte; pp 407-471.*
- Paul JR, (2000):* Pleural and pulmonary lesion in rheumatic fever. *Medicine*7: 383.
- Peter L, Roger W, Mary D and Lawrence H (1989):* Gray's anatomy. Churchill Livingstone, Edinburgh, London, Melbourne and New York .37th Ed, 1267-1269.
- Postmus PE, Kerstjens JM and Breed A et al., (1986):* A family with lobus venae azygos. *Chest*90: 298.

References

ProtoAV and Ball JB (1983): Computed tomography of the major and minor fissures. Am J Roentgenol 140: 493.

Raasch BN, Carsky EW and Lane EJ et al (1982): Radiographic anatomy of the interlobar fissures; a study of 100 specimens. Am J Roentgenol 138: 1043.

Rabinowitz JG, Cohen BA and Mendelson DS (1984): The pulmonary ligament. Radiol Clin North Am 22: 659-672.

Renner RR and Pernice NJ (2001): The apical cap. Semin Roentgenol 12: 299-302.

Robbins SL, Corton RS and Kumar V (1984): Pathologic basis of disease 3rd ed. Philadelphia, WB Sanders; 757-761.

Rockey DC and Cello JP (1990): Pancreatico-pleural fistula: report of 7 patients and review of literature. Medicine 69: 332-334.

Ronald G and David J A (1992): Diagnostic radiology. Churchill Livingstone, Edinburgh, London, Melbourne, New York, Tokyo 2nd ed. 121-127.

Rusch VW, Godwin JD and Shuman WP (1988): The role of computed tomography scanning in the initial assessment and the follow up of malignant pleural mesothelioma. J Thorac Cardiovasc Surg 96: 171-177.

Ruskin JA, Gurney JW, Thorsen MK and Goodman LR (1987): Detection of pleural effusions on supine chest radiographs. AJR 148: 681-683.

Sahin AA, Coplu L, Selucuk ZT, Erylamas M, Emri S, Akhan O and Baris YI (1993): Malignant pleural mesothelioma caused by environmental exposure to asbestos in rural Turkey: CT finding in 84 patients. *AJR* 161:533-537.

Sahn SA, (1988): The pleura. *Am Rev Respir. Dis.* 138: 184-234.

Saifuddin a, Da Costa P, Chalmers AG, Carey BM and Robertson RJH (1992): Primary malignant localized fibrous tumor of the pleura: clinical, radiological and pathological features. *Clin Radiol* 45: 13-17.

Schmutz GR, Fisch PC, Regant D and Sylvestre J (1993): Computed tomography and magnetic resonance image of pleural masses. *Crit Rev Diagn Imaging* 34(6): 309-383.

Seaton A, (2000): Diseases of the pleura. *Respiratory diseases of the chest.* 5th ed. St. Louis, Mosby-year book, Vol.2, ch.43: 1152-1187.

Sieglemen SS, Naidich DP, Zerhouni EA and Kahn JP (1991): Computed tomography and magnetic resonance of the thorax. 2nd ed. New York Raven; chapter 1: 1-34, chapter 9:407-471.

Silverman SG, Mueller PR, Saini S, Hahn Pf, Simone JF, Forman BH, Steiner E and Ferrucci JT Jr (1988): Thoracic empyema: Management with image guided catheter drainage. *Radiology* 169: 5-9.

Slone MR, Gutierrez FR and Fisher AJ (1999): The pleural thoracic imaging: a practical approach. 1st ed. The McGraw- Hill companies, chapter 7: 107-250.

Speckman JM, Gamsu G and Webb WR (1981): Alterations in CT mediastinal anatomy produced by azygos lobe. Am J Roentgenol 137: 47.

Sutton D (1998): The pleura. Imaging of the chest. 6th Ed., Vol.1, Churchill livingstone. Edinburgh 9: 365-397.

Tocino I, Miller MH, Frederick PR, Bahr AL and Thomas F (1984): CT detection of acute pneumothorax in head trauma. AJR 143: 989-990.

Waite RJ, Carbonneau RJ, Balikian JP, Umali CB, Perzzella AT and Nash G (1990): Parietal pleural changes in empyema: appearance on CT. Radiology 175: 145-150.

Webb WR (1998): Fundamentals of body CT. 2nd Edition 7:147-149.

Weick JK, Kiely JM and Harrison EG et al (2000): Pleural effusion in lymphoma. Cancer 31:848.

Westcott JL and Volpe JP (1995): Peripheral bronchopleural fistula: CT evaluation in 20 patients with pneumonia, empyema, or post operative air leak. Radiology 196: 175-181.

Wiener Kronish JP, Matthay M A, Callen PW Filly RA, Gamsu G and Staub NC (1985): Relationship of pleural effusions to pulmonary hemodynamics in patients with congestive heart failure. Am Rev Respir Dis. 132: 1253-1256.

Williford ME and Godwine (1983): Computed tomography of the lung abscess and empyema. Radiol Clin North Am 21 575-583.

References

Wilson AG (2001): Chest wall, pleura and diaphragm. In imaging of the diseases of the chest. Mosby year book 4th ed. 14:253-302.

Yang PC, Luh KT, Chang DB, Wu HD, Yu CJ and Kuo SH (1992): Value of sonography in determining the nature of pleural effusion: analysis of 320 cases. AJR 159: 29-33.

Zerhouni EA, Scotte WW, Baker RR, Wareham MD and Siegelman SS (1982): Invasive thymoma: Diagnosis and evaluation by computed tomography. J Comput Assist Tomogr. 6: 92-100.

Errata

PAGE	LINE	ERROR	CORRECT
13	20	205%	20.5%
21	19	Main manifestations of the pleural diseases	Main diseases of the pleural space
26	23	Organism	Organized
29	17	Plural	Pleural
42	12	Plural	Pleural
58	20	Ass	As
61	27	1. Parrel	4. Parallel
63	13	Pproximately	Approximately
64	16	Plwura	Pleura
64	19	Asemmetric	Asymmetric
75	7	Metastases	Lesions
76	20	Thickening	Thickness
82	15	Multiplocular	Multilocular
84	12	Consolidation collapse	Consolidation
86	15	Side	Sided
88	10	of both lung fields	
88	11	Trancelucency	Emphysematous bulla
94	7	Fuffy	Fluffy
94	8	Recess	Recesses
94	12	Dimension	Diameter
96	5 & 22	Cancer stomach	Cancer thyroid
96	16	Oestolyic	Osteolytic
98	17	Ffusion	Effusion
104	5	And (4)	
106	10	Chart (5)	Chart (4)
107	17	M 4	M 3
107	21	Total 9	10
116	Chart	B 30.8	B 38.5