

Boven V, Bellemans MA, Geurts, J, et al (1982):

A comparative study of the patello-femoral joint on axial roentgenogram, axial arthrogram and computed tomography following arthrography. *Skeletal Radio* 8: 179-181.

Cahill BR, Berg BC (1983):

99-m Technetium phosphate compound joint scintigraphy in the management of juvenile osteochondritis dissecans of the femoral condyle. *Am J Sports Med* 11:329-335.

Deutsch AL, Mink JH, Waxman AD (1989):

MR imaging of occult fractures of the proximal femur. *Radiology* 170: 113-116.

Dye SF, Boll DA (1986):

Radionuclide imaging of the femoro-patellar joint in young adults with anterior knee pain. *Orthop Clin North Am* 17: 249-262.

Haas SB, Scuderi GR (1990):

Examination and radiographic assessment of the femoro-patellar joint. *Semin Orthop* 5: 108-114.

Hayes CW, Sawyer RW, Conway WF (1990):

Patellar cartilage lesions: In vitro detection and staging with MR images and pathologic correlation. *Radiology* 176: 479-483.

Jelinek JS, Kransdorf MJ, Utz JA, et al (1989):

Imaging of pigmented villonodular synovitis with emphasis on MR imaging. *AJR AM J Roentgenol* 152: 337-342.

Konig H, Sauter R, Deimling M, et al (1987):

Cartilage disorders: Comparison of spin-echo, CHESS and FLASH sequence MR images. *Radiology* 164: 753-758.

Laurin CA, Dussault R, Levesque HP (1979):

The tangential x-ray: Investigation of the femoropatellar joint. *Clin Orthop* 16: 144-149.

References

-
- McCauley TR, Kier R, Lynch K, et al. (1992):**
Chondromalacia patellae: Diagnosis with MR imaging. *AJR Am J Roentgenol* 158: 101-105.
- Merchant AC, Mercer RL, Jacobsen RH, et al (1974):**
Roentgenographic analysis of patellofemoral congruence. *J Bone Joint Surg* 56 (A): 1391-1396.
- Modi JM, Sether LA, Haughton VM, et al (1991):**
Articular cartilage: Correlation of histologic zones with signal intensity at MRI imaging. *Radiology* 181: 853-855.
- Shellock FG, Mink JH, Deutsch AL, et al (1989):**
Patellar tracking abnormalities: Clinical experience with kinematic MR imaging in 130 patients. *Radiology* 172: 799-804.
- Wiberg G (1941):**
Roentgenographic and anatomic studies on the femoropatellar joint. *Acta Orthop Scand* 12: 319-410.
- Yulish BS, Montanez J, Goodfellow DB, et al (1987):**
Chondromalacia patellae: Assessment with MR imaging. *Radiology* 164: 763-766.
- Arger, P Coleman, B., and Dalinka, M. (1983):**
Computed tomography in orthopaedics. *Orthop. Clin. North Am.*, 14: 217.
- Boven, F., Bellemans, M., Geurts, J., et al., (1982):**
A comparative study of the patellofemoral joint on axial roentgenogram, axial arthrogram, and computed tomography following arthrography. *Skeletal Radiol.*, 8: 179.
- Boven, F., Bellemans, M., Geurts, J., et al (1982):**
The value of computed tomography scanning in chondromalacia patella. *Skeletal Radiol.*, 8: 183.
-

Bratistrom, H. (1964):

Shape of the intercondylar groove normally and in recurrent dislocation of the patella. A clinical radiographic-anatomic investigation. Acta Orthop. Scand., (Suppl.) 68: 53.

Budinger, K. (1908):

Über traumatische knorpelrisse in kniegelenk. Dtsch. Z. Chir., 92: 510.

Delgado-Marins, H. (1979):

A study of the position of the patella using computerized tomography. J. Bone Joint Surg., 61B: 443.

Ficat, P., Ficat, C., and Ballicaux, A. (1975):

Syndrome d'hyperpression exterie de la rotule (S.H.P.E.) Rev. Chir. Orthop., 61: 39-59.

Ficat, R.P., and Hungerford, D.S. (1977):

Disorders of the patellofemoral joint. Baltimore, Williams & Wilkins.

Ficat, R.P., Phillippe, J., and Hungerford, D. (1979):

Chondromalacia patellae: A system of classification. Clin. Orthop., 144: 55.

Fulkerson, J.P. (1983):

The etiology of patellofemoral pain in young, active patients: A prospective study, Clin. Orthop., 179: 129.

Fulkerson, J.P., Tennant, R., Jaivin, J.S., et al (1985):

Histologic evidence of retinacular nerve injury associated with patellofemoral malalignment. Clin. Orthop., 197: 196.

Goodfellow, J., Hungerford, D.S., and Zindel, M. (1976):

Patellofemoral joint mechanics and pathology. J. Bone joint Surg., 58B: 287.

Hnnkertord, D.S., and Haynes, D.W. (1982):

The dynamics of patellar stabilization in knee flexion and rotation. Trnuscrips of the 28th Orthopaedic Research Society, 7: 254.

Insall, J. (1979):

Chondromalacia patellae: Patellar malalignment syndrome. *Orthop. Clin. North Am.*, 10: 17.

Larson, R.L. (1985):

The unstable patella in the adolescent and pre-adolescent. *Orthop. Rev.*, 14: 77.

Laurin, C.A., Dussault, R., and Levesque, H.P (1979):

The tangential X-ray investigation of the patellofemoral joint. *Clin. Orthop.*, 144: 16.

Martinez, S., Korobkin, M., Fondren, F.B., et al. (1983):

Computed tomography of the normal patellofemoral joint. *Invest. Radiol.*, 18: 249.

Merchant, A.C., Mercer, R.L., Jacobsen, R.H., et al. (1974):

Roentgenographic analysis of patellofemoral congruence. *J. Bone joint Surg.*, 56A: 1391.

Outerbridge, R.E. (1961):

The etiology of chondromalacia patella. *J. Bone Joint Surg.*, 43B: 752.

Radin, E.I. (1985):

A rational approach to the treatment of patellofemoral pain. *Clin. Orthop.*, 144: 107.

Schutzer, S.F., Fulkerson, J.P., and Ramsby, G.R.

The evaluation of patellofemoral pain patients using computerized tomography. Accepted for publication in *Clin. Orthop.*

Aleman O. (1928):

Chondromalacia Post-traumatica patella. *Acta Chir Scand* 63: 149.

Batten J, Menelaus MB (1985):

Fragmentation of the proximal pole of the patella. *J Bone Joint Surg* 67 (B): 249.

References

Bradford EH, Lovett RW (1905):

Treatise on Orthopedic Surgery. New York, William Wood.

Dahners LE, Francisco WD, Halleran WJ (1982):

Findings at arthrotomy in a case of double layered patellae associated with multiple epiphyseal dysplasia. J Pediatr Orthop 2: 67.

Dietz FR, Matthews KD, Montgomery WJ (1990):

Reflex sympathetic dystrophy in children. Clin Orthop 258: 225.

Dugdale T, Renshaw T (1986):

Instability of the patellofemoral joint in Down's syndrome. J Bone Joint Surg 45 (B): 259.

Edwards DH, Bentley G (1977):

Osteochondritis dissecans patellae. J Bone Joint Surg 59 (B): 58.

Fairbank HAT (1935):

Generalized diseases of the sketeton. Proc R Soc Med 28: 611.

Ficat RP, Hungerford DS (1977):

Disorders of the Patellofemoral Joint. Baltimore, Williams & Wilkins.

Finsterbush A, Frank U, Mann G, et al (1991):

Reflex sympathetic dystrophy of the patellofemoral joint. Orthop Rev 20: 877.

Gasco J, Delpino J Gomar-Sancho F (1987):

Double patella: A case of duplication in the coronal plane. J Bone Joint Surg 69 (B): 602.

Ha K, Hahn S, Chung M, et al (1991):

A clinical study of stress fractures in sports activities. Orthopedics 10: 1089.

Hardaker WT, Whipple TL, Bussett FH (1980):

Diagnosis and treatment of the plica syndrome of the knee. J Bone Joint Surg 62 (A): 221.

Hawkins RJ, Bell RH, Anisette G. (1986):

Acute patellar dislocations: The natural history. *Am J Sports Med* 14: 117.

Hughston JC: (1968):

Subluxation of the patella. *J Bone Joint Surg* 50 (A): 1003.

Iwaya T, Takatori Y (1985):

Lateral longitudinal stress fracture of the patella: Report of three cases. *J Pediatr Orthop* 5: 73.

Jakob RP, Gumpfenberg S, Engelhardt P. (1981):

Does Os-good-Schlatter disease influence the position of the patella? *J Bone Joint Surg* 63 (B): 579.

Karlsson J, Lundino O, Lossing I, et al (1991):

Partial rupture of the patellar ligament. *Am J Sports Med* 19: 403.

Kujala UM, Kvist M, Heinonen O (1985):

Os-good-Schlatter's disease in adolescent athletes: Retrospective study of incidence and duration. *AM J Sports Med* 13: 236.

Letts M (1991):

Hereditary onycho-osteodysplasia. *Orthop Rev* 20: 267.

Lloyd-Roberts GC, Jackson AM, Albert JS (1985):

Avulsion of the distal pole of the patella in cerebral palsy. *J Bone Joint Surg* 67 (B): 252.

Mansoor IA (1970):

Dysplasia epiphysealis multiplex. *Clin Orthop* 72: 287.

McCall RE, Lessenberry H (1987):

Bilateral congenital dislocation of the patella. *J Pediatr Orthop* 7: 100.

Medlar R, Lyne E (1978):

Sinding-Larsen-Johansson disease. *J Bone Joint Surg* 60 (A): 1113.

Mendez A, Keret D, MacEwen G (1988):

Treatment of patellofemoral instability in Down's syndrome. *Clin Orthop* 234: 148.

Merchant AC (1991):

Extensor mechanism injuries: Classification and diagnosis. In Scott WN (ed): Ligament and Extensor Mechanism Injuries of the Knee. Diagnosis and Treatment. St. Louis, CV Mosby, P. 174.

Merchant AC (1990):

Patellofemoral disorders: Biomechanics, diagnosis, and non-operative treatment. In McGinty JB (ed): Operative Arthroscopy. New York, Raven Press, P. 273.

Merchant A, Mercer R, Jacobsen R, et al (1974):

Roentgenographic analysis of patellofemoral congruence. J Bone Joint Surg 56 (A): 1391.

Micheli LJ (1993):

Overuse injuries in children's sports: The growth factor. Orthop Clin North Am 14: 337.

Mink J, Reicher M, Cures J (eds): (1987):

Magnetic Resonance Imaging of the Knee. New York, Raven Press.

Ogden JA (1984):

Radiology of postnatal skeletal development. X. Patella and tibial tuberosity. Skeletal Radiol 11: 246.

Ogden JA (1990):

Skeletal Injury in the Child. Philadelphia, WB Saunders, P. 752.

Osgood RB (1903):

Lesions of the tibial tubercle occurring during adolescence. Boston Med J 148: 114.

Osteaux M, DeMeirleur K, Shahabpour M (eds) (1991):

Magnetic Resonance Imaging and Spectroscopy in Sports Medicine. Berlin and Heidelberg, Springer-Verlag, PP. 66-67.

Osteaux M, DeMeirleur K, Shahabpour M (eds) (1991):

Magnetic Resonance Imaging and Spectroscopy in Sports Medicine.
Berlin and Heidelberg, Springer-Verlag, P. 72.

Owre A (1936):

Chondromalacia patellae. Acta Chir Scand 77 (Suppl.): 41.

Patel D (1986):

Plica as a cause of anterior knee pain. Orthop Clin North Am 17: 273.

Rosenberg JM, Whitaker JH (1991):

Bilateral infrapatellar tendon rupture in a patient with jumper's knee. Am J Sports Med 19: 94.

Rosenthal RH, Levine DB (1977):

Fragmentation of the distal pole of the patella in spastic cerebral palsy. J Bone Joint Surg 59 (A): 934.

Schlatter C (1903):

Verletzungen des Schnabelförmigen Fortsatzes der oberen Tibiaepiphyse.
Beitr Klin Chir 38: 874.

Schmidt DR, Henry JH (1989):

Stress injuries of the adolescent extensor mechanism. Clin Sports Med 8:
343.

Sommer HM (1984):

Patellar chondropathy and apicitis, and muscle imbalances of the lower
extremities in competitive sports. Sports Med 5: 386.

Speer K, Spritzer C, Goldner J, et al (1991):

Magnetic resonance imaging of traumatic knee articular cartilage injuries.
AM J Sports Med 19: 396.

Stanisavljevic S, Zemenick G, Miller D (1976):

Congenital, irreducible, permanent lateral dislocation of the patella. Clin
Orthop 116: 190.

Swartz C, Blazina ME, Sisto DJ, et al (1988):

The results of operative treatment of osteochondritis dissecans of the patella. Am J Sports Med 16: 308.

Wu C, Huang S, Liu T (1991):

Sleeve fracture of the patella in children. Am J Sports Med 19: 525.

Finestone A, Rodin El-Leu B Shlam Kovitch N , Wiener M. Milgrom C. (1993):

Treatment of overuse patellofemoral pain. Clinical orthopldic and related research. (Jc: DFY) (293): 208-10.

UM Kujola, M Kvist, and O Heinoverr (1985):

Osgood Schlutter's disease in the adolescent athlete. Americoh Journal of Sports Medicine. Vol. 13 (4) Jul 1985. P. 236-241.

Goldbery G. (19):

Patellofemoral malolignment. Pediotr Ann 26 (1): 32-35.

Aglietti, P., Insall J. N., and Cerulli, G. (1983):

Patellar pain and incongruence. I: Measurements of incongruence. Clin. Orthop. 176: 217.

Blackburne, J.S., and Peel, T.E. (1977):

A new method of measuring patellar height. J. Bone Joint Surg. (Br.), 59: 241.

Blumensaat, C. (1938):

Die Lageabweichungen and Verrenkungen der, Kniescheibe. Ergeb. Chir. Orthop., 31: 149.

Boon-Itt, S.B. (1958):

The normal position of the patella. J. Roentgen Soc., 24: 389.

Insall, J., and Salvati, E. (1971):

Patella position in the normal knee joint. Radiology, 101: 101.

Jacobsen, K., and Bertheussen, K. (1974):

The vertical location of the patella. Acta Orthop. Scand., 45: 436.

Jakob, R.P., Von Gumpfenberg, S., and Engelhardt, P. (1981):

Does Osgood-Schlatter disease influence the position of the patella? J. Bone Joint Surg. (Br.), 63: 579.

Laurin, C.A., Dussault, R., and Levesque, H.P (1979):

The tangential x-ray investigation of the patellofemoral joint: X-ray technique, diagnostic criteria and their interpretation. Clin. Orthop., 144: 16.

Merchant, A.C., Mercer, R.L., Jacobsen, R.H., et al (1974):

Roentgenographic analysis of patellofemoral congruence. J. Bone Joint Surg. (Am.), 56: 1391.

Settegast (1921):

Typische Roentgenbilder von normalen Menschen. Lehmanns Med. Atlanten, 5: 211.

Brattstrom, H. (1964):

Shape of the intercondylar groove normally and in recurrent dislocation of the patella. Acta Orthop. Scan. (Suppl) 68: 53.

Delgado-Martins, H. (1979):

A study of the position of the patellae using computerized tomography. J. Bone Joint Surg. 61 (B) 4: 443.

Fulkerson, J. P. (1982):

Awareness of the retinaculum in evaluating patellofemoral pain. AM. J. Sports Med. 10 (3): 147.

Fulkerson, J. P. (1983):

The etiology of patellofemoral pain in young. Active patients A prospective study Clin. Orthop 179: 129.

Hungerford, D.S. and Barry M. (1979):

Biomechanics of the patellofemoral joint. Clin. Orthop 144: 10.

Kettlekamp, D.B. (1981):

Current concepts review. Management of patellar malalignment J. Bone Joint Surg. 63A (8): 1344.

Laurin, C. A., Dussault, R., and Levesque, H.P (1979):

The tangential X-ray technique, diagnostic criteria, and their interpretation. Clin. Orthop, 144: 16.

Laurin, C.A., Leveque, H.P. Dussault, R. Labelle, H., and Peldes, J.P. (1978):

The abnormal lateral patellofemoral angle. J. Bone. Joint Surg, 60A (1): 55.

Martinez, S., Korobkin, M., Fondren, F., Hedlund, L., and Goldner, J.L. (1983):

Computed tomography of a normal patellofemoral joint. Invest. Radiol. 18: 249.

Merchant, A.C., Mercer, R.L., Jacobsen. R.H. and Cool. C.R (1974):

Roentgenographic analysis of patellofemoral congruence. J. Bone Joint Surg. 56A (7): 1391.

Metcalf, R.W. (1982):

An arthroscopic method for lateral release for the subluxating or dislocating patella. Clin. Orthop 167: 9.

Baumgart F. (1964):

Dad Kniegelenk, Berlin, Springer-Verlag.

Fox TA (1975):

Dysplasia of the quadriceps mechanism. Surg Clin North Am 55: 199-226.

MacDonald DA, Hutton, JF, Kelly IG (1989):

Maximal isometric patellofemoral contact force in patients with anterior knee pain. J. Bone Joint Surg 71 (B): 296-139.

Olsen EB, Trier K, Moler H. (1989):

Glycosaminoglycans in patellar cartilage. Acta Orthop Scand 60: 23-25.

Tria AJ Jr, Klein KS (1992):

An Illustrated Guide to the Knee. New York, Churchill Livingstone.

Wiberg G. (1941):

Goentgenographic and anatomic stuides on the femoro-patellar joint. Acta Orthop Scand 12: 319-410.

Horton MG, Hall TL (1989):

Quadricep femoris muscle angle: Normal values and relationships with gender and selected skeletal measures. Phys Ther 69: 11.

Hughston JC (1968):

Subluxation of the patella. J Bone Joint Surg 50: 1003-1026.

Insall JN, Aglietti P, Tria AJ (1983):

Patella pain and incongruence. II Clinical application. Clin Orthop 176: 225-232.

RA Swallow, E. Naylor, EJ Roebuck and AS (1986):

Whithey Clark's positioning in radiography.

Conwony WF, Hayes CW, Loughran T, Totty WG, Griffeth LK, El-Khour GY, Shellock FG, (1991):

Gross sectional imaging of the patellofemoral joint and surrounding structures. Radiographics 11 (2): 195-217.

Reikeras O, Hoiseth A (1990):

Patellofemoral relations in normal subjects determined by CT skeletal radiology 8: 592-2.

Stomcia C, Lobelle HB, Morin B, Feissier F, Marton D. (1994):

The value of CT for the diagnosis of recurrent patellar snbluxation in adolescents can J Surg. 37: (4) 319-23.

Fulkenson JP, Schutzer SF, Ramsby G.R. (1995):

CT determination of tibial tubercle lateralization in patients presenting with anterior knee pain. Skeletal radiology 24: 505-509.

Grelsamer RP. Bazos AN. Proctor CS (1993):

Radiographic analysis of patellar tilt, JBJS-British volume. 75 (5): 822-4.

Delgado-Martinez AD, Estrada C, Rodriguez-Merchan EC, Atienza M, Ordonez JM, (1996):

CT scanning of the patellofemoral joint. The guadriceps relaxed or contracted. Int orthop 20 (3): 159-162.

Beaconfield T, Pintore E, Meffull; N, and perti GJ, (1994):

Radiological measurements in patellofemoral disorders. Clin orthop 308: 18-28.

A lossifidis and RN Brueton. (1995):

Pain full biportite patella following injury. Injury Vol. 26. P. 175-176.

Polakopf DR, Bucholz RW, Ogden JA (1986):

Tension band wires of displaced tibial tuberosity fractures in adolescents. Clin Orthop 209: 161-165.

Ogden JA, Gross RB, Murrphy MJ. (1980):

Fractures of the tibial tuberosity in adolescents. J Bone Joint surgery 62 (A): 205-215.

Fulkerson JP and Shea KP (1990):

Disorders of the patellofemoral alignment. JBJS Vol. 72-A, P. 1424-1429.

Fulkerson JP, Schutzer SF, Ronsby GR (1987):

Computerized tomography of the patellofemoral joint before and after lateral release of realignements. Arthroscopy. 3: 19-24.

Boden BP, Pearsol AW, Garrettt WE and Foegin JA (1997):

Patellofemoral instalbility. Evoluation and management. J. AM. Acad. Orthop surg. 5: 47-57.

Simmous. E. JR and Comeron JC (1992):

Patella olta and recurrent dislocation of the patella. Clinical orthopedic (274) P. 265-269.

William R. (1998):

Patellofemoral pain: left the physical examination define treatment. The physicion and sportsmedicine-Vol. 26-No.1

Deltoven KE (1989):

Pitfalls of lateral retinacular release. Clin sports Med 9: 279-290.

Beckman M, Grzig, R, Lebmman R. (1989):

Rehabilitation of patellofemoral dysfunciton in atheletes. Clinics in sports medicine. 8: (4): 841-860.