

---

## REFERENCES

- Albert A.; Gordon G. and Harry K. (1983):**  
Computed tomography of the body. 2<sup>nd</sup> ed. Genant (editor), Philadelphia, London, W.B. Saunders Company, PP. 987: 993.
- Albert M. and James W. (1985):**  
Computed tomography of the pelvis 2<sup>nd</sup> ed., Mattox (editor). New York, Churchill Livingstone, Vol. 6: PP. 79-88.
- Andrew H. and Lee F. (1997):**  
Skeletal trauma, Diagnostic radiology, A text book of medical imaging, Grainger R, and Allison D. (eds) 3<sup>rd</sup> ed., New York, Churchill Livingstone, Vol. 2: PP. 1578-80.
- Armbruster T.; Guerra J. and Rensik D. (1978):**  
The adult hip: An anatomic study; Part I: The bony landmarks. Radiology, PP. 128: 1-10.
- Barbara N. and Clement B. (1986):**  
Orthopedic Radiology 2<sup>nd</sup> ed. Potter (editor), Philadelphia, London. W.B. Saunders Company, PP. 340-81.
- Barry D. and Carl M. (1987):**  
Computed tomography in trauma 2<sup>nd</sup> ed. Young, J. (editor), W.B. Saunders Company, Philadelphia, PP. 65-81.
- Ben-Menachem Y.; Coldwell D. and Young J. (1991):**  
Hemorrhage associated with pelvic fractures: Causes, diagnosis, and emergent management. AJR Am. J. Roentgenol., PP. 157: 1005-1014.
- Ben-Menachem Y.; Handel S.; Ray R. and Childs T. (1985):**  
Embolization procedures in trauma: The pelvis. Semin Intervent. Radiol., PP. 2: 158.
- Billowitz E. (1982):**  
Pelvic fractures. In Chipman C, Strangeland R (eds): Emergency Department Orthopedics, Rockville, Md., Aspen Systems, P. 75.
- Bircher, (1996):**  
Injury: Indications and techniques of external fixation of the injured pelvis. Vol. 27, Suppl. 2, S-B4-S-B19.

10

11

12

13

14

15

**Blumberg, M.L. (1980):**

Computed tomography and acetabular trauma. Comput. Tomogr., PP. 4:47.

**Bowerman J.; Sena J. and Chang R. (1982):**

The teardrop shadow of the pelvis: anatomy and clinical significance. Radiology, 143: 659-62.

**Brosman S. and Paul J. (1976):**

Trauma of the bladder. Surg., Gynecol. Obstet. 143: 605-8.

**Bucholz R. (1981):**

The pathological anatomy of Malgaigne fracture dislocations of the pelvis. J. Bone Joint Surg., 63A: 400-4.

**Buckley S. and Burkus J. (1987):**

Computerized axial tomography of pelvic ring fractures. J. Trauma., 27: 496-502.

**Burk D.; Mears D. and Kennedy W. (1985):**

Three dimensional computed tomography of acetabular fractures. Radiology 155: 183-86.

**Charles S.; Daniel J.; Jeremy W. (1992):**

Diagnosis of pelvic fractures in patients with acute pelvic trauma: efficacy of plain radiographs. AJR, 158: 109-12.

**Chenoweth D. (1981):**

A clinical and experimental investigation of occult injuries of the pelvic ring. Injury, 12: 59.

**Christopher D. and John P. (1996):**

Core anatomy for students 2<sup>nd</sup> ed., W.B. Saunders Company Ltd. London, Vol. 2: 97-99.

**Colapinto V. (1980):**

Trauma to the pelvis: Urethral injury. Clin. Orthop., 151: 46-55.

**Conolly W. and Hendley E. (1969):**

Observations on fractures of the pelvis. J. Trauma, 9: 104-11.

**Cryer H.; Miller F.; Evers B.; Rouben L. and Seligson D. (1988):**

Pelvic fracture classification: correlation with hemorrhage. J. Trauma, 28: 973-80.



- Dalal S.; Crile G.; Wright C. (1989):**  
Pelvic fractures in multiple trauma: Classification by mechanism is key to pattern of organ injury, resuscitative requirements and outcome. *J. Trauma*, 29: 981.
- Dalinka M.; Boorstein J. and Zlatkin M. (1989):**  
Computed tomography of musculoskeletal trauma.  
*Radiol. Clin. North Am.*, 27: 933-44.
- David L. and Michael F. (1985):**  
Pelvic and acetabular fractures; computed tomography of the pelvis.  
New York, Churchill Livingstone, PP. 79-104.
- Denis F.; Davis S. and Comfort T. (1988):**  
Sacral fractures: An important problem. *Clinical Orthopaedics and Related Research*. 227: 67.
- Dunn E.; Berry P. and Connally J. (1983):**  
Computed tomography of the pelvis in patients with multiple injuries. *J. Trauma*, 23: 378-83.
- Duwelius P.; Van Allen M.; Bray T. and Nelson B. (1992):**  
Computed tomography-guided fixation of unstable posterior pelvic ring disruptions.  
*J. Orthop. Trauma*, 6: 4-420-6.
- Ebraheim N.; Coombs R.; Jackson W.; Rusin J. (1994):**  
Percutaneous computed tomography guided stabilization of posterior pelvic fractures. *Clin. Orthop.*, 307: 222-8.
- Ernest E.; Kenneth L. and Daeid V. (1991):**  
Trauma, text book 2<sup>nd</sup> ed., Karen Davis editor: Appleton and Lange  
New Jersey, PP. 553-67.
- Federle M.; (1982):**  
Acetabular and pelvic trauma. In CT in the evaluation of trauma  
Federle M, Brant-Zawadzki M. (eds.). Baltimore, Williams & Wilkins, PP. 235-62.
- Fishman E.; Derbin B. and Magid D. (1987):**  
Volumetric rendering techniques: application for three-dimension imaging of the hip.  
*Radiology*, 163: 737-38.

**Gay S.; Sistom C. and Wang G. (1992):**

Percutaneous screw fixation of acetabular fractures with CT guidance: preliminary results of a new technique.  
Am. J. Roentgenology, 158: 819-22.

**Georges Y. (1997):**

Imaging of orthopedic trauma.  
The radiologic clinics of North America. Vol. 35, No. 3: 559-62.

**Gibbons K.; Soloniuk D. and Razack N. (1990):**

Neurological injury and pattern of sacral fractures. J. Neurosurg., 72: 889.

**Gill K. and Bucholz R. (1984):**

The role of computerized tomographic scanning in the evaluation of major pelvic fractures. J. Bone Jt. Surg., 66A: 34-39.

**Glenda J. and Rhys S.; David E. (1996):**

Skeletal anatomy: 3<sup>rd</sup> ed., New York. Churchill Livingstone, PP: 169-78.

**Guy R.; Bulter-Manuel P.; Holder P. (1992):**

Three-dimensional versus conventional radiography in assessment of acetabular fracture.  
Br. J. Radiol., 65: 773-384-9.

**Harley J.; Mack L. and Winguist R. (1982):**

CT of acetabular fractures: Comparison with conventional radiography. AJR. Am. J. Roentgenol., 138: 3, 413-7.

**Hollingshead W. (1982):**

Anatomy for surgeons. Vol. 3, 2<sup>nd</sup> edition. The Back and Limbs.  
Harper and Row, Philadelphia, PP. 730-35.

**Jackson H.; Kam J.; Harris J. and Harle T. (1982):**

The sacral arcuate lines in upper sacral fractures. Radiology, 145: 35-39.

**James W. and Walsh, (1985):**

Computed tomography of the pelvis. Ray S. (ed) edition, New York.  
Churchill Livingstone, PP. 89-105.

**James, W. and Walsh (1994):**

Computed tomography of the pelvis. Computed tomography and magnetic resonance imaging of the whole body. 3<sup>rd</sup> ed., St. Louis, Berlin. Chicago, Mosby-Year Book, PP. 1327-49.

- Jamie W. and Peter H. (1997):**  
Imaging Atlas of human anatomy 2<sup>nd</sup> ed., London. Chicago, Mosby Walf, PP. 145-49.
- Kane W. (1989):**  
Fractures of the pelvis. In: Rockwood C, Green D (eds): Fractures in Adults, ed 2. Philadelphia, JB. Lippincott, PP. 1093-109.
- Kaulbach C.; Heller M.; Triebel H.; Spielmann R.; Richartz-Heller M. (1989):**  
Radiologic diagnosis of acetabular fractures.  
Radiologie, 29: 10, 501-7.
- Lange T.; Alter A. (1980):**  
Evaluation of complex acetabular fractures by computed tomography. J. Comput. Assist. Tomogr., 4: 849.
- Letournel E. (1980):**  
Acetabular fractures: Classification and management. Clin. Orthop., 151: 81-106.
- Mack L.; Harley J. and Wimquist R. (1982):**  
CT of acetabular fractures: analysis of fracture patterns. AJR, 138: 407.
- Magid D. and Fishman E. (1989):**  
Imaging of musculoskeletal trauma in three dimensions. Radiol. Clin. North Am., 27: 945-46.
- Marj M.; Travis C. and Thurman G. (1989):**  
Diagnostic imaging of pelvic and chest wall trauma.  
Radiologic Clinics of North America, Vol. 27, No. 5.
- Martinez C.; Di-Pasquale T. and Helfet D. (1992):**  
Evaluation of acetabular fractures with two and three-dimensional CT. Radiographics, 12: 227-41.
- McMurtry R.; Walton D. and Dickinson D. (1980):**  
Pelvic disruption in the polytraumatized patient: A management protocol. Clin. Orthop., 151: 22-29.
- Montana M.; Richardson M. and Kilcogne R. (1986):**  
CT of sacral injury. Radiology, 161: 499-503.

**Mucha P.; Farnell M. (1984):**

Analysis of pelvic fractures management. J. Trauma, 24: 379.

**Muller M.; Allgower M.; Schneider R. and Willenegger H. (1990):**

AO Manual on Internal Fixation. 3<sup>rd</sup> Ed. Heidelberg. Springer-Verlag.

**Murray K.; Dalinka M.; Peter A. and Beverly C. (1985):**

CT in pelvic trauma. Orthopedic clinics of North America. Vol. 16. No. 3. PP. 759-65.

**Northrop C.; Eto R. and Loop J. (1975):**

Vertical fracture of the sacral ala: significance of non-continuity of the anterior superior sacral foraminal line.  
AJR: 124: 102-6.

**Olive R. and Marsh H. (1988):**

Occult central acetabular fracture resulting in fracture dislocation. Clin. Orthop. 248: 340.

**Patterson F. and Morton K. (1973):**

The cause of death in fracture of the pelvis.  
J. Trauma, 13: 849-56.

**Peltier L. (1984):**

Discussion of Mucha P.Jr., Farrell MB: Analysis of Pelvic fracture management. J. Trauma, 24: 385.

**Pennal G. (1980):**

Results of treatment of acetabular fractures. Clin. Orthop., 151: 115.

**Perry J. (1980):**

Pelvic open fractures. Clin. Orthop., 151: 41-45.

**Peter M. (1991):**

Trauma, pelvic fractures. 2<sup>nd</sup> ed., New Jersey, Appleton and Lange. Karen Davis (Editor). PP. 553-585.

**Peters J. and Lorcher V. (1989):**

Combination fractures of the pelvic girdle: comparison of CT with the conventional pelvic images. (Abstract).  
Bibliographic citation: 9: 140.

**Pierre R.; Oliver T. and Somoygi J. (1984):**

Computerized tomography in the evaluation and classification of fractures of the acetabulum. Clin. Orthop., 188: 234-37.

- Rafii M.; Firooznia H. and Golimbu C. (1983):**  
The impact of CT in clinical management of pelvic and acetabular fractures. Clin. Orthop., 178: 228-35.
- Rensik C.; Stackhouse D.; Shanmuganathan K. and Young J. (1992):**  
Diagnosis of pelvic fractures in patients with acute pelvic trauma: efficacy of plain radiographs. AJR, 158: 109-12.
- Robert J. and John N. (1991):**  
Angiography and interventional radiology, New York, Gower Medical Publishing, Bill Gbello (editor), 2<sup>nd</sup> ed., PP.205-11.
- Robert M.; Steinberg (1987):**  
Pelvic trauma, computed tomography in trauma. 2<sup>nd</sup> ed. McLaren (editor) Philadelphia, London, Toronto, W.B. Saunders Company, PP. 65-82.
- Robertson D.; Sulherland C.; Chan B.; Hodge J. and Scott W. (1995):**  
Depiction of pelvic fractures using 3D volumetric holography: comparison of plain x-ray and CT. J. Comput. Assist. Tomogr., 19:6, 967-79.
- Rogers L. (1992):**  
Radiology of skeletal trauma, 2<sup>nd</sup> ed. New York, Churchill Livingstone, PP. 991-1005.
- Romanes G. (1987):**  
Cunningham's manual of practical anatomy, text book 15<sup>th</sup> ed. Weatherall, Ledingham and Warrell (editors) Oxford. Volume 2: 187-190.
- Rommens P.; Gielen J.; Broos P. (1992):**  
The role of CT in diagnosis and therapy of fractures of the pelvic girdle Unfallchirurg, 95: 9168-73.
- Routt M. (1993):**  
Pelvic fractures, Swiontkowski MF (eds): Orthopaedic trauma Protocols. New York, Raven Press, PP. 225-36.
- Rubenstein J.; Kellam J. and McGonigal D. (1982):**  
Acetabular fracture assessment with computerized tomography. J. Can. Assoc. Radiol., 33: 139-41.
- Ruedi F. (1983):**  
Computed tomography of the body, New York, Churchill Livingstone, ed. 2, PP. 987-92.

**Russell T. (1992):**

Fractures of the hip and pelvis. In Crenshaw A (ed): Campbell's Operative orthopaedics. St. Louis. Mosby-Year Book, PP. 951-87.

**Russell T. (1998):**

Fractures of the hip and pelvis. In Creshaw AH (ed): Campbell's operative orthopaedics. St. Louis. Chicago, Mosby-Year-Book, PP. 2235-76.

**Sacks B. (1986):**

Normal acetabular anatomy for acetabular fracture assessment: CT and plain film correlation. Radiology, 159: 139-45.

**Sauser D.; Billiomoria P.; Rouse G. and Mudge K. (1980):**

CT evaluation of hip trauma. AJR 135-69.

**Savolaine E.; Ebraheim N. and Rusin J. (1991):**

Limitations of radiography and computed tomography in the diagnosis of transverse sacral fracture from a high fall. Clinical Orthop., 272: 122-6.

**Schmidek H.; Smith D. and Kristiansen T. (1984):**

Sacral fractures. Neurosurgery; 15: 735-46.

**Scott E.; Elliot K. and Fishman, M. (1995):**

Helical (spiral) CT of the musculoskeletal system. Helical (Spiral) computed tomography. Radiologic clinics of North America, Vol. 33. No. 5, 949-78.

**Scott W.; Fishman E.; Magid D. (1987):**

Acetabular fractures: optimal imaging. Radiology, 165: 537-39.

**Shanmuganathan K.; Miruis S. and Sover E. (1993):**

Value of contrast-enhanced CT in detecting active hemorrhage in patients with blunt abdominal or pelvic trauma. AJR. Am. J. Roentgenol., 161: 165-9.

**Shirkhoda A.; Brashear H. and Staab E. (1980):**

Computed tomography of acetabular fractures. Radiology, 134: 683-88.

**Suomalainen O.; Kettunen K. and Saari T. (1983):**

Computed tomography of spinal and pelvic fractures. Ann. Chir. Gynaecol., 72: 6, 337-41.

**Terry R. and Lindsay, J. (1996):**

Essentials of skeletal radiology; text book 2<sup>nd</sup> ed., Joh, P. Bulter (editor) Williams and Wilkins, PP. 713-788.

**Tile M. (1995):**

Fracture of the pelvis and acetabulum. Darlene B. (Editor) Williams and Wilkins, 2<sup>nd</sup> ed. PP. 66-305.

**Toombs B.; Rauschkolb E. and Gibbs B. (1982):**

CT of acetabular fractures: Software and image display. AJR, 139: 416.

**Vannier M.; Hildebolt C.; Gilula L.; Pligam T.; Mann F. and Monsee S. (1991):**

Calcaneal and pelvic fractures: diagnostic evaluation by three dimensional computed tomography scans. J. Digit imaging, 4: 3, 143-52.

**Vas W.; Wolverson M. and Sundara M. (1982):**

The role of computed tomography in pelvic fractures. J. Comput Assist. Tomogr., 6: 796-801.

**Wegener O. (1992):**

Whole body computerized tomography. Edinburgh: Churchill Livingstone, PP. 553-567 (2<sup>nd</sup> ed.).

**Whelan M. and Gold R. (1982):**

Computed tomography of the sacrum: 1. Normal Anatomy. AJR, 139: 1138.

**White M. (1991):**

Three-dimensional computed tomography in assessment of fracture of the acetabulum. Injury, 22:1, 13-9.

**Zoller G. (1988):**

Genitourinary trauma. In Rosen P. Baker FJ, II, Barkin RM, et al. (eds): Emergency Medicine: Concepts and clinical practice, ed 2, St. Louis, CV Mosby, PP. 563-569.