
Adams, M.A.; Hutton, W.C. (1981):

The relevance of torsion to the mechanical derangement of the lumbar spine.
Spine, 6: 241.

Anderson, N.E.; Willoughby, E.W. (1987):

Infarction of the conus medullaris. Annual, Neurol., 21: 470.

Awwad, E.E.; Sundaram, M.; Bucholz, R.D. (1989):

Post traumatic spinal synovial cyst with spondylolithesis: C.T. feature. Jour. CT assist, 13 (2): 334-3.

Bates, D. and Ruggieri, P. (1991):

Imaging modalities for evaluation of the spine. Radio. Clinic of North America, Vol. 29, No. 4, 675-68.

Berry, I. et al. (1992):

MRI principles, technique and imaging protocols. In Manelfe, E. editor. Imaging of the spine and spinal cord. New York, Raven Press, PP. 157-194.

Bogduk, N. and Twomey, L.T. (1991):

Clinical anatomy of the lumbar spine text. London: Churchill Livingstone, ch 2 pp. 51-72.

Brandser, E. and El-Khoury, G. (1997):

Thoracic & lumbar spine trauma. Radiol. Clinic North America, 35 (3): 533-557.

Cammisa, F.P.; Eismont, F.J.; Green, B.A. (1989):

Dural laceration occurring with burst fractures and associated laminar fracture. J. Bone Joint Surg., 71A: 1044-1052.

Campbell, S.E.; Phillips, C.D.; Dubovsky, E.; Cail, W.S.; Omary, R.A. (1995):

The value of C.T. in determining potential instability of simple wedge-compression fractures of the lumbar spine.
AJNR, 16 (7): 1385-1392.

Chance, G.Q. (1948):

Note on a type of flexion fracture of the spine.
Br. J. Radiol., 21: 452-453.

- Chusid, J. (1985):*
Correlative neuroanatomy & functional neurology. Los Altos, C.A.: Lang medical, ch 2 pp 150-187.
- Ciric, I.; Mikhael, M.H. (1985):*
Neurosurgery "text" Vol. III. McGraw-Hill Book Company, Chapter 295 P. 2279-2285
- Collican, J. (1983):*
The prognosis of conus lesions due to fractures and fracture dislocations of the lumbar spine. J. Bone Joint Surg., 653: 670.
- Cormak, H. (1987):*
Ham's histology, 9th edition, J.B. Lippincott Company, ch 4 pp. 335-340.
- Coste, J. et al. (1994):*
Inter-and intraobserver variability in the interpretation of tomography of the lumbar spine. J. Clinic. Epidemiol., 47 (4): 375-81.
- Countee, R. et al. (1987):*
The lumbar spine, New York, Raven Press, ch 1 pp. 17.
- Court-Brown, C.M.; Gertzbein, S.D. (1987):*
The management of burst fractures of the fifth lumbar vertebral spine, 12: 308.
- Cramer, G.D. and Darby, S.A. (1995):*
Basic and clinical anatomy of the spine, spinal cord and ANS. Baltimore: Mosby, ch 2, pp 17-51.
- Das Des, McCreath, S.W. (1981):*
Lumbosacral fracture-dislocation, a report of four cases. J. Bone Joint Surg., 63B: 58.
- Denis, F. (1984):*
Spinal instability as defined by the three column spine concept in acute spinal trauma. Clin. Orthop., 189: 65.

Deyo, R.A. (1996):

Myelography and computed tomography of the lumbar spine from DEYO R.A. et al.: The lumbar spine (2nd ed). W.B. Saunders Company, Philadelphia, vol 2, 379-380.

Dorwart, R.H. and Genant, H.K. (1983):

Anatomy of the lumbosacral spine, radiologic Clin. of North America Vol., 21, No. 2, 201-220.

Dullerud, R.; Nakstad, P.H. (1994):

C.T. changes after conservative treatment for lumbar of herniation. Acta-Radiol., 35 (5): 415-9.

El-Khoury, G.Y.; Whitten, C.G. (1993):

Trauma to the upper thoracic spine: AJR, 160: 95-112.

Fardon, D.F. (1988):

The name of the ring. Spine, 13: 713-715.

Ferguson, R.L.; Allen, B.L. (1984):

A mechanistic classification of thoracolumbar spine fracture. Clin. Orthop., 189: 77.

Fesmire, F. and Luten, R. (1989):

The pediatric cervical spine: Development anatomy and clinical aspects. J. Emerg. Med., 7: 133-142.

Fisher, R.G. (1988):

Sacral fracture with compression of cauda equina: surgical treatment. J. Trauma, 28: 155.

Fontijne, W.P. et al. (1992):

C.T. scan prediction of neurological deficit in thoracic lumbar burst fracture. J. Bone Joint Surg. Br., 74 (5): 683.

Frankel, H.L.; Rozycki, G.S. et al. (1994):

Indications for obtaining surveillance thoracic and lumbar spine radiographs. J. trauma, 37: 673-676.

Gaskill, M.F.; Lukin, R. and Wiot, W.G. (1991):

Lumbar disc disease and stenosis. Radiol. Clinic of North America, Vol. 29, No. 4: 753-775.

- Gertzbein, S.D. (1992):*
Fractures of the thoracic and lumbar spine. Baltimore, Williams and Wilkins, PP. 25-57.
- Gertzbein, S.D.; Court-brown, C.M. (1988):*
Flexion-distraction injuries of the lumbar spine. Clin. Orthop., 227: 52.
- Glass, R.B.; Sivit, C.J.; Starm, P.F.; Bulas, D.I.; Eichellberger, D. (1994):*
Lumbar spine injury in pediatric population: difficult with D.T. diagnosis. J. Trauma, 37 (5): 815-9.
- Glenn, W.V.; Rothman, S.L.G.; Rhodes, M.L. and Kerber, C.W. (1984):*
An over view of lumbar computer tomography/ multiplanar reformations: what are its elements and how do they fit together. In Donovan-Post MJ (ed) computed tomography of the spine Baltimore, Williams & Wilkins, PP, 135-154.
- Gleen, W.B. et al. (1979):*
Multiplanar display computerized body tomography application in the lumbar spine. Spine, 4: 282-294.
- Grant's anatomy, (1986):*
Atlas of anatomy 9th ed. Fig (5-18), Baltimore, Williams & Wilkins
- Grainger, R. and Allison, D. (1997):*
Diagnostic radiology an anagloamerican text book of medical imaging. 3rd, London, Churchill Livingstone, ch 76, pp 1573-1626.
- Grenier, N.; Kressel, H.Y.; Schielber, M.I.; Grossman, R.I. (1989):*
Isthmic spondylolysis of the lumbar spine: MR imaging at 1.5T. Radiology, 170: 489.
- Grossman, C.B. (1995):*
The spine. In Grossman CB (ed): Magnetic resonance imaging and computed tomography of the head and spine, Williams and Wilkins, Baltimore, London, ch 15, pp 657-716.

- Gumley, G.; Taylor, T.K.; Ryan, M.D. (1982):**
Distraction fracture in the lumbar spine.
Jour. Bone Joint Surg., 64B: 520.
- Hafer, T. (1987):**
The long term effect of sublaminar wires in the content of the canal. Orthop. Trans., 11: 107.
- Hafer, T.R.; Tozzi, J.M. et al. (1989):**
The contribution of the three columns of the spine to spinal stability biomechanical model. Paraplegia, 27: 432.
- Haller, J.; Andre, M.P.; Resnick, D. and Miller, C. (1990):**
Detection of thoracolumbar vertebral body destruction with lateral spine radiography.
Invest. Radiol., 25 (5): 523-532.
- Hardy, A.; Rossier, A. (1975):**
Spinal cord injuries: Orthopedic and neurological aspects.
Stuttgart: Georg Thieme, pp, 80-90.
- Hasegawa, T.; An, H.S.; Haughton, V.M. (1993):**
Imaging anatomy of the lateral lumbar spinal canal. Semin. CT vs. MR., 14 (6): 404-13.
- Hashimoto, T.; Kaneda, K.; Kuniyoshi, A. (1988):**
Relationship between traumatic spinal canal stenosis and neurologic deficits in the thoracolumbar burst fracture spine, 13: 1268.
- Haughton, V.M.; Syvertsen, A.; Williams, A.L. (1983):**
Soft-tissue anatomy within the spinal canal as seen on CT. Radiology 1980: 134: 649-655.
- Haughton, V.M.; Syvertsen, A. and Williams, A.L. (1980):**
Soft tissue anatomy within spinal canal as seen on computed tomography. Radiology, 134: 649-655.
- Haughton, V.M. and Williams, A.L. (1982):**
Computed tomography of the spine (1st ed.) The C.H. Mosby Company, 112: 151.

- Helms, C.A.; Vogler, J.B.; Genant, H.K. (1985):*
Characteristic C.T. Manifestation of uncommon spinal disorder. Orthop. Clin. North Am., 16: 445-459.
- Herman, G.T. (1988):*
Three-dimensional imaging on a C.T. or MR scanner. J. Comp. Assist. Tomogr., 12: 450-458.
- Herron, L.D.; Williams, R.C. (1984):*
Fracture-dislocation of the lumbosacral spine-report of a case and review of the literature. Clin. Orthop., 186: 205.
- Holdsworth, F.W. (1970):*
Fractures dislocations & fracture/dislocation of the spine. J. Bone Joint Surg., 52-A: 1534-1551, 170.
- Hudgins, P.A. (1994):*
Contrast enhancement in head and neck imaging. Neuroimaging. Clin. North America, 4 (1): 101-115.
- Jackson et al., (1994):*
A radiographic analysis of sagittal plane alignment and balance in standing volunteers and patient with low back pain matched for age, sex, size spine, 19: 164.
- James, W.N. (1983):*
Grant's Atlas of Anatomy. 8^{ed} Fig. 5-3 & Fig 5-23, Baltimore, Williams & Wilkins
- Kaye JJ, Nance EP: (1990):*
Thoracic and lumbar spine trauma. Radiol. Clin. North Am., 28: 361-377.
- Kochan, J.P.; Quencer, R.M. (1991):*
Imaging of cystic and cavitory lesions of the spinal cord and canal: The value of M.R. & Intraoperative sonography. Radiol. Clin. North America, 29: 867.
- Kostwik, J.P.; Harrington, I. et al. (1986):*
Cauda equina syndrome and lumbar disc herniation. J. Bone Joint Surg., 68A: 386.

-
- Kreel L. & Thornton. A (1992):**
Outline of medical imaging. Oxford, Butterworth Heinemann LTD, ch 7, pp, 905-945.
- Kucharczyk, W. (1990):**
In MRI: Central nervous system Philadelphia, New York, ch 5, pp, 217-225. *-
- Labischong, P. et al. (1992):**
Imaging of the spine and spinal cord. New York, Raven Press, PP. 1-91.
- Lanska, M.J.; Roessmann, U. and Visnitze, M. (1990):**
Magnetic resonance imaging in cervical cord birth injury. Pediatrics, 85: 760.
- Levine, A.M.; Edwards, C.C. (1988):**
Low lumbar burst fractures: reduction and stabilization using the modular spine fixation system. Orthopedics, 11: 1427.
- Levine A.M., Eismonty J.F. Garfin R.S., Zigler J.E (1998):**
Spine trauma, philadelphia WB saunders company, ch 8. pp. 512-578.
- Levine, R.; Schutia, H. (1987):**
The Crush-Cleavage fracture; a new thoracolumbar unstable fracture, spine 8: 559.
- Link, T.M.; Meier, N.; Rummeny, E.J.; Garmann, S.; Steinbeck, J.; Schroder, M.; Oelerich, M. and Haussler, M.D. (1996):**
Artificial spine fractures: detection with helical and conventional C.T. Radiol., 198 (2): 515-9.
- Magerl.; Harmy, J.; Gertzbein, S. (1989):**
AO spinal fracture classification, ASIF meeting. Vale Colorado.
- Maldague, B.E.; Malghem, J.J. (1976):**
Unilateral arch hypertrophy with spinous arocess, A sign of arch deficiency. Radiol., 121: 567-574.
-

- Marsman, J.W. (1995):*
Risk of small field of view in lumbar spine computed tomography for assumed lumbar disc herniation: beware contained ruptured aortic aneurysm. *Australas-Radiol.*, 39 (2): 153-8.
- McAffee, P.C.; Yuan, H.A.; Lasda, N.A. (1982):*
The unstable burst fracture. *Spine*, 7: 365.
- McVay, C.B. (1984):*
Text of Surgical anatomy, 6th edition Lgaku-Shoin/Saunders. WB Saunders Company, 961-987.
- Miniaci, A.; McLaren, A.C. (1989):*
Anterolateral compression fractures of the thoracolumbar spine: a seta belt injury. *Clin. Orthop.*, 240: 153.
- Modic, M.T. and Ross, J.S. (1991):*
Magnetic resonance imaging in evaluation of low back pain, *Orthopedic Clinic of North America Vol.*, 22, No. 2.
- Munson, G.; Satterlee, C.; Hammond, S. (1984):*
Experimental evaluation of Harrington rod fixation supplemented with sublaminar wires in stabilizing thoracolumbar fracture dislocations. *Clin. Orthop.*, 189: 97.
- Naguib, M.G.; Luchaw, R.E.; Rickson, D.L.; Seljeskog, E.L. (1981):*
Redundant nerve roots of Quada equina. *J. Neurosurg.*, 9: 444-449.
- Okuyama, K.; Sato, K.; Abe, E.; Onuma, S.; Ishikawa, N. (1994):*
Vertebral pedicle diameter as determined by computed tomography: in accuracies observed by direct measurement of cadaveric lumbar spine. *Skeletal-Radiol.*, 23 (7): 551-3.
- Patten, J. (1977):*
Neurological differential diagnosis. New York: Springer Verlag, ch 5, pp, 215-218.
- Peyster, R.G.; Teplick, J.G. and Haskin, M.E. (1985):*
Computed tomography of lumbosacral conjoined nerve root anomalies: potential causes of false-positive reading. For herniated neucleus pulposus. *Spine*, 10: 331-337.

Pao, J.D. and Green, B.A. (1983):

The use of computed tomography in spinal trauma. Radiol. Clinics of North America, Vol. 21, No. 2, P. 328.

Raptopoulos, V. (1994):

Abdominal trauma: Emphasis on computed tomography. Radiol. Clin. North Am., 32: 969.

Richardson, W.J. (1991):

Management of thoracic and lumbar spinal instability from Richardson W.J., Neurosurgery update (2ed), McGraw Hill, vol 2 ch 9, pp 215-220.

Roche, P.H.; Dufour, H.; Graziani, N. et al. (1998):

Ant. lumbosacral dislocation. Surg. Neurol., 50 (1): 11-6.

Ryan, S.P. and Mc Nicolas, M.M.J. (1994):

Anatomy for diagnostic imaging, Cambridge. WB Saunders. 85-105,

Sainfuddin, A.; White, J.; Tucker, S.; Taylor, B.A. (1988):

Orientation of lumbar pars defects. Bone Joint Surg. (Br.) 80 (2): 208-211.

Simon, J. (1978):

X-ray radiological anatomy. Churchill Livingstone, London.

Singer, K.P.; Willen, J.; Brenidahl, Q.D.; Day, R.E. (1989):

Radiologic study of the influence of zygoapophyseal joint orientation on spinal injuries at the thoracolumbar junction spine. Radiol. Anat., 11 (3): 233-239.

Sprung, C.; Fabian, A. (1994):

Pitfalls in computed tomography of cervical and lumbar spine. Neurosurg. Rev., 17 (1): 19-28.

Swischuk, L.E. (1986):

The spine and spinal cord. In emergency radiology of the acutely ill or injured child 2nd Baltimore Williams and Wilkins, ch 9, pp 556- 570.

- Tarr, R.W.; Drolshage, L.F.; Kerner, T.C. et al. (1998):*
MR imaging of recent spinal trauma. J. Comp. Assist Tomog., 11: 412.
- Tencer, A.F.; Allen, B.L.; Ferguson, R.L. (1985):*
A biomechanical study of thoracolumbar spinal fracture with bone in the canal. 1: The effect of laminectomy spine, 10: 580.
- Teplick, J.G. and Haskin, M.E. (1983):*
C.T. and lumbar disc herniation. Radiologic Clinic of North America, Vol. 12, No. 2, 259-287.
- Tress, B.T. and Hare, W.C (1990):*
C.T. of the spine.
Clin. Radiol., 41 (5): 317-320.
- Turnball, E.M. (1973):*
Blood supply of the spinal cord: normal and pathological considerations. Clin. Neurosurg., 20: 56.
- Ullrich, G.G. (1989):*
The cervical spine "text". Philadelphia, J.B. Lippincott, 150-156.
- Wegener O.H. (1992):*
Whole body computed tomography "text". Cambridge, Black well science, ch 26, pp 531.
- White, A.A.III.; Panjabi, M.M. (1978):*
Clinical biomechanics of the spine, Philadelphia, J.B. Lippincott, 255.
- White, J.G.III.; Strait, T.A.; Binkley, J.R. and Hunter, S.e. (1982):*
Surgical treatment of 63 cases of conjoined nerve root. J. Neurosurg., 56: 114-117.
- Whitesides, T.E.; Shah, S.G. (1976):*
On the management of unstable fractures of the thoracolumbar spine. Spine, 1: 99.
- William, A.E. (1983):*
CT diagnosis of degenerative disc disease, radiol. Clinic of North America Vol. 21, No. 2, 289-299.

- Williams, P.L. et al. (1989):*
Gray's anatomy (37th ed) Edinburgh: Churchill Livingstone,
Longman group, 489-495.
- Vital, J. et al. (1989):*
The neurocentral vertebral cartilage: Anatomy, Physiology &
Physiopathology. Surg. Radiol. Anato., 11: 323-328.
- Yamashita, Y.; Takahashi, M.; Matsuno, Y. et al. (1990):*
Chronic injuries of spinal cord. MR imaging Radiol., 175: 849.
- Yang, I.K.; Bahk, Y.W.; Choi, K.H.; Paik, M.W.; Shinn, K.S. (1994):*
Post lumbar apophyseal ring fracture. J.N. Radiol., 36 (6): 453-
455.
- Zhang, X.Z.; Lu, Y.; Zhang, G.B.; Li, Z.R. (1993):*
C.T. scanning of spinal injuries.
Chin. Med. J. Engl., 106 (9): 709-712.