
REFERENCES

- Abou Yosef, M.M. and Naryana, A.S. (1982):*
Transrectal ultrasound in the evaluation of the prostatic size.
J. Clin. Ultrasound, 10: 275-278.
- Bezzi, M.; Kressely, H.Y.; Allen, K.S. et al. (1988):*
Prostatic carcinoma: Staging with MR imaging at 1.5 T.
Radiology, 169: 339-346.
- Birch, N.C.; Hurst, G. and Doyle, P.T. (1988):*
Serial residual volumes in men with prostatic hypertrophy.
Br. J. Urol., 62: 571-575.
- Bryan, P.T.; Butler, H.E.; Nelson, A.D. et al. (1986):*
Magnetic resonance imaging of the prostate. AJR 146: 543-548.
- Carter, H.B.; Brem, R.F.; Tempany, C.M. et al. (1991):*
Non palpable prostate cancer. Detection with MR imaging.
Radiology, 178: 523-525.
- Catalona, W.J. (1984):*
Prostate cancer, Catalona W.J. (ed). Grune & Stratton.
Orlando, P. 58.
- Chang, Y. and Hricak, H. (1988):*
Magnetic resonance imaging of the prostate gland. Semin.
US, CT, MRI; 9 : 343-351.
- Clements, R.; Aiedyan, O.V.; Griffith, G.J. and Peeling, W.B. (1993):*
Side effects and patients acceptability of transrectal biopsy of
the prostate. Clin. Radiol., 47 (2): 125-126.
- Clements, R.; Gower, T.K.; Griffith, G.T. and Peeling, W.B. (1993):*
Transrectal ultrasound appearance of granulomatous
prostatitis.
Cline. Radiol; 47: 174-176.
- Clements, R.; Griffithi, G.J. and Peeling, W.B. (1992):*
Review: Staging of prostatic cancer.
Clinic. Radiol.; 46: 225-231.

- Clements, R.; Griffiths, G.J.; Peeling, W.B. and Edwards, A.M. (1989):*
Transrectal ultrasound in monitoring response to treatment of prostate diseases.
Urol. Clin. North Am.; 16, 4: 735-739.
- Coffey, D.S. (1992):*
The Molecular Biology, Endocrinology, and physiology of the prostate and seminal vesicles. In Patrick CW, Alam BR, (eds): Campbell's urology-6th ed., 1992 (8): 221-237. Philadelphia, London. Toronto, WB., Saunders Company.
- Coffey, D.S. (1993):*
Prostate cancer. An overview of an increasing dilemma.
Cancer, 71: 880-90.
- Collins, G.N.; Lee, R.J.; Russell, E.B.; Raab, G.M. and Hehir, M. (1993):*
Ultrasonically determined patterns of enlargement in benign prostatic hyperplasia. Br. J. Urol., 71: 451-456.
- Cornud, F.; Belin, X.; Fromont, G. (1993):*
Prostate normal. In : imaging de la prostate, H. Nahum ed. Mdecine-Sciences flammavor, Paris; 3-18.
- Cornud, F.; Belin, X.; Fromont, G. et al. (1991):*
Comparison between transrectal US and MR imaging in staging of local extension of prostate cancer. J. Urol.; 97: 179-188.
- Cornud, F.; Casonova, J.M.; Lepage, T.P. et al. (1992):*
Color Doppler ultrasonography of prostatic nodule: Correlation with prostate specific antigen density and ultrasound guided biopsy.
J. Urol; 147: 292A.
- Dahner, W.F. (1992):*
Determination of prostate volume with transrectal ultrasound for cancer screening 1, Radiology; 183: 625-627.
- Dahnert, W.F.; Hamper, U.M.; Eggleston, J.C. et al. (1986):*
Prostatic evaluation by transrectal sonography with histopathological correlation. The echographic appearance of early carcinoma. Radiology; 185: 97-102.

David, Cosgrove, Hylton Meire, Keith Dewbury (1983):

Clinical ultrasound, a comprehensive text, Churchill Livingstone- Medical Division of Longman Group UK Limited.

Dennis, M.A. and Donohoe, R.E. (1985):

Computed tomography of prostatic abscess. J. Comput Assist. Tomogr; 9: 201-202.

Doble, A.; Carter, S.St. C. (1989):

Ultrasonographic findings in prostatitis. Urol. Clin. North Am.; 18, 4.

Dodds, P.R.; Cardie, V.J. and Lytton, B. (1981):

The role of vertebral veins in the dissemination of prostatic carcinoma. J. Urol., 126: 753.

Emil, A. Tanagho (1992):

Anatomy of the lower urinary tract. In Campbell's urology, Patrick CW, Alan BR, Thomas AS; et al. (eds.): Campbell's urology; 6th ed. 1992, (4); 40-69. Philadelphia. London, WB Saunders Company.

Emory, T.H.; Reinke, D.B.; Hill, A.L. and Lange, P.H. (1983):

Use of computed tomography to reduce understaging in prostate cancer; comparison with conventional staging techniques. AJR; 141: 351-354.

Falkowski, W.S. and O'Connor, V.J. (1981):

Long-term survivor of prostatic carcinoma with lung metastases. J. Urol., 125: 260.

Garnick, M.B. (1993):

Prostate cancer. Screening, Diagnosis and Management. Annals of internal medicine; 118: 804-818.

Gevenois, P.A.; Stallenberg, B.; van Sinoy, M.L. et al. (1989):

Place diagnostique de l'IRM dans le cancer localise de la prostate. Ann. Radiol., (Paris); 32: 163-167.

- Gevenois, P.A.; Van Sinoy, M.L.; Sintzoff, S.A. et al. (1990):*
Cysts of the prostate and seminal vesicles. MR imaging findings in 11 cases, *AJR*; 155: 1021-1024.
- Gohji, K.; Okamoto, H. and Morisne, K. (1995):*
Usefulness of digital transrectal examination, Serum prostatic specific antigen, transrectal ultrasonogram and systematic prostate biopsy for the detection of organ confined prostatic cancer. *Int. J. Urol.*, 2 (2): 116-120.
- Grainger, R.G.; David, J.; Allison, Hedvig Hricak (1992):*
Diagnostic radiology. An Anglo-American Textbook of Imaging (second Edition) Volume 2 Longman Group Limited.
- Griffiths, G.J.; Grooks, A.J.R.; Roberts, E.E. et al. (1984):*
Ultrasonic appearance associated with prostatic inflammation: a preliminary study. *Clin. Radiol.*, 35: 343-345.
- Hamper, U.M.; Epstein, J.I.; Sheth, S. et al. (1991):*
Cystic lesions of the prostate gland. A sonographic pathologic correlation.
J. US. Med.; 9: 395-402.
- Hamper, U.M.; Sheth, S. (1993):*
Prostate ultrasonography. *Semin Roentg*; 28, 1: 57-73.
- Hamper, U.M.; Sheth, S.; Walsh, P.C. et al. (1990):*
Bright echogenic foci in early prostate carcinoma. Sonographic and pathologic correlation, *Radiology*, 176: 339-343.
- Hamper, U.M.; Sheth, S.; Walsh, P.C. et al. (1990):*
Carcinoma of the prostate: Value of transrectal ultrasound to detect extension into the neurovascular bundle. *AJR*; 155: 1015-1019.
- Hamper, U.M.; Sheila, S.; Walsh, P.C. et al. (1991):*
Capsular transgression of prostatic carcinoma: Evaluation with transrectal ultrasound with pathological correlation
Radiology, 178: 791-795.

- Harada, K.; Tanhashij, Igari, D. and Orokasa, S. (1986):*
Clinical evaluation of inside echopatterns in gray scale
prostatic echography. *Radiology*, 158: 123-129.
- Holm, H.H.; Gammeglard, J. (1981):*
Ultrasonically-guided precise needle placement in prostate
and seminal vesicles. *J. Urol.*; 125: 385-387.
- Hricak, H. (1990):*
The postate gland. In: Hricak, H. Carrington BM (eds.) *MRI
of the plevis. A text atlas. California Martin Dunitz*; 249-261.
- Hricak, H.; Hefferey, R.P.; Dooms, G.G.; Tangoho, E.A. (1987):*
Evaluation of prostatic size. A comparison of ultrasound and
magnetic resonance imaging. *Urol. Radio.*; 9: 1-10.
- Ikram, H.; Mahmoud, M.D.; Maha, M.; Helal, Nadia, A.; Eldeek, M.D.
and Ahmed M. Osman, M.D. (1996):*
Transrectal ultrasonography (T.R.U.S) guided biopsy from
suspicious prostatic nodules. *The Egypt. J. of Radiology &
Nuc. Med. Vol., 27, No. (1): 15-24.*
- Jacobs, S.C. (1983):*
Spread of prostatic cancer to bone. *Urology*, 21: 337.
- Jewett, H.J. (1975):*
The present status of radical prostatectomy for stage A and B
prostatic cancer. *Urol. Clinc. North Am.*; 2: 105-124.
- Kammermeir, M.J. (1991):*
Carcinoma of the prostate, what every sonographer should
known.
JDMS; 7: 139-146.
- Kihi, B. and Bratt, G.G. (1981):*
Reimplantation of the ureter in prostatic carcinoma associated
with bilateral ureteric obstruction. *Br. J. Urol.*, 53: 349.
- King, B.F.; Williamson, B.Jr.; Hartman, G.W. et al. (1989):*
Seminal vesicle imaging. *Radiographics*; 9: 653-674.

Labrie, F.; Lee, F. and Dupton, A. (1989):

Early stage prostate cancer, diagnosis and choice of therapy. Amsterdam; Elsevier Science publishing Co., 23-36.

Lee, F.; Littrup, P.J.; Loft-Christensen, L. et al. (1992):

Predicted prostate specific antigen results using transrectal ultrasound gland volume. Cancer; 70: 211-220.

Lee, F.; Littrup, P.J.; Torp-Pedersen, S.T. et al. (1988):

Prostate cancer: Comparison of transrectal US and digital rectal examination for screening. Radiology; 168: 389-394.

Lee, F.; Torp-Pedersen, S.T.; Littrup, P.J. et al. (1989):

Hypoechoic lesions of the prostate: clinical relevance of tumor size, digital rectal examination and prostate specific antigen. Radiology; 170: 29-32.

Lee, F.; Torp-Pedersen, S.T.; McLeary, R. et al. (1989):

Diagnosis of prostate cancer by transrectal ultrasound. Urol. Clinic. North Am., 16, 4: 663-673.

Lee, F.; Torp-Pedersen, S.T.; Sider, D.B. et al. (1989):

Transrectal ultrasound in the diagnosis and staging of prostatic carcinoma. Radiology, 170: 609-615.

Lee, F.; Grayj, M. and McLeary, R.D. (1986):

Prostatic evaluation by transrectal sonography: Criteria for diagnosis of early carcinoma. Radiology, 158: 91-95.

Lee, F.; Littrup, P.J.; Kumasaka, G.M.; Botlaza, G.S. and McCleary, R.D. (1987):

Use of transrectal ultrasonography in the diagnosis guided biopsy, staging and screening of prostate cancer. Radiology, 159: 627-644.

Liers, W. (1984):

Applied anatomy of the pelvis. Spriger-Veriage, Berlin, 160-168.

Littrup, P.J. (1992):

Determination of prostate volume with transrectal US for cancer screening. Replay 2. Radiology; 183: 625-527.

Littrup, P.J.; Kane, R.A.; Williams, C.R. et al. (1991):

Determination of prostate volume with transrectal US for cancer screening. Part I: Comparison with prostate specific antigen assay. *Radiology*, 178: 535-542.

Littrup, P.J.; Lee, F.; McLeary, R.D. et al. (1988):

Transrectal US of the seminal vesicles and ejaculatory ducts: Clinical correlation. *Radiology*, 168: 625-628.

Littrup, P.J.; Williams, C.R.; Egglin, T.K.; Kane, R.R. (1991):

Determination of prostate volume with transrectal US for cancer screening. *Radiology*, 179: 49-53.

Lowsley, O.S. (1912):

The development of human prostate gland with reference to the development of other structures of the neck of the urinary bladder. *Am. J. Anat.*, 13: 299-349.

Lowsley, O.S. (1915):

The gross anatomy of the human prostate gland and contiguous structures. *Surg. Gynecol. Obstet.*, 20: 183-190.

McClannan, B.L. (1990):

Diagnostic imaging evaluation of benign prostatic hyperplasia. *Urol. Clin. North Am.*, 17,3 : 517-521.

McLaghlin, A.F.; Saltzstein, S.L.; McCullough, D.L. and Gittes, R.F. (1976):

Prostatic carcinoma: Incidence location of unsuspected lymphatic metastases. *J. Urol.*, 115: 89.

McNeal, J.E. (1969):

Origin and development of carcinoma in the prostate. *Cancer*, 23: 24-34.

McNeal, J.E. (1988):

Normal histology of the prostate. *Am. J. Surg. Pathol.*, 12: 619-633.

McNeal, J.E. (1988):

Normal anatomy of the prostate and changes in benign prostatic hypertrophy and carcinoma. *Semin US CT, MRI*, 9: 329-334.

Mitchell, D.; Schnall, M.D.; Yatak Imai Tomaszewski, M.D.; Howard, M. and Pollack, M.D. (1991):

Prostate cancer, local staging with endorectal surface coil MR imaging, *Radiology*, 178: 797-802.

Muldoon, L. and Resnick, M.I. ():

Results of ultrasonography of the prostate. *Urol. Clin. North Am.*, 16, 4: 693-701.

Myers, R.P.; Geollner, J.R.; Cahil, D.R. (1987):

Prostate shape, external striated urethral sphincter and radical prostatectomy: The apical dissection. *J. Urol.*, 138: 543-548.

Naryan, P.; Foster, L. (1991):

The role of intravenous urography, ultrasonography, computed tomography and magnetic resonance imaging in the evaluation of men with symptomatic benign prostatic hyperplasia. *Probl. Urol.*, 5, 3: 369-379.

Narayan, P.; Gajedran, V.; Taylor, S.P.; Tervali, A. and Presti, Y.C. (1995):

The role of T.R.U.S. guided biopsy based staging, preoperative serum P.S.A. and biopsy gleason score in prediction of final pathologic diagnosis in prostate cancer. *Urology*, 46 (2): 205-212.

Papanicolaou, N.; Pfister, L.C; Stafford, S. et al. (1987):

Prostatic abscess: imaging with trasnrectal sonography and magnetic resonance imaging. *AJR*, 149: 981-983.

Platt, J.R.; Bree, R.L. and Schwab, R.E. (1987):

The accuracy of computed tomography in the staging of carcinoma of the prostate. *AJR*, 149: 315-318.

Quintes, D.; Chevalier, d.; Michels, F.J. et al. (1990):

Le scanner et l'IRM peuvent-ils predire l'envahissement capsulaire des cancers de prostate localises? *Ann Urol.*, 34: 335-339.

Quint, L.E.; Van Erb, J.S.; Biland, P.H. et al. (1991):

Prostate cancer: correlation of MR images with tissue optical density at pathologic examination. *Radiology*, 179: 837-842.

Quint, L.E.; Van Erb, J.S.; Bland, P.H. et al. (1991):

Carcinoma of the prostate: MR images obtained with body coil do not accurately reflect tumor volume. *AJR*, 156: 511-516.

Resnick, M.I.; Willard, J.W. Boyee, W.H. (1980):

Transrectal ultrasonography in the evaluation of patients with prostatic carcinoma. *J. Urol*; 124: 482-484.

Richards, D. (1992):

Transrectal ultrasound, 1992, *Brit J. Urol*; 69: 449-455.

Richards, D.; Gowland, M.; Brooman, P.; Mamtara, H.; Blacklock, N.J.; Isherwood, I. (1983):

Computed tomography and TRUS in the diagnosis of prostatic disease: a comparative study. *Brit. J. Urol.*, 55: 726.

Rifkin, M.D.; Friedland, G.W. and Shortlife, L. (1986):

Prostatic evaluation by transrectal endosonography. Detection of carcinoma. *Radiology*, 158: 85-90.

Rifkin, M.D. (1988):

Ultrasound of the prostate. New York, Raven Press: 3-14.

Rifkin, M.D.; Alexander, A.A.; Helinek, T.G. et al. (1991):

Color Doppler as an adjunct to prostate ultrasound. *Scand. J. Urol. Nephrol.*; 137: 85-89.

Rifkin, M.D.; Dahnert, W.; Kurtz, A.B. (1990):

Endorectal sonography of the prostate gland. *AJR*; 154: 691-700.

Rifkin, M.D.; Gastonis, C.A.; Zerhouni, E.A. et al. (1989):

Endorectal ultrasound and magnetic resonance imaging. Accuracy for staging prostate cancer. *RSNA (Abs.)*. *Radiology*; 173: 143.

Rifkin, M.D.; Zerhouni, E.A.; Gastonis, C.A. et al. (1990):

Comparison of magnetic resonance imaging and ultrasonography in staging early prostate cancer. Results of a multi-institutional cooperative trial. *N. Eng. J. Med.*; 10: 621-626.

- Ronald, J.; Zagoria, Glenn, A. Tung (1997):**
Genitourinary radiology: The requisites [DNLM: I. Urogenital Diseases- radiography. WJ 141 ZI 8g.
- Scardino, P.T.; Shinohara, K.; Wheeler, T.M. et al. (1989):**
Staging of prostate cancer: Value of ultrasonography. Urol. Clinic. North Am.; 16, 713-733.
- Scardino, P.T.; Shinohara, K.; Wheeler, T.M. and Carter, S.S.C. (1989):**
Staging of prostate cancer. Value of ultrasonography. Urol. Clin. N. Am., 4: 713-34.
- Schnall, M.D.; Imai, Y.; Tomaszewski, J. et al. (1991):**
Prostate cancer: Local staging with endorectal surface coil. MR imaging. Radiology; 178: 797-802.
- Schnall, F.H.; Cooper, E.H.; Debruyne, FMJ et al. (1988):**
TNM classification of genitourinary system tumors 1987. Brit J. Urol; 62: 502-510.
- Seip, R.; Ebbini, E.S. (1995):**
Non invasive estimation of tissue temperature: response to heating fields using diagnostic ultrasound. IEEE transactions of Biomedical Engineering, 42: 828.
- Shabsigh, R.; Carter, S.C.; Egawa, S. et al. (1989):**
Trasnrectal ultrasound and/or digital guided biopsy of the prostate. J. Urol.; 142: 76-72.
- Shinohara, K.; Scardino, P.T.; Carter, S.T.; Wheeler, T.M. (1989):**
Pathological basis of the sonographic appearance of the normal and malignant. Urol. Clinic North Am.; 16, 4: 675-691.
- Shinohara, K.; Wheeler, T.M. and Scardino, P.T. (1989):**
The appearance of prostatic cancer on transrectal ultrasound. Correlation of imaging and pathological examination. J. Urol., 142: 76-82.
- Sohlberg, O.E.; Chetner, M.; Ploch, N. and Brawer, M.K. (1991):**
Prostatic abscess after transrectal ultrasound guided biopsy. J. Urol.; 146: 420-422.

- Sugimura, K.; Hricak, H. Carrol, P. (1989):*
Value of MR imaging in the detection of stage A prostate carcinoma RSNA, 1989, Chicago (Abst.). Radiology, 173: 143.
- Terris, M.K.; McNeal, J.E.; Stamey, T.A. (1990):*
Invasion of the seminal vesicles by prostatic cancer: Detection with transrectal sonography. AJR, 155: 811-815.
- Terris, M.K. and Stamey, T.A. (1991):*
Determination of prostate volume by transrectal ultrasound. J. Urol., 145: 984-987.
- Tervis, M.K.; McNeal, J.E.; Frecha, F.S. and Stamey, T.A. (1993):*
T.R.U.S. guided seminal vesicles biopsies in the detection of seminal vesicle invasion by prostate cancer. J. Urol., 149: 1035-1039.
- Torp Pederson, S.; Lee, F. and Littrup, P. (1989):*
Transrectal biopsy of the prostate ejuided with transrectal ultrasonography: longitudinal and multiplanar Scanning Radiology, 170: 23-27.
- Vaksrakis, M.J.; Murphy, G.P.; Nelson, C.M.K.; Chehval, M.; Moore, R.H. and Flocks, R.H. (1975):*
Lymph node involvement in prostatic carcinoma. Urol. Clin. North Am., 2: 197.
- Villers, A.; Terris, M.K.; McNeal, J.E. et al. (1990):*
Ultrasound anatomy of the prostate. The normal gland and anatomical variations. J. Urol., 143: 732-738.
- Wagener, O.H. (1992):*
Whole body computed tomography. Black well scientific publications, Second edition, 425-435.
- Wasserman, N.F.; Kapoor, D.A.; Hildebrandt, W.C. et al. (1992):*
Transrectal ultrasound in evaluation of patients after radical prostatectomy. Radiology, 185 361-372.
- Whitmore, W.F. Jr. (1973):*
The natural hstory of prostatic cancer. Cancer, 32: 1104.