

REFERENCES

REFERENCES

Adams, G.L. (1989):

Disorders of the salivary glands. In Boiles Fundamentals of Otolaryngology, A textbook of Ear, Nose, and throat Diseases. Edited by Adams G.L. Boiles, L.R. Hilger, P.A. Sixth Edition. P. 317-331. W.B. Saunders. Company.

Anghilieri, L.J.; Crone-Escanye, M.C.; Thouvenot, P. et al. (1988):

Mechanisms of gallium-67 accumulation by tumors : role of cell membrane permeability. J. Nucl. Med., 29 :663-668.

Bankoff, M.S. and Carter, B.L. (1985):

The salivary glands. In computed tomography of head and neck. Edited by Carter, B.L. P. 207-236. Churchill Livingstone, New York, London.

Batsakis, J.G. (1979):

Tumors of the Head and Neck : Clinical and pathologic considerations (2nd ed.) Williams & Wilkins Baltimore, P. 1-120.

Berg, H.M.; Jacobs, J.B.; Kaufman, D. and Reede, D.L. (1986):

Correlation of fine Needle aspiration biopsy and CT scanning of parotid Masses. Laryngoscope, 96:1357-1362.

Bergeron, R.T.; Osborn, A.G. and Som, P.M. (1984):

Head and Neck Imaging, Excluding the Brain. C.V. Mosby Co., St. Louis, PP. 186-234.

Bradus, R.J.; Hybarger, P. and Gooding, G.A.W. (1988):

Parotid glands: US findings in sjogren syndrome. Work in progress. RADIOLOGY, 169/3: 749-751.

Bryan, N.R.; Miller, R.H.; Ferreyro, R.I. and Sessions, R.B. (1982):

Computed tomography of the major salivary glands.
AJR, 139:547-554.

Bryan, R.N.; McCluggage, C.W. and Horowitz, B.L. (1985):

The normal and abnormal neck. In computed tomography of the head, Neck spine. Edited by Latchaw, R.E.
P. 563-589 Year book Medical publishers, Chicago.

Byrne, M.N.; Spector, J.G.; Garvin, C.F. and Gado, M.H. (1989):

Preoperative Assessment of parotid Masses : A comparative Evaluation of Radiologic Techniques to Histopathologic Diagnosis. Laryngoscope, 99: 284-292.

Calcaterra, T.C.; Hemenway, W.G.; Hanson, G.C. et al. (1977):

The value of sialography in the diagnosis of parotid tumors. Arch. Otolaryngol, 103 :727-729.

Carter, B.L. and Karmody, C.S. (1978):

Computed tomography of the Face and Neck. Semin. Roentgenol., 13 :257-266.

Carter, B.L.; Karmody, C.S.;Blickman J.R. and Panders A.K. (1981):

Computed tomography and sialography 1 and 2. J. Comput Assist. Tomogr., 5 :42-53.

Conn, I.G. (1983):

The anatomy of the facial nerve in relation to CT/sialography of the parotid gland. BJR, 56:901-905.

Curtin, H.D. (1985):

Nasopharynx and paranasopharyngeal space. In computed tomography of the head, Neck & Spine. Edited by Latchaw, R.E. P. 551-561. Year book Medical publishers, Chicago.

Davies, E.R. (1987):

Salivary glands: In radioisotope imaging. In textbook of radiology and imaging. Edited by Sutton, D. volume 2, 4th edition, P. 1770. Churchill Livingstone. Edinburgh. London. Melbourne and New York.

Donnal, J.F. and Beytas, E.M. (1988):

¹¹¹In-WBC activity in salivary and lacrimal glands of a patient with sjogren's syndrome. Clin. Nucl. Med., 13:694-695.

Golding, S. (1982):

Computed tomography in the diagnosis of parotid gland tumors. BJR, 55:182-188.

Greyson, N.D. and Noyek, A.M. (1982):

Radionuclide salivary scanning.
J. Otolaryngol., 10 (suppl.) :1-47.

Hansson, L.G. and Johansen, C.C. (1987):

CT sialography and conventional sialography in the investigation of parotid masses. oral Surg. oral Med. oral Pathol., 64:494-500.

Hansson, L.G.; Johansen, C.C. and Biorklund, A. (1988):

CT sialography and conventional sialography in the evaluation of parotid gland neoplasms.
The Journal of Laryngology and Otology, 102:163-168.

Isaza, M.; Ikezoe, J.; Morimoto, S. et al. (1989):

Computed tomography and ultrasonography in parotid tumors. Acta Radiologica, 30 Fasc. 1:11-15.

Isherwood, I. and Jenkins, J.P.R. (1987):

Parotid tumors in MRI of the body in part 8. In Textbook of Radiology and imaging. Vol. 2, Fourth Edition, Edited by Sutton, D. P. 1830-1831. Churchill Livingstone, Edinburgh. London. Melbourne and New York.

Kairemo, K.J.A. and Hopsu, E.V.M. (1990):

Diagnosis of tumors of the parotid Gland with anti-CEA immunoscintigraphy. AJR, 154: 1259-1262..

Kassel, E.E. (1982):

CT sialography, part I : Inroduction technique, anatomy, and variants. Part II: parotid masses. Journal of Otolaryngology, 11, Supp. (12): 1-24.

Komblut, A.D.; Silberstein, E.B.; Saenger, E.L. Shumrick, D.A. (1974):

Scintiscanning with gallium citrate 67:diagnosis of head and neck malignant neoplasms. Arch. Otolaryngol., 100 : 201-205.

Lloyd, R.E. and Ho, K.H. (1988):

Combined CT scanning and sialography in the management of parotid tumors. oral Surg. oral Med. oral Path., 65:142-4.

Mancusso, A.; Rice, D. and Hanafee, W.N. (1979):

Computed tomography of the parotid Gland During contrast sialography. Radiology, 132:211-213.

Mancuso, A.A. and Hanafee, W.N. (1982):

Salivary glands: Normal anatomy, methodology, and pathology. In Mancuso AA, Hanafee WN, eds. Computed tomography of the head and Neck. Baltimore: Williams & Wilkins, Co., 168-202.

Mancuso, A.A.; Harnsberger, H.R.; Muraki, A.S. and Stevens, M.H. (1983):

Computed tomography of cervical and retropharyngeal lymph nodes: normal anatomy, variants of normal, and applications in staging head and neck cancer. Radiology, 148:709-723.

Mancuso, A.A. and Hanafee, W.N. (1985):

Computed Tomography and Magnetic Resonance Imaging of the Head and Neck, 2nd ed. PP. 139-160. Williams and Wilkins, Baltimore.

March, D.E.; Rao, V.M. and Zwillenberg, D. (1989):

Computed tomography of salivary glands in sjogren's syndrome. Arch Otolaryngol. Head Neck Surg. 115:105-106.

Martinez, C.R.; Gayler, B.W.; Kashima, H. et al. (1983):

Computed tomography of the neck. Radiographics, 3:9-40.

McGahan, J.P.; Walter, J.P. and Bernstein, L. (1984):

Evaluation of parotid gland, comparison of sialography, Non-contrast computed tomography, and CT sialography in Head and Neck Radiology. Radiology, 152 (2): 453-458.

Meine, F.J. and Woloshin, H.J. (1970):

Radiologic diagnosis of salivary gland tumors. Radiol. Clin. North. Am., 8:475-485.

Murakei, A.S.; Mancuso, A.A.; Harnsberger, H.R. et al. (1983):

CT of the oropharynx, tongue base and floor of the mouth. Normal anatomy and range of variations and application in staging carcinoma. Radiology, 148: 725-731.

Pandolfo, I.; Gaeta, M.; Scribano, E. et al. (1987):

X-ray computed tomographic aspects of neoplastic pathology of the parapharyngeal space. Radiol. Med. (Torino), 74 (1-2) :67-74.

Phelps, P.D. (1987):

The pharynx and larynx in part 6. In Textbook of Radiology and Imaging. Vol. 2, Fourth Edition, Edited by Sutton, D. P. 1272-1284. Churchill Livingstone, Edinburgh. London. Melbourne and New York.

Quinn, H.J. (1976):

Management of tumors of the parotid gland. II. Diagnosis of parotid gland swelling. Laryngoscope, 86:22-24.

Rabinov, K.; Kell, T. and Gordon, P.H. (1984):

CT of the salivary glands in symposium on CT of the Ear, Nose, and Throat. Radiologic Clinics of North America. 22 (1): 145-159.

Rauch, S. and Gorlin, R.J. (1970):

Diseases of the salivary glands. In Gorlin, R.J. and Goldman, H.M. (eds.): Thoma's oral Pathology, St. Louis, C.V. Mosby, Co.

Rice, D.H.; Mancuso, A.A. and Hanafee, W.N. (1980):

Computerized tomography with simultaneous sialography in evaluating parotid tumours. Archives of otolaryngology, 106:472-474.

Schaefer, S.D.; Maravilla, K.R.; Close, L.G. et al. (1985):

Evaluation of NMR versus CT for parotid Masses: A preliminary Report. Laryngoscope, 95:945-950.

Seibert, R.W. and Seibert, J.J. (1988):

High resolution Ultrasonography of the parotid gland in children. Part II. PEDIATR. RADIOLOGY, 19 (1):13-18.

Shaheen, N.A.; Harboyan, G.T. and Nassif, R.I. (1975):

Cysts of the parotid gland. Review and report of two unusual cases. J. Otolaryngol., 89:439.

Shugar, J.M.A.; Som, P.M.; Jacobson, A.L. et al. (1988):

Multicentric parotid cysts and cervical adenopathy in AIDS patients. A newly recognized entity. CT and MR manifestations. Laryngoscope, 98:772-775.

Silver, A.J.; Mawad, M.E. and Hilal, S.K. (1983):

Computed tomography of the nasopharynx and related spaces. Part I, Anatomy. Radiology, 147:725-731.

Silver, A.J.; Mawad, M.E. and Hilal, S.K. (1983):

Computed tomography of the nasopharynx and related spaces. Part II. Pathology. Radiology, 147:733-238.

Silver, A.J.; Mawad, M.E.; Hilal, S.K. et al. (1984):

Computed tomography of the carotid space and related cervical spaces. Part I: Anatomy. Radiology, 150 (3): 723-8.

Silver, A.J.; Ganti, S.R. and Hilal, S.K. (1984):

The carotid region: normal and pathologic anatomy on CT. Radiological clinics of North America, 22 (1): 219-250.

Simpkins, K.C. (1987):

The salivary glands : In the gastrointestinal tract and abdomen. In textbook of Radiology and imaging. Vol. 1, Fourth Edition, Edited by Sutton, D. P. 780-783. Churchill Livingstone, Edinburgh. London. Melbourne and New York.

Smith, J.R.G.; King, W.K.; Tang, W.Y.M. and Metreweli, C. (1987):

Differentiating tumors of the deep and superficial lobes of the parotid gland by computed tomographic sialography. Clinical Radiology, 38: 345-349.

Smith, F.W.; Deans, H.E.; Mclay, K.A. and Rayner, C.W. (1988):

Magnetic resonance imaging of the parotid glands using inversion-recovery sequences at 0.08 T. BJR., 61:480-491.

Som, P.M. and Biller, H.F. (1980):

The combined CT sialogram. Radiology, 135:387-390.

Som, P.M.; Biller, H.F. and Lawson, W. (1981):

Tumors of the parapharyngeal space: Preoperative evaluation, diagnosis and surgical approaches. Annals of otology, Rhinology & Laryngology, Supp. 90: 3-15.

Som, P.M.; Shugar, J. and Biller, H.F. (1981):

Parotid gland sarcoidosis and the CT sialogram. J. Comput. Assist. Tomogr., 5:674.

Som, P.M.; Shugar, J.M.A. and Train, J.S. (1981):

Manifestation of parotid gland enlargement. Radiographic, Pathologic and clinical correlations. Radiology, 141:415-426.

Som, P.M.; Biller, H.F.; Lawson, W. et al. (1984):

Parapharyngeal space masses: An updated protocol based on 104 cases. Radiology, 153: 149-156.

Som, P.M. and Biller, H.F. (1989):

High-grade malignancies of the parotid gland: identification with MR imaging. Radiology, 173 (3): 823-826.

Sone, S.; Higashihara, T.; Morimoto, S. et al. (1982):

CT of parotid tumors. AJNR, 3:143-147.

Stacey-clear, A.; Evans, R.; Kissin, M.W. et al. (1985):

Sialography does not alter the management of parotid space-occupying lesions. Clinical Radiology, 36: 389-390.

Stone, D.N.; Mancuso, A.A.; Rice, D.H. and Hanafee, W.N. (1981):

Parotid CT sialography. Radiology, 138:393-397.

Swartz, J.D.; Nunnelly, J.F.; Marlowe, F.I. et al. (1987):

Computed tomography for parotid Neoplasia: A New Look. J. Comput. Tomogr., 11:239-246.

Swartz, J.D.; Rothman, M.I.; Marlowe, F.I. and Berger, A.S. (1989):

MR imaging of parotid mass lesions: Attempts at histopathologic differentiation. J. Comput. Assist. Tomogr. 13 (5): 789-796.

Toto, P.D. (1979):

Fluorescent antibody detection of CEA in oral cancer. J. oral Med., 34:45-46.

Vogl, T.J.; Dresel, S.H.J.; Spath, M. et al. (1990):

Parotid Gland: plain and Gadolinium-enhanced MR imaging. In Head and Neck Radiology. Radiology, 177 (3): 667-674.

Whyte, A.M. and Byrne, J.V. (1987):

A comparison of computed tomography and ultrasound in the Assessment of parotid Masses. Clinical Radiology, 38:339-343.

Whyte, A.M. and Hourihan, M.D. (1989):

The diagnosis of tumors involving the parapharyngeal space by computed tomography. BJR., 62: 526-531.

Wittich, G.R.; Scheible, W.F. and Hajek, P.C. (1985):

Ultrasonography of the salivary glands. Radiologic clinics of North America, 23 (1) :29-37.