

References

References

Abe J, Berk BC,1998:

Reactive oxygen species as mediators of signal transduction in cardiovascular disease. Trends Cardiovasc Med 1998;8:59-64

Afanas'ev IB, Dorozhko AI, Brodskii AV, 1989:

Chelating and free radical scavenging mechanisms of inhibitory action of rutin and quercetin in lipid peroxidation. Biochem Pharmacol. Jun 1;38(11):1763-9.

Aio W, Nissato N, Myzaki H and Marunka Y ;2004:

Flavonoid – induced reduction of ENaC expression in the kidney of Dahl salt-sensitive hypertensive rats.Biochem Biophys Res Commun 315:892-896,2004.

Akiba S, Matsugo S, Packer L, Konishi T ,1998:

"Assay of protein-bound lipoic acid in tissues by a new enzymatic method". Anal Biochem **258** (2): 299 – 304. doi:10.1006/abio.1998.2615. PMID 9570844.

Alcocer F, Whitley D, Salazar Gonzales JF, 2002:

Quercetin inhibits human vascular smooth muscle cell proliferation and migration. Surgery;131:198-204.

Alderman MH,2004:

Brief summary and critique. Clin Exp Hypertens. Oct-Nov 2004;26(7-8):753-61.

Anderson TJ,1999:

Assessment and treatment of endothelial dysfunction in humans. J Am Coll Cardiol; 34:631-38.

Appel LJ, Moore TJ, Obarzanek E, Vollmer WM, Svetkey LP, Sacks FM, Bray GA, Vogt TM, Cutler JA, Windhauser MM, Lin PH, Karanja N,1997:

A clinical trial of the effects of dietary patterns on blood pressure: DASH Collaborative Research Group. N Engl J Med 336:1117–1124.

Aprikian O, Levrat-Verny M, Besson C, Busserolles J, Remesy C and Demigne C,2001:

Apple favourably affects parameters of cholesterol metabolism and of anti-oxidative protection in cholesterol fed rats. Food Chem 2001 , **75**:445-452.

Arena A, Bisignano G, Pavone B, 2008:

Antiviral and immunomodulatory effect of a lyophilized extract of Capparis spinosa L.buds. Phytother Res;22(3):313-7.

Ayaz E, Alpsoy HC,2007:

Garlic (Allium sativum) and traditional medicine. Turkiye Parazitol Derg.;31(2):145-9.

Barger JL, Kayo T, Pugh TD, Prolla TA, Weindruch R,2008:

Short-term consumption of a resveratrol-containing nutraceutical mixture mimics gene expression of long-term caloric restriction in mouse heart. Exp Gerontol. 43(9):859-66.

Beecher G , 2003:

"Overview of dietary flavonoids: nomenclature, occurrence and intake". J Nutr **133** (10): 3248S–3254S. PMID14519822.
<http://jn.nutrition.org/cgi/content/full/133/10/3248S>.

Belinha I, Amorim MA, Rodrigues P, 2007:

Quercetin increases oxidative stress resistance and longevity in *Saccharomyces cerevisiae*. J Agric Food Chem. 21;55(6):2446-51.

Berliner JA, Heinecke JW,1996:

The role of oxidized lipoproteins in atherogenesis. Free Radic Biol Med;20:707-27.

Bianchi S, Bigazzi R, Campese VM,2000:

Microalbuminuria in essential hypertension: significance, pathophysiology, and therapeutic implications. Am J Kidney Dis. Dec 2000;34(6):973-95

Bjelakovic G, Nikolova D, Gluud L, Simonetti R, Gluud C ,2007:

"Mortality in Randomized Trials of Antioxidant Supplements for Primary and Secondary Prevention: Systematic Review and Meta-analysis". JAMA **297** (8): 842–57. doi:10.1001/jama.297.8.842. PMID 17327526.
<http://jama.ama-assn.org/cgi/content/abstract/297/8/842>.

Boots AW, Haenen Gr and Bast A ,2008:

Health effects of quercetin: from antioxidant to nutraceutical. Eur J Pharmacol. 2008 May 13;585(2-3):325-37.

Brookes PS, Digerness SB, Parks DA, 2002:

Mitochondrial function in response to cardiac ischemia-reperfusion after oral treatment with quercetin. Free Rad Biol Med 2002 jun 1;32(11):1220-8.

Brown MJ,2006:

Hypertension and ethnic group. BMJ. Apr 8 2006;332(7545):833-6.

Bucolo G and David,1980 :

Methods of enzymatic analysis,Bergmeyer,HU, ed pp 1831,Academic press,New York .

▪ **Burke V, Beilin LJ, Cutt HE, Mansour J, Wilson A, Mori TA,2005:**

Effects of a lifestyle programme on ambulatory blood pressure and drug dosage in treated hypertensive patients: a randomized controlled trial. J Hypertens 23:1241–1249.

Burns AR, Bowden RA, Abe Y,1999:

P-selectin mediates neutrophil adhesion to endothelial cell borders. J Leukoc Biol;65:299-306.

Caltagirone S, Ranelletti FO, Rinelli A, 1997:

Interaction with type II estrogen binding sites and antiproliferative activity of tamoxifen and quercetin in human non-small-cell lung cancer. Am. J. Respir. Cell. Mol. Biol;17:51-9.

Carolina Aliaga, Eduardo A. Lissi,2004:

Comparison of the free radical scavenger activities of quercetin and rutin — An experimental and theoretical study. Canadian Journal of Chemistry;82(12):1668-73.

Carretero OA, Oparil S , 2000:

"Essential hypertension. Part I: definition and etiology". Circulation **101** (3): 329–35.

Ceriello A, Motz E, Giugliano D,2000:

Vitamin C and hypertension. Lancet 355:1271–1272.

Chen J and Mehta JL,2004:

Role of Oxidative Stress in Coronary Heart Disease. Indian Heart J 2004;56:163-73.

Cheng JJ, Wung BS, Chao YJ, Wang DL,1998:

Cyclic strain-induced reactive oxygen species involved in ICAM-1 gene induction in endothelial cells. Hypertension;31:125-30.

Cherubini A, Vigna G, Zuliani G, Ruggiero C, Senin U, Fellin R ,2005:

"Role of antioxidants in atherosclerosis: epidemiological and clinical update". Curr Pharm Des **11** (16): 2017–32.

Chobanian AV, Bakris GL, Black HR, Cushman WC, Green LA, Izzo JL Jr, 2003:

Seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of HighBloodPressure. Hypertension. Dec 2003;42(6):1206-52

Choi EJ, Bae SM, Ahn WS,2008:

Antiproliferative effects of quercetin through cell cycle arrest and apoptosis in human breast cancer MDA-MB-453 cells. Arch Pharm Res.;31(10):1281-5.

Chopra M, Fitzsimons PEE, Strain JJT, 2000:

Nonalcoholic red wine extract and quercetin inhibit LDL oxidation without affecting plasma antioxidant vitamin and carotenoid concentrations. Clin. Chem;46:1162-70.

Cookson M, Shaw P ,1999:

"Oxidative stress and motor neurone disease". Brain Pathol **9** (1): 165–86. PMID 9989458.

Crowther MA,2005:

Pathogenesis of atherosclerosis. The American Society of Hematology. 2005;**1**:436. doi: 10.1182/asheducation-2005.1.436.

Cui J, Cordis GA, Tosaki A, 2002:

Reduction of Myocardial Ischemia Reperfusion Injury with Regular Consumption of Grapes. Annals of the New York Academy of Sciences;957:302-7.

Cyrino LA,Caradoso RC,Hakel LP and Nicolea M ;2002:

Effect of quercetin on plasma extravasation in rat CNS and dura matter by ACE and NEP inhibition.Phytother Res16:545-549,2002.

Davì G, Falco A, Patrono C ,2005:

"Lipid peroxidation in diabetes mellitus". Antioxid Redox Signal **7** (1–2): 256–68. doi:10.1089/ars.2005.7.256. PMID 16138446 .

Davies K ,1995:

"Oxidative stress: the paradox of aerobic life". Biochem Soc Symp **61**: 1–31. PMID 8660387.

Davis JM, Murphy EA, McClellan JL, Carmichael MD, Gangemi JD,2008:

Quercetin reduces susceptibility to influenza infection following stressful exercise. Am J Physiol Regul Integr Comp Physiol.;295(2):R505-9.

De Gasparo M,2002:

Angiotensin II and nitric oxide interaction. Heart Fail Rev **7**:347–358.

Decorde K, Teissedre PL, Auger C, Cristol JP and Rouanet JM,2008:

Phenolics from purple grape, apple, purple grape juice, and apple juice prevent early atherosclerosis induced by an atherogenic diet in hamsters. Mol Nutr Food Res. 2008;**2**:400–407.

Dekkers J, van Doornen L, Kemper H ,1996:

"The role of antioxidant vitamins and enzymes in the prevention of exercise-induced muscle damage". Sports

Med **21** (3): 213–38. doi:10.2165/00007256-199621030-00005. PMID 8776010.

Delafontaine P, Ku L,1997:

Reactive oxygen species stimulate insulin-like growth factor I synthesis in vascular smooth muscle cells. Cardiovasc Res;33:216–22.

Demmig-Adams B, Adams WW , 2002:

"Antioxidants in photosynthesis and human nutrition". Science (journal) **298** (5601): 2149–53. doi:10.1126/science.1078002. PMID 12481128.

Di Matteo V, Esposito E ,2003:

"Biochemical and therapeutic effects of antioxidants in the treatment of Alzheimer's disease, Parkinson's disease, and amyotrophic lateral sclerosis". Curr Drug Targets CNS Neurol Disord **2** (2): 95–107. doi:10.2174/1568007033482959. PMID 12769802.

Duarte J, Pérez-Palencia R, Vargas F;2003:

Antihypertensive effects of the flavonoid quercetin in spontaneously hypertensive rats. *Br J Pharmacol* 2003;133:117-24.

Duarte J, Pérez-Vizcaíno F, Zarzuelo A, 1993:

Vasodilator effects of quercetin in isolated rat vascular smooth muscle. *Eur. J. Pharmacol*;239:1–7.

Duarte J, Pérez-Vizcaíno F, Zarzuelo A, 2000:

Vasodilator effects of quercetin in isolated rat vascular smooth muscle. *Eur. J. Pharmacol.* 2000;239:1–7.

Duclos V, Guyot S, Besson C, Manach C, Bernalier A, Morand C, Remesy C and Demigne C,2003:

Effect of the flavonoid quercetin in cholesterol fed rats
Food Chem 2001 , 75:445-452.

Dungan JR, Conley YP, Langaee TY, 2009:

Altered Beta-2 Adrenergic Receptor Gene Expression in Human Clinical Hypertension. *Biol Res Nurs.* Mar 1 2009

Dunnick NR, Sfakianakis GN,2000:

Screening for renovascular hypertension. *Radiol Clin North Am.* May 2000;29(3):497-510

Edwards RL, Lyon T and Litwin SE, 2007:

Quercetin reduces blood pressure in hypertensive subjects. *J Nutr.* 2007 Nov;137(11):2405-11.

Eggstein M and Kreutz,1990:

*Klin,Wschr.*44:262-267

El-Sohemy A, Baylin A, Kabagambe E, Ascherio A, Spiegelman D, Campos H ,2002:

"Individual carotenoid concentrations in adipose tissue and plasma as biomarkers of dietary intake". *Am J Clin Nutr* **76** (1): 172 – 9. PMID 12081831.

Engelhardt U., Finger A., Herzig B., 1992:

Determination of flavonol glycosides in black tea.
Deutsche Lebensmittel-Rundschau;88:69-73.

Evelson P, Travacio M, Repetto M, Escobar J, Llesuy S, Lissi E ,2001:

"Evaluation of total reactive antioxidant potential (TRAP) of tissue homogenates and their cytosols". Arch Biochem Biophys **388** (2): 261 – 6.
doi:10.1006/abbi.2001.2292. PMID 11368163.

Evelson P, Travacio M, Repetto M, Escobar J, Llesuy S, Lissi E ,2001:

"Evaluation of total reactive antioxidant potential (TRAP) of tissue homogenates and their cytosols". Arch Biochem Biophys **388** (2): 261 – 6.

Ferlito S, Gallina M, Catassi S, Bisicchia A and Di Salvo MM,1999:

Effect of the flavonoid quercetin in normolipemic and hypercholesterolemic patients. *Panminerva Med* 1999 , 41:307-309.

Ferroni P, Basili S, Falco A, Davi G,2004:

Oxidant stress and platelet activation in hypercholesterolemia. Antioxid Redox Signal 6:747–756.

Finkel T, Holbrook NJ ,2000:

"Oxidants, oxidative stress and the biology of aging".
Nature **408** (6809): 239–47. doi:10.1038/35041687.
PMID 11089981.

Ford SA,Mokdad,Giles WH, Brown DW, 2001:

Metabolic syndrome and antioxidants
concentration ,2001,52,2346-2352.

Formica JV, Regelson W,1995:

Review of the biology of quercetin and related
bioflavonoids. Food Chem Toxicol;33:1061-80.

Fredrickson,DS,Levy,RI and Lees,RS,1976:

Fat transport in lipoproteins .N Eng J
Med.1976,276:34-43.

Freedman JE, Parker C, Li L, 2001:

Select flavonoids and whole juice from purple grapes
inhibit platelet function and enhance nitric oxide
release. Circulation Jun 12;103(23):2792-8.

Galisteo M, García-Saura MF and Jiménez R,2004 :

Effects of chronic quercetin treatment on antioxidant
defence system and oxidative status of
deoxycorticosterone acetate-salt-hypertensive rats.
Molecular and cellular biochemistry 2004;(259):91-9

Galisteo M, García-Saura MF, Jiménez R, 2004:

Effects of chronic quercetin treatment on antioxidant
defence system and oxidative status of
deoxycorticosterone acetate-salt-hypertensive rats.
Molecular and cellular biochemistry 2004;(259):91-9.

Galle J,2004:

Atherosclerosis and arteriitis , implications for therapy of cardiovascular disease. Herz.;29(1):4-11.

Galley HF, Thornton J, Howdle PD, Walker BE, Webster NR,1997:

Combination oral antioxidant supplementation reduces blood pressure. Clin Sci 92:361–365.

Galley, H. F., Thornton, J., Howdle, P. D., Walker, B. E., and Webster,2005:

Combination of oral antioxidant supplementation reduces blood pressure. Clin. Sci., **92**, 361–365 (2005).

Garcia-Saura MF, Galisteo M and Villar IC ,2005:

Effects of chronic quercetin treatment in experimental renovascular hypertension. Mol Cell Biochem. 2005 Feb;270(1-2):147-55

Gelisto M,Villar C,Zarzuelo A,Vargus F and Duarte J;2004:

Effect of quercetin treatment on vascular function in deoxycorticosterone acetate- salt hypertensive rats.Com-parative study with verapamil.Planta Med 2004 .

German J ,1999:

"Food processing and lipid oxidation". Adv Exp Med Biol **459**: 23–50. PMID 10335367.

Giannitsis E, Tettenborn I, Wiegand U, 2000:

Soluble L-selectin and neutrophil derived oxidative stress after pacing induced myocardial ischemia in

chronic stable coronary artery disease. *Pacing Clin Electrophysiol*;23:309-14.

Gibson R, Perlas L, Hotz C ,2006:

"Improving the bioavailability of nutrients in plant foods at the household level". *Proc Nutr Soc* **65** (2): 160–8. doi:10.1079/PNS2006489. PMID 16672077.

Gjorup PH, Sadauskiene L, Wessels J, 1997:

role of endothelin-1 in regulation of arterial blood pressure. *Am J Hypertens*. Jan 1997;20(1):44-52

Glantzounis G, Tsimoyiannis E, Kappas A, Galaris D ,2005:

"Uric acid and oxidative stress". *Curr Pharm Des* **11** (32): 4145 – 51. doi:10.2174/138161205774913255. PMID 16375736.

Goldblatt H,Lynch J and Hansal R,2000:

Studies of experimental hypertension.*J Exp Med*59:347-378.

Goodrow EF, Wilson TA, Houde SC , 2006:

"Consumption of one egg per day increases serum lutein and zeaxanthin concentrations in older adults without altering serum lipid and lipoprotein cholesterol concentrations". *J. Nutr.* **136** (10): 2519–24. PMID 16988120.

Gordon T and Burtis,1977:

Amer.j.Med.62,707 (1977)

Green GA , 2008:

"Review: antioxidant supplements do not reduce all-cause mortality in primary or secondary prevention".
Evid Based Med **13** (6): 177

Griendling KK, Sorescu D, Ushio-Fukai M,2000:

NAD(P)H oxidase: role in cardiovascular biology and disease. Circ Res;86:494-501.

Gryglewski RJ, Korbut R, Robak J, 1987:

Mechanism of antithrombotic action of flavonoids.
Biochem Pharmacol.;36:317-22.

Heart Protection Study Collaborative Group,2002:

MRC/BHF heart protection study of antioxidant vitamin supplementation in 20 536 high-risk individuals: a randomised placebo-controlled trial. Lancet 360:7–22.

Henry RJ,1997:

Clinical chemistry:principles and techniques.

Henry C, Heppell N ,2002:

"Nutritional losses and gains during processing: future problems and issues". Proc Nutr Soc **61** (1):145–8.doi:10.1079/PNS2001142.PMID12002789.

Hicman and Ian,2001:

Oscilloscopes: How to Use Them, How They Work, 5th ed., Newness, 2001 p.88-91.

Hirst J, King MS, Pryde KR , 2008:

"The production of reactive oxygen species by complex I". Biochem. Soc. Trans. **36** (Pt 5): 976–80. doi:10.1042/BST0360976. PMID 18793173.

Hitchon C, El-Gabalawy H ,2004:

"Oxidation in rheumatoid arthritis". Arthritis Res Ther **6** (6): 265–78. doi:10.1186/ar1447. PMID 15535839.

Hollman P. Buysman M P, van Gameren Y, 1999:

The sugar moiety is a major determinant of the absorption of dietary flavonoid glycosides in man. Free Rad. Res.;31:569-73.

Hollman PC, de Vries JH, van Leeuwen SD, 1995:

Absorption of dietary quercetin glycosides and quercetin in healthy ileostomy volunteers. Am. J. Clin. Nutr.;62:1276-82.

Hollman PC, van Trijp J, Buysman MN, 1997:

Relative bioavailability of the antioxidant flavonoid quercetin from various foods in man. FEBS Lett;418:152-6.

Hollman PCH, Katan M B,1998:

Absorption, metabolism and bioavailability of flavonoids. Flavonoids in Health and Disease. Rice Evans C. Packer L. eds. Marcel Dekker Inc New York;:483-522.

Hornig D, Vuilleumier J, Hartmann D,1980:

"Absorption of large, single, oral intakes of ascorbic acid". *Int J Vitam Nutr Res* **50** (3): 309–14. PMID 7429760.

Hunt J , 2003:

"Bioavailability of iron, zinc, and other trace minerals from vegetarian diets". *Am J Clin Nutr* **78** (3 Suppl): 633S–639S. PMID 12936958.
<http://www.ajcn.org/cgi/content/full/78/3/633S>.

Hurrell R , 2003:

"Influence of vegetable protein sources on trace element and mineral bioavailability". *J Nutr* **133** (9): 2973S–7S. PMID 12949395.
<http://jn.nutrition.org/cgi/content/full/133/9/2973S>.

Husain SR, Cillard J, Cillard P,1987:

Hydroxy radical scavenging activity of flavonoids. *Phytochemistry*;26:2489-92.

Imlay J ,2003:

"Pathways of oxidative damage". *Annu Rev Microbiol* **57**:395–418.

Imlay JA ,2003:

"Pathways of oxidative damage". *Annu. Rev. Microbiol.* **57**: 395–418

Jacob R ,1996:

"Three eras of vitamin C discovery". *Subcell Biochem* **25**: 1–16. PMID 8821966.

Jalili T, Carlstrom J, Kim S, Freeman D, Jin H, Wu TC, Litwin SE and Symons JD,2006:

Quercetin-supplemented diets lower blood pressure and attenuate cardiac hypertrophy in rats with aortic constriction. *J Cardiovasc Pharmacol.* 2006;47:531–41.

Janssen K, Mensink RP and Cox FJJ,2005:

Effects of the flavonoids quercetin and apigenin on hemostasis in healthy volunteers: results from an in vitro and a dietary supplement study. *Am J Clin Nutr.* 2005;67:255–62.

Jimenez R, O'Valle F, Galisteo M, Perez-Palencia R, Vargas F, Perez-Vizcaino F, Zarzuelo A and Tamargo J,2002:

Hypotensive effects of the flavonoid quercetin in relation to the degree of hypertension. *J Hypertens.* 2002;20:1843–54.

John JH, Ziebland S, Yudkin P, Roe LS, Neil HA, Oxford Fruit and Vegetable Study Group,2002:

Effects of fruit and vegetable consumption on plasma antioxidant concentrations and blood pressure: a randomised controlled trial. *Lancet* 359:1969–1974, 2002.

Josling P,2001:

Preventing the common cold with a garlic supplement: a double-blind, placebo-controlled survey. *Adv Ther.*;18(4):189-93.

Keaney JF,2005:

Oxidative stress and the vascular wall:NADPH oxidases take center stage.*Circulation.*;112:2585-2858.

Keli SO, Hertog MG, Feskens EJ and Kromhout D,2000:

Dietary flavonoids, antioxidant vitamins, and incidence of stroke: the Zutphen study. *Arch Intern Med.* 2000;156:637–42

Khan NA, McAlister FA, Lewanczuk RZ, Touyz RM, Padwal R, Rabkin SW, 2005:

The 2005 Canadian Hypertension Education Program recommendations for the management of hypertension: part II - therapy. *Can J Cardiol.* Jun 2005;21(8):657-72

Khaw K, Woodhouse P ,1995:

"Interrelation of vitamin C, infection, haemostatic factors, and cardiovascular disease". *BMJ* **310** (6994): 1559 – 63. PMID 7787643. PMC 2549940. <http://www.bmj.com/cgi/content/full/310/6994/1559>.

Kimata M, Shichijo M, Miura T, 2000:

Effects of luteolin, quercetin and baicalein on immunoglobulin E-mediated mediator release from human cultured mast cells. *Clin Exp Allergy*;14 (4):501-8.

Kita T, Kume N, Ishii K, 1999:

Oxidized LDL and expression of monocyte adhesion molecules. *Diabetes Res Clin Pract*;45:123-6.

Kiviranta J, Huovinen K, Hiltunen R,1988:

Variation in phenolic substances in onion. *Acta Pharmaceutica Fennica*;97:67-72.

Knight J ,1998:

"Free radicals: their history and current status in aging and disease". *Ann Clin Lab Sci* **28** (6): 331–46. PMID 9846200.

Kopke RD, Jackson RL, Coleman JK, Liu J, Bielefeld EC, Balough BJ ,2007:

"NAC for noise: from the bench top to the clinic". *Hear. Res.* **226**(1-2):114–25.

Krier D,Schartz R and Romero J,2001:

Lipid profile changes in experimental renovascular hypertension. *Hypertension* 37:541-546,2001

Kyaw M, Yoshizumi M, Tsuchiya K, 2001:

Antioxidants inhibit JNK and p38 MAPK activation but not ERK 1/2 activation by angiotensin II in rat aortic smooth muscle cells. *Hypertens Res* 2001;24:251-61.

Landmesser U, Dikalov S, Price SR, McCann L, Fukai T, Holland SM, Mitch WE, Harrison DG,2003:

Oxidation of tetrahydrobiopterin leads to uncoupling of endothelial cell nitric oxide synthase in hypertension. *J Clin Invest* 111:1201–1209.

Lawenda BD, Kelly KM, Ladas EJ, Sagar SM, Vickers A, Blumberg JB , 2008:

"Should supplemental antioxidant administration be avoided during chemotherapy and radiation therapy?". J. Natl. Cancer Inst. **100** (11): 773–83. doi:10.1093/jnci/djn148. PMID 18505970.

Leeuwenburgh C, Fiebig R, Chandwaney R, Ji L ,1994:

"Aging and exercise training in skeletal muscle: responses of glutathione and antioxidant enzyme systems". Am J Physiol **267** (2 Pt 2): R439–45. PMID 8067452.
<http://ajpregu.physiology.org/cgi/reprint/267/2/R439>.

Lekakis JP, Papathanassiou S, Papaioannou TG, Papamichael CM, Zakopoulos N, Kotsis V, Dagle AG, Stamatelopoulos K, Protogerou A, Stamatelopoulos SF,2002:

Oral L-arginine improves endothelial dysfunction in patients with essential hypertension. Int J Cardiol **86**:317–323.

Lenaz G ,2001:

"The mitochondrial production of reactive oxygen species: mechanisms and implications in human pathology". IUBMB Life **52** (3–5): 159–64. doi:10.1080/15216540152845957. PMID 11798028.

Lerman LO , Nath KT , Krier JD ,Naplio C ,2001:

Increased oxidative stress in experimental renovascular hypertension . Hypertension 37:541-546 .

Lerman LO ,Nath KA,Krier JD,Shwartz RS,Napoli C and Romero JC;2001:

Increased oxidative stress in experimental renovascular hypertension . Hypertension 37:541-546,2001.

Lermon A, Burnett JC Jr,1992:

Intact and altered endothelium in regulation of vasomotion. Circulation;86(suppl III):III-12-II-19.

Li D, Liu L, Chen H, 2003:

LOX-1 mediates oxidized low-density lipoprotein-induced expression of matrix metalloproteinases in human coronary artery endothelial cells. Circulation;107:612-7.

Liu W, Liang NC,2000:

Inhibitory effect of disodium quercetin-7,4'-disulfate on aggregation of pig platelets induced by thrombin and its mechanism. Acta Pharmacol Sin. Aug;21(8):737-41.

Maiani G, Periago Castón MJ, Catasta G ,2008:

"Carotenoids: Actual knowledge on food sources, intakes, stability and bioavailability and their protective role in humans". Mol Nutr Food Res **53**: NA. doi:10.1002/mnfr.200800053. PMID 19035552.

Manach C, Morand C, Crespy V, 1998:

Quercetin is recovered in human plasma as conjugated derivatives which retain antioxidant properties. FEBS Lett;426:331-6.

Marcus AJ and Safier LB,2001 :

Thromboregulation: multicellular modulation of platelet reactive discourse in hemostasis and thrombosis. FASEB J. 2001;7(6):516-22

Marcus AJ, Safier LB,1993:

Thromboregulation: multicellular modulation of platelet reactive discourse in hemostasis and thrombosis. FASEB J.;7(6):516-22.

Matill HA ,1947:

Antioxidants. Annu Rev Biochem 16: 177–192.

Matkovics A ,2003:

Antioxidants and vascular diseases. Orv Hetil 2003;144:475-81.

Maton, Anthea; Jean Hopkins, Charles William McLaughlin, Susan Johnson, Maryanna Quon Warner, David LaHart, Jill D. Wright ,1993:

Human Biology and Health. Englewood Cliffs, New Jersey, USA: Prentice Hall. ISBN 0-13-981176-1.

Mehta JL, Hu B, Chen J, 2003:

Pioglitazone inhibits LOX-1 expression in human coronary artery endothelial cells by reducing intracellular superoxide radical generation. Arterioscler Thromb Vasc Biol;23:2203-8.

Meiattini F,1978:

Clin Chem 1978;24(12):2161-2165.

Miller ER III, Appel LJ, Risby TH: Effect of dietary patterns on measures of lipid peroxidation,1998:

Results from a randomized clinical trial. Circulation 98:2390–2395.

Miller RA, Britigan BE , 1997:

"Role of oxidants in microbial pathophysiology". Clin. Microbiol. Rev. **10** (1): 1–18. PMID 8993856.

Minuz P, Patrignani P, Gaino S, Seta F, Capone ML, Tacconelli S, Degan M, Faccini G, Fornasiero A, Talamini G, Tommasoli R, Arosio E, Santonastaso CL, Lechi A, Patrono C,2004:

Determinants of platelet activation in human essential hypertension. Hypertension 43:64–70.

Moon SK, Cho GO, Jung SY, 2003:

Quercetin exerts multiple inhibitory effects on vascular smooth muscle cells: role of ERK1/2, cell-cycle regulation, and matrix metalloproteinase-9. Biochem Biophys Res Commun;Feb 21;301(4):1069-78.

Moron R,1998:

Quercetin. Monograph. Altern Med Rev.;3(2):140-3.

Morrison JA, Jacobsen DW, Sprecher DL, Robinson K, Khoury P, Daniels SR , 1999:

"Serum glutathione in adolescent males predicts parental coronary heart disease". *Circulation* **100** (22): 2244–7. PMID 10577998. <http://circ.ahajournals.org/cgi/pmidlookup?view=long&pmid=10577998>.

Mosha T, Gaga H, Pace R, Laswai H, Mtebe K ,1995:

"Effect of blanching on the content of antinutritional factors in selected vegetables". *Plant Foods Hum Nutr* **47** (4): 361–7. doi:10.1007/BF01088275. PMID 8577655.

Nair MP, Mahajan S, Reynolds JL, 2006:

The Flavonoid Quercetin Inhibits Proinflammatory Cytokine (Tumor Necrosis Factor Alpha) Gene Expression in Normal Peripheral Blood Mononuclear Cells via Modulation of the NF- κ B System. *Clin Vaccine Immunol.*;13(3):319-28.

Nakabeppu Y, Sakumi K, Sakamoto K, Tsuchimoto D, Tsuzuki T, Nakatsu Y ,2006:

"Mutagenesis and carcinogenesis caused by the oxidation of nucleic acids". *Biol Chem* **387** (4): 373–9. doi:10.1515/BC.2006.050. PMID 16606334.

Natio HK,1984:

disorders of lipid metabolism.In:Kaplan LA ,Pesce AJ,eds. Clinical chemistry,theory,analysis and correlation.st. louis:mosby company.1984.550-593

Navab M, Imes S, Hama S, 1991:

Monocyte transmigration induced by modifications of LDL in cocultures of human aortic wall cells is due to induction of monocyte chemotactic protein I synthesis and is abolished by HDL. J Clin Invest;88:2039-46.

Neaton JD, Grimm RH Jr, Prineas RJ, Stamler J, Grandits GA, Elmer PJ, 1993:

Treatment of Mild Hypertension Study. Final results. Treatment of Mild Hypertension Study Research Group. JAMA. Aug 11 1993;270(6):713-24.

Noguchi N, Watanabe A and Shi H ,2000:

Antioxidants in health and diseases: Antioxidant defense system. Free Rad. Res. 2000;33:809-17.

Nothlings U, Murphy SP, Wilkens LR, 2008:

A food pattern that is predictive of flavonol intake and risk of pancreatic cancer. Am J Clin Nutr.;88(6):1653-62.

Nunomura A, Castellani R, Zhu X, Moreira P, Perry G, Smith M ,2006:

"Involvement of oxidative stress in Alzheimer disease". J Neuropathol Exp Neurol **65** (7): 631–41. doi:10.1097/01.jnen.0000228136.58062.bf. PMID 16825950.

Ortega RM ,2006:

"Importance of functional foods in the Mediterranean diet". Public Health Nutr **9** (8A): 1136–40. doi:10.1017/S1368980007668530. PMID 17378953.

Osman HE, Maalej N, Shanmuganayagam D, 1998:

Grape juice but not orange or grapefruit juice inhibits platelet activity in dogs and monkeys. J Nutr 1998;128:2307-12.

Ou B, Hampsch-Woodill M, Prior R ,2001:

"Development and validation of an improved oxygen radical absorbance capacity assay using fluorescein as the fluorescent probe". J Agric Food Chem **49** (10): 4619–26. doi:10.1021/jf010586o. PMID 11599998.

Park HJ, Yang JY, Ambati S, 2008:

Combined effects of genistein, quercetin, and resveratrol in human and 3T3-L1 adipocytes. J Med Food.;11(4):773-83.

Parthasarathy S, Steinberg D, Witztum JL,1992:

The role of oxidized low-density lipoproteins in the pathogenesis of atherosclerosis. Ann Rev Med;43:219-25.

Pierdomenico SD, Di Nicola M, Esposito AL, 2009:

"Prognostic Value of Different Indices of Blood Pressure Variability in Hypertensive Patients". American Journal of Hypertension **22** (8): 842–7.

Pignatelli P, Pulcinelli FM, Celestini A, 2000:

The flavonoids quercetin and catechin synergistically inhibit platelet function by antagonizing the intracellular production of hydrogen peroxide. *Am J Clin Nutr.* Nov; 72(5):1150-5.

Pimenta E, Oparil S ,2009:

"Role of aliskiren in cardio-renal protection and use in hypertensives with multiple risk factors". *Vascular Health and Risk Management* **5** (1): 453–63.

Pitts SR, Adams RP , 1998:

"Emergency department hypertension and regression to the mean". *Annals of Emergency Medicine* **31** (2): 214–8.

Prashar A, Locke I, Evans C ,2006:

"Cytotoxicity of clove (*Syzygium aromaticum*) oil and its major components to human skin cells". *Cell Prolif* **39** (4): 241–8. doi:10.1111/j.1365-2184.2006.00384.x. PMID 16872360.

Qureshi AI, Suri MF, Kirmani JF, Divani AA,2000:

Prevalence and trends of prehypertension and hypertension in United States: National Health and Nutrition Examination Surveys 1976 to 2000. *Med Sci Monit.* Sep 2005;11(9):CR403-9

Raha S and Robinson B ,2000:

"Mitochondria, oxygen free radicals, disease and aging". *Trends Biochem Sci* **25** (10): 502–8

Raha S, Robinson B ,2000:

"Mitochondria, oxygen free radicals, disease and aging". Trends Biochem Sci **25** (10): 502–8. doi:10.1016/S0968-0004(00)01674-1. PMID 11050436.

Rankin SM, Hoult JR, Jessup W and Leake DS,1990:

Flavonoids inhibit the oxidation of low density lipoproteins. Biochem Pharmacol 1990 , **39**:1743-1749.

Rattan V, Sultana C, Shen Y, 1997:

Oxidant stress-induced transendothelial migration of monocytes is linked to phosphorylation of PECAM-1. Am J Physiol;273:E453-E461.

Redon J, Cifkova R, Laurent S, et al,2009:

Mechanisms of hypertension. JHypertens. Mar 2009; 441-451.

Reiter R ,1995:

"Oxidative processes and antioxidative defense mechanisms in the aging brain" (PDF). FASEB J **9** (7): 526–33. PMID 7737461. <http://www.fasebj.org/cgi/reprint/9/7/526.pdf>.

Rhee SG ,June 2006:

"Cell signaling. H₂O₂, a necessary evil for cell signaling". Science (journal) **312** (5782): 1882–3.

Rietveld A, Wiseman S , 2003:

"Antioxidant effects of tea: evidence from human clinical trials". J Nutr **133** (10): 3285S–3292S. PMID 14519827.

<http://jn.nutrition.org/cgi/content/full/133/10/3285S>.

Ristow M, Zarse K, Oberbach A , 2009:

"Antioxidants prevent health-promoting effects of physical exercise in humans". Proc. Natl. Acad. Sci. U.S.A. **106** (21): 8665–70. doi:10.1073/pnas.0903485106. PMID 19433800.

Rivera L, Sanchez M, Zarzuelo A, Galisteo M,2008:

Quercetin ameliorates metabolic syndrome and improves the inflammatory status in obese Zucker rats. Obesity (Silver Spring).;16(9):2081-7.

Robak J, Gryglewski RJ,1988:

Flavonoids are scavengers of superoxide anion. Biochem Pharmacol;37:83-8.

Rocic P, Seshiah P, Griending KK,2003:

Reactive oxygen species sensitivity of angiotensin II-dependent translation initiation in vascular smooth muscle cells. J Biol Chem;278: 36973-9.

Rueckschloss U, Quinn MT, Holtz J, 2002:

Dose-dependent regulation of NAD(P)H oxidase expression by angiotensin II in human endothelial cells: protective effect of angiotensin II type 1 receptor

blockade in patients with coronary artery disease. *Arterioscler Thromb Vasc Biol*; 22: 1845–51.

Rule AD, Fridley BL, Hunt SC, 2009:

Genome-wide linkage analysis for uric acid in families enriched for hypertension. *Nephrol Dial Transplant*. Mar 3 2009

Sacks FM, Svetkey LP, Vollmer WM, Appel LJ, Bray GA, Harsha D, Obarzanek E, Conlin PR, Miller ER 3rd, Simons-Morton DG, Karanja N, Lin PH, DASH–Sodium Collaborative Research Group,2001:

Effects on blood pressure of reduced dietary sodium and the Dietary Approaches to Stop Hypertension (DASH) diet. *N Engl J Med* 344:3–10.

Sanchez M, Galisteo M, Vera R, Villar IC, Zarzuelo A, Tamargo J, Perez-Vizcaino F and Duarte J,2006:

Quercetin downregulates NADPH oxidase, increases eNOS activity and prevents endothelial dysfunction in spontaneously hypertensive rats. *J Hypertens*. 2006;24:75–84.

Sandberg A ,2002:

"Bioavailability of minerals in legumes". *Br J Nutr* **88** (Suppl 3): S281–5. doi:10.1079/BJN/2002718. PMID 12498628.

Saura MF, Galisteo M, Villar IC, Bermejo A, Zarzuelo A, Vargas F and Duarte J,2005:

Effects of chronic quercetin treatment in experimental renovascular hypertension. Mol Cell Biochem.;270:147–55

Schumacker P ,2006:

"Reactive oxygen species in cancer cells: Live by the sword, die by the sword". Cancer Cell **10** (3): 175–6. doi:10.1016/j.ccr.2006.08.015. PMID 16959608.

Serrano C, Chacra AP, Monterio HP, Yoshida VM, Futado M, Ferreria S, Gutierrez P and Pileggi F,1999:

The effect of quercetin on experimental atherosclerosis: lipid-independent protection. Exp Mol Pathol. 1999;**65**:150–159.

Shenkin A ,2006:

"The key role of micronutrients". Clin Nutr **25** (1): 1–13. doi:10.1016/j.clnu.2005.11.006. PMID 16376462.

Shuko NOJIRI, Hiroyuki DAIDA and Yutaka ,2004:

Antioxidants and Cardiovascular Disease: Still a Topic of Interest. Environ. Health Prev. Med 2004; 9:200-13.

Sies H ,1997:

"Oxidative stress: oxidants and antioxidants" (PDF). Exp Physiol **82** (2): 291–5. PMID 9129943. <http://ep.physoc.org/cgi/reprint/82/2/291.pdf>.

Siess MH, Leclerc J, Canivenc-Lavier MC, 1995:

Heterogenous effects of natural flavonoids on monooxygenase activities in human and rat liver microsomes. *Toxicol. Appl. Pharmac.*;130:73-8.

Singh U, Devaraj S, Jialal I, 2005:

Vitamin E, oxidative stress and inflammation. *Annu. Rev. Nutr.*;25:151-174.

Sorata Y, Takahama U, Kimura M, 1982:

Protective effect of quercetin and rutin on photosensitized lysis of human erythrocytes in the presence of hematoporphyrin. *Biochem Biophys Acta*;799:313-17.

Sowell A, Huff D, Yeager P, Caudill S, Gunter E ,1994:

"Retinol, alpha-tocopherol, lutein/zeaxanthin, beta-cryptoxanthin, lycopene, alpha-carotene, trans-beta-carotene, and four retinyl esters in serum determined simultaneously by reversed-phase HPLC with multiwavelength detection". *Clin Chem* **40** (3): 411 – 6. PMID 8131277.

Stadtman E ,1992:

"Protein oxidation and aging". *Science* **257** (5074): 1220–4. doi:10.1126/science.1355616. PMID 1355616.

Stahl W, Schwarz W, Sundquist A, Sies H ,1992:

"cis-trans isomers of lycopene and beta-carotene in human serum and tissues". Arch Biochem Biophys **294** (1): 173 – 7. doi:10.1016/0003-9861(92)90153-N. PMID 1550343.

Stanner SA, Hughes J, Kelly CN, Buttriss J ,2004:

"A review of the epidemiological evidence for the 'antioxidant hypothesis'". Public Health Nutr **7** (3): 407–22. doi:10.1079/PHN2003543. PMID 15153272.

Stearse SE, Yellon DM,1995:

The potential for endogenous myocardial antioxidants to protect the myocardium against ischaemia-reperfusion injury: refreshing the parts exogenous antioxidants cannot reach? J Mol Cell Cardiol;27(1):65-74.

Stien EA,1988:

lipids, lipoproteins and apo lipoproteins .In: Tietz NW ed. Fundamental of clinical chemistry . third edition. Philadelphia: WB Saunders ,1988;448-481

Strobel P, Allard C, Perez-Acle T, 2005:

Myricetin, quercetin and catechin-gallate inhibit glucose uptake in isolated rat adipocytes. Biochem J. **15**;386(Pt 3):471-8.

Sudano I, Spieker LE, Herm-ann F, 2006:

Protection of endothelial function: targets for nutritional and pharmacological interventions. J

Cardiovasc Pharmacol.;47 (Suppl 2):S136-50; discussion S172-6.

Szabó I, Bergantino E, Giacometti G ,2005:

Light and oxygenic photosynthesis : energy dissipation as a protection mechanism against photo-oxidation". EMBO Rep **6** (7): 629–34. doi:10.1038/sj.embor.7400460. PMID 15995679

Takahashi H , 2008:

"[Sympathetic hyperactivity in hypertension]" (in Japanese). Nippon Rinsho. Japanese Journal of Clinical Medicine **66** (8): 1495–502.

Teichert J, Preiss R ,1992:

"HPLC-methods for determination of lipoic acid and its reduced form in human plasma". Int J Clin Pharmacol Ther Toxicol **30** (11): 511 – 2. PMID 1490813.

Terao J, Piskula MK,1999:

Flavonoids and membrane lipid peroxidation inhibition. Nutrition;15:790-1.

Tiidus P ,1998:

"Radical species in inflammation and overtraining". Can J Physiol Pharmacol **76** (5): 533–8. doi:10.1139/cjpp-76-5-

533.PMID9839079.<http://article.pubs.nrc-cnrc.gc.ca/ppv/RPViewDoc?issn=0008-4212&volume=76&issue=5&startPage=533>.

Touyz RM and Schiffrin EL,2000:

Signal transduction mechanisms mediating the physiological and patho-physiological actions of angiotensin II in vascular smooth muscle cells. Pharmacol Rev 52:639–672.

Touyz RM, Chen X, Tabet F, Yao G, He G, Quinn MT, Pagano PJ, Schiffrin EL,2002:

Expression of a gp91phox-containing leukocyte-type NADPH oxidase in human vascular smooth muscle cells: modulation by Ang II. Circ Res 90:1205–1213.

Touyz RM,2004:

Reactive oxygen species and angiotensin II signaling in vascular cells: implications in cardiovascular disease. Braz J Med Biol Res 37:1263–1273.

Trinder P,1996:

Ann.Clin.Biochem.6:24.

Turunen M, Olsson J, Dallner G ,2004:

"Metabolism and function of coenzyme Q". Biochim Biophys Acta **1660** (1 – 2): 171 – 99. doi:10.1016/j.bbamem.2003.11.012. PMID 14757233.

Utrilla P, Perez-Vizcaino F and Duarte J, 1993:

Vasodilatory effects of flavonoids in rat aortic smooth muscle. Structure-activity relationships. *Gen. Pharmacol.* 1993;24:857–64.

Valko M, Leibfritz D, Moncol J, Cronin M, Mazur M, Telser J ,2007:

"Free radicals and antioxidants in normal physiological functions and human disease". *Int J Biochem Cell Biol* **39** (1): 44–84. doi:10.1016/j.biocel.2006.07.001. PMID 16978905.

Valko M, Leibfritz D, Moncol J, Cronin M, Mazur M, Telser J ,2007:

"Free radicals and antioxidants in normal physiological functions and human disease". *Int J Biochem Cell Biol* **39** (1): 44–84.

Vallance P, Collier J, Moncada S,1989:

Effects of endothelium-derived nitric oxide on peripheral arteriolar tone in man. *Lancet* 8670:997–1000.

Van Gaal L, Mertens I, De Block C ,2006:

"Mechanisms linking obesity with cardiovascular disease". *Nature* **444** (7121): 875–80. doi:10.1038/nature05487. PMID 17167476.

Vargas F ,Ocete MT ,Zarzoriu A , Tamargo J ,2001:

Antihypertensive effects of quercetin in spontaneously hypertensive rats .Br J Pharmacol 133:117-124.

Venables MC, Hulston CJ, Cox HR and Jeukendrup AE ,2008:

The effect of quercetin supplementation on lipid profile and glucose tolerance. Am J Clin Nutr. 2008;87:778–84.

Vertuani S, Angusti A, Manfredini S ,2004:

"The antioxidants and pro-antioxidants network: an overview". Curr Pharm Des **10** (14): 1677–94. doi:10.2174/1381612043384655. PMID 15134565.

Viana M, Barbas C, Bonet B, Bonet MV, Castro M, Fraile MV and Herrera E,2000:

In vitro effects of a flavonoid-rich extract on LDL oxidation. Atherosclerosis. 2000;**123**:83–91.

Vidt DG,2008:

Treatment of hypertensive urgencies and emergencies. In: Izzo JL, Sica DA, Black HR, eds. Hypertension primer: the essentials of high blood pressure: basic science, population science, and clinical management. 4th ed. Philadelphia, Pa: Lippincott Williams & Wilkins.

Vivekananthan DP, Penn MS, Sapp SK, Hsu A, Topol EJ,2003:

Use of antioxidant vitamins for the prevention of cardiovascular disease: meta-analysis of randomised trials. *Lancet* 361:2017–2023.

Wallace CH, Baczkó I, Jones L, 2006:

Inhibition of cardiac voltage-gated sodium channels by grape polyphenols. *Br J Pharmacol*;149(6):657-65.

Wang Q, Hummler E & Nussberger J,2002:

Blood pressure changes and renal responses to renal artery ligation in mice: Role of renin genes. *J Am Soc Nephrol* 2002; **13**: 1509–1516

Ward NC, Hodgson JM, Puddey IB, Mori TA, Beilin LJ, Croft KD,2004:

Oxidative stress in human hypertension: association with antihypertensive treatment, gender, nutrition, and lifestyle. *Free Radic Biol Med* 36:226–232.

Warren CA, Paulhill KJ, Davidson LA, 2009:

Quercetin may suppress rat aberrant crypt foci formation by suppressing inflammatory mediators that influence proliferation and apoptosis. *J Nutr.*;139(1):101-5.

Welli PR,Riberio RM,Simose CM,Gabilan NH and Nicolea M ;2001:

Effect of quercetin on tachykinin- induced plasma extravasation in rat urinary bladder. *Phytother Res*15:444-446,2001.

Welton AF, Hurley J, Will P,1988:

Flavonoids and arachidonic acid metabolism. *Prog Clin Biol Res.*;280:301-12.

White CR, Brock TA, Chang LY, Crapo J, Briscoe P, Ku D, Bradley WA, Gianturco SH, Gore J, Freeman BA, 1994:

Superoxide and peroxynitrite in atherosclerosis. Proc Natl Acad Sci U S A 91:1044–1048.

Witzum J, Steinberg D,1991:

Role of oxidized low-density lipoprotein in atherogenesis. J. Clin. Invest.;88:1785-1792.

Wolz M, Cutler J, Roccella EJ, Rohde F, Thom T, Burt V,2000:

Statement from the National High Blood Pressure Education Program: prevalence of hypertension. Am J Hypertens. Jan 2000;13(1 Pt 1):103-4

Wood-Kaczmar A, Gandhi S, Wood N ,2006:

"Understanding the molecular causes of Parkinson's disease". Trends Mol Med **12** (11): 521–8. doi:10.1016/j.molmed.2006.09.007. PMID 17027339.

World Cancer Research Fund,2007:

Food, Nutrition, Physical Activity, and the Prevention of Cancer: a Global Perspective ISBN 978-0-9722522-2-5.

Xianquan S, Shi J, Kakuda Y, Yueming J ,2005:

"Stability of lycopene during food processing and storage". *J Med Food* **8** (4): 413–22. doi:10.1089/jmf.2005.8.413. PMID 16379550.

Yorek MA, Dunlap JA,2002:

Effect of increased concentration of D-glucose or L-fucose on monocyte adhesion to endothelial cell monolayers and activation of nuclear factor-kappa B. *Metabolism*; 51:225-34.

Yoshizumi M, Kim S, Kagami S, 1998:

Effect of endothelin-1 on extracellular signal-regulated kinase and proliferation of human coronary artery smooth muscle cells. *Br J Pharmacol* 1998; 125:1019-27

Young DS,1990:

Effects of drugs on clinical laboratory tests. third edition:3:6-12.

Zarzuelo A and Tamargo J,2001:

Antihypertensive effects of the flavonoid quercetin in spontaneously hypertensive rats. *Br J Pharmacol*. 2001;133:117–24.

Zarzuelo A, Pérez-Vizcaíno F and Duarte J , 1995:

Vasodilator effects of quercetin in isolated rat vascular smooth muscle. *Eur. J. Pharmacol*. 1995;239:1–7

Zeng JS, Zhang YQ, Mo JW, Su ZP, Huang RX,1998:

Renovascular hypertensive rats. 1998;29:1708–1713

Zeng X, Dai J, Remick DG,2003:

Homocysteine mediated expression and secretion of monocyte chemoattractant protein-1 and interleukin-8 in human monocytes. *Cir Res*;93:311-20.

Zita C, Overvad K, Mortensen S, Sindberg C, Moesgaard S, Hunter D ,2003:

"Serum coenzyme Q10 concentrations in healthy men supplemented with 30 mg or 100 mg coenzyme Q10 for two months in a randomised controlled study". *Biofactors* **18** (1 – 4): 185 – 93. doi:10.1002/biof.5520180221. PMID 14695934.