

REFERENCES

- ***Abbot, B.;Young, D.S. and Burtis, A. (1984):***
 - Creatine kinase in ***Kaplan, A.*** Clinical chemistry. The C.V. Mosby Co. St Louis, Toronto, Princeton: 1112 –1116.
- ***Andrew H. Fischer, Kenneth A. Jacobson, Jack Rose, and Rolf Zeller, (2008):***
 - Hematoxylin and Eosin Staining of Tissue and Cell Sections. Cold Spring Harb Protoc, 2008: pdb.prot4986.
- ***Appelkvist, E. L., M. Soderstrom, L. Nassberger, C. Damberg, G. Dallner, and J. W. DePierre, (1991):***
 - Characterization of the lipid and protein contents of myelin bodies isolated from the renal cortex of gentamicin-treated rats. Biochem. Biophys. Res. Commun. **181**:894–901.
- ***Armistag, P. (1983):***
 - Statistical methods. In medical research. Blackwell scientific publications, Oxford, London.
- ***Begg, E. J., and M. L. Barclay, (1995):***
 - Aminoglycosides—50 years on Br. J. Clin. Pharmacol. **39**:597–603.
- ***Bell PD, Lapointe JY, Peti-Peterdi J. (2003):***
 - Macula densa cell signaling. Annu Rev Physiol 65:481.
- ***Biomed J (2008):***
 - Aminoglycosides versus bacteria--a description of the action, resistance mechanism, and nosocomial battleground. Jan; 15(1):5-14.

- **Blum, D. (1995):**
 - An overview of the safety of isepamicin in adults. *J. Chemother.* 7 (Suppl. 2):87–93.
- **Bouckenooghe T, Remacle C, Reusens B. (2006):**
 - "Is taurine a functional nutrient?". *Curr Opin Clin Nutr* **9** (6): 728–733.
- **Bousquet P, Feldman J, Bloch R, Schwartz J. (1981):**
 - Central cardiovascular effect of taurine: comparison with homotaurine and muscimol. *J Pharmacol Exp Ther* , 219:213–218.
- **Bradford RW, Allen HW. (1996):**
 - Taurine in health and disease. *J Adv Med* ,9:179-199.
- **Brady HR, et al. (2000):**
 - Acute renal failure. In Brenner BM (ed), *Brenner and Rector's The Kidney*, 6th edition. W.B. Saunders Co., 2000.
- **Brosnan J., Brosnan M. (2006):**
 - "The sulfur-containing amino acids: an overview.". *J Nutr* **136** (6 Suppl): 1636S–1640S.
- **Burg MB, Ferraris JD, Dmitrieva NI. (2007):**
 - Cellular response to hyperosmotic stresses. *Physiol Rev* 2007, 87(4):1441-1474.
- **Carey, Francis A. (2006):**
 - *Organic Chemistry* (6th ed.). New York: McGraw Hill. pp.1149. "Amino acids are carboxylic acids that contain an amine function."

- **Carrier, D., N. Chartrand, and W. Matar, (1997):**
 - Comparison of the effects of amikacin and kanamycins A and B on Dimyristoylphosphatidylglycerol bilayers. *Biochem. Pharmacol.* 53:401–408.
- **Champney WS, (2001):**
 - "Bacterial ribosomal subunit synthesis: a novel antibiotic target". *Curr Drug Targets Infect Disord.* 1 (1): 19–36.
- **Chesney RW, Budreau AM. (1993):**
 - Efflux of taurine from renal brush border membrane vesicles: is it adaptively regulated? *Pediatr Nephrol* 1993, 7(1):35-40.
- **Chesney RW, Han X, Patters A (2010):**
 - Taurine and the renal system. *Journal of Biomedical Science*, 17(Suppl 1):S4.
- **Chung, L., G. Kaloyanides, R. McDaniel, A. McLaughin, and S. McLaughin, (1985):**
 - Interaction of gentamicin and spermine with bilayer membranes containing negatively-charged phospholipids. *Biochemistry* 24:442–452.
- **Clarkson MR, Friedewald JJ, Eustace JA, Rabb H. (2007):**
 - Acute Kidney Injury. In: Brenner BM, ed. *Brenner: Brenner and Rector's the Kidney*. 8th ed. Philadelphia, Pa: Saunders Elsevier; 2007: chap. 29.
- **Cohen, R., K. Johnson, and H. D. Humes, (1988):**
 - Potentiation of aminoglycoside nephrotoxicity by vitamin-D-induced hypercalcemia. *Miner. Electrolyte Metab.* 14:121–128.

- **Cowley AW Jr, Mori T, Mattson D, Zou AP. (2003):**
 - Role of renal NO production in the regulation of medullary blood flow. *Am J Physiol Regul Integr Comp Physiol* 284:R1355.

- **Cronin R.E., Henrich W.L. (1996):**
 - Toxic nephropathy. In Brenner BM, Rector FC, eds. *The Kidney*. W. B. Saunders, Philadelphia, Vol. II, 1680–1711.

- **Eldin A.A., Shaheen A.A., Abd El gawad H.M., Shehata N.L. (2008):**
 - The protective effect of taurine quercetin against renal dysfunction associated with the combined use of gentamicin and diclofenac. *Indian journal of Biochemistry & Biophysics*. Vol. 45; pp 332-340.

- **Elliott, W. C., and D. S. Patchin, (1995):**
 - Effects and interactions of gentamicin, polyaspartic acid and diuretics on urine calcium concentration. *J. Pharmacol. Exp. Ther.* 273:280–284.

- **Elsisi SF, Nabarawy SK (2011):**
 - Protective Effect of Taurine and Bismuth Subnitrate against Cyclosporine and NSAID-induced Nephrotoxicity in Rats. *Journal of American Science*, 7(1) :912-921.

- **Erdem A, Gundogan NU, Usubutun A, Kilinc K, Erdem SR, Kara A, Bozkurt A (2000):**
 - The protective effect of taurine against gentamicin-induced acute tubular necrosis in rats. *Nephrol. Dial. Transplant.* 15:1175–1182.

- **Fauconneau, B., C. Tallineau, F. Huguet, and A. Piriou, (1995):**
 - Gentamicin induced kidney damage and lipid peroxidation in rats. *Toxicol. Lett.* **76**: 127–134.
- **Flavio Guzmán, (2008):**
 - Protein synthesis inhibitors: aminoglycosides mechanism of action animation. Classification of agents, Pharmamotion posted by Flavio Guzmán on 12/08/2008.
- **Franconi F, Bennardini F, Mattana A, et al. (1995):**
 - Plasma and platelet taurine are reduced in subjects with insulin-dependent diabetes mellitus: effects of taurine supplementation. *Am J Clin Nutr*, 61: 1115-1119.
- **Fry AC, Farrington K, (2006):**
 - Management of acute renal failure. *Postgrad Med J*, **82**:106-116.
- **Fujita T, Ando K, Noda H, et al. (1987):**
 - Effects of increased adrenomedullary activity and taurine in young patients with borderline hypertension. *Circulation* , 75:525-532.
- **Fukuda, Y., A. S. Malmborg, and A. Aperia, (1991):**
 - Gentamicin inhibition of Na⁺, K⁺-ATPase in rat kidney cells. *Acta Physiol. Scand.* **141**:27–34.
- **Gaull GE, Wright GE, Tallen JJ (1983):**
 - Taurine in human lymphoblastoid cells: uptake and role in proliferation. In: Kuriyama J, Huxtable RJ eds. *Sulfur Amino Acids: Biochemical and Clinical Aspects*. New York City, NY: Alan R. Liss, 297-303.

- **Gilbert, D. N. (1995):**
 - Aminoglycosides, p. 279–306. In G. L. Mandell, J. E.
- **Giuliano, R. A., G. A. Verpooten, L. Verbist, R. Wedeen, and M. E. De Broe, (1986):**
 - In vivo uptake kinetics of aminoglycosides in the kidney cortex of rats. *J. Pharmacol. Exp. Ther.* **236**:470–475.
- **Gurnani K., H. Khouri, M. Couture, M. G. Bergeron, D. Beauchamp, and D. Carrier, (1995):**
 - Molecular basis of the inhibition of gentamicin nephrotoxicity by daptomycin: an infrared spectroscopic investigation. *Biochem. Biophys. Acta* **1237**:86–94.
- **Guyton C., Hall, Jone J. (2006):**
 - Textbook of Medical Physiology. Philadelphia: Elsevier Saunders. pp. 310. ISBN 0-7216-0240-1.
- **Guz G., Oz E., Lortlar N., Ulusu N.N., Nurlu N., Demirogullari B. Omeroglu S., Sert S., Karasu C. (2007):**
 - The effect of taurine on renal ischemia/reperfusion injury. Vol. 32, 3, pp. 405-411(7).
- **Hager H.H., El Etter and Arafa M. (2006):**
 - Taurine attenuates hypertension and renal dysfunction induced by cyclosporine A in rats, *Clinical and Experimental Pharmacology*. 33, 189-196.
- **Hammond, T. G., R. R. Majewski, J. H. Kaysen, F. O. Goda, G. L. Navar, F. Pontillon, and P. J. Verroust, (1997):**
 - Gentamicin inhibits rat renal cortical homotypic endosomal fusion: role of megalin. *Am. J. Physiol.* **272**:F117–F123.

- **Han X, Budreau AM, Chesney RW. (2000):**
 - The taurine transporter gene and its role in renal development. *Amino Acids* 2000, 19(3-4):499-507.
- **Han X, Patters AB, Jones DP, Zelikovic I, Chesney RW. (2006):**
 - The taurine transporter: mechanisms of regulation. *Acta Physiol (Oxf)* 2006, 187(1- 2):61-73.
- **Han X, Yue J, Chesney RW. (2009):**
 - Functional TauT protects against acute kidney injury. *J Am Soc Nephrol*, 20(6):1323-1332.
- **Handler JS, Kwon HM., (2001):**
 - Transcriptional regulation by changes in tonicity. *Kidney Int*, 60(2):408-411.
- **Haraldsson B, Sörensson J. (2004):**
 - Why do we not all have proteinuria? An update of our current understanding of the glomerular barrier. *News Physiol Sci* 19:7.
- **Hardison WGM, Grundy SM. (1983):**
 - Effect of bile acid conjugation pattern on bile acid metabolism in normal humans. *Gastroenterology*, 84:617-620.
- **Hu J., Xu X., Yang J., Wu G., Sun C.and Lv QA. (2009):** Antihypertensive Effect of Taurine in Rat *Advances in Experimental Medicine and Biology*, 643, Taurine 7, *Biomedical and Life Sciences*, Springer New York, Part I pages 75-84.
- **Hulka, G. F., J. Prazma, R. E. Brownlee, S. Pulver, and H. C. Pillsbury, (1993):**
 - Use of poly-L-aspartic acid to inhibit aminoglycoside cochlear ototoxicity. *Am. J. Otol.* **14**:352–359.

- **Humes DH, et al., (1997):**
 - Acute renal failure: growth factors, cell therapy and gene therapy. *Proc Am Assoc Physicians* 109:547, 1997.
- **Hutchin, T., and G. Cortopassi, (1994):**
 - Proposed molecular and cellular mechanism for aminoglycoside ototoxicity. *Antimicrob. Agents Chemother.* **38**:2517–2520.
- **Huxtable RJ (1992):**
 - Physiological action of taurine. *Physiol Rev*, 72: 101–163.
- **Igimi H, Carey MC (1981):**
 - Cholesterol gallstone dissolution kinetics of crystalline (anhydrate monohydrate) cholesterol with chenodeoxycholate, ursodeoxycholate and their glycine and taurine conjugates. *J Lipid Res*, 22:254-271.
- **Ikeda H. (1997):**
 - Effects of taurine on alcohol withdrawal. *Lancet*, 2:509.
- **Ito T, Fujio Y, Schaffer SW, Azuma J., (2009):**
 - Involvement of transcriptional factor TonEBP in the regulation of the taurine transporter in the cardiomyocyte. *Adv Exp Med Biol* 2009, 643:523-532.
- **Jones DP, Miller LA, Chesney RW. (1990):**
 - Adaptive regulation of taurine transport in two continuous renal epithelial cell lines. *Kidney Int* 1990, 38(2):219-226.
- **Jones DP, Miller LA, Chesney RW. (1993):**
 - Polarity of taurine transport in cultured renal epithelial cell lines: LLC-PK1 and MDCK. *Am J Physiol* 1993, 265(1 Pt 2):F137-145.

- **Julia Barrett, (2002):**
 - Gale Group Inc., Gale, Detroit.
- **Ka'lay, Z., and P. M. Tulkens, (1989):**
 - Uptake and subcellular distribution of poly-L-aspartic acid, a protectant against aminoglycoside-induced nephrotoxicity, in rat kidney cortex, p. 189–192.
- **Kaloyanides GL. (1994):**
 - Aminoglycoside-induced functional and biochem-1010 MINIREVIEWS ANTIMICROB. AGENTS CHEMOTHER.
- **Kaplan A. (1984):**
 - Urea. Kaplan A et al. Clin Chem The C.V. Mosby Co. St Louis. Toronto. Princeton ,1257 – 1260 and 437 and 418.
- **Kendler BS. (1989):**
 - Taurine: An overview of its role in preventative medicine. Prev Med ,18:79-100.
- **Kim C and Cha YN. (2009):**
 - Production of reactive oxygen and nitrogen species in phagocytes is regulated by taurine chloramine. Adv Exp Med Biol 2009, 643:463-472.
- **Kim C, Choi HS, Kim JW. (2006):**
 - Taurine chloramine inhibits the production of nitric oxide and superoxide anion by modulating specific mitogenactivated protein kinases. Adv Exp Med Biol 2006, 583:493-498.
- **Kim W., (2003):**
 - "Debunking the Effects of Taurine in Red Bull Energy Drink", *Nutrition Bytes*, **9**, 6.

- **Kishore, B. K., S. Ibrahim, P. Lambricht, G. Laurent, P. Maldague, and P. M. Tulkens, (1992):**
 - Comparative assessment of poly-L-aspartic and poly-L-glutamic acids against gentamicin-induced renal lysosomal phospholipidosis, phospholipiduria and cell proliferation in rats. *J. Pharmacol. Exp. Ther.* **262**:424–432.
- **Kishore, B. K., Z. Ka'Illy, P. Lambricht, G. Laurent, and P. M. Tulkens, (1990):** Mechanism of protection afforded by polyaspartic acid against gentamicin- induced phospholipidosis. I. Polyaspartic acid binds and displaces gentamicin from negatively-charged phospholipid layers. *J. Pharmacol. Exp. Ther.* **255**:867–874.
- **Kohlhepp S. J., D. N. McGregor, S. J. Cohen, M. E. Kohlhepp, and D. N. Gilbert, (1992):**
 - Determinants of the in vitro interaction of polyaspartic acid and aminoglycoside antibiotics. *J. Pharmacol. Exp. Ther.* **263**:1464–1470.
- **Kriz W, Kaissling B. (2000):**
 - Structural organization of the mammalian kidney. In Seldin DW, Giebisch G (eds): *The Kidney—Physiology and Pathophysiology*, 3rd ed. New York: Raven Press, pp 587-654.
- **Lahdesmaki P. (1987):**
 - "Biosynthesis of taurine peptides in brain cytoplasmic fraction in vitro." *Int J Neuroscience* **37** (1-2): 79–84.
- **Lambert IH. (2004):**
 - Regulation of the cellular content of the organic osmolyte taurine in mammalian cells. *Neurochem Res* 2004, 29(1):27-63.

- **Lameire N, Vanholder R. (2001):**
 - Pathophysiologic features and prevention of human and experimental acute tubular necrosis. *J Am Soc Nephrol* 12 (suppl 17):S20, 2001.
- **Landau, D., and K. K. Kher, (1997):**
 - Gentamicin induced Bartter-like syndrome. *Pediatr. Nephrol.* **11**:737–740.
- **Laurent, G., B. K. Kishore, and P. M. Tulkens, (1990):**
 - Aminoglycoside-induced phospholipidosis and nephrotoxicity. *Biochem. Pharmacol.* **40**: 2383–2392.
- **Laurent, G., M. B. Carlier, B. Rollman, F. Van Hoof, and P. Tulkens, (1982):**
 - Mechanism of aminoglycoside-induced lysosomal phospholipidosis: in vitro and in vivo studies with gentamicin and amikacin. *Biochem. Pharmacol.* **31**: 3861–3870.
- **Levi, M., and R. E. Cronin, (1990):**
 - Early selective effects of gentamicin on renal brush-border membrane Na-Pi cotransport and Na-H exchange. *Am. J. Physiol.* **258**:F1379–F1387.
- **Lieberthal WL. (1997):**
 - Biology of acute renal failure. *Kidney Int* 52:1102.

- **Marcinkiewicz J, Kurnyta M, Biedron R, Bobek M, Kontny E, Maslinski W. (2006):**
 - Anti-inflammatory effects of taurine derivatives (taurine chloramine, taurine bromamine, and taurolidine) are mediated by different mechanisms. *Adv Exp Med Biol* 2006, 583:481-492.
- **Matsuyama Y, Morita T, Higuchi M, Tsujii T (1983):**
 - The effect of taurine administration on patients with acute hepatitis. *Prog Clin Biol Res*, 125:461-468.
- **Michalk DV, Hoffmann B, Minor T. (2003):**
 - Taurine reduces renal ischemia/ reperfusion injury in the rat. *Adv Exp Med Biol* 2003, 526:49-56.
- **Mingeot-Leclercq, M. P., A. Schanck, M. F. Ronveaux-Dupal, M. Deleers, R. Brasseur, J. M. Ruysschaert, and P. M. Tulkens, (1989):**
 - Ultrastructural, physico-chemical and conformational study of the interactions of gentamicin and bis(beta-diethylaminoethylether)hexestrol with negatively charged phospholipid bilayers. *Biochem. Pharmacol.* **38**:729–741.
- **Mingeot-Leclercq, M.-P., P. M. Tulkens, and R. Brasseur, (1992):**
 - Accessibility of aminoglycosides, isolated and in interaction with phosphatidylinositol, to water: a conformational analysis using the concept of molecular hydrophobicity potential. *Biochem. Pharmacol.* 44:1967–1975.
- **Mizushima S, Nara Y, Sawamura M, Yamori Y. (1996):**
 - Effects of oral taurine supplementation on lipids and sympathetic nerve tone. *Adv Exp Med Biol* 1996;403:615-622.

- **Moestrup, S. K., S. Cui, H. Vorum, C. Bregengard, S. E. Bjorn, K. Norris, and E. I. Christensen, (1995):**
 - Evidence that epithelial glycoprotein 330/ megalin mediates uptake of polybasic drugs. *J. Clin. Invest.* **96**:1404–1413.
- **Molitoris, B. A., and F. R. Simon, (1985):**
 - Renal cortical brush-border and basolateral membranes: cholesterol and phospholipid composition and relative turnover. *J. Membr. Biol.* **83**:207–215.
- **Moloney MA, Casey RG, O'Donnell DH, Fitzgerald P, Thompson C, Bouchier- Hayes DJ. (2010):**
 - Two weeks taurine supplementation reverses endothelial dysfunction in young male type 1 diabetics. *Diab Vasc Dis Res.*
- **Moss G. (1992):**
 - "Taurine Biosynthesis", Queen Mary University of London.
- **Murray R.L. (1984):**
 - Creatinine. Kaplan A et al. *Clin Chem The C.V. Mosby Co. St Louis. Toronto. Princeton* , 1261 – 1266 and 418.
- **Nakaya Y, Minami A, Harada N, Sakamoto S, Niwa Y, Ohnaka M. (2000):**
 - Taurine improves insulin sensitivity in the Otsuka Long-Evans Tokushima Fatty rat, a model of spontaneous type 2 diabetes. *Am J Clin Nutr* 2000, 71 (1):54-58.
- **Nara Y, Yamori Y, Lovenberg W. (1978):**
 - Effect of dietary taurine on blood pressure in spontaneously hypertensive rats. *Biochem Pharmacol* 1978, 27(23):2689-2692.

- **Nesina A, Esad Ć, Emina N.I., Zakira M, Asija Z, Almira H. D. (2008):**
 - Spirulina platensis protects against renal injury in rats with gentamicin-induced acute tubular necrosis. *Bosnian journal of Basic Medical Sciences*, 8 (4): 331-336.
- **Obatomi DK, Plummer DT (1993):**
 - Influence of hydration states on the acute nephrotoxic effect of gentamicin in the rat. *Toxicology*, 80: 141–152.
- **Ogino T, Than TA, Hosako M, Ozaki M, Omori M, Okada S. (2009):**
 - Taurine chloramine: a possible oxidant reservoir. *Adv Exp Med Biol*, 643:451-461.
- **Pallone TL, Zhang Z, Rhinehart K. (2003):**
 - Physiology of the renal medullary microcirculation. *Am J Physiol Renal Physiol* 284:F253.
- **Piret, J., B. K. Kishore, and P. M. Tulkens, (1992):**
 - Effect of substrate organization on the activity and on the mechanism of gentamicin-induced inhibition of rat liver lysosomal phospholipase A1. *Biochem. Pharmacol.* **43**: 895–898.
- **Porth CM, Lippincott Williams & Wilkins, (2007):**
 - *Essentials of Pathophysiology: Concepts of Altered Health States*, 2nd edition.
- **Priuska, E. M., and J. Schacht, (1997):**
 - Mechanism and prevention of aminoglycoside ototoxicity: outer hair cells as targets and tools. *Ear Nose Throat J.* **76**:164–171.

- **Rabb H, et al., (1997):**
 - Leucocytes, cell adhesion molecules and ischemic renal failure . Kidney Int 51:1463, 1997.
- **Ramsammy, L., C. Josepovitz, B. Lane, and G. J. Kaloyanides, (1990):**
 - Polyaspartic acid inhibits gentamicin-induced perturbation of phospholipid metabolism. Am. J. Physiol. **258**:C1141–C1149.
- **Raschke P, Massoudy P, Becker BF. (1995):**
 - Taurine protect the heart from neutrophil-induced reperfusion injury. Free Radic Biol Med , 19:461-467.
- **Robbin (2007):**
 - Text book, 8th edition, chapter 14, the kidney and collecting system, p 559 – 566.
- **Roysommuti S, Suwanich A, Jirakulsomchok D, Wyss JM. (2009):**
 - Perinatal taurine depletion increases susceptibility to adult sugar-induced hypertension in rats. Adv Exp Med Biol 2009, 643:123-133.
- **Russell W, Chesney, Xiaobin Han, Andrea B Patters (2009):**
 - Taurine and the renal system. Fort Lauderdale, FL, USA. 14-19 December 2009.
- **Sandoval, R., J. Leiser, and B. A. Molitoris, (1998):**
 - Aminoglycoside antibiotics traffic to the Golgi complex in LLC-PK1 cells. J. Am. Soc. Nephrol. **9**: 167–174.

- **Sato Y, Ogata E, Fujita T. (1991):**
 - Hypotensive action of taurine in DOCA-salt rats– involvement of sympathoadrenal inhibition and endogenous opiate. Jpn Circ J 1991, 55(5):500-508.
- **Satoh H, Sperelakis N. (1998):**
 - Review of some actions of taurine on ion channels of cardiac muscle cells and others. Gen Pharmac ,30:451-463.
- **Satoh H. and Kang J. (2009):**
 - Modulation by taurine of human arterial stiffness and wave reflection. Adv Exp Med Biol 2009, 643:47-55.
- **Schacht, J. (1997):**
 - Aminoglycoside ototoxicity: prevention in sight? Otolaryngol. Head Neck Surg. **117**:1–4.
- **Schrier RW, et al., (2004):**
 - Acute renal failure: definitions, diagnosis, pathogenesis, and therapy. J Clin Invest 114:5, 2004.
- **Silan C., Uzun O., Comunoglu NU., Gokcen S., Bedirhan S., Cengiz M., (2007):**
 - Protective effect of Quercetin against gentamicin induced nephrotoxicity in rats. Biol. Pharm. Bull., 30, 79-83.
- **Smith KE, Borden LA, Wang CH, Hartig PR, Branchek TA, Weinshank RL. (1992):**
 - Cloning and expression of a high affinity taurine transporter from rat brain. Mol Pharmacol, 42(4):563-569.

- **Smith U, Lacaille F, pepage G, et al. (1991):**
 - Taurine decreases fecal fatty acid and sterol excretion in cystic fibrosis. A randomized double-blind study. *AmJ Dis Child*, 145:1401-1404.
- **Stapleton, PP; L O'Flaherty, HP Redmond, and DJ Bouchier-Hayes (2006):**
 - "Host defense--a role for the amino acid taurine?" *Journal of Parenteral and Enteral Nutrition* 22 (1): 42–48. Retrieved 08-19.
- **Swan S. K., Gilbert D. N., Kohlhepp S. J., Kohnen P. W., Bennett W. M. (1993):**
 - Pharmacologic limits of the protective effect of polyaspartic acid on experimental gentamicin nephrotoxicity. *Antimicrob. Agents Chemother.* 37:347–348.
- **Thaeromor A, Wyss JM, Jirakulsomchok D, Roysummuti S. (2010):**
 - High sugar intake via the renin-angiotensin system blunts the baroreceptor reflex in adult rats that were perinatally depleted of taurine. *J Biomed Sci* 2010, 17(Suppl 1):S30.
- **Timbrell JA, Seabra V, Wterfield CJ. (1995):**
 - The in vivo and in vitro protective properties of taurine. *Gen Pharmac*, 26:453-462.
- **Todd, J. H., and G. H. Hottendorf, (1997):**
 - Poly-L-aspartic acid protects cultured human proximal tubule cells against aminoglycoside-induced electrophysiological alterations. *Toxicol. Lett.* 90:217–221.

- **Toubeau, G., G. Laurent, M. B. Carlier, S. Abid, P. Maldague, J. A. Heuson- Stiennon, and P. M. Tulkens, (1986):**
 - Tissue repair in rat kidney cortex after short treatment with aminoglycosides at low doses: a comparative biochemical and morphometric study. *Lab. Invest.* **54**:385–393.
- **Trachtman H, Futterweit S, Maesaka J, Ma C, Valderrama E, Fuchs A, Tarectecan AA, Rao PS, Sturman JA, Boles TH. (1995):**
 - Taurine ameliorates chronic streptozocin-induced diabetic nephropathy in rats. *Am J Physiol* 1995, 269(3 Pt 2):F429-438.
- **Trachtman H, Futterweit S, Prenner J, Hanon S. (1994):**
 - Antioxidants reverse the antiproliferative effect of high glucose and advanced glycosylation end products in cultured rat mesangial cells. *Biochem Biophys Res Commun* 1994, 199(1):346-352.
- **Tulkens, P. M. (1999):**
 - Nephrotoxicity of aminoglycosides. *Toxicol. Lett.* **46**: 107–123.
- **Tulkens, P. M., (1986):** Experimental studies on nephrotoxicity of aminoglycosides at low doses: mechanisms and perspectives. *Am. J. Med.* **80**(Suppl. 6B):105–114.
- **Tulkens, P. M., M. P. Mingeot-Leclercq, G. Laurent, and R. Brasseur, (1990):**
 - Conformational and biochemical analysis of the interactions phospholipids- aminoglycoside antibiotics in relation with their toxicity, p. 63–93.

- ***Uchida S, Nakanishi T, Kwon HM, Preston AS, Handler JS. (1991):***
 - Taurine behaves as an osmolyte in Madin-Darby canine kidney cells. Protection by polarized, regulated transport of taurine. *J Clin Invest* 1991, 88(2):656-662.
- ***Van Bambeke, F., P. M. Tulkens, R. Brasseur, and M.-P. Mingeot-Leclercq, (1995):***
 - Aminoglycoside antibiotics induce aggregation but not fusion of negatively- charged liposomes. *Eur. J. Pharmacol.* 289:321–333.
- ***Van Gleder NM. (1990):***
 - Neuronal discharge hypersynchrony and the intracranial water balance in relation to glutamic acid and taurine redistribution: Migraine and epilepsy. New York City, NY: Wiley Liss; 1990:Vol. 351.
- ***Walker P.D., Barri Y., Shah S.V. (1999):***
 - Oxidant mechanisms in gentamicin nephrotoxicity. *Ren. Fail.*, 21 (3-4):433-442.
- ***Wedeen, R. P., V. Batuman, C. Cheeks, E. Marquet, and H. Sobel, (1983):***
 - Transport of gentamicin in rat proximal tubule. *Lab. Invest.* **48**:212–223.
- ***Weinberg, J. M., (1986):***
 - The role of cell calcium overload in nephrotoxic renal tubular cell injury. *Am. J. Kidney Dis.* **8**:284–291.

- **Whittem T., Parton K., Turner K., (1996):**
 - Effect of polyaspartic acid on pharmacokinetics of gentamicin after single intravenous dose in the dog. *Antimicrob. Agents. Chemother.* **40**:1237–1241.

- **Williams, P. D., and G. H. Hottendorf, (1985):**
 - Inhibition of renal membrane binding and nephrotoxicity of gentamicin by polyasparagine and polyaspartic acid in the rat. *Res. Commun. Chem. Pathol. Pharmacol.* **47**:317–320.

- **Wilschanski M, Yahav Y, Yaacov Y, et al., (2003):**
 - "Gentamicin-induced correction of CFTR function in patients with cystic fibrosis and CFTR stop mutations". *N. Engl. J. Med.* **349** (15): 1433–41.

- **Zelikovic I, Stejskal-Lorenz E, Lohstroh P, Budreau A, Chesney RW.(1989):**
 - Anion dependence of taurine transport by rat renal brush-border membrane vesicles. *Am J Physiol* 1989, 256(4 Pt 2):F646-655.

- **Zheng, G., D. R. Bachinsky, I. Stamenkovic, D. K. Strickland, D. Brown, G. Andres, and R. T. McCluskey, (1994):**
 - Organ distribution in rats of two members of the low-density lipoprotein receptor gene family, gp330 and LRP/alpha 2MR, and the receptor-associated protein (RAP). *J. Histochem. Cytochem.* **42**:531–542.