

References

- Adachi T, Pimentel DR, Heibeck T, Hou X, Lee YJ, Jiang B, Ido and Cohen RA. (2004):** S-glutathiolation of Ras mediates redox-sensitive signaling by angiotensin II in vascular smooth muscle cells. *J Boils Chem* 279: 29857–29862.
- Ahn KS, Sethi G, Krishnan K, and Aggarwal BB. (2007):** Gamma-tocotrienol inhibits nuclear factor-kappaB signaling pathway through inhibition of receptor-interacting protein and TAK1 leading to suppression of antiapoptotic gene products and potentiation of apoptosis. *J Biol Chem.*; 282(1):809–20.
- Ahn KS, Sethi G, Krishnan K, and Aggarwal BB.(2007):** Gamma-tocotrienol inhibits nuclear factor-kappaB signaling pathway through inhibition of receptor-interacting protein and TAK1 leading to suppression of antiapoptotic gene products and potentiation of apoptosis. *J Biol Chem.*; 282(1):809–20.
- Ainsah O, Nabishah BM, Osman CB, and Khalid BAK.(2003):** Naloxone and vitamin E block stress-induced reduction of locomotor activity and elevation of plasma corticosterone. *Exp Clin Endocrin Diabetes* 107:462-467.
- Alberti KG, Zimmet P, and Shaw J (2005):** IDF Epidemiology Task Force Consensus Group. The metabolic syndrome—a new worldwide definition. *Lancet*; 366: 1059– 1062.
- Alberti KG and, Zimmet PZ (1998):** American Heart Association, juvenile diabetes. 56; 89-105.
- Alberti KG, and Zimmet PZ (2005):** American Heart Association, National Heart, Lung, and Blood Institute. Diagnosis and management of the metabolic syndrome: 112: 2735– 2752
- Alexander K, Danila J and Olga K (2001):** Changes in angiotensin receptor mRNA levels in the rat brain after immobilization stress. *Endocrine regulations*; 35:65-70.
- Alper O, and Bowden ET.(2005):** Novel insights into c-Src. *Curr Pharm Des.*;11(9):1119–30.

- Anagnostis P, Athyros VG, Tziomalos K, Karagiannis A, and Mikhailidis DP. (2009):** The pathogenetic role of cortisol in the metabolic syndrome: a hypothesis. *J Clin Endocrinol Metab* 2009, 26:34-39.
- Anagnostis P, Athyros VG, Tziomalos K, Karagiannis A, and Mikhailidis DP. (2009):** The pathogenetic role of cortisol in the metabolic syndrome: a hypothesis. *J Clin Endocrinol Metab* .29; 90-99.
- Antti, MA, Katri , PH Tiinamaija T, and Leif G (2009):** Stressful Life Events and the Metabolic Syndrome; 288: 2709– 2716.
- Atkinson J. (2006):** Chemical investigations of tocotrienols: isotope substitution, fluorophores and a curious curve. In: Nesaretnam K, editor. Kuching, Malaysia: COSTAM;. p. 22.
- Bamberger C M, Schulte H M and Chrousos G P (1996):** Molecular determinants of glucocorticoid receptor function and tissue sensitivity. *Endocrinol. Rev.*; 17: 221-244.
- Behrens WA, and Madere R. (2001):** Vitamin C and vitamin E status in the spontaneously diabetic BB rat before the onset of diabetes. *Metabolism*; 40:72-76.
- Bjorntorp P, and Rosmond R (2000):** The metabolic syndrome - a neuroendocrine disorder? *Br J Nutr*, 83 Suppl 1:S49-S57.
- Boscoboinik, D., Szewczyk, A., and Azzi, A. (2006):** Alpha-tocopherol (vitamin E) regulates vascular smooth muscle cell proliferation and protein kinase C activity. *Arch. Biochem. Biophys.* 286,264-269
- Brunner, EJ; Hemingway, H; Walker, BR; Page, M; Clarke, P; Juneja, M; and Shipley, MJ; (2008):** "Adrenocortical, autonomic, and inflammatory causes of the metabolic syndrome: nested case-control study". *Circulation*. 106 (21): 2634–6.
- Buchanan TA, Xiang AH, Peters RK, Kjos SL, Marroquin A, Goico J, Ochoa C, Tan S, Berkowitz K, Hodis HN, and Azen SP.(2002):** Preservation of pancreatic beta-cell function and

prevention of type 2 diabetes by pharmacological treatment of insulin resistance in high-risk Hispanic women. *Diabetes*. 51: 2796–2803.

Ceriello A.(2002): Oxidative stress and glycemic regulation. *Metabolism*; 49:2729.

Chandan K. Sen, Savita Khanna, and Sashwati (2006): Vitamin E beyond Tocopherols. *Journal of Life Science*. 27: 2088–2098.

Chellappan D., Joseph J., Shabi M.M., Krishnamoorthy G., Ravindhran D., Uthrapathy S., Rajamanickam V.G. and Dubey G.P. (2008): Psycho-emotional stress - A cause of coronary artery disease. *Acta Scientiae Veterinariae*. 36(2): 133-139.

Chen CW, and Cheng HH. (2006): A rice bran oil diet increases LDL-receptor and HMG-CoA reductase mRNA expressions and insulin sensitivity in rats with streptozotocin/nicotinamide-induced type 2 diabetes. *J Nutr*; 136(6):1472–1482.

Christine A. Maglione-Garves, Len Kravitz, Ph.D., and Suzanne Schneider, Ph.D.(2006): Cortisol Connection: Tips on Managing Stress and Weight;34-38.

Christine A., Len K., and Suzanne S. (2005): Cortisol Connection: Tips on Managing Stress and Weight. *Physiol Behav* 55: 567-577.

Chrousos G P (1995): The hypothalamic-pituitary-adrenal axis and immune-mediated inflammation. *N. Engl. J. Med.*; 332: 1351-1362.

Chrousos GP (2005): The role of stress and the hypothalamic-pituitary-adrenal axis in the pathogenesis of the metabolic syndrome: neuro-endocrine and target tissue-related causes. *Int J Obes Relat Metab Disord*, 24 Suppl 2:S50-S55.

Clarke R. (2003): Effect of vitamins and aspirin on markers of platelet activation, oxidative stress and homocysteine in people at risk of dementia.” *J Intern Med.*; 254:67-75.

- Combs TP, Pajvani UB, Berg AH, Lin Y, Jelicks LA, Laplante M, Russell RG, Lindemann D, Hartley A, Baker GR, Obici S, Deshaies Y, Ludgate M, Rossetti L, and Scherer PE (2004):** A transgenic mouse with a deletion in the collagenous domain of adiponectin displays elevated circulating adiponectin and improved insulin sensitivity. *Endocrinology* 145:367–383.
- Degawa-Yamauchi M, Moss KA, Bovenkerk JE, Shankar SS, Morrison CL, Lelliott CJ, Vidal-Puig A, Jones R, and Considine RV (2005):** Regulation of adiponectin expression in human adipocytes: effects of adiposity, glucocorticoids, and tumor necrosis factor alpha. *Obes Res*, 13:662-669.
- Dietrich M, Traber MG, Jacques PF, Cross CE, Hu Y, and Block G. (2006):** Does ALPHA-tocopherol play a role in the primary prevention of heart disease and cancer? A review. *Am J Coll Nutr* 2006; 25:292-9?
- Diez JJ, and Iglesias P 2003** The role of the novel adipocyte-derived hormone adiponectin in human disease. *Eur J Endocrinol* 148:293–300.
- Dostert A, and Heinzl T (2004):** Negative glucocorticoid receptor response elements and their role in glucocorticoid action. *Curr Pharm Des*, 10:2807-2816.
- Ehlert U, Gaab J, and Heinrichs M. (2001):** Psychoneuroendocrinological contributions to the etiology of depression, posttraumatic stress disorder and stress related bodily disorders: the role of the hypothalamus-pituitary- adrenal axis. *Biol Psychol*; 57 (13): 141-52
- Fauci AS. (2008):** Harrison's principles of internal medicine. McGraw-Hill Medical.13; 134-145.
- Ferrari E, Cravello L, and Muzzono B. (2001):** Age- related changes of the hypothalamicpituitary- adrenal axis: pathophysiological correlates. *Eur J Endocrinol* 2001; 144 (4): 319-329.
- Friedrich MJ. (2004):** To “E” or not to “E,” vitamin E’s role in health and disease is the question. *Jama*. 292(6):671–3.

Fukuchi S, Hamaguchi K, Seike M, Himeno K, Sakata T, and Yoshimatsu H. (2004): "Role of Fatty Acid Composition in the Development of Metabolic Disorders in Sucrose-Induced Obese Rats". *Exp Biol Med* 229 (6): 486–493.

Fürstenberg1, K., Lachowicz, E., Stachoń, D. and Gromadzka-O.(2009): Supplementation with vitamin E does not alter plasma leptin, adiponectin or corticosterone response to different high-fat diets in rats. *Journal of Animal and Feed Sciences*, 18, ; 551–563

Gadek M and Bugajeski J(2004):role of prostaglandin and nitric oxide in the lipopolysaccharide –induced ACTH and corticosterone response. *Journal of physiology and pharmacology*; 55: 663-675.

George O. (2010): Vitamin E (d-alpha tocopherol) Information.18:1-12.

George P. (1998): Stressors, Stress, and Neuroendocrine Integration of the Adaptive Response: The Hans Selye Memorial Lecture, *Annals of the New York Academy of Sciences*; 851:311-335

Glynn RJ, Ridker PM, Goldhaber SZ, Zee RY, and Buring JE.(2007): Effects of random allocation to vitamin E supplementation on the occurrence of venous thromboembolism: report from the Women's Health Study. *Circulation*; 116:1497-1503.

Golden SH, Williams JE, Ford DE, Yeh HC, Paton Sanford C, Nieto FJ, and Brancati FL, (2004):Atherosclerosis Risk in Communities study: Depressive symptoms and the risk of type 2 diabetes: the Atherosclerosis Risk in Communities study. *Diabetes Care*, 27:429-435.

Graham DG. (2008): Oxidative pathways for catecholamines in the genesis of neuromelanin and cytotoxic quinines. *Mol Pharmacol* .28; 23-33.

Greenberg ER. (2005): Vitamin E supplements: good in theory, but is the theory good? *Ann Intern Med*. 42 (1):75–76.

Gregory S. (2000): Insulin Resistance: Lifestyle and Nutritional Interventions; 5 (2): 109–132.

- Grundy SM, Cleeman II, and Daniels SR, (2005):** an American Heart Association/National Heart, Lung, and Blood Institute Scientific Statement. *Circulation*.34; 344-349.
- Habib KE, Gold PW, and Chrousos GP. (2001):** Neuroendocrinology of stress. *Neuroendocrinology*; 30 (3): 695-728.
- Haffner SM. (2000):** Clinical relevance of the oxidative stress concept. *Metabolism*. 49:30-34.
- Harris, R. B. S., J. Zhou, B. D. Youngblood, I. I. Rybkin, G. N. Smagin, and D. H. Ryan. (2007):** The effect of repeated restraint stress on body weight and body composition of rats fed low and high fat diets. *Am. J. Physiol.* 273 (Regulatory Integrative Comp. Physiol. 42): R1928–R1938.
- Heim C, Ehlerly U, and Hellhammer Dh.(2000):** The potential role of hypocortisolism in the pathophysiology of stress related bodily disorders. *Psychoneuroendocrinology* 2000; 25(1): 1-35.
- Heinrichs, S. C., B. J. Cole, E. M. Pich, F. Menzaghi, G. F. Koob, and R. L. Hauger.(2002):** Endogenous corticotropin-releasing factor modulates feeding induced by neuropeptide Y or a tailpinch stressor. *Peptides* 13: 879–884.
- Hensley K, Benaksas EJ, Bolli R, Comp P, Grammas P, Hamdheydari L, and Mou S, (2004):** New perspectives on vitamin E: gamma-tocopherol and carboxyethylhydroxychroman metabolites in biology and medicine. *Free Radical Biology & Medicine*.; 36 (1):1–15.
- Herman JP and Cullinan WE (1997):** Neurocircuitry of stress: central control of the hypothalamo-pituitary-adrenocortical axis. *Trends Neurosci*; 20: 78-84.
- Ho D, Yuen KH, and Yap SP. (2003):** Drug delivery system: formulation for fat-soluble drugs. United States patent 6,596,306.
- Hong JY, Kim JK, Song YK, Park JS, and Kim CK.(2006):** A new self-emulsifying formulation of itraconazole with improved

dissolution and oral absorption. *J Control Release*; 110(2):332–8.

Hunt J., and Wolff S. (2003): Oxidative glycation and free radical production: a causal mechanism of diabetic complications. *Free Radical Res. Commun.* 12:115–123.

Ioannis K. and Constantine (2009): chronic stress in the pathophysiology of metabolic and cardiovascular disease. *Circulation*; 133:168–174.

Ioannis K. and Constantine T.(2009): Stress hormones: physiological stress and regulation of metabolism. *Current Opinion in Pharmacology*, 9:787–793

Isomaa B.(2001): Cardiovascular morbidity and mortality associated with the metabolic syndrome. *Diabetes Care*; 24: 683– 689

Jamerson, K. A., S. Julius, T Gudbrandsson, O. Andersson, and D. O. Brant. (2003): Reflex sympathetic activation induces acute insulin resistance in the human forearm. *Hypertension* 21: 618–623.

Jandak, J., Steiner, M., and Richardson, P. D. (2008): Alpha-tocopherol, an effective inhibitor of platelet adhesion. *Blood* 73,141-149.

Jun Zhou, Xiaolang Yan, Donna H. Ryan and Ruth B. S. Harris (1999): Sustained effects of repeated restraint stress on muscle and adipocyte metabolism in high-fat-fed rats *Am J Physiol Regulatory Integrative Comp Physio* 1277:757-766,

Kahan SE. (2003): The relative contributions of insulin resistance and beta-cell dysfunction to the pathophysiology of type 2 diabetes. *Diabetologia.* 46: 3–19.

Kang JH, Cook N, Manson J, Buring J, and Grodstein F. (2006): A randomized trial of vitamin E supplementation and cognitive function in women. *Arch Intern Med*; 166:2462-8.

Karthikeyan J. and Rani P. (2003): Enzymatic and non-enzymatic antioxidants in selected Piper species. *Indian Journal of Experimental Biology.* 41: 135-140.

- Katzmaryk,, Peter T; Leon, Arthur S.; Wilmore, Jack H.; Skinner, James S.; Rao, D. C.; Rankinen, Tuomo; Bouchard, and Claude (2007):** "Targeting the Metabolic Syndrome with Exercise. *Med. Sci. Sports Exerc* 35 (10): 1703–1709.
- Kelly EE, Buettner GR, and Burns CP. (2005):** Relative alpha-tocopherol deficiency in cultured cell: free radical-mediated lipid peroxidation, lipid oxidizability and cellular polyunsaturated fatty acid content. *Arch-Biochem-Biophys*; 319:102-109.
- Keltikangas-J.(2007):** Encyclopedia of Stress (Psychological and physiological stressors) , 34: 717-721.
- Kovacs P., Juranek I., Stankovicova T. and Svec P. (2006):** Lipid peroxidation during acute stress. *Pharmazie*. 51: 51-53.
- Kvetnansky R, Sabban EL, and Palkovits M :(2009):** Catecholaminergic systems in stress: structural and molecular genetic approaches. *Physiol Rev*, 89:535-606.
- Kwon KJ, Jung YS, Lee SH, Moon CH, and Baik EJ.(2005):** Arachidonic acid induces neuronal death through lipoxygenase and cytochrome P450 rather than cyclooxygenase. *J Neurosci Res.*; 81(1):73–84.
- Laaksonen DE, and Lakka HM, (2002):** Metabolic syndrome and development of diabetes mellitus: application and validation of recently suggested definitions of the metabolic syndrome in a prospective cohort study. *Am J Epidemiol* .156: 1070–1077?
- Laila Y. , Aida A. , and Ali S. (2006):** The effect of vitamin E, L-arginine, N-nitro L-arginine methyle ester and Forskolin on endocrine and metabolic changes of rats exposed to acute cold stress *Saudi Med J*; Vol. 27 (1): 17-22.
- Laila Y., (2006):** treatment of the cold stressed rats with vitamin E prevented some of the effects of cold stress, as changes in plasma t-PA, TG and glucose.55; 89-100.

- Lampert R, Jain D and Burg M (2000):** Destabilizing effects of mental stress on ventricular arrhythmias in patients with implantable cardioverter-defibrillators. *Circulation*; 101:158–64.
- Lata H., Ahuja G.K. and Narang A.P. (2002):** Effect of starvation stress on lipid peroxidation and lipid profile in rabbits. *Indian Journal of Physiology and Pharmacology*. 46: 371-374
- Lekse J.M., Xia L., Stark J., Morrow J.D. and May J.M. (2001):** Plant catechols prevent lipid peroxidation in human plasma and erythrocytes. *Molecular and Cellular Biochemistry*. 226: 89-95.
- Lodge JK, Hall WL, Jeanes YM, and Proteggente AR. (2004):** Physiological factors influencing vitamin e biokinetics. *Ann N Y Acad Sci*; 1031:60–73
- Luke RH and Michael L R (2001):** Corticosterone and insulin interact to regulate glucose and triglyceride levels during stress in a bird .*Am J Physiol Regul Integr Comp Physiol* 281: R994-R1003
- Mar S, (1998):** Neuroendocrine and immunocytochemical demonstrations of decreased hypothalamo-pituitary-adrenal axis responsiveness to social isolation .*endocrinology*; 139:579-587.
- Maria G. (2009):** Antioxidant Supplements Blunt Exercise-Induced Improvement of Insulin Sensitivity.30; 88-97.
- Maritim AC, Sanders RA, and Watkins 3rd JB (2003):** Diabetes, oxidative stress, and antioxidants: a review. *J Biochem Mol Toxicol* 17:24–38
- Marti O, and Armario A (1997):** Influence of Regularity of Exposure to Chronic Stress on the Pattern of Habituation of Pituitary-Adrenal Hormones, Prolactin and Glucose.

- Mark S. (2007):** Free Radical Theory of Aging. A review. *Am J Coll Nutr*; 28: 123-134.
- McCarthy MF (2002):** Insulin's stimulation of endothelial superoxide generation may reflect up-regulation of isoprenyl transferase activity that promotes rac translocation. *Med Hypotheses* 58:472–475
- McEwen BS (1998):** Stress, adaptation, and disease. Allostasis and allostatic load. *Ann N Y Acad Sci*, 840:33-44.
- Meridium X. (2007):** Harmful Effects of Metabolic Stress; 324:234-244.
- Mezuk B, Eaton WW, Albrecht S, and Golden SH (2008):** Depression and type 2 diabetes over the lifespan: a meta-analysis. *Diabetes Care*, 31:2383-2390.
- Mikaelian N. (2004):** Mechanisms of the membrane receptor apparatus in pregnant women with insulin-dependent diabetes mellitus. *Probl. Endocrinol. Mosk.* 40:4–7.
- Miller ER, Pastor-Barriuso R, Dalal D, Riemersma RA, Appel LJ, Guallar E. (2005):** Meta-analysis: high-dosage vitamin E supplementation may increase all-cause mortality. *Ann Intern Med*; 142:37-46.
- Nagaraja, H. S., Anupama, B. K., and Jeganathan, P. S. (2006):** Stress response in albino rats. *Thai. J. Physiol. Sci.* 19(2) 8-15.
- Naito HK (2003):**coronary artery disease and disorders of lipid metabolism, clinical chemistry: theory. Analysis. Correlation. 4th ed Kaplan LA and pesce AJ; 603.
- Narasimhan M, and Raynor JD.(2010):** Evidence-based perspective on metabolic syndrome and use of antipsychotics. *Drug Benefit Trends.*; 22:77-88.
- Newaz MA, Yousefipour Z, Nawal N, Adeeb N.(2003) :**Nitric oxide synthase activity in blood vessels of spontaneously hypertensive rats: antioxidant protection by gamma-tocotrienol. *J Physiol Pharmacol.* 54 (3):319–327.

- Nirupama, R., Devaki, M. and Yajurvedi, H. N.(2010):** repeated acute stress induced alterations in carbohydrate metabolism in rat Journal of Stress Physiology & Biochemistry, Vol. 6 No. 3 , pp. 44-55.
- Nobili; M. Manco; R. Devito; P. Ciampalini; F. Piemonte; M. Marcellini (2007):** Effect of Vitamin E on Aminotransferase Levels and Insulin Resistance in Children with Nonalcoholic Fatty Liver Disease.77; 45-49.
- Nur Azlina and Nafeeza (2008):** Tocotrienol and α -tocopherol reduce corticosterone and noradrenalin levels in rats exposed to restraint stress: 63: 890-892.
- Ohara, Y., Sayegh, H. S., Yamin, J. J., Harrison, D. G. (2005):** Regulation of endothelial constitutive nitric oxide synthase by protein kinase C. Hypertension 25,415-420.
- Ohta, Y., Kaida, S., Chiba, S., Tada, M., Teruya, A., Imai, Y. and Kawanishi, M. (2009):** Involvement of oxidative stress in increases in the serum levels of various enzymes and components in rats with water-immersion restraint stress. J. Clin. Biochem. Nutr. 45, 347-354.
- Ottenweller, E. J., R. J. Servatius, and B. H. Natelson.(2009):** Repeated stress persistently elevates morning, but not evening, R765 Physiol. Behav. 55: 337–340, 1994.
- Ozdemirler G., (2005):** Peroxidation potential and antioxidant activity of serum in patients with diabetes mellitus and myocardial infarction. Horm. Metab. Res. 27:194–196.
- Pacak K and Palkovits M (2001):** Stressor specificity of central neuroendocrine responses: implications for stress-related disorders. Endocr Rev.; 22 (4): 502-548.
- Pacak K, Palkovits M, Yadid G, Kvetnansky R, Kopin IJ and Goldstein DS (1998):** doctrine of nonspecificity. Am J Physiol.; 275(4 Pt 2): R1247-R1255.
- Packham, M. A., Livne, A. A., Ruben, D. H., and Rand, M. L. (2007):** Activation of phospholipase C and protein kinase C has little

involvement in ADP-induced primary aggregation of human platelets. *Biochem. J.* 290,849-856

Paquot, N, P. Schneider, E. Jequier, and L. Tappy. (1995): Effects of glucocorticoids and sympathomimetic agents on basal and insulin stimulated glucose metabolism. *Clin. Physiol.* 15: 231–240, 1995.

Pedersen WA, Wan R, and Mattson MP. (2001): Impact of aging on stress responsive neuroendocrine systems. *Mech aging;* 122(9): 963-83.

Peter P., James M., Jianping Z, and Margaret V. (2005): A Path Model of Chronic Stress, the Metabolic Syndrome, and Coronary Heart Disease *Journal of Nutrition* 4 (2): 69-72.

Peters E (2003): Modulation of restraint stress induced oxidative changes in rats by antioxidant vitamins. ; 14(11):633-636 *J Nutr Biochem.*

Pollex, R.L.; and Hegele, R.A. (2006). "Genetic determinants of the metabolic syndrome". *Nat Clin Pract Cardiovasc Med* 3 (9): 482–9.

Putignano P, Pecori Giralaldi F, and Cavagnini F(2004): Tissue-specific dysregulation of 11beta-hydroxysteroid dehydrogenase type1 and pathogenesis of the metabolic syndrome. *J Endocrinol Invest*, 27:969-974. 24.

Quilon A III and, Brent L. (2010): The primary care physician's guide to inflammatory arthritis: diagnosis. *J Musculoskel Med.* 2010; 27:223-231.

Qureshi AA, Sami SA, Salser WA, and Khan FA.(2007): Dose-dependent suppression of serum cholesterol by tocotrienol-rich fraction (TRF25) of rice bran in hypercholesterolemia humans. *Atherosclerosis.* 161(1):199–207.

Raederstorff D, Elste V, Aebischer C, and Weber P. (2002): Effect of either gamma-tocotrienol or a tocotrienol mixture on the plasma lipid profile in hamsters. *Ann Nutr Metab.;* 46(1):17–23.

- Räikkönen K, Matthews KA, and Kuller LH. (2007):** Depressive symptoms and stressful life events predict metabolic syndrome among middle-aged women. *Diabetes Care*; 30: 872– 877.
- Reaven G. M. and, Laws A. (1994):** Insulin-resistance, compensatory hyperinsulinaemia and coronary heart disease. *Diabetologia* 37:948–952.
- Renaldi O, Pramono B, Sinorita H, Purnomo LB, Asdie RH, and Asdie AH (2009):** "Hypoadiponectinemia: a risk factor for metabolic syndrome". *Acta Med Indones* **41** (1): 20–4.
- Rezvanfar, M. R., Dalvandy, M., Emami, A. R., Rafiee, M. and Eshratee, B. (2009):** Hyperglycemia and mortality in critically ill patients. *Pak. J. Med. Sci.* **25(2)**, 232-237.
- Richard K. (2008):** "Metabolic syndrome—what is the clinical usefulness?" *Lancet* **371**: 1892–1893.
- Rippert P, Scimemi C, Dubald M and, Matringe M (2004):** Engineering plant shikimate pathway for production of tocotrienol and improving herbicide resistance. *Plant Physiol.* 134: 92–100.
- Robert MS, Michael L R and Allan UM (2000):** How do glucocorticoids influence stress responses. *Endocrine review* 21:55-89.
- Rosmond R, Dallman MF, and Björntorp P (2008):** Stress-related cortisol secretion in men: relationships with abdominal and minimal obesity and endocrine, metabolic and hemodynamic abnormalities. *J Clin Endocrinol Metab*, 83:1853-1859.
- Roy M S, Roy WT, Gallucci B, Collier K., Young TC, Kamilaris and Chrousos G P (1993):** The ovine corticotropin releasing hormone test in type I diabetic patients and controls: Suggestion of mild chronic hypercortisolemia. *Metabolism*; 42: 696-700.
- Rudic, R D., Shesely, E. G., Maeda, N., Smithies, O., Segal, S. S., and Sessa, W. C. (1998):** Direct evidence for the importance of endothelium-derived nitric oxide in vascular remodeling. *J. Clin. Invest.* 101,731-736

- Sacks BD (1994):** carbohydrates in burtis, C.A. and Ashwood AR (Eds) Tietz textbook of clinical chemistry.2nd. ED Philadelphia.w.B.Saunders co.
- Sarah Zino, Murray Skeaff, Sheila Williams and Jim Mann (1997):** Randomised controlled trial of effect of fruit and vegetable consumption on plasma concentrations of lipids and antioxidants: BMJ; 30:314:1787
- Sarov G.M. and Vlaykova T.I. (2005):** Changes in blood glucose, triglycerides and lipid peroxidation products in rabbits after hanging fixation. Bulgarian Journal of Veterinary Medicine. 8: 157-590.
- Şengül Y and Dilek A (2006):** Effects of extended cold exposure on antioxidant defense system of rat hypothalamic–pituitary–adrenal axis. 31; 313-317.
- Serbinova EA, (2004):** Antioxidant properties of alpha-tocopherol and alpha-tocotrienol. Methods in Enzymology; 234:354–66.
- Sesso HD, Buring JE, Christen WG, Kurth T, Belanger C, and MacFadyen J, (2008):** Vitamins E and C in the prevention of cardiovascular disease in men: the Physicians' Health Study II randomized controlled trial. JAMA; 300:2123-33.
- Shirley B, Arnetra H, and Michelle C (2003):** Lutein Interacts with Ascorbic Acid More Frequently than with α -Tocopherol to Alter Biomarkers of Oxidative Stress in Female Zucker Obese Rats23:87-97.
- Sin AW, Reiter RJ, and To CH. (1998):** The efficiency of vitamin E and melatonin as antioxidants against lipid peroxidation in rat retinol homogenates. J Pineal Res; 24:239-244.
- Solberg LC , Olson SL, Turek FW and Redei E (2001):** Altered hormone levels and circadian rhythm of activity in the WKy rat, a putative animal model of depression. Am j Physiol regulatory integrative comp physiol; 281: 786:794.
- Srivastava JK. (2006):** Tocotrienol-rich fraction of palm oil induces cell cycle arrest and apoptosis selectively in human prostate

cancer cells. *Biochem Biophys Res Commun*; 346(2):447–53.

Stephen D., (2008): Vitamin C-rich diet may slash diabetes; 23:213-219.

Surekha M, Guruprasad K, and Dilip M (2007): Housing in Pyramid Counteracts Neuroendocrine and Oxidative Stress Caused by Chronic Restraint in Rats. 4(1):35-42.

Surwit RS, van Tilburg MA, Zucker N, McCaskill CC, Parikh P, Feinglos MN, Edwards CL, Williams P, and Lane JD (2002): Stress management improves long-term glycemic control in type 2 diabetes. *Diabetes Care*, 25:30-34.

Tamashiro KL., hegiman MA, and Sakai RR, (2006): chronic social stress in a changing dietary environment. *Physiol Behav*. 89:536-542.

Taniguchi N, Ohtsuka A, and Hayashi K (2001): A high dose of vitamin E inhibits adrenal corticosterone synthesis in chickens treated with ACTH. *J Nutr Sci Vitaminol (Tokyo)*; 47(1):40-6.

Tannenbam, B. M., D. N. Brindley, G. S. Tannenbaum, M. F. Dallman, M. D. Mcarthur, and M. J. Meaney.(1997): High-fat feeding alters both basal and stress-induced hypothalamicpituitary- adrenal activity in the rat. *Am. J. Physiol Endocrinal. Metab*. 36: E1168–E1177.

Tasali E, Leproult R, and Ehrmann DA, (2008): Slow-wave sleep and the risk of type 2 diabetes in humans. *Proc Natl Acad Sci U S A* 2008; 105: 1044– 1049

Tomlinson JW, Walker EA, Bujalska IJ, Draper N, Lavery GG, Cooper MS, Hewison M, and Stewart PM. (2004):11beta-hydroxysteroid dehydrogenase type 1: a tissue-specific regulator of glucocorticoid response. *Endocr Rev*; 25(5):831-66.

Traber MG, Burton GW, and Hamilton RL (2004): Vitamin E trafficking. *Annals of the New York Academy of Sciences*. 1031:1–12.

- Tsigos C and Chrousos G P (1995):** Stress, endocrine manifestations and diseases. Chapter 3. In Handbook of Stress Medicine. C. L. Cooper, CRC Press. Boca Raton, FL. Ed.: 61-65.
- Tsigos C and Chrousos GP (2002):** Hypothalamic-pituitary-adrenal axis, neuroendocrine factors and stress. J Psychosom Res, 53:865-871.
- Vage B., Hirsch M., and Ilene C. (2005):** Effect of Tocotrienol on Lipid Peroxidation in Experimental Gastritis Induced by Restraint Stress Journal of Nutrition 4 (2): 69-72.
- Van de Kar LD and Blair ML (1999):** Forebrain pathways mediating stress-induced hormone secretion. Front Neuroendocrinol; 20(1): 1 -48.
- Vicennati V, Pasqui F, Cavazza C, Pagotto U, and Pasquali R. (2009):** Stress related development of obesity and cortisol in women. Obesity, 19:57-68.
- Volek JS and Feinman RD (2005):** "Carbohydrate restriction improves the features of Metabolic Syndrome. Metabolic Syndrome may be defined by the response to carbohydrate restriction". Nutr Metab (Lond) 2: 31.
- Wagner KH, Kamal-Eldin A, and Elmadfa I. (2004):** Gamma-tocopherol--an underestimated vitamin? Annals of Nutrition & Metabolism; 48 (3):169–188.
- Watkins HT (2007):** Metabolic Syndrome and Heart Disease Risk Factors May Be Reduced By Cherries.66; 90-99.
- Webster E L, Elenkov IJ and Chrousos G P (1997):** The role of corticotropin-releasing hormone in neuroendocrine-immune interactions. Mol. Psychiatry; 2: 368-372.
- Young DS (2001):** Effects of disease on clinical lab.tests,4th ed AACC.
- Zingg JM and Azzi A. (2004):** Non-antioxidant activities of vitamin E. Curr Med Chem.; 11 (9):1113–1133