

References

References

Albertsson-Wikland K. and Rosberg S. (1994): In: *Frontiers in Pediatric Neuroendocrinology*. Edited by Savage M. O., Bourguignon J.P. and Grossman A. B. Oxford UK: Blackwell 131-137.

Alvaro Morales (1998): *Erectile Dysfunction: Issues in Current Pharmacotherapy*. 1st ed. Martin Dunitz 41-65.

Andrea G. and Johannes D. V. (1998): Pathophysiology of The Neuroregulation of Growth Hormone Secretion in Experimental Animals and The Human. *Endocr. Rev.* 19 (6): 717-797.

Arunakaran J., Aruldas M. M., Govindarajulu P., (1988): Interactions of Androgens and Prolactin in The Seminal Vesicles of Mature Bonnet Monkeys, *Macaca Radiata*. *J. Androl* 9:121–125.

Arey B.J., and Freeman M.E. (1990): Oxytocin, Vasoactive Intestinal Peptide and Serotonin Regulate The Mating-induced Surges of Prolactin Secretion In The Rat. *Endocrinology* 126: 279 - 284.

Argente, J., Chover J. A., Zeitler P., Clifton D. K., and Steiner R. A. (1991): Sexual Dimorphism of Growth Hormone-releasing Hormone and Somatostatin Gene Expression In The Hypothalamus

of The Rat during Development. Endocrinology 128: 2369 - 2375.

Arbogast L.A., and Voogt J.L. (1994): Progesterone Suppresses Tyrosine Hydroxylase Messenger Ribonucleic Acid Levels In The Arcuate Nucleus On Proestrus. Endocrinology 135: 343 - 350.

Bardin C. W., Musto N., Gunsalus G., Kotite N., Cheng S. L., Larrea F. and Becker R. (1981): Extracellular Androgen Binding Proteins. Annu. Rev. Physiol. 43: 189-198.

Bardin C.W. and Catterall J.F. (1991): Testosterone: A Major Determinant of Extragenital Sexual Dimorphism. Science 211:1285-1294.

Bagatell C.J., Bremner W.J., (1996): Androgens In Men “ Uses and Abuses” N. Engl. J. Med. 334:707–714.

Bardridge W.M. and Landaw E.M. (1985):Testosterone Transport in Brain: Primary Role of Plasma Protein-bound Hormone.Am.J.Physiol. 249: 534-542.

Barrett-Connor E., Mueller J.E., Von Mühlen D.G., Laughlin G.A., Schneider D.L. and Sartoris D.J., (2000): Low Levels of Estradiol are Associated With Vertebral Fractures In Older Men But

Not In Women. The Rancho Bernardo Study. J. Clin. Endocrinol. Metab. 85:219-223.

Bedecs K., Berthold M. and Bartfal T. (1995): Galanin-10 Years With A Neuroendocrine Peptide. Int. J. Biochem. Cell. Biol. 27: 337-349.

Ben-Jonathan N. and Liu J.W. (1992): Pituitary Lactotrophs: Endocrine, Paracrine, Juxtacrine, and Autocrine Interaction. Endocrinol. Metab. 3: 254-258.

Bente K.P. and Laurie N. (2000): Exercise and The Immune System: Regulation, Integration, and Adaptation. Physiological Reviews 80(3): 1055-1081.

Bigbee A.J., Gosselink K.L., Roy R.R., Grindeland R.E., and Edgerton V.R. (2000): Bioassayable Growth Hormone Release In Rats in Response to a Single Bout of Treadmill Exercise. J. Appl. Physiol. 89(6): 2174-2178.

Bottari S.P., De Gasparo M., Steckelings U.M., and Levens N.R. (1993): Angiotensin II Receptor Subtypes: Characterization, Signalling Mechanisms, and Possible Physiological Implications. Front Neuroendocrinol. 14: 123-171.

Bole-Feysot C., Goffin V., Edery M., Binart N., and Kelly P.A. (1998): Prolactin and Its Receptor: Actions, Signal Transduction Pathways and Phenotypes Observed in PRL Receptor Knockout Mice. *Endocr. Rev.* 19: 225-268.

Bridges R.S., Robertson M.C., Shiu R.P., Sturgis J.D., Henriquez B.M. and Mann P.E. (1997): Central Lactogenic Regulation of Maternal Behavior In Rats: Steroid Dependence, Hormone Specificity, and Behavioral Potencies of Rat Prolactin and Rat Placental Lactogen I. *Endocrinology* 138:756–763.

Brown E.R., Harlan R.E. and Krause J.E. (1990): Gonadal Steroid Regulation of Substance P and Encoding Messenger Ribonucleic Acids In The Rat Anterior Pituitary and Hypothalamus. *Endocrinology* 126: 330-340.

Brann C.W., Putnam C.D. and Mahesh V.B. (1990): Corticosteroid Regulation of Gonadotropin and Prolactin Secretion In The Rat. *Endocrinology* 126: 159-166.

Blain H., Vuillemin A., Blain A. and Jeandel C. (2000): The Preventive Effects of Physical Activity In The Elderly *Press Med.* Jun 29(5):1240-1248.

Cacchi M., Danesi L., Pincelli A. I., Dubini A., and Cavagnini F. (1997): Effects of Chronic Treatment With Biosynthetic Growth

Hormone on The Response To Double GH-releasing Hormone Administration In Children With Short Stature. J. Endocrinol. Invest. 20: 72-76.

Carani C., Qin K., Simoni M., Faustini F. M., Serpente S. and Boyd J. (1997): Effect of Testosterone and Estradiol In A Man With Aromatase Deficiency. N. Engl. J. Med. 337:91–95.

Calogero A.E., Bagdy G., Burrello N., Polosa P., and D'Agata R. (1995): Role of Serotonin Receptors In The Control of Adrenocorticotrophic Hormone Release From Rat Pituitary Cell Cultures. Eur. J. Endocrinol. 133: 251-254.

Cecim M., Kerr J. and Bartke A. (1995): Infertility In Transgenic Mice Overexpressing The Bovine Growth Hormone Gene: Luteal Failure Secondary To Prolactin Deficiency. Biol. Reprod 52:1162–1166.

Cella S. G., Luceri M., Cattaneo L., Torsello A. and Muller E. E.. (1996): Somatostatin Withdrawal As Generator of Pulsatile GH Release In The Dog: A Possible Tool To Evaluate The Endogenous GHRH Tone. Neuroendocrinology 63: 481-488.

Center J.R., Nguyen T.V., Sambrook P.N. and Eisman J.A. (1999): Hormonal and Biochemical Parameters In The

Determination of Osteoporosis In Elderly Men. J. Clin. Endocrinol. Metab. 84:3626–3635.

Cho B.N., Suh Y.H., Yoon Y.D., Lee C.C. and Kim K. (1993): Progesterone Inhibits The Estrogen-induced Prolactin Gene Expression In The Rat Pituitary. Mol. Cell Endocrinol. 93: 47 – 52(Medline).

Chowen J.A., Argente J., Gonzalez-Parra S. and Garcia-Segura L.M. (1993): Differential Effects of The Neonatal and Adult Sex Steroid Environments on The Organization and Activation of Hypothalamic Growth Hormone- releasing Hormone and Somatostatin Neurons. Endocrinology 133: 2792-2802.

Christine B., Vincent G., Marc E., Nadine B., and Paul A. (1998): Prolactin and Its Receptor: Actions, Signal Transduction Pathways and Phenotypes Observed in PRL Receptor Knockout Mice Endocrine Reviews 19 (3): 225-268.

Craig B.W. and Foley P.J.(1984): Effects of Cell Size and Exercise On Glucose Uptake and Metabolism In Adipocytes of Female Rats. J. Appl. Physiol. 57:1120-1125.

David L. W. and Vincent M. (1996): Biochemistry In Clinical Practice 2nd ed. Edited By Butterworth and Heinemann: 628.

Denef C. (1994): Paracrine Mechanisms In The Pituitary. In: The Pituitary Gland. Edited by Imura H. New York: 351-378.

Division of Gerontology and Geriatric Medicine, University of Washington (1992): Effects of Testosterone Supplementation In The Aging Male. J. Clin. Endocrinol.Metab. 75(4):1092-1098.

Drinka P.J., Olson J., Bauwens S., Voeks S.K., Carlson I. and Wilson M. (1993): Lack of Association Between free Testosterone and Bone Density Separate From Age In Elderly Males. Calcif. Tissue Int. 52:67-69.

Eugenio E. M., Vittorio L. and Daniela C. (1999): Neuroendocrine Control of Growth Hormone Secretion Physiological Reviews 79(2) : 511-607.

Edwards C.A., Dieguez C., Ham J., Peters J.R. and Scanlon M.F.(1998): Evidence That Growth Hormone Depletion and Uncoupling of The Regulatory Protein of Adenylate Cyclase, both Contribute To The Desensitization of Growth Hormone Responses To Growth Hormone-releasing Factor. J. Endocrinology 116:185-190.

Falk B., Bar-Or O., and MacDougall J. D. (1991): Aldosterone and Prolactin Response To Exercise In The Heat In Circumpubertal Boys. J. Appl. Physiol. 71(5): 1741-1745.

- Felsing N.E, Brasel J.A. and Cooper D.M. (1992):** Effect of Low and High Intensity Exercise on Circulating Growth Hormone In Men. *J. Clin. Endocrinol. Metab.* 75:157-162.
- Finkelstein J. W., Roffwarg H. P., Boyar R. M., Kream J., and Hellman L. (1972):** Age-related Changes In The Twenty-four-hour Spontaneous Secretion of Growth Hormone. *J. Clin. Endocrinol. Metab.* 35: 665-670.
- Fielder P.J., Thordarson G., English A., Rosenfeld R.G. and Talamantes F. (1992):** Expression of A Lactogen-Dependent Insulin-Like Growth Factor-Binding Protein In Cultured Mouse Mammary Epithelial Cells. *Endocrinology* 131: 261 - 267.
- Fleckenstein A.E., Lookingland K.J., and Moore K.E. (1992):** Evidence That Histamine-Stimulated Prolactin Secretion is Not Mediated By an Inhibition of Tuberoinfundibular Dopaminergic Neurons. *Life Sci.* 51: 741-746(Medline).
- Fredrick W. G. (1997):** Androgen Metabolism in the Prostate of The Finasteride-Treated, Adult Rat: A Possible Explanation For The Differential Action of Testosterone and 5-Dihydrotestosterone During Development of The Male Urogenital Tract. *Endocrinology* 138: 871 - 877.

Gelato M. C., Malozowski S., Caruso-Nicoletti M., Levine R. J., Pescovitz O. H., Rose S., Loriaux D. L., Cassorla F. and Merrlam G. (1986): Growth Hormone Responses to GH-releasing Hormone During Pubertal Development In Normal Boys and Girls: Comparison to Idiopathic Short Stature and GH deficiency. *J. Clin. Endocrinol. Metab.* 63: 174-179.

Gentili A., Mulligan T., Godschalk M., Clore J., Patrie J., Iranmanesh A. and Veldhuis J.D. (2002): Unequal Impact of Short-Term Testosterone Repletion on The Somatotrophic Axis of Young and Older Men. *J. of Clin. Endocr. Metab.* 87 (2):825 – 834.

Gian P.C., Giorgio V., Ugo B., and Andrew R.H. (1986): Diminished Pituitary Responsiveness to Growth Hormone-Releasing Factor in Aging Male Rats. *Endocrinology.* 118(5): 2109-2114.

Gisela P., Robert A.W., and Robert M. (1992): Age-Dependent Effects of Resistance Exercise on Growth Hormone Secretion in People. *J. of Clin. Endocrinol. Metab.* 75(2) 404-412.

Giustina A., Sclavini T., Tassi C., Desenzani P., Poiesi C., Wehrenberg W. B., Rogol A. D. and Veldhuis J. D. (1997): Maturation of The Regulation of Growth Hormone Secretion In Young Males With Hypogonadotropic Hypogonadism

Pharmacologically Exposed to Progressive Increments in Serum Testosterone. J.Clin. Endocrinol. Metab. 82: 1210 - 1219.

Gluckman P. D., Grumbach M. M., and Kaplan S. L. (1981): The Neuroendocrine Regulation and Function of Growth Hormone and Prolactin in The Mammalian Fetus. Endocr. Rev. 2: 363-395.

Goffin V., and Kelly P.A. (1996): Prolactin and Growth Hormone Receptors. Clin. Endocrinol. 45: 247-255.

Goffin V., Ferrag F., and Kelly P.A. (1998): Molecular Aspects of Prolactin and Growth Hormone Receptors. In: Advances in Molecular and Cellular Endocrinology. Edited by LeRoith D. London: 1-33.

Gosselink K.L., Grindeland R.E., Roy R.R., Zhong H., Bigbee A.J., Grossman E.J. and Edgerton V.R., (1998): Skeletal Muscle Afferent Regulation of Bioassayable Growth Hormone in Rat Pituitary. J. Appl. Physiol. 84(4): 1425-1430.

Gosselink K.L., Grindeland R.E., Roy R.R., Zhong H., Bigbee. and Edgerton V.R. (2000): Afferent Input from Rat Slow Skeletal Muscle Inhibits Bioassayable Growth Hormone Release. J Appl. Physiol.. 88(1): 142-148.

Grosser P.M. and Robaire M. (1988): Episodic Prolactin Secretion in The Adult Male Rat is Affected By Orchidectomy and Testosterone Replacement. *Endocrinology* 123(4): 2132-2139.

GraphPad Prism computer program for statistics version 3.00, Mar 25, (1999): GraphPad Software Incorporated.

Harry D. P., Albert F.F., Bertil H., Allen M.S. and Robert S. (1989): Testbook of Physiology 21st Ed.p.1203.

Harman S.M. and Tsitouras P.D. (1980): Reproductive Hormones in Aging Men.I. Measurment of Sex Steroids, Basal Lutenizing Hormone, and Leydig Cell Response to Human Chorionic Gonadotropin. *J. of Clin. Endocrinol. Metabol.* 51(1): 35 - 40.

Hartman M.L., Iranmanesh A., Thorner M.O. and Veldhuis J.D. (1993): Evaluation of Pulsatile Patterns of Growth Hormone Release in Man. *Am. J. Hum. Biol.* 5:603–614(Medline).

Harman M.E., Metter J., Toben J.D., Pearson J. and Blackman M.R. (2000): Longitudinal Effects of Aging on Serum Total and Free Testosterone Levels in Healthy Men. *J. Clin. Endocrinol. Metab.* 86:724–731.

Ho K. Y., Evans W. S., Blizzard R. M., Veldhuis J. D., Merriam G. R., Samojlik E., Furlanetto R., Rogol A. D., Kaiser D. L. and Thorner M. O. (1986): Effects of Sex and Age on The 24-hour Profile of Growth Hormone Secretion in Man: Importance of Endogenous Estradiol Concentrations. *J. Clin. Endocrinol. Metab.* 64: 51-58.

Holl R. W., Hartman M. L., Veldhuis J. D., Taylor W. M., and Thorner M. O. (1991): Thirty-second Sampling of Plasma Growth Hormone in Man: Correlation With Sleep Stages. *J. Clin. Endocrinol. Metab.* 72: 854-861.

Horseman N.D. and Yu-Lee L.Y. (1994): Transcriptional Regulation By The Helix Bundle Peptide Hormones: Growth Hormone, Prolactin and Hematopoietic Cytokines. *Endocr. Rev.* 15: 627-649.

Howard R.N. and Jo H.C. (1986): Decreased Bioavailable Testosterone in Aging Normal and Impotent Men. *J. of Clin. Endocrinol. Metabol.* Vol.63, No.6. 1418-1420.

Hu Y., Asano K., Mizuno K., Usuki S. and Kawakura Y. (1999): Serum Testosterone Responses to Continuous and Intermittent Exercise Training in Male Rats. *Int. J. Sports Med.* 20 (1): 12-16.

Ip T.P., Hoffman D.M., O'Sullivan A.J., Leung K.C. and Ho K.K. (1995): Do Androgens Regulate Growth Hormone-binding Protein in Adult Man J. Clin. Endocrinol. Metab. 80: 1278-1282.

Irene L., Guntram S., Peter P., Robert K., Judith M. and Templ H. (1987): Effects of Sex and Age on Growth Hormone Response to Growth Hormone-Releasing Hormone in Healthy Individuals. J of Clin. Endocrinol. Metabol..65(3): 535-540.

Jaffe, C. A., Ho P., Demott-Friberg R., Bowers C. and Barkan A. (1993): Effects of A Prolonged Growth Hormone -Releasing Peptide Infusion on Pulsatile GH Secretion In Normal Men. J. Clin.Endocrinol.76:875-884.

Janine C., Kaufman M.D., Tamara J., Harris B.A., Joseph Higgins B.A., Alan S. and Maisel M.D.(1993): Exercise-Induced Enhancement of Immune Function in The Rat Circulation Jul. 90(1):525-532.

Jezek D., Banek L., and Banek T.(1996): Effects of Orchiectomy on The Rat Parotid Gland-An Ultrastructural and Stereological Study. Acta Anat. 155:172-183.

Joyce S.T., Alvin M.M., Stephen R.P. and William J.B. (1987): The Effects of Aging in Normal Men on Bioavailable Testosterone

and Luteinizing Hormone Secretion: Response to Clomiphens Citrate. J. of Clin Endocrinol. Metabol. 65 (6) 1118-1126.

Kanaley J. A., Weltman J. Y., Veldhuis J. D., Rogol A. D., Hartman M. L. and Weltman A. (1997): Human Growth Hormone Response to Repeated Bouts of Aerobic Exercise. J. Appl. Physiol. 83: 1756-1761.

Kelly P.A., Djiane J., Postel-Vinay M.C. and Edery M.(1991): The Prolactin / Growth Hormone Receptor Family. Endocr. Rev. 12:235-251.

Keenan B.S., Richards G.E., Ponder S.W., Dallas J.S., Nagamani M. and Smith E.R. (1993): Androgen-Stimulated Pubertal Growth: The Effects of Testosterone and Dihydrotestosterone on Growth Hormone and Insulin-like Growth Factor-I in The Treatment of Short Stature and Delayed Puberty J. Clin. Endocrinol. Metab. 76: 996-1001.

Kenny, A. M., Prestwood, K. M., Gruman, C. A., Fabregas, G., Biskup, B. and Mansoor G. (2002): Effects of Transdermal Testosterone on Lipids and Vascular Reactivity in Older Men With Low Bioavailable Testosterone Levels. Gerontol. A. Biol. Sci. Med. Sci. 57: 460-465(Medline).

Khorram O., Depalatis L. R. and Mccann S.M.(1983): Development of Hypothalamic Control of Growth Hormone Secretion In The Rat. *Endocrinology* 113: 720-728.

Korytko A. I., Zeitler P. and Cutler M. (1996): Developmental Regulation of Pituitary Growth-Hormone-Releasing Hormone Receptor Gene Expression In The Rat. *Endocrinology* 137: 1326-1331.

Knobil E. and Neill J.D. (1994): The Physiology of Reproduction, 2nd ed. edited by Raven Press Vol.(2):215.

Kraemer R.R., Johnson L.G., Haltom R., Kraemer G.R. and Gaines H. (1998): Effects of Hormone Replacment on Growth Hormone and Prolactin Exercise Responses In Postmenopausal Women. *J Appl. Physiol.* 84(2): 703-708.

Krithivas K., Yurgalevitch S.M. and Mohr B.A. (1999): Evidence That The CAG Repeat In The Androgen Receptor Is Associated With Age Related Decline In Serum Androgens Levels In Men. *J. Endocrinology* 162: 137–142.

Liu Y., Ganguly T., Hyde J.F. and Vore M. (1995): Prolactin Increases mRNA Encoding Na⁺ Co-Transport Polypeptide and Hepatic Na⁺ Co-Transport. *Am. J. Physiol.* 268:11 - 17.

Lkhider M., Delpal S., and Bousquet M.O. (1996): Rat Prolactin In Serum, Milk, and Mammary Tissue: Characterization and Intracellular Localization. *Endocrinology* 137: 4969 - 4979.

Lloyd R.V., Anagnostou D. and Cano M.(1988): Analysis of Mammosomatotropic Cells In Normal and Neoplastic Human Pituitary Tissues By The Reverse Hemolytic Plaque Assay and Immunocytochemistry. *J. Clin. Endocrinol. Metab.* 66:1103.

Lowell G. S, and Stephen W. S. (2000): Testosterone and Dihydrotestosterone Regulate AUF1 Isoforms In A Tissue-Specific Fashion In The Mouse *Am. J. Physiol. Endocrinol. Metab.* 278: 50-57.

Luger A., Watschinger B., Deuster P., Svoboda T., Clodi M. and Chrousos G.P. (1992): Plasma Growth Hormone and Prolactin Responses to Graded Levels of Acute Exercise and to A Lactate Infusion. *Neuroendocrinology* 56 : 112 - 117.

Mark D.C., Stephen R.S., Roy L.W., and Akio K. (1987): Age-Related Decrease of Growth Hormone and Prolactin Gene Expression in the Mouse Pituitary. *Endocrinology* 121(4):1251-1255.

Markoff E. and Lee D.W. (1987): Glycosylated Prolactin is A Major Circulating Variant In Human Serum. J. Clin. Endocrinol. Metab. 65:1102.

Markoff E., Sigel M.B. and Lacour N. (1988): Glycosylation Selectivity Alters The Biological activity of Prolactin. Endocrinology 123:1303.

Martha P. M., Rogol A. D., Veldhuis J. D., Kerrigan J. R., Goodman D. W. and Blizzard R. M. (1989): Alterations In The Pulsatile Properties of Circulating Growth Hormone Concentrations During Puberty In Boys. J. Clin. Endocrinol. Metab. 69: 563-570.

Martha P. M., Goran K. M., Blizzard R. M., Rogol A. D. and Veldhuis J. D. (1992): Endogenous Growth Hormone Secretion and Clearance Rates In Normal Boys, As Determined By Deconvolution Analysis: Relationship to Age, Pubertal Status, and Body Mass. J. Clin. Endocrinol. Metab. 74: 336-344.

Matsumoto A. M. (2002): Andropause: Clinical Implications of The Decline in Serum Testosterone Levels With Aging in Men. J Gerontol. A. Biol. Sci. Med. Sci. 57: 76-99 (Medline).

McMurray R., Keisler D., Kanuckel K., Izui S. and Walker S.E. (1991): Prolactin Influences Autoimmune Disease Activity In The Female Mouse. J. Immunol. 147:3780–3787(Medline).

Mccann S. M and Vijayan E. (1992): Control of Anterior Pituitary Hormone Secretion By Neurotensin. Ann. NY Acad. Sci. 668:287-297(Medline).

Miller J. D., Tannenbaum G. S., Colle E. and Guyda H. J. (1982): Daytime Pulsatile Growth Hormone Secretion During Childhood and Adolescence. J. Clin. Endocrinol. Metab. 55: 989 - 994.

Miller W. L. and Eberhardt N.L. (1983): Structure and Evolution of The Growth Hormone Gene Family. Endoc Rev 4:97.

Miller J. D., Esparza A., Wright N. M., Garimella V., Lal J., Lester S. E., and Mosier H. D. (1993): Spontaneous Growth Hormone Release In Term Infants: Changes During The First Four Days of Life. J. Clin. Endocrinol. Metab. 76: 1058-1063.

Minami M. and Satoh M. (1995): Molecular Biology of The Opioid Receptors: Structures, Functions and Distributions. Neurosci. Res. 23: 121-145(Medline).

Morley J.E., Kaiser F., Raum W.J., Perry H.M., and Flood J.F. (1997): Potentially Predictive and Manipulable Blood Serum Correlates of Aging In The Healthy Human Male: Progressive Decrease In Bioavailable Testosterone, and The Ratio of Insulin-Like

Growth Factor 1 to Growth Hormone.:Proc. Natl. Acad. Sci. USA.94(14):7537-7542(Medline).

Morley J.E., Kaiser F.E. and Perry H.M. (1997): Longitudinal Changes In Testosterone, Luteinizing Hormone and Follicle Stimulating Hormone In Healthy Old Men. Metabolism. 46: 410–413.

Muller E. E., Cella S. G., Parenti M., Deghenghi R., Locatelli V., Degennaro Colonna V., Torsello A. and Cocchi D. (1995): Somatotropic Dysregulation In Old Mammals. Horm. Res. 43: 39-45.

Muller E. E. (1990): Clinical Implications of Growth Hormone Feedback Mechanisms. Horm.Res. 33(4): 90-96.

Marc E. F., Béla K., Anna L. and György N.2000): Prolactin: Structure, Function, and Regulation of Secretion Physiological Reviews 80:1523-1631.

Neil J.D., Frawley L.S., Plotsky P.M. and Tindall G.T. (1981): Dopamine In Hypophysial Stalk Blood of Rhesus Monkey and Its Role In Regulating Prolactin Secretion. Endocrinology 108:489.

Ono M., Miki N., Murata Y., Osaki E., Tamitsu K., Ri T., Yamada M. and Demura H. (1995): Sexually Dimorphic

Expression of Pituitary Growth Hormone- Releasing Factor Receptor In The Rat. *Biochem. Biophys. Res. Commun.* 216: 1060-1066 (Medline).

Orwoll E.S. and Klein R.F. (1995): Osteoporosis In Men. *Endocr. Rev.* 16:87-116

Painson J.C. and Tannenbaum G. S. (1991): Sexual Dimorphism of Somatostatin and Growth Hormone-Releasing Factor Signaling In The Control of Pulsatile Growth Hormone Secretion In The Rat. *Endocrinology* 128: 2858-2866.

Pérez.V.B., Bordiu E. and Puente. C. M. (1992): Involvement of Physiological Prolactin Levels In Growth and Prolactin Receptor Content of Prostate Glands and Testes in Developing Male Rats. *Endocrinology* 132:449-459.

Peter J. S., Helen P., Jesse A. B. and Peter H. G. (2000): Effects of Testosterone Replacement in Hypogonadal Men. *J. of Clin. Endocrinol. Metab.* 85(8): 2670-2677.

Philippe C.,Christopher O., Lien L., Patrick A., and Diane D.(1999): Osteoblasts Are A New Target for Prolactin:Analysis of Bone Formation in Prolactin Receptor Knockout Mice. *Endocrinology* 140(1): 96-105.

Pincus S.M. and Keefe D.L. (1992): Quantification of Hormone Pulsatility Via an Approximate Entropy Algorithm. *Am. J. Physiol.* 262: 741–754.

Pincus S. (1995): Differential Impact of Age, Sex Steroid Hormones, and Obesity on Basal Versus Pulsatile Growth Hormone Secretion In Men as Assessed In an Ultrasensitive Chemiluminescence Assay *J. Clin. Endocrinol. Metab.* 80: 3209 - 3222.

Pincus S. M., Gevers E., Robinson A. F., Roelfsma F., Hartman M. L. and Veldhuis J. D. (1996): Females Secrete Growth Hormone With More Process Irregularity Than Males. *Am. J. Physiol.* 270: 107-115.

Riddle O., Bates R.W. and Dykshorn S.W. (1993): The Preparation, Identification and Assay of Prolactin Hormone of Anterior Pituitary. *Am. J. Physiol.* 105: 191-216.

Samuel S.C., Robert B., and Robert L. (1999): Prolactin in Human Reproduction. *Reproductive Endocrinology* Edited By Saunders Company 4th ed : 257-277.

Samuel S.C.; Robert B. J., and Robert L. B. (1999): *Reproductive Endocrinology: Physiology, Pathophysiology and Clinical Management* edited by Saunders Company 4th ed : 465.

Schally A.V., Bowers C.Y., Redding T.W. and Barrett J.F. (1996): Isolation of Thyrotropin Releasing Factor From Hypothalamus. *Biochem. Biophys. Res. Commun.* 25: 165-169. (Medline).

Schaper N. C., Tamsma J. T., Sluiter W. J., Roelse H., Reitsma W. D and Doorenbos H. (1990): Growth Hormone Autoregulation In Type Diabetes Mellitus. *Acta Endocrinol.* 122(2): 32 - 39.

Schimchowitsch S., Vuillez P., Tappaz M.L., Klein M.J. and Stoeckel M.E. (1991): Systematic Presence of GABA-Immunoreactivity In The Tubero-Infundibular and Tubero-Hypophyseal Dopaminergic Axonal Systems: An Ultrastructural Immunogold Study on Several Mammals. *Exp. Brain Res.* 83: 575-586(Medline).

Scacchi M., Invitti C., Pincelli A., Pandolfi C., Dubini A. and Cavagnini F. (1995): Lack of Growth Hormone Response to Acute Administration of Dexamethasone In Anorexia Nervosa. *Eur. J. Endocrinol.* 132: 152 - 158.

Shah G.V., Pedchenko V., Stanley S., Li Z.A. and Samson W.K. (1996): Calcitonin is A Physiological Inhibitor of Prolactin Secretion in Ovariectomized Female Rats. *Endocrinology* 137: 1814 - 1822.

Shalender B., Thomas W.S., Nancy B., Carlos C., Brenda C., Jeffrey P., Thomas J.B., Ray T., Shirazi R. and Richard C. (1996): The Effects of Supraphysiologic Doses of Testosterone on Muscle Size and Strength in Normal Men. *Appl. Physiol.* 335: 1 -7.

Shalender B., and William J. B. (1997): Emerging Issues in Androgen Replacement. *J. of Clin. Endocrinol. Metabol.* 82 (1):3-8.

Shimon I., Yan X., Taylor J.E., Weiss M.H., Culler M.D. and Melmed S. (1997): Somatostatin Receptor Subtype-Selective Analogue Differentially Suppress In Vitro Growth Hormone and Prolactin In Human Pituitary Adenomas. *J Clin Invest.* 100: 2386 – 2392.

Shimon I., Yan X. and Melmed S. (1998): Human Fetal Pituitary Expresses Functional Growth Hormone-Releasing Peptide Receptors. *J. Clin. Endocrinol. Metab.* 83: 174–178.

Silva A. and Chittiwat S. (2000): Testosterone Treatment In Adolescents With Delayed Puberty: Changes In Body Composition, Protein, Fat, and Glucose Metabolism *J. Clin. Endocrinol. Metab.* 82: 3213 - 3220.

Sonntag W.E. and Gough M.A. (1988): Growth Hormone Releasing Hormone Induced Release of Growth Hormone In Aging

Male Rats: Dependence on Pharmacological Manipulation and Endogenous Somatostatin Release. *Neuroendocrinology* 47 : 482.

Sobrinho L.G. (1993): The Psychogenic Effects of Prolactin. *Acta Endocrinol. (Copenh)* 129:38 – 40 (Medline).

Stachura M.E., Tyler J.M. and Kent P.G. (1989): Pituitary Immediate Release Pools of Growth Hormone and Prolactin are Preferentially Refilled By New Rather Than Stored Hormone. *Endocrinology* 125 : 444.

Sylvester P. W., Forczek S., Ip M. M. and Ip C. (1989): Exercise Training and The Differential Prolactin Response In Male and Female Rats *J. of Appl. Physiol* 67 (2): 804 - 810.

Tannenbaum G. S. (1984): Growth Hormone-Releasing Factor Direct Effects on Growth Hormone, Glucose and Behavior Via The Brain. *Science* 226: 464-465(Medline).

Tanner J. W., Davis S. K., Mcartuhr N. H, French J. T. and Welsh T. H. (1990): Modulation of Growth Hormone Secretion and GH mRNA Levels By GH-Releasing Factor, Somatostatin and Secretagogues In Cultured Bovine Adenohypophysial Cells. *J. Endocrinol.* 125: 109-115.

Tanoh, T., Shimatsu A., Ishikawa Y., Ihara C., Yanahihara N. and Imura H. (1993): Galanin-Induced Growth Hormone Secretion In Conscious Rats: Evidence for A Possible Involvement of Somatostatin. *J. Neuroendocrinol.* 5: 183-187.

Tamaki M., Sato M., Matsubara S., Wada Y. and Takahara J.(1996): Dexamethasone Increases Growth Hormone-Releasing Hormone Receptor mRNA Levels In Cultured Rat Anterior Pituitary Cells. *J. Neuroendocrinol.* 8: 475-480.

Tenover J., S. (1992): Effects of Testosterone Supplementation In The Aging Male. *J. of Clin. Endocrinol. Metab.* 75(4): 1092-1098.

Tenover J.,S. (1994): Androgen Adminstration to Aging Men In: *Endocrinology and Metabolism Clinics of North America.* Edited By Bremner W.J. and saunders W.B. Philadelphia 23(4)877-892.

Tenover J.L.(1997): Testosterone and The Aging Male *J.Androl.* 18(2): 103-106.

Tenover J.L.(1999): Testosterone Replacment Therapy In Older Adult Men *Int. J. Androl.* 22(5):300-306.

Thompson D.L., Weltman J.Y., Rogol A.D., Metzger D., Veldhuis J.D. and Weltman A. (1993): Cholinergic and Opioid

Involvement In Release of Growth Hormone During Exercise and Recovery. J. Appl. Physiol. 75: 870 – 878.

Thorner M. O., Vance M. L., Horvath E. and Kovacs K. (1995):
The Anterior Pituitary. In: Williams Textbook of Endocrinology
(8th ed.), Edited By Wilson J. D. and Foster D.. Philadelphia PA:
Saunders 221-310.

**Torsello A., Luoni M., Grilli R., Guidi M., Wehrenberg R.
Deghenghi W. B., Muller E. E. and Locatelli V. (1997):**
Hexarelin Stimulation of Growth Hormone Release and mRNA
Levels In An Infant and Adult Rat Model of Impaired GHRH
Function. Neuroendocrinology 65: 91 - 97.

**Tore C. d., Maria R. A., Silvano G. C., Angelo R. M., Giorgio
T., Antonello E. R., Emilio P. and Eugenio E. M.(1997):**
Defective Hypothalamic Growth Hormone (GH)-Releasing
Hormone Activity May Contribute to Declining GH Secretion With
Age In Man J. Clin. Endocrinol. Metab. 82: 2885 - 2888.

**Tracey A. R., Marc R. B., Mitchell H. S., Jordan D. T., Matthew
S. and Jeffery M. E. (2000):** Interrelationships of Serum
Testosterone and Free Testosterone Index With FFM and Strength
In Aging Men Am. J. Physiol. Endocrinol. Metab. 283: 284-294.

Ulloa-Aguirre A., Blizzard R. M., Garcla-Rubi E., Rogol A. D., Link K., Christie M., Johnson M. L. and Veldhuis J. D. (1990): Testosterone and Oxandrolone, A Nonaromatizable Androgen, Specifically Amplify The Mass and Rate of Growth Hormone Secreted Per Burst Without Altering GH Secretory Burst Duration or Frequency or The GH Half-Life. *J. Clin. Endocrinol. Metab.* 71: 846-854.

Van Cauter E., Caufriez A., Kerkhofs M., Van Ondhr-B. A Thorner M. O. and Copinschi G. (1992): Sleep, Awakenings, and Insulin-Like Growth Factor-I Modulate The Growth Hormone Secretory Response to GH-Releasing Hormone. *J. Clin. Endocrinol. Metab.* 74: 1451-1459.

Veldhuis A.Y., Liem S S., Weltman A., Weltman J., Clemmons D.A., Abbott R., Mulligan T., Johnson M.L. and Veldhuis J.D. (1995): The Neuroendocrine Regulation and Implications of Pulsatile GH Secretion: Gender Effects. *The Endocrinologist* 5: 198 – 213.

Veldhuis J. D., Metzger D. L., Martha P. M., Mauras N., Kerrigan J. R., Keenan B., Rogol A. D. and Pincus S. M. (1997): Estrogen and Testosterone, But Not A Nonaromatizable Androgen, Direct Network Integration of The Hypothalamo-Somatotrope (growth hormone)-Insulin-Like Growth Factor I Axis In The

Human: Evidence From Pubertal Pathophysiology and Sex-Steroid Hormone Replacement. J. Clin. Endocrinol. Metab. 82: 3414-3420.

Veldhuis J.D. (1998): Neuroendocrine Control of Pulsatile Growth-Hormone Release In The Human: Relationship With Gender. Growth Hormone IGF Res. 8:49 – 59(Medline).

Verbeeelen D., Vanhaelst L., Van Steirtegham A.C. and Sennesael. J. (1983): Effect of 1, 25-Dihydroxyvitamin D3 on Plasma Prolactin In Patients With Renal Failure on Regular Dialysis Treatment. J. Endocrinol Invest. 6:359.

Vermeulen A. (1991): Androgen Adminstration to Aging Men. Endocrinol. Metab. Clin. North Am. 23:877-92(Medline).

Vermeulen A. (2001): Androgen Replacement Therapy In The Aging Male--A Critical Evaluation. J. Clin. Endocrinol. Metab. 86: 2380-2390.

Vermeulen A., Kaufman J.M. and Giagulli V.A. (1996): Influence of Some Biological Indices on The Sex Hormone Binding Globulin and Androgens In Aging and Obese Men. J. Clin. Endocrinol. Metab. 81:1821–1827.

Villalba M., Zabala M.T., Martinez-Serrano A., de la Colina R., Satrustegui J. and Garcia-Ruiz J.P. (1991): Prolactin Increases

Cytosolic Free Calcium Concentration In Hepatocytes of Lactating Rats. *Endocrinology* 129:2857–2861.

William J.B., Michael V.V. and Patricia N.P. (1983): Loss Circadian Rhythmicity In Blood Testosterone Levels With Aging In Normal Men. *J. of Clin. Endocrinol.and Metabol.* 65(6):1278-1281.

Weissberger A.J. and Ho K.K. (1993): Activation of The Somatotropic Axis By Testosterone In Adult Males: Evidence For The Role of Aromatization *J. of Clin. Endocrinol. Metabol.* 76:1407-1412.

William R. H., Reubin A., Edwin L. B., and John P. B., (1990): Aging of The Endocrine System: *Geriatric Medicine and Gerontology*..2nd ed. McGraw-Hill, Inc.: 640,705-718.

Yamaya R. and Koki S. (1999):Endurance Exercise Causes Interaction Among Stress Hormones, Cytokines, Neutrophil Dynamics and Muscle Damage *J. Appl. Physiol.* 87: 1360-1367.

Yen, S.S.C. (1986): Chronic Anovulation Caused By Peripheral Endocrine Disorders. In: Yen, S.S.C. and Jaffe, R.B. (eds.), *Reproductive Endocrinology*. W.B. Saunders company, philadelphia, London, Toronto, Mixico city, Riode Janerio, Sydeny, Tokyo, Hong Kong, 2nd ed.: 441.

Zeitler P., Argente J., Chowen-Breed J.A., Clifton D.K. and Steiner R.A. (1990): Growth Hormone-Releasing Hormone Messenger Ribonucleic Acid In The Hypothalamus of The Adult Male Rat Is Increased By Testosterone. *Endocrinology* 127:1362 - 1368.

Zvi Z., Stuart A.C., Robert J.M., Mary M. and A. Avinoam K. (1985): The Influence of Age on The 24-Hour Integrated Concentration of Growth Hormone In Normal Individuals. *J. of Clin. Endocrinol. Metabol.* 60(3): 513-520.

Tenover J.L.(1997): Testosterone and The Aging Male J.Androl. 18(2): 103-106.

Tenover J.L.(1999): Testosterone Replacement Therapy In Older Adult Men Int. J. Androl. 22(5):300-306.

Thompson D.L., Weltman J.Y., Rogol A.D., Metzger D., Veldhuis J.D. and Weltman A. (1993): Cholinergic and Opioid Involvement In Release of Growth Hormone During Exercise and Recovery. J. Appl. Physiol. 75: 870 – 878.

Thorner M. O., Vance M. L., Horvath E. and Kovacs K. (1995): The Anterior Pituitary. In: Williams Textbook of Endocrinology (8th ed.), Edited By Wilson J. D. and Foster D.. Philadelphia PA: Saunders 221-310.

Torsello A., Luoni M., Grilli R., Guidi M., Wehrenberg R. Deghenghi W. B., Muller E. E. and Locatelli V. (1997): Hexarelin Stimulation of Growth Hormone Release and mRNA Levels In An Infant and Adult Rat Model of Impaired GHRH Function. Neuroendocrinology 65: 91 - 97.

Tore C. d., Maria R. A., Silvano G. C., Angelo R. M., Giorgio T., Antonello E. R., Emilio P. and Eugenio E. M.(1997):

Defective Hypothalamic Growth Hormone (GH)-Releasing Hormone Activity May Contribute to Declining GH Secretion With Age In Man J. Clin. Endocrinol. Metab. 82: 2885 - 2888.

Tracey A. R., Marc R. B., Mitchell H. S., Jordan D. T., Matthew S. and Jeffery M. E. (2000): Interrelationships of Serum Testosterone and Free Testosterone Index With FFM and Strength In Aging Men Am. J. Physiol. Endocrinol. Metab. 283: 284-294.

Ulloa-Aguirre A., Blizzard R. M., Garcla-Rubi E., Rogol A. D., Link K., Christie M., Johnson M. L. and Veldhuis J. D. (1990): Testosterone and Oxandrolone, A Nonaromatizable Androgen, Specifically Amplify The Mass and Rate of Growth Hormone Secreted Per Burst Without Altering GH Secretory Burst Duration or Frequency or The GH Half-Life. J. Clin. Endocrinol. Metab. 71: 846 - 854.

Van Cauter E., Caufriez A., Kerkhofs M., Van Ondhr-B. A Thorner M. O. and Copinschi G. (1992): Sleep, Awakenings, and Insulin-Like Growth Factor-I Modulate The Growth Hormone Secretory Response to GH-Releasing Hormone. J. Clin. Endocrinol. Metab. 74: 1451-1459.

Veldhuis A.Y., Liem S S., Weltman A., Weltman J., Clemmons D.A., Abbott R., Mulligan T., Johnson M.L. and Veldhuis J.D. (1995): The Neuroendocrine Regulation and Implications of Pulsatile GH Secretion: Gender Effects. *The Endocrinologist* 5: 198 – 213(Medline).

Veldhuis J. D., Metzger D. L., Martha P. M., Mauras N., Kerrigan J. R., Keenan B., Rogol A. D. and Pincus S. M. (1997): Estrogen and Testosterone, But Not A Nonaromatizable Androgen, Direct Network Integration of The Hypothalamo-Somatotrope (growth hormone)-Insulin-Like Growth Factor I Axis In The Human: Evidence From Pubertal Pathophysiology and Sex-Steroid Hormone Replacement. *J. Clin. Endocrinol. Metab.* 82: 3414-3420.

Veldhuis J.D. (1998): Neuroendocrine Control of Pulsatile Growth-Hormone Release In The Human: Relationship With Gender. *Growth Hormone IGF Res.* 8:49 – 59(Medline).

Verbeeelen D., Vanhaelst L., Van Steirtegham A.C. and Sennesael. J. (1983): Effect of 1, 25-Dihydroxyvitamin D3 on Plasma Prolactin In Patients With Renal Failure on Regular Dialysis Treatment. *J. Endocrinol Invest.* 6:359.

Vermeulen A. (1991): Androgen Adminstration to Aging Men. *Endocrinol. Metab. Clin. North Am.* 23:877-92(Medline).

Vermeulen A. (2001): Androgen Replacement Therapy In The Aging Male--A Critical Evaluation. J. Clin. Endocrinol. Metab. 86: 2380-2390.

Vermeulen A., Kaufman J.M. and Giagulli V.A. (1996): Influence of Some Biological Indices on The Sex Hormone Binding Globulin and Androgens In Aging and Obese Men. J. Clin. Endocrinol. Metab. 81:1821–1827.

Villalba M., Zabala M.T., Martinez-Serrano A., de la Colina R., Satrustegui J. and Garcia-Ruiz J.P. (1991): Prolactin Increases Cytosolic Free Calcium Concentration In Hepatocytes of Lactating Rats. Endocrinology 129:2857–2861.

William J.B., Michael V.V. and Patricia N.P. (1983): Loss Circadian Rhythmicity In Blood Testosterone Levels With Aging In Normal Men. J. of Clin. Endocrinol. and Metab. 65(6):1278-1281.

Weissberger A.J. and Ho K.K. (1993): Activation of The Somatotrophic Axis By Testosterone In Adult Males: Evidence For The Role of Aromatization J. of Clin. Endocrinol. Metab. 76:1407-1412.

William R. H., Reubin A., Edwin L. B., and John P. B., (1990):
Aging of The Endocrine System: Geriatric Medicine and
Gerontology..2nd ed. McGraw-Hill, Inc.: 640,705-718.

Yamaya R. and Koki S. (1999):Endurance Exercise Causes
Interaction Among Stress Hormones, Cytokines, Neutrophil
Dynamics and Muscle Damage J. Appl. Physiol. 87: 1360-1367.

Yen, S.S.C. (1986): Chronic Anovulation Caused By Peripheral
Endocrine Disorders. In: Yen, S.S.C. and Jaffe, R.B. (eds.),
Reproductive Endocrinology. W.B. Saunders company, philadelphia,
London, Toronto, Mexico city, Riode Janerio, Sydeny, Tokyo, Hong
Kong, 2nd ed.: 441.

**Zeitler P., Argente J., Chowen-Breed J.A., Clifton D.K. and
Steiner R.A. (1990):** Growth Hormone-Releasing Hormone
Messenger Ribonucleic Acid In The Hypothalamus of The Adult
Male Rat Is Increased By Testosterone. Endocrinology 127:1362 -
1368.

**Zvi Z., Stuart A.C., Robert J.M., Mary M. and A. Avinoam K.
(1985):** The Influence of Age on The 24-Hour Integrated
Concentration of Growth Hormone In Normal Individuals. J. of
Clin. Endocrinol. Metab. 60(3): 513-520.