

REFERENCES

References.

- Akil, H.; Watson, S. J.; Young, E.; Lewis, M. E.; Khachaturian, H. & Walker, J. M. (1984). *Endogenous opioids : biology and function. Annu. Rev. Neurosci.*, 7 : 223-55.
- Almer, W. (1989). *Excitation contraction coupling in skeletal muscle. In : textbook of physiology, Vol.1, chapter 7 : 156-70.*
- Albuquerque, E. X.; Barnard, E. A.; Chiu, T. H.; Lapa, A. J.; Dolly, J. O.; Jansson, S. E.; Daly, J. & Witkop, B. (1973). *Acetylcholine receptor and ion conductance modulator sites at the murine neuromuscular junction : Evidence from specific toxin reactions. Proceedings of the National academy of Sciences of the United States of America*, 70 : 949.
- Anderson, C. R. & Stevens, C. F. (1973). *Voltage clamp analysis of ACh produced endplate current fluctuations at frog neuromuscular junction. J. Physiol.*, 235 : 655-91.
- Aracava, Y.; Ikeda, S. R.; Daly, J. W.; Brookes, N. & Albuquerque, E. X. (1984). *Interactions of bupivacaine with ionic channels of the nicotinic receptor : analysis of single-channel currents. Mol. Pharmacol.*, 26 : 304-13.
- Arenas, E.; Alberch, J.; Sanchez-Arroyos, R. & Marsal, J. (1990). *Effect of opioids on ACh by K^+ or glutamic acid from rat neostriatal slices Brain Res.*, 523(1) : 51-6.
- Armstrong, C. M.; Bezanilla, F. M. & Horowicz, P. (1972). *Twitches in the presence of ethylene glycol bis N, N-tetraacetic acid. Biochim. biophys. Acta*, 267 : 605-8.
- Armstrong, C. M. & Matteson, D. R. (1985). *Two distinct populations of calcium channels in a clonal line of pituitary cell. Science*, 227 : 65-7.
- Ary, T. E. & Frank, G. B. (1983). *Stereospecificity of an opiate action on excitable membrane of frog skeletal muscle fibers. European J. of Pharmacology*, 94 : 211-7.
- Atwech, S. F. & Kuhar, M. J. (1977). *Autoradiographic localization of opiate receptors in rat brain. I. Spinal cord and lower medulla. Brain Res.*, 3-653-653-67.-67.

- Augustine, G. J.; Charlton, M. P. & Smith, S. J. (1985). Calcium entry and transmitter release at voltage-clamped nerve terminals of squid. *J. Physiol.*, 369 : 163-81.
- Awouters, F.; Niemegeers, C. J. E. & Janssen, P. A. J. (1983). Pharmacology of anti-diarrheal drug. *Annu. Rev. Pharmacol. Toxicol.*, 23 : 279-301.
- Baker, P. F. & Knight, D. E. (1981). Calcium control of exocytosis and endocytosis in bovine adrenal medullary cells. *Philos. Trans. R. Soc. (Biol.)*, 296 : 83-103.
- Bardo, M. T.; Bhatnagar, R. K. & Gebhart, G. F. (1983). Chronic naltrexone increase plate binding in brain and produces supersensitivity to morphine in the locus coeruleus of the rat. *Brain Res.*, 289 : 223-34.
- Barrett, J. N. & Barrett, E. F. (1978). Excitation-contraction coupling in skeletal muscle : blockade by high extracellular concentrations of calcium buffers. *Science, N.Y.*, 200 : 1270-2.
- Beatty, G. N. & Stefani, E. (1976a). Inward calcium current in twitch muscle fibers of the frog. *J. Physiol.*, 260 : 27p.
- Beatty, G. N. & Stefani, E. (1976b). Calcium dependent electrical activity in twitch muscle fibers of the frog. *Proc. R. Soc.*, 194(B) : 141-50.
- Ben Mansour, A.; Tome, D.; Rautureau, M.; Bissalli, A. & Desjeux, J. (1988). Luminal antisecretory effects of a B-casomorphin analogue in the rabbit ileum treated with cholera toxin. *Pediatr. Res.*, 24 : 751-55.
- Beubler, E. & Lembeck, K. (1979). Inhibition of stimulation fluid secretion in the rat small and large intestine by opiate agonists. *Naunyn-schmiede-berg's ACh. Pharmacol.*, 306 : 113-8.
- Bianchi, C. P. & Shanes, A. M. (1959). Calcium influx in skeletal muscle at rest, during activity, and during potassium contracture. *J. Gen. Physiol.*, 42 : 803-15.
- Binder, H. J.; Laurensen, J. P. & Dobbins, J. W. (1984). Role of opiate receptors in regulation of enkephalin stimulation of active sodium and chloride absorption. *Am. J. Physiol.*, 247 : G432-G36.
- Birks, R.; Katz, B. & Miledi, R. (1960). Physiological and structural changes at the amphibian myoneural junction, in the course of nerve degeneration. *Journal of Physiology*, 150 : 145.
- Blaustein, M. P. (1975). Effect of potassium, veratridine and scorpion

- venom on calcium accumulation and transmitter release by nerve terminals in vitro. *J. Physiol.*, 247 : 617-55.
- Birks, R. I.; Burstyn, P. G. R. & Firth, D. R. (1968). The form of Na^+ & Ca^{2+} competition at the frog myoneural junction. *J. Gen. Physiol.*, 52: 887-907.
- Bixby, J. L. & Spitzer, N. C. (1983). Enkephalin reduces calcium action potentials in Rohon-Beard neurons in vivo. *J. Neurosci.*, 3 : 1014-8.
- Bloom, F. E. (1983). The endorphins : a growing family of pharmacologically pertinent peptides. *Annu. Rev. Pharmacol. Toxicol.*, 23 : 151-70.
- Blume, A. J.; Lichtshtein, D. & Boone, G. (1980). Receptor-mediated inhibition of adenylyl cyclase : essential role of Na^+ and GTP. In, Pepeu et al. (Eds) *Receptors for Neurotransmitters and Peptide Hormones*, p.339-348.
- Brooks, V. B. (1954). The action of botulinum toxin on motor nerve filaments. *Journal of Physiology*, 123 : 501.
- Bowen, W. D.; Gentleman, S.; Herkenham, M. & Pert, C. (1981). Interconverting μ and δ forms of the opiate receptor in rat striatal patches. *Proceedings of the National Academy of Science*, 78 : 4818-4822.
- Boyd, I. A. & Martin, A. R. (1956). Spontaneous subthreshold activity at mammalian neuromuscular junctions. *J. Physiol.*, 132 : 61-73.
- Bueno, L.; Fioramonti, J.; Honde, C.; Faregeas, M. J. & Pimi, M. P. (1985). Central and peripheral control of gastrointestinal and colonic motility by endogenous opiates in conscious dogs. *Gastroenterology*, 88 : 549-56.
- Bulbring, E. (1946). *Br. J. Pharmacol.*, 1 : 38.
- Bulbring, E. & Tomita, T. (1967). Properties of the inhibitory potential of smooth muscle as observed in the response to field stimulation of the guinea-pig taenia coli. *J. Physiol.*, 189 : 299-315.
- Burks, T. F. (1976). Acute effects of morphine on rat intestinal motility. *Eur. J. Pharmacol.*, 40 : 279-83.
- Burks, T. F.; Fox, D. A.; Hirning, L. D.; Shook, J. E. & Porreca, F. (1988). Regulation of gastrointestinal function by multiple opioid receptors. *Life Sci.*, 43 : 2177-81.
- Bywater, R. A. & Taylor, G. S. (1986). Noncholinergic excitatory and inhibitory

- junction potentials in the circular smooth muscle of the guinea-pig ileum *J. Physiol.*, 374 : 153-64.
- Carbone, E. & Lux, H. D. (1984). A low voltage-activated, fully inactivating calcium channel in vertebrate sensory neurons. *Nature* 310 : 501-3.
- Cardenas, H. L. & Ross, D. H. (1975). Morphine induced calcium depletion in discrete regions of rat brain. *J. Neurochem.*, 24 : 487-93.
- Castillo, J. D. & katz, B. (1954a). Quantal components of the end-plate potential *J. Physiol.*, 124 : 560-73.
- Castillo, J. D. & katz, B. (1954b). Statistical factors involved in neuromuscular facilitation and depression. *J. Physiol.*, 124 : 574-85.
- Cetin, Y. (1988). Enterochromaffin cells of the mammalian gastroenteropancreatic endocrine system : Cellular sources of pro-dynorphin derived peptides. *Cell Tissue Res.*, 253 : 173-9.
- Chang, K. J. & Cuatrecasas, P. (1979). Multiple opiate receptors. *J. Biol. Chem.*, 254 : 2610-2618.
- Chang, K. J.; Hazum, E. & Cuatrecasas, P. (1981). Novel opiate binding sites selective for benzomorphan drugs. *Proc. Natl. Acad. Sci. USA*, 78 : 4141-5.
- Chavkin, C. (1988). Electrophysiology of opiates and opioid peptides. In : *The opiate receptor*, G.W. Pasternak, ed. (Clifton, NJ : The humana press), pp.273-303.
- Chen, G. G.; Chalazonitis, A.; Shen, K. F. & Crain, S. M. (1988). Inhibitor of cyclic AMP-dependent protein kinase blocks opioid-induced prolongation of the action potential of mouse sensory ganglion neurones in dissociated cell cultures. *Brain Res.*, 462 : 372-7.
- Cherubini, E. & North, R. A. (1985), μ - and κ - opioids inhibit transmitter release by different mechanisms. *Proc. natl. Acad. Sci. USA.*, 82 : 1860-63.
- Cherubini, E.; Morita, K. & North, R. A. (1985). Opioid inhibition of synaptic transmission in the guinea-pig myenteric plexus. *Br. J. Pharmacology*, 85 : 805-817.
- Chesnut, T. J. (1983). Two-component desensitization at the neuromuscular junction of the frog *J. Physiol.*, 336 : 229-41.
- Chesselt, M. F. (1984). Presynaptic regulation of neurotransmitter release

- in the brain : facts and hypothesis. *Neuroscience*, 12 : 345-75.
- Chikin, A. V.; Urazaev, A. K.; Volkov, E. M.; Poletaev, G. I. & Khamitov, K. S. (1987). Effects of B-endorphin on the development of denervation changes in rat muscle fiber membrane. *Neurofiziologiya*, 19 : 759-66.
- Chin, T. H.; Yeh, M. H.; Tsai, S. K. & Mok, M. S. (1993). Electrophysiological actions of alfentanil : intracellular studies in the rat locus coeruleus neurones *Br. J. Pharmacol.*, 110 : 903-909.
- Cohen, I. & Vander Kloot, W. (1978). Effects of calcium and magnesium on the decay of miniature end-plate currents. *Nature*, 271 : 77-9.
- Colquhoun, D. & Ogden, D. C. (1988). Activation of ion channels in the frog endplate by high concentrations of ACh. *J. Physiol.*, 395 : 131-59.
- Connor, E. A.; Fiekers, J. F.; Neel, D. S.; Parsons, R. L. & Schnitzler, R. M. (1984). Comparison of cholinergic activation and desensitization at snake twitch and slow muscle fiber endplates. *J. Physiol.*, 351 : 657-74.
- Cooke, J. D. & Quastel, D. M. J. (1973). The specific effect of K^+ on transmitter release by motor nerve terminals and its inhibition by Ca^{2+} . *J. Physiol.*, 228 : 435-58.
- Coupar, I. M. (1987). Opioid action on the intestine : the importance of the intestinal mucosa. *Life Sci.*, 41 : 917-25.
- Couteaux, R. (1955). Localisation of cholinesterases at neuromuscular junctions *International Review of Cytology*, 4 : 335.
- Couteaux, R. (1958). *Exp. Cell. Res. Suppl.* 5 : 294.
- Couteaux, R. (1960). Motor end-plate structure. In structure and function of muscle, Ed. G. H. Bourne, Vol. 1, p 337 (Academic Press : New York & London)
- Creese, I. & Snyder, S. H. (1975). Receptor binding and pharmacological activity of opiate in the guinea-pig intestine. *Journal of Pharmacology and Experimental Therapeutics*, 194 : 205-19.
- Crist, J. R.; HE, X. D. & Goyal, R. K. (1991). Chloride-mediated inhibitory junction potentials in opossum esophageal circular smooth muscle. *Am. J. Physiol.*, 261 (5 pt 1) : G752-62.
- Daniel, E. E.; Jager, L. P.; Jury, J.; Helmy-Elkholy, A.; Kannan, M. S. & Posey Danel, V. (1985). The mediators and mechanisms causing the

- non-adrenergic, noncholinergic nerve responses on opossum esophagus : role of interstitial cells of Cajal. *Biomed. Res.*, 5 : 67-84.
- Dean, R. B. (1941). Theories of electrolyte equilibrium in muscle. *Biological Symposia*, 3 : 331.
- Del Castillo, J. & Katz, B. (1955). On the localisation of acetylcholine receptors. *Journal of Physiology*, 128 : 157.
- Del Lorenzo, R. J. (1980). Role of calmodulin in neurotransmitter release and synaptic function. *Annals of the New York Academy of Science*, 356 : 102-109.
- Dionne, V. E. (1989). Two types of nicotinic ACh receptor channels at slow fibre endplates of the garter snake. *J. Physiol.*, 409 : 313-31.
- Dobbins, J.; Racusen, L. & Binder, H. J. (1980). Effect of D-alanine methionine enkephalin amide on ion transport in rabbit ileum. *J. Clin. Invest.*, 66 : 19-28.
- Dodge, F. A., Jr. & Rahamimoff, R. (1967). Cooperative action of calcium ions in transmitter release at the neuromuscular junction. *J. Physiol.*, 193 : 419-32.
- Dodge, F. A., Jr. & Rahamimoff, R. (1976). Cooperative action of calcium ions in transmitter release at the neuromuscular junction. *J. Physiol.*, 193 : 419-23.
- Donnerer, G.; Cardinale, J.; Coffey, J.; Lisek, C. A.; Jardine, I. & Spector, S. (1987). Chemical characterization and regulation of endogenous morphine and codeine in the rat. *J. Pharmacol. Exp. Ther.*, 242 : 583-7.
- Douglas, W. W. (1968). Stimulus-secretion coupling : the concept and clues from chromaffin and other cells. *Br. J. Pharmacol.*, 34 : 451-74.
- Dudel, J.; Parnas, I. & Parnas, H. (1983). *Pfluegers Arch.*, 399 : 1-10.
- Dunant, Y. & Israel, M. (1985). The release of ACh. *Sci. Am.*, 252 : 58-66.
- Durant, N. N. & Katz, R. L. (1982). Suxamethonium. *Br. J. Anaesth.*, 54 : 195-208.
- Durham, H. D. & Frank, G. B. (1981). Dual action of meperidine on the drug neuromuscular junction : a prejunctional opioid receptor-mediated depression of transmitter release and a post junctional, nonopioid receptor effect on the endplate. *Arch. Int. Pharmacodyn. Ther.*, 251 : 150-65.
- Eckel, R. E. & Sperlak, N. (1963). Membrane potentials in K^+ deficient

- muscle. *Am. J. Physiol.*, 205 : 307-12.
- Eccles, J.C.; Katz, B. & Kuffer, S.W. (1941). Nature of the endplate potential in curarised muscle. *Journal of Neurophysiology*, 4 : 362.
- Eiden, L.E.; Giraud, P.; Dave, J.R.; Hotchkiss, A.J. & Affolter, H.U. (1984). Nicotinic receptor stimulation activates enkephalin release and biosynthesis in adrenal chromaffin cells. *Nature*, 312 : 661-3.
- Endo, M.; Tanaka, M. & Ogawa, Y. (1970). Calcium induced release of calcium from the sarcoplasmic reticulum of skinned skeletal muscle fibers. *Nature*, 228 : 34-6.
- Erulkar, S.D.; Rahamimoff, R. & Rotshenker, S. (1978). Quelling of spontaneous transmitter release by nerve impulses in low extracellular calcium solutions. *J. Physiol.*, 278 : 491-500.
- Erxleben, C. & Kriebel, M.E. (1988). Characteristics of spontaneous miniature and subminiature endplate currents at the mouse neuromuscular junction. *J. Physiol.*, 400 : 645-58.
- Fatt, P. & Katz, B. (1951). An analysis of the endplate potential recorded with an intra-cellular electrode. *J. Physiol.*, 115 : 320-70.
- Fatt, P. & Katz, B. (1952). Spontaneous subthreshold activity at motor nerve endings. *J. Physiol.*, 117 : 109-28.
- Feldman, M.; Walsh, J.H. & Taylor, I.L. (1980). Effect of naloxone and morphine on gastric acid secretion and secum gastrin and pancreatic polypeptide concentrations in humans. *Gastroenterology*, 79 : 294-8.
- Feng, T.P. & Dai, Z.S. (1990). The neuromuscular junction revisited : calcium channels and transmitter release in cholinergic neurons in xenopus nerve and muscle cell culture. *J. Exp. Biol.*, 153 : 129-40.
- Fiekers, J.F.; Spannbauer, P.M.; Scubon-Mulieri, B. & Parsons, R.L. (1980). Voltage dependence of desensitization. Influence of calcium and activation kinetics. *J. Gen. Physiol.*, 75 : 511-29.
- Fischer, R.A. & Yates, F. (1946). Statistical tables for biological, agricultural and medical researches. 2, 3rd edition Edinbury Olives and Boyed, 1948.
- Fogel, R. & Kaplan, R.V. (1984). Role of enkephalins in regulation of basal intestinal water and ion absorption in the rat. *Am. J. Physiol.*, 246 : 286-392.

- Ford, L.E. & Podolsky, R.J. (1970). Regenerative calcium release within muscle cells. *Science, N.Y.*, 169 : 58-9.
- Fox, A.P.; Nowycky, M.C. & Tsien, R.W. (1987a). Kinetic and pharmacological properties distinguishing three types of calcium currents in chick sensory neurones. *J. Physiol.*, 394 : 149-72.
- Fox, A.P.; Nowycky, M.C. & Tsien, R.W. (1987b). Single channel recordings of three types of calcium channels in chick sensory neurones. *J. Physiol.*, 394 : 173-200.
- Frank, G.B. (1975a). Opiate drug receptors on excitable cell membranes. *Archives Internationales de Pharmacodynamie et de Therapie*, 217 : 4-17.
- Frank, G.B. (1975b). Two mechanisms for the meperidine block of action potential production in frog's skeletal muscle; non-specific and opiate drug receptor mediated blockade. *Journal of Physiology*, 252 : 585-601.
- Frank, G.B. & Marwaha, J. (1978). An investigation of the activity of opiate drug receptors located on frog skeletal muscle fibre membrane. *Canadian J. of Physiology and Pharmacology*, 56 : 501-8.
- Franzini-Armstrong, C. & Porter, K. (1964). Sarcolemmal invaginations constituting the T-system in fish muscle fibers. *J. cell Biol.*, 22 : 675-96.
- Frederickson, R.C.A. & Pinsky, C. (1971). Morphine impairs ACh release but facilitates ACh action at a skeletal neuromuscular junction. *Nature new Biology*, 231 : 93-5.
- Galligan, J.J.; Mosberg, H.I.; Hurst, R.; Hruby, V.J. & Burks, T.F. (1984). Cerebral delta opioid receptors mediate analgesia but not the intestinal motility effects of intracerebroventricularly administered opioids. *J. Pharmacol. Exp. Ther.*, 229 : 641-8.
- Gillan, M.C.G. & Kosterlitz, H.W. (1982). Spectrum of the μ -, δ and κ -binding sites in homogenates of rat brain. *Br. J. Pharmacol.*, 77 : 461-9.
- Gilman & Alfred Goodman (1991). Opioid analgesics and antagonists. In, *The Pharmacological Basis of Therapeutics*. p.485.
- Gintzler, A. & Scalisi, J.A. (1982). Effect of opioids on noncholinergic

- excitatory responses of the guinea-pig isolated ileum inhibition of release of enteric substance P. *Br. J. Pharmac.*, 75 :199-206.
- Goddard, G. A. & Robinson, J. D. (1976). Uptake and release of calcium by rat brain synaptosomes. *Brain. Res.*, 110 : 331-50.
- Goepfert, H. & Schaefer, H. (1938). Über den direkt und indirekt erregten Aktionsstrom und die Funktion der motorischen Endplatte. *Pfluegers Archiv fuer die gesamte Physiologie des Menschen und der Tiere*, 239 : 597.
- Gage, P. W. & Eisenberg, R. S. (1969). Action potentials, afterpotentials and excitation-contraction coupling in frog sartorius fibers without transverse tubules. *J. Gen. Physiol.*, 53 : 298-310.
- Goldstein, A. (1984). Opioid peptides : function and significance. In, *Opioids : Post, Present and Future*, 127-143.
- Gonzales-Serratos, H. (1971). Inward spread of activation in vertebrate muscle fibers. *J. Physiol.*, 212 : 777-99.
- Goode, P. G.; Rhodes, K. F. & Waterfall, J. F. (1979). The analgesic and respiratory effects of meptazinal, morphine and pentazocine in the rat. *J. Pharm. Pharmacol.*, 31 : 793-5.
- Gorio, A.; Hurlbut, W. P. & Ceccarelli, B. (1978). ACh compartments in mouse diaphragm : Comparison of the effects of black widow spider venom, electrical stimulation, and high concentrations of potassium. *J. Cell. Biol.*, 78 : 716-33.
- Green, A. F. (1959). Comparative effects of analgesics on pain threshold, respiratory frequency and gastrointestinal propulsion. *Br. J. Pharmacol.*, 14 : 26-34.
- Green, A. S.; Nakajima, S. & Nakajima, Y. (1985). Functional properties of newly inserted ACh receptors in embryonic xenopus muscle cells. *Develop. Brain Res.*, 19 : 289-96.
- Gross, R. A. & MacDonald, R. L. (1987). Dynorphin A selectively reduces a large transient (N-type) calcium current of mouse dorsal root ganglion neurons in cell culture. *Proc. Natl. Acad. Sci. USA*, 84 : 5469-73.
- Guerrero, M. F.; Cerreta, K. V.; Guerrero, M. L. & Way, E. L. (1979). Effect of morphine on synaptosomal calcium uptake. *J. Pharmac. exp. Ther.*, 209

:132-6.

- Hagiwara, N.; Irisawa, H. & Kameyama, M. (1988). Contribution of two types of calcium currents to the pacemaker potentials of rabbit Sinoatrial node cells. *J. Physiol.*, 395 : 233-53.
- Hahn, E. F.; Carroll-Buatti, M. & Pasternak, G. W. (1982). Irreversible opiate agonists and antagonists : the 14- hydroxydihydromorphinoneazine. *J. Neurosci.*, 2 : 572-6.
- Hahn, E. F. & Pasternak, G. W. (1982). Naloxonazine, a potent, longlasting inhibitor of opiate binding sites *Life Sci.*, 13 : 1385-8.
- Hardwick, J. C.; Coniglio, L. M. & Parsons, R. L. (1991). Staurosporine inhibits the extent of ACh receptor recovery from carbachol-induced desensitization in snake twitch fibres. *Br. J. Pharmacol.*, 104 : 879-86.
- Hardwick, J. C. & Parsons, R. L. (1993). Mechanism of Staurosporine-induced decrease in ACh receptor recovery from desensitization. *Br. J. Pharmacol.*, 108 : 741-8.
- Hardwick, J. C. & Parsons, R. L. (1993). Necessity of divalent cations for recovery from carbachol-induced nicotinic ACh receptor inactivation at snake twitch fibre endplates. *Br. J. Pharmacol.*, 110 : 889-95.
- Harris, R. A.; Loh, H. H. & Way, E. L. (1975). Effects of divalent cations, cation chelators and an ionophore on morphine analgesia and tolerance. *J. Pharmac. Exp. ther.*, 195 : 488-98.
- Haynes, L. W.; Harborne, A. J. & Smith, M. E. (1981). *Biochem. Soc. Trans.*, 9 : 421-2
- Haynes, L. W.; Harborne, A. J. & Smith, M. E. (1983). Augmentation of ACh response in denervated skeletal muscle by endorphins and spinal cord-conditioned culture media. *Eur. J. Pharmacol.*, 86 : 415-25.
- Haynes, L. W.; Smyth, D. G. & Zakarian, S. (1982). *Brain Res.*
- Haynes, L. W.; Smith, M. E. & Smyth, D. G. (1984). Evidence for the neurotrophic regulation of collagen-tailed acetylcholinesterase in developing skeletal muscle by B-endorphin. *J. Neurochem.*, 42 : 1542-51.
- Haynes, L. W. & Smith, M. E. (1985). Presence of immunoreactive α -melanotropin and B-endorphin in spinal motoneurons of the dystrophic mouse. *Neurosci. Lett.*, 58 : 13-8.

- Haynes, L.W.; Smith, M.E. & Li, C.H. (1986). The regulation by B-endorphin and related peptides of collagen-tailed acetylcholinesterase forms in the skeletal muscles of vertebrates. In, G.B. Stefano (Ed.), *Handbook of Comparative Aspects of Opioid and Related Neuropeptide Mechanism, II* : 65-79.
- Hebb, C.O. & Konzett, H. (1949). Difference between morphine and synthetics in their actions on ganglionic transmission. *Nature*, 16 : 720-1.
- Hescheler, J.; Rosenthal, W.; Trautwein, W. & Schultz, G. (1987). The GTP-binding protein Go regulates neuronal calcium channels. *Nature*, 325 : 445-7.
- Hickey, R.F. & Severinghaus, J.W. (1981). Regulation of breathing : drug effects .In : Hornbein TF, ed. *Regulation of breathing, Part II*. New York 745-72.
- Hille, B. (1989). Neuromuscular transmission. In. *textbook of Physiology*, 1 : 130-55.
- Hiller, J.M.; Pearson, J. & Simon, E.J. (1973). Distribution of stereospecific binding of the potent narcotic analgesic etorphine in the human brain; predominance in the limbic system. *Research communications in Chemical Pathology and Pharmacology*, 6 : 1052-62.
- Hirning, L.D.; Fox, A.P.; McCleskey, E.W.; Olivera, B.M.; Thayer, S.A.; Miller, R.J. & Tsien, R.W. (1988). Dominant role of N-type calcium channels in evoked release of norepinephrine from sympathetic neurons. *Science*, 239 : 57-61.
- Hochner, B.; Parnas, I. (1989). *Nature*, 342 : 433-5.
- Hopfield, J.F.; Tank, D.W.; Greengard, P & Huganir, R.L. (1988). Functional modulation of the nicotinic ACh receptor by tyrosine phosphorylation. *Nature*, 336 : 677-80.
- Hubbard, J.I. (1961). The effect of Ca^{2+} and Mg^{2+} on the spontaneous release of transmitter from mammalian motor nerve endings. *J. Physiol.*, 159 : 507-17.
- Hubbard, J.I.; Jones, S.F. & Landau, E.M. (1968). On the mechanism by which calcium and magnesium affect the spontaneous release of transmitter from mammalian motor nerve terminals. *J. Physiol.*, 194 : 355-80.
- Hubbard, J.I. & Jones, S.F. (1973). Spontaneous quantal transmitter release

- : a statistical analysis and some implications. *J. Physiol.*, 232 : 1-21.
- Hubbard, J.I. & Kwanbunbumpen, S. (1968). Evidence for the vesicle hypothesis. *Journal of Physiology*, 194 : 407.
- Hughes, J.; Smith, T.W.; Kosterlitz, H.W.; Fothergill, L.A.; Morgan, B.A. & Morris, H.R. (1975). Identification of two related pentapeptides from the brain with potent opiate activity. *Nature*, 358 : 577-9.
- Hughes, J.; Kosterlitz, H.W. & Smith, T.W. (1977). The distribution of methionine -enkephalin and Leucine-enkephalin in the brain and peripheral tissues. *Br. J. Pharmacol.*, 61 : 639-648.
- Hughes, J. (1983). Biogenesis, release and inactivation of enkephalins and dynorphins. *British Medical Bulletin*, 39 : 17-24.
- Hughes, J. (1984). Reflections on opioid peptides. *Opioids past, present and future*. 9-19.
- Hughes, S. & Smith, M.E. (1989). B-endorphin and α -melanotropin immunoreactivity in transected and contralateral motoneurons in rats. *J. Chem. Neuroanat.*, 2 : 227-37.
- Hughes, S. & Smith, M.E. (1990). Opioid receptors in skeletal muscle of normal dystrophic mice *Neuroscience letters*, 116 : 29-33.
- Itzhak, Y.; Hiller, J.M. & Simon, E.J. (1984). Solubilization and characterization of μ , δ and κ opioid binding sites from guinea pig brain : physical separation of receptors. *Proc. Natl. Acad. Sci. USA.*, 81:4217-21
- Itzhak, Y. (1988). Multiple opioid binding sites. In the opiate receptor, G.W. Pastern ed. (Clifton, N) : The humana press, 95-142.
- Jacquet, Y.F.; Klee, W.A.; Rice, K.C.; Iijima, I & Minamikawa, J. (1977). Stereospecific and nonstereospecific effects of morphine : evidence for a new class of receptors. *Science*, 198 : 842-5.
- Jacquet, Y.F. (1980). Excitatory and inhibitory effects of opioids in the rat vas deferens : a dual mechanism of opioid action. *Science*, 210 : 95-7.
- Jahnsen, H. & Llinas, R. (1984). Ionic basis for the electroresponsiveness and oscillatory properties of guinea-pig thalamic neurones in vitro. *J. Physiol.*, 349 : 227-47.

- Jury, J.; Jager, L.P. & Daniel, E.E. (1985). Unusual K^+ channels mediate nonadrenergic noncholinergic nerve-mediated inhibition in opossum esophagus. *Con. J. Physiol. Pharmacol.*, 63 : 107-12.
- Kakunaga, T.; Kanllo, H. & Hnano, K. (1966). Pharmacological studies on analgesics Significance of the calcium ion in morphine analgesia. *J. Pharmac. Exp. Ther.*, 153 : 134-41.
- Kannan, M. S.; Jager, L.P. & Daniel, E.E. (1985). Electrical properties of smooth muscle cell membrane of opossum esophagus. *Am. J. Physiol.*, 248 (Gastrointest. Liver Physiol., (11) : G342-6.
- Kasai, M. & Changeux, J.P. (1971). In vitro excitation of purified membrane fragments by cholinergic agonists. II the permeability change caused by cholinergic agonists. *Journal of Membrane Biology*, 6 : 24.
- Katz, B. (1969). The release of neural transmitter substances. Springfield, III, Charles C Thomas.
- Katz, B. (1971). Current Views on the mechanism of quantal transmitter release *Proceedings of the International Union of Physiological Sciences*, 8 : 246.
- Katz, B. (1977). Prologue. In *Synapses*, Eds G.A. Cottrell & P.N.R. Usherwood, p.1. (Blackie : Glasgow & London).
- Katz, B. & Thesleff, S. (1957). A study of the desensitization produced by ACh at the motor endplate. *J. Physiol.*, 138 : 63-80.
- Katz, B. & Miledi, R. (1967). The timing of calcium action during neuromuscular transmission. *J. Physiol.*, 189 : 535-44.
- Katz, B. & Miledi, R. (1969). Spontaneous and evoked activity of motor nerve endings in Ca^{2+} Ringer. *J. Physiol.*, 203 : 689-706.
- Katz, B. & Miledi, R. (1972). The statistical nature of the acetylcholine potential and its molecular components. *Journal of Physiology*, 224 : 665.
- Kelly, R.B.; Deutsch, J.W.; Carlson, S.S. & Wagner, J.A. (1979) Biochemistry of neurotransmitter release. *Annu. Rev. Neurosci.*, 2 : 399-446.
- Kelly, M.J.; Loose, M.D. & Rannekleir, O.K. (1990). Opioids hyperpolarize B-endorphin neurones via μ -receptor activation of a potassium conductance *Neuroendocrinology*, 52 : 268-275.
- Kendig, J.J. & Bunker, J.P. (1970). Extracellular space, electrolyte

- distribution, and resting potential in K^+ depletion. *Am. J. Physiol.*, 218(6) :1737-41
- Kimura, I.; Kondoh, T. & Kimura, M. (1990). Changes in intracellular calcium produced in the mouse diaphragm by neuromuscular blocking drugs. *J. Pharm pharmacol.*, 42 : 626-31.
- Kimura, I.; Nojima, H. & Kimura, M. (1991). External calcium dependence of ACh- and succinylcholine-induced changes in channel conductance, open time and frequency at endplates of single muscle cells of adult mice. *Neuro pharmacology*, (in press).
- Kita, H. & Vander Kloot, W. (1974). Calcium ionophore X-537A increase spontaneous and phasic quantal release of ACh at frog neuromuscular junction. *Nature*, 250 : 658-60.
- Kley, N.; Loeffler, J.P.; Pittius, C.W. & Holt, V. (1987). Involvement of ion channels in the induction of proenkephalin A gene expression by nicotine and cAMP in bovine chromaffin cells. *J. Biol. chem.*, 262 : 4083-9.
- Koelle, G.B. & Friedenwald, J.S. (1949). A histochemical method for localising cholinesterase activity. *Proceedings of the Society for Experimental Biology and Medicine*, 70 : 617.
- Konno, F. & Takayanagi, I. (1982). Effect of morphine on the stimuli-induced calcium uptake into synaptosomes isolated from morphine-tolerant rats. *Jan. J. Pharmac.*, 32 : 625-32.
- Konturek, S.J.; Kwicien, N.; Obtulowicz, W.; Swierczek, J.; Bielanski, W.; Oleksy, J. & Coy, D.H. (1983). Effect of enkephalin and naloxone on gastric acid and serum gastrin and pancreatic polypeptide concentrations in humans. *Gut*, 24 : 740-5.
- Kosterlitz, H.W. & Waterfield, A.A. (1975). In vitro models in the structure-activity relationships of narcotic analgesics. *A. Rev. Pharmac.*, 15:29-47
- Kosterlitz, H.W.; Paterson, S.J. & Robson, L.E. (1988). Modulation of binding at opioid receptors by mono- and divalent cations and by cholinergic compounds. *Journal of Receptor Research*, 8 : 363-73.
- Krebs, H.A. & Henseleit, K. (1932). Untersuchungen Ueber Die Harnstoffbildung in tierkorper, *Hoppe, Seyl Z* 210,33.

- Krnjevic, K. & Mitcheu, J.F. (1961). The release of Acetylcholine in the isolated diaphragm. *Journal of Physiology*, 155 : 246.
- Kriebel, M.E. & Gross, C.E. (1974). Multimodal distribution of frog MEPPs in adult, denervated, and tadpole leg muscle. *J. Gen. Physiol.*, 64:85-103.
- Kriebel, M.E.; Lidos, F. & Matteson, D.R. (1976). Spontaneous subminiature endplate potentials in mouse diaphragm muscle : evidence for synchronous release. *J. Physiol.*, 262 : 553-81.
- Kriebel, M.E.; Liados, F. & Carlson, C.G. (1980). Effect of the Ca^{2+} ionophore X- 537A and a heat challenge on the distribution of mouse MEPP amplitude histograms. *J. Physiol.*, 76 : 435-41.
- Kriebel, M.E. & Florey, E. (1983). Effect of lanthanum ions on the distributions of MEPPs and on synaptic vesicles in frog neuromuscular junctions. *Neuroscience*, 9 : 535-47.
- Kriebel, M.E. & Pappas, G.D. (1987). Effect of hypertonic saline on quantal size and synaptic vesicles in identified neuromuscular junction of the frog. *Neuroscience*, 23 : 745-56.
- Kriebel, M.E.; Hanna, R.B. & Marcus, D.S. (1992). Effects of Ca^{2+} on the dynamic process of transmitter release which generates either skew or bell-MEPPs *Brain Research*, 593 : 185-96.
- Kromer, W. (1988). Endogenous and exogenous opioids in the control of gastrointestinal motility and secretion. *Pharmacol. Rev.*, 40 : 121-62.
- Krueger, H. (1937). The action of morphine on the digestive tract. *Physiol. Rev.*, 17 : 619-45.
- Kubasov, I.V. (1990). The potassium ion yield from the frog muscle studied using a contact ion-selective electrode. *Fiziol. Zh. SSSR. Im. I. M. Sechenova*, 76(11) : 1550-6.
- Kuno, M.; Turkanus, S.A. & Weakly, J.N. (1971). Correlation between nerve terminal size and transmitter release at the neuromuscular junction of the frog. *J. Physiol.*, 213 : 545.
- Lahti, R.A. & Collins, R.J. (1987). Chronic naloxone results in prolonged increase in opiate binding sites in brain. *Eur. J. Pharmacol.*, 51 :

- Lambert, D. H. & Parson, R. L. (1970). Influence of polyvalent cations on the activation of muscle endplate receptors. *J. Gen. Physiol.*, 56 :309-21.
- LaMotte, C.; Pert, C. B. & Snyder, S. H. (1976). Opiate receptor binding in primate spinal cord : distribution and change after dorsal root section. *Brain Res.*, 112 : 407-12.
- Langer, S. Z. (1981). Presynaptic regulation of the release of catecholamines. *Pharmac. Rec.*, 32 : 272-4.
- Langley, L. N. (1906). On nerve endings and on special excitable substances in cells. *Proceedings of the Royal Society, Series B*, 78 : 170.
- Leslie, F. M.; Charkin, C. & Cox, B. M. (1980). Ligand specificity of opioid binding sites in brain and peripheral tissues. In : *Endogenous and exogenous opioid agonists and antagonists*. Edited by E. L. Way, New York, 109-12.
- Leslie, F. M. (1987). Methods used for the study of opioid receptors. *Pharmacol. Rev.*, 39 : 197-249.
- Lim, N. F.; Nowycky, M. C. & Bookman, R. J. (1990). Direct measurement of exocytosis and calcium currents in single vertebrate nerve terminals. *Nature*, 344 : 449-51.
- Ling, G. S. F.; Spiegel, K.; Lockhart, S. H. & Pasternak, G. W. (1985). separation of opioid analgesia from respiratory depression : evidence for different receptor mechanisms. *J. Pharmacol. Exp. Ther.*, 232 :149-55.
- Livett, B. C.; Dean, D. M.; Whelan, L. G.; Udenfriend, S. & Rossier, J. (1981). Co-release of enkephalin and catecholamines from cultured adrenal chromaffin cells. *Nature*, 289 : 317-9.
- Llinas, R.; Steinberg, I. Z. & Walton, K. (1981). Relationship between presynaptic calcium current and postsynaptic potential in squid giant synapse. *Biophys. J.*, 33 : 323-52.
- Loose, M. D. & Kelly, M. J. (1990). Opioids act at μ -receptors to hyperpolarize arcuate neurones via an inwardly rectifying potassium conductance. *Brain Res.*, 513 :15-23.
- Lord, J. A. H.; Waterfield, A. A.; Hughes, J. & Kosterlitz, H. W. (1977). Endogenous opioid peptide : multiple agonists and receptors. *Nature*, 267 :495-9.
- Luettgau, H. C. & Spiecker, W. (1979). The effects of Ca^{2+} deprivation upon

- mechanical and electrophysiological parameters in skeletal muscle fibres of the frog. *J. Physiol.*, 296 : 411-29.
- Lyles, L.M.; Silman, I. & Barnard, E.A. (1979). *J. Neurochem.*, 33 : 727-38.
- MacIntosh, F.C. (1959). Formation, storage and release of acetylcholine at nerve endings. *Canadian Journal of Biochemistry and Physiology*, 37:343.
- MacIntosh, F.C. & Collier, B (1976). Neurochemistry of cholinergic terminals. In *Handbook of Experimental Pharmacology*, XLII, Neuromuscular Junction, Ed. E. Zaimis, p.99 (Springer-Verlag : Berlin).
- Madden, K.S. & Van der Kloot, W. (1978). Surface charges and the effect of Ca^{2+} on the frequency of MEPP at the frog neuromuscular junction. *J. Physiol.*, 276 : 227.
- Madison, D.V. & Nicoll, R.A. (1988). Enkephalin hyperpolarizes interneurons in the rat hippocampus. *Journal of Physiology.*, 398 : 123-130.
- Magazanik, L.G. & Vyskocil, F. (1973). Desensitisation at the motor end-plate. In *Drug Receptors*, Ed. H.P. Rang, p.105 (Macmillan : London).
- Magazanik, L.G. & Vyskocil, F. (1982). Dependence of ACh desensitization on in membrane potential of frog muscle fibre and on ionic changes in the medium. *J. Physiol.*, 210 : 507-18.
- Magleby, K.L. & Weinstock, M.M. (1980). Nickel and calcium ions modify the characteristics of the ACh receptor-channel complex at the frog neuromuscular junction. *J. Physiol.*, 229 : 203-18.
- Mambrini, J. & Benoit, P.R. (1964). Action du Ca^{2+} sur la jonction neuromusculaire chez la Grenouille. *Cr. Seanc. Soc. Biol.*, 158 : 1454-8.
- Manara, L. & Bianchetti, A. (1985). The central and peripheral influences of opioids on gastrointestinal propulsion. *Ann. Rev. Pharmacol. Toxicol.*, 25 : 249-73.
- Marchbanks, R.M. (1977). Turnover and release of acetylcholine. In *Synapses*, Eds G.A. Cottrell & P.N.R. Usherwood, p.81 (blackie : Glasgow & London).
- Martin, W.R.; Eades, C.G.; Thompson, J.A.; Huppler, R.E. & Gilbert, P.E. (1977). The effects of morphine-and naloxone-like drugs in the nondependent and morphine-dependent chronic spinal dog. *J. Pharmacol. Exp. Ther.*, 197 : 517-32.
- Martin, A.R. (1977). Junctional transmission .II. Presynaptic mechanisms.

- Handbook Physiol., Sec. 1, 1 : 329-55.
- Martin, W.R. (1983). Pharmacology of opioids. *Pharmacol. Rev.*, 35 : 283-323.
- Maruyama, M.; Sugino, H.; Akita, K. & Hatanaka, H. (1987). Binding characteristics of opioid ligands to active opioid binding sites solubilized from rat brain membranes by plicosexycholate and NaCl : the recovery of binding activity by dilution. *Brain Research*, 401:14-22.
- Matthews, G. & Wicklegren, W.O. (1977). On the effect of calcium on the frequency of MEPPs at the frog neuromuscular junction. *J. Physiol.*, 266:91.
- McKey, J.S.; Linaker, B.D. & Turnberg, L.A. (1981). Influence of opiates on ion transport across rabbit ileal mucosa. *Gastroenterology*, 80:279-284.
- McKey, J.S.; Linaker, B.D.; Higgs, N.B. & Turnberg, L.A. (1982). Studies of the antisecretory activity of morphine in rabbit ileum in vitro. *Gastroenterology*, 82 : 243-247.
- McLarnon, J.G. & Quastel, D.M.J. (1983). Postsynaptic effects of Mg^{2+} and Ca^{2+} at the mouse neuromuscular junction. *J. Neurosci.*, 3 : 1626-33.
- Miledi, R. (1973). *Proc.R.Soc.*, 183(B) : 421-5.
- Miledi, R. (1980). Intracellular Ca^{2+} and desensitization of ACh receptors. *Proc. R. Soc. B.*, 209 : 447-52.
- Miledi, R.; Parker, I. & Schallow, G. (1980). Transmitter-induced Ca^{2+} entry across the postsynaptic membrane at frog endplates measured using Arsenazo III. *J. Physiol.*, 300 : 197-212.
- Miller, B.E.; Lipman, J.J. & Byrne, W.L. (1987). Partial characterization of a novel endogenous opioid in human cerebrospinal fluid. *Life Sciences* 41 : 2535-2545.
- Monk, J. (1988). Sufentanil : a review. *Drugs*, 36 : 249-381.
- Morita, K. & North, R.A. (1982). Opiate activation of potassium conductances in myenteric neurons : inhibition by calcium ion. *Brain Res.*, 242 : 145-50.
- Mulder, A.H., Wardeh, G.; Hogenboon, F. & Frankhuyzen, A.L. (1984). κ and δ -opioid receptor agonists differentially inhibit striatal dopamine and acetylcholine release. *Nature*, 308 : 278-80.
- Mulkey, R.M. & Zucker, R.S. (1991). Action potentials must admit calcium to evoke transmitter release. *Nature*, 350 : 153-5.

- Nastuk, M. A.; Lieth, E.; Ma, J.; Cardasis, C. A.; Moynihan, E. B.; McKechnie, B. A. & Fallon, J. R. (1991). The putative agrin receptor binds ligand in a calcium dependent manner and aggregates during agrin-induced ACh receptor clustering. *Neuron*, 7 : 807-18.
- Nojima, H.; Muroi, M.; Kimura, I. & Kimura, M. (1992). Indirect inhibitory effect of succinylcholine on ACh-activated channel activities and its modulation by external calcium in mouse skeletal muscles. *Br. J. Pharmacol.*, 105 : 23-6.
- North, R. A. & Tonini, M. (1977). The mechanism of action of narcotic analgesics in the guinea-pig ileum. *Br. J. Pharmacol.*, 61 : 541-549.
- North, R. A.; Katayama, Y. & Williams, J. T. (1979). On the mechanism and site of action of enkephalin on single myenteric neurons. *Brain Res.*, 165 : 67-77.
- North, R. A.; Katayama, Y. & Williams, J. T. (1983). Opiate activation of potassium conductance inhibits calcium action potentials in rat locus coeruleus neurones. *Br. J. Pharmacol.*, 80 : 225-8.
- North, R. A. (1986). Membrane conductances and opioid receptor subtypes. *Natl. Inst. Drug. Abuse Res. Monogr. Ser.*, 71 : 81-8.
- North, R. A. (1986). Opioid receptor types and membrane ion channels. *Trends. Neurosci.*, 9 : 114-7.
- North, R. A.; Williams, J. T.; Surprenant, A. & Christie, M. J. (1987). μ and δ receptors belong to a family of receptors that are coupled to potassium channels. *Proc. Natl. Acad. Sci. USA*, 84 : 5487-5491.
- Nowycky, M. C.; Fox, A. P. & Tsien, R. W. (1985). Three types of neuronal calcium channel with different calcium agonist sensitivity. *Nature*, 316 : 440-3.
- Oetting, G. M.; Szucs, M. & Coscia, C. J. (1987). Differential ontogeny of divalent cation effects on rat brain δ -, μ -, and κ - opioid receptor binding. *Dev. Brain Res.*, 31 : 223-7.
- Ohta, Y. & Kuba, K. (1980). Inhibitory action of calcium on spontaneous transmitter release in a high K^+ solution. *Pfluegers Arch.*, 386 : 29.
- Okamoto, T. (1992). Effects of magnesium and calcium on muscle contractility and neuromuscular blockade produced by muscle relaxants and a minoglycoside. *Masui*, 41 (12).
- Osborne, M. P. (1977). Role of Vesicles with some observation on vertebrate

- sensory cells. In *Synapses*, Eds G.A. Cottrell & P.N.R. Usherwood, p.40 (Blackie : Glasgow & London).
- Paakkari, P.; Paakkari, I.; Siren, A. & Feuerstein, G. (1990). Respiratory and locomotor stimulation by low doses of dermorphin, a μ_1 -receptor-mediated effect. *J. Pharmacol. Exp. Ther.*, 252 : 235-40.
- Palade, G. E. (1954). Electron microecope observations of interneuronal and neuromuscular synapses. *Anatomical Record*, 118 : 335.
- Palay, S. L. (1954). Electron microscope study of the cytoplasm of neurons. *Anatomical Record*, 118 : 336.
- Parnas, I.; Parnas, H. & Dudel, J. (1986a). *Pfluegers Arch.*, 406 : 121-30.
- Parnas, I.; Parnas, H. & Dudel, J. (1986b). *Pfluegers Arch.*, 406 : 131-7.
- Pasternak, G. K.; Snowman, A. M. & Snyder, S. H. (1975). Selective enhancement of ^3H opiate agonist binding by divalent cations. *Molecular Pharmacology*, 11 : 735-44.
- Pasternak, G. W.; Childers, S. R. & Snyder, S. H. (1980). Naloxazone, a long acting opiate antagonist : effects on analgesia in intact animals and on opiate receptor binding in vitro. *J. Pharmacol. Exp. Ther.*, 214 : 455-62.
- Pasternak, G. W. & Hahn, E. F. (1980). Long acting opiate agonists and antagonistic 14-hydroxydihydromorphinone hydrazones. *J. Med. Chem.*, 23 : 674-7.
- Pasternak, G. W.; Zhang, A. & Tecu, H. L. (1980). Developmental differences between high and low affinity opiate binding sites : their relationship to analgesia and respiratory depression. *Life Sci.*, 27 : 1185-90.
- Pasternak, G. W. & Wood, P. J. (1986). Multiple μ opioid receptors. *Life Sciences* 38 : 1889-1898.
- Patterson, S. J.; Robson, L. E. & Kosterlitz, H. W. (1983). Classification of opioid receptors. *British Medical Journal*, 39 : 31-36.
- Paul, D. H. (1960). *J. Physiol.*, 151 : 566.
- Pearson, H. A. & Wray (1993). Non-competitive antagonism of Ca^{2+} by Mg^{2+} at the K^+ -depolarised mouse neuromuscular junction. *European Journal of Pharmacology*, 236 : 323-26.
- Pepper, C. M. & Henderson, G. (1980). Opiates and opioid peptides hyperpolarize locus coeruleus neurons in vitro. *Science*, 209 : 394-6.

- Pert, C. B.; Kuhar, M. J. & Snyder, S. J. (1975). Autoradiographic localization of the opiate receptor in rat brain. *Life Science*, 16 : 1849-54.
- Plant, O. H. & Miller, G. H. (1926). Effects of morphine and some other opium alkaloids on the muscular activity of the alimentary canal. I. Action on the small intestine in unanesthetized dogs and man. *J. Pharmacol. Exp. Ther.*, 29 : 361-83.
- Porreca, F.; Cowan, A.; Raffa, R. B. & Tallarida, R. J. (1983). Ketazocines and morphine. Effect on gastrointestinal transit after central and peripheral administration. *Life Sci.*, 32 : 1785-90.
- Powell, D. W. (1981). The site of action of antidiarrheal opiates. *Gastroenterology*, 80 : 406-8.
- Pruss, P. M. & Stauderman, K. A. (1988). Voltage-regulated calcium channels involved in the regulation of enkephalin synthesis are blocked by phorbol ester treatment. *J. Biol. Chem.*, 263 : 13173-8.
- Quito, F. L. & Brown, D. R. (1991). Neurohormonal regulation of ion transport in the porcine distal jejunum. Enhancement of sodium and chloride absorption by submucosal opiate receptors. *The Journal of Pharmacology and experimental therapeutics*. 256(3) : 833-40.
- Ramabadran, K.; Sim, M. K. & Lun, K. C. (1983). Neuromuscular effects of some opioid agonists and antagonists. *Japanese Journal of Pharmacology*, 33 : 73-8.
- Rane, S. G.; Holz, G. G.; IV & Dunlap, K. (1987). Dihydropyridine inhibition of neuronal calcium current and substance P release. *Pfluegers Arch.*, :409 : 361-6.
- Rice, S. O. (1944). Mathematical analysis of random noise. *Bell System Technical Journal*, 23 : 282.
- Reichardt, L. F. & Kelley, R. B. (1983). A molecular description of nerve terminal function. *Annu. Rev. Biochem.*, 52 : 871-926.
- Riecker, G.; Bolte, H. D. & Roehl, D. (1964). Hypokaliemic und membranpotential Mikropunktionen einzelner Muskelzellen beim Menschen. *Reanimation Organes Artificiels*, 1 : 41-50.
- Riviere, P. J. M.; Pascaud, X.; Junien, J. L. & Porreca, F. (1990). Neuropeptide Y and JO 1784, a selective 6 ligand, alter intestinal ion transport through a common, haloperidol-sensitive site. *European Journal of*

- Pharmacology, 187 : 557-9.
- Robertson, J.D. (1954). Electron microscope observations on a relation myoneural junction. *Anatomical Record*, 118 : 346.
- Robertson, J.R. (1956). *Proc. Roy. Soc. London. S.B.*, 137 : 378.
- Rohani, F. & Frank, G.B. (1983). Calcium antagonism of an opiate drug effect on an excitable cell membrane. *Journal of Pharmacology and Experimental Therapeutics*, 224 : 459-65.
- Roman, F.J.; Pascaud, X.; Chomette, G.; Bueno, L. & Junien, J.L. (1989). Autoradiographic localization of sigma opioid receptors in the gastrointestinal tract of the guinea pig. *gastroenterology*, 97 : 76.
- Sakmann, B.; Patlak, J. & Neher, E. (1980). Single ACh-activated channels show burst-Kinetics in presence of desensitizing concentrations of agonist. *Nature*, 286 : 71-3.
- Sandow, A. (1952). Excitation-contraction coupling in muscular response. *Yale J. Biol. Med.*, 25 : 176-201.
- Sapru, H.N.; Willette, R.N. & Kruger, A.J. (1981). Stimulation of pulmonary J receptors by an enkephalin-analog. *J. Pharmacol. Exp. Ther.*, 217 : 228-34.
- Schroeder, J.E.; Fischbach, P.S.; Mamo, M. & McCleskey, E.W. (1990). Two components of high-threshold calcium current inactivate by different mechanisms. *Neuron*, 5 : 445-52.
- Schroeder, J.E.; Fischbach, P.S.; Zheng, D. & McCleskey, E.W. (1991). Activation of μ opioid receptors inhibits transient high-and low-threshold calcium currents, but spares a sustained current. *Neuron*, 6 : 13-20.
- Schulz, R. (1978). The use of isolated organs to study the mechanisms of action of narcotic analgesics. In, *Developments in Opiate Research*, ed. Herz, A., New York; Marcel Dekker, 241-277.
- Seabrook, G.R. & Adams, D.G. (1989). Inhibition of neurally evoked transmitter release by calcium channel antagonists in rat parasympathetic ganglia. *Br. J. Pharmacol.*, 97 : 1125-36.
- Sforzo, G.A. (1988). Opioids and exercise. *Sports medicine*, 7 : 109-124.
- Shea-Donohue, P.T.; Adams, N.; Arnold, J. & Dubois, A. (1983). Effects of met-enkephalin and naloxone on gastric emptying and secretion in rhesus monkeys. *Am. J. Physiol.*, 245(G) : 196-200.

- Sheldon, R. J.; Riviere, P. J. M.; Malarchik, M. E.; Mosberg, H. I.; Burks, T. F. & Porreca, F. (1990). Opioid regulation of mucosal ion transport in the mouse isolated jejunum. *J. Pharmacol. Exp. Ther.*, 253 : 144-51.
- Shetty, S. S. & Frank, G. B. (1984). Naloxone-resistant effects of opioids on the twitch in frog skeletal muscle. *Can. J. Physiol. Pharmacol.*, 62 : 559-64.
- Shimahara, T. & Icard-Liepkalns, G. (1987). Activation of enkephalin receptors reduces calcium conductance in neuroblastoma cells. *Brain Res.*, 415 : 357-61
- Shippenberg, T. S. & Herz, A. (1986). Differential effects of μ and κ opioid systems on motivational processes. *National Institute Drug Abuse Research Monograph Series*, 75 : 563-566.
- Shook, J. E.; Pelton, J. T.; Hruby, V. J. & Burks, T. F. (1987). Peptide opioid antagonist separates peripheral and central opiate antitransit effects. *J. Pharmacol. Exp. Ther.*, 243 : 492-500.
- Shook, J. E.; Watkins, W. D. & Campores, E. M. (1990). Differential roles of opioid receptors in respiration, respiratory disease, and opiate-induced respiratory depression. *Am. Rev. Respir. Dis.*, 142 : 895-909.
- Silinsky, E. M. (1985). The biophysical pharmacology of calcium-dependent ACh secretion. *Pharmacol. Rev.*, 37 : 81-132.
- Simantov, R.; Kuhar, M. J.; Uhl, O. R. & Snyder, S. H. (1977). Opioid peptide enkephalin : immunohistochemical mapping in rat central nervous system. *Proc. Natl. Acad. Sci. USA*, 74 : 2167-71.
- Simantov, R. & Levy, R. (1986). Plasticity in the phenotypic expression of brain opioid receptors : differential response of forebrain and hindbrain cultures to chemical depolarization. *Dev. Brain. Res.*, 26 : 301-4.
- Simantov, R. & Levy, R. (1989). Neuronal activation regulates the expression of opioid receptors : Possible role of glial-derived factors and voltage-dependent ion channels. *Journal of neurochemistry*, 52(1) : 305-9.
- Sim, M. K. & Ramabadran, K. (1985). Effects of opioids on the ACh-induced contraction of the toad rectus. *Clinical and experimental pharmacology & physiology*, 12 : 481-7.
- Simon, E. J. (1975). Opioid peptides. *Neurosciences research Progress*

Bulletin, 13 : 43-5.

- Simon, E. J. & Growth, J. (1975). Kinetics of opiate receptor inactivation by sulfhydryl reagents : Evidence for conformational change in presence of sodium ions. *Proceedings of the National Academy of Sciences.*, 72:2402-7.
- Simon, E. J. & Hiller, J. M. (1978). The opiate receptors. *Annual Review of pharmacology and Toxicology*, 18 : 371-94.
- Sir John Walton (1981). General physiology and pharmacology of neuromuscular transmission. In, *Disorders of Voluntary Muscle*. Churchill Livingstone. Edinburgh, London, Melbourne and New York, p.85.
- Smith, P. K. & Smith A. H. (1934). *J. Biol. Chem.*, 107 : 673.
- Smith, J. R. & Simon, E. J. (1980). Selective protection of stereospecific enkephalin and opioid binding against inactivation by N-ethylmaleimide : evidence for two classes of opioid receptors. *Proc. Natl. Acad. Sci.*, 77 : 281-4.
- Smyth, D. G. (1983). Beta-endorphin and related peptides in pituitary, brain, pancreas and antrum. *British Medical Journal* 39 : 25-30.
- Snedecor, G. H. (1967) : *Statistical methods* (ed.6) Amer. Iowa State, University press.
- Spampinato, S.; Feri, G. L.; Candeletti, S.; Romauldi, P.; Cavicchini, E.; Soimero, G.; Labo, G. & Ferri, S. (1988). Regional distribution of immunoreactive dynorphin A in the human gastrointestinal tract. *neuropeptides*, 11:101-5.
- Speigel, K. & Pasternak, G. W. (1984). Meptazinol: a novel mu-1 selective opioid analgesic. *J. Pharmacol. Exp. Ther.*, 228 : 414-9.
- Stallcup, W. B. (1979). Sodium and calcium fluxes in a clonal nerve cell line. *J. Physiol.*, 286 : 525-40.
- Starke, K. (1981). Presynaptic receptors. *A. Rev. Pharmac. Tox.*, 21 : 7-30.
- Stefani, E. & Chiarandini, D. J. (1973). Skeletal muscle: Dependence of potassium contractures on extracellular calcium. *Pfluegers Arch.*, 343 : 143-50.
- Straughan, D. W. (1960). The release of acetylcholine from mammalian motor nerve endings. *British Journal of Pharmacology*, 15 : 417.
- Sullivan, S. N.; Champion, M.; Corke, M. & Darwish, R. (1981). The effect of morphine and naloxone on stimulated gastric and pancreatic secretion.

- Am. J. Gastroenterol., 76 : 44-6.
- Sullivan, S. N.; Corke, M. & Darwish, R. (1982). Inhibition of basal and stimulated gastric acid secretion by enkephalin analogue. Am. J. Gastroenterol., 77 : 360-2.
- Symposium. (1988). Opioids in the hippocampus (McGinty, J.E. & Friedman, D.P., eds) Natl. Inst. Drug Abuse Res. Mongr. Ser., 82 : 1-145.
- Szeto, H. H.; Cheng, P. Y.; Dwyer, G.; Decena, J. A.; Wu, D. L. & Cheng, Y. (1991). Morphine induced stimulation of fetal breathing : role of μ_1 receptors and central muscarinic pathways. Am. J. Physiol (in press).
- Tang, A. H. & Collins, R. J. (1978). Enhanced analgesic effects of morphine after chronic administration of naloxone in the rat. Eur. J. pharmacol., 47 : 473-4.
- Tauc, L. (1977). Turnover and release of acetylcholine. In Synapses, Eds G. A. Cottrell & P.N.R. Usherwood, p.64 (Blockie : Glasgow & London).
- Tauc, L. (1979). Commentary : are vesicles necessary for release of ACh at cholinergic synapses. Biochem. Pharmacol., 27 : 3493-8.
- Tempel, A.; Gardner, E. L. & Zukin, R. S. (1985). Neurochemical and functional correlates of naltrexone-induced opiate receptor up regulation. J. Pharmacol. Exp. Ther., 232 : 439-44.
- Toru, T.; Konno, F.; Takayanagi, I. & Hirobe, M. (1989). κ -receptor mechanisms in synaptosomal calcium uptake. Gen. Pharmac., 20(2) : 249-52.
- Turlapaty, P. D. M. V.; Ramaswamy, S.; Jayasundar, S. & Ghosh, M. N. (1977). Morphine -induced supersensitivity to ACh in skeletal muscle and its mechanism of action. European Journal of pharmacology, 44 : 213-7.
- Van der Kloot, W. & Latta, R. (1983). How elevated extracellular calcium inhibits quantal ACh release at the frog neuromuscular junction. Pfluegers Arch., 397 : 85.
- Ventura, C.; Spurgeon, H. A.; Lakatta, E. G. & Capogrossi, N. C. (1989a). Specific opioid receptor agonists alter the twitch and cytosolic calcium transient of rat myocytes. Circulation, 80(4) suppl II : 196.
- ventura, C.; Spurgeon, H. A.; Lakatta, E. G. & Capogrossi, M. C. (1989b). Calcium release from the sarcoplasmic reticulum mediates the negative inotropic effect of leucine-enkephalin on myocardial cells. Circulation, 80(4) Suppl II : 4-46.

- ventura, C.; Guarnieri, C.; Bastagli, L.; Bernardi; Puddu, P. & Caldarera, C. M. (1990). Calcium stimulates opioid receptor agonism in rat cardiac sarcolemma. *Cardioscience*, 2 : 151-54.
- Vizi, E. S. (1979). Presynaptic modulators of neurochemical transmission. *prog. Neurobiol.*, 12 : 181-290.
- Wallace, B. G. (1988). Regulation of agrin-induced ACh receptor aggregation by calcium and phorbol ester. *J. Cell. Biol.*, 107 : 267-78.
- Ward, S. J. & Takemori, A. E. (1983a). Relative involvement of receptor subtypes in opioid-induced inhibition of gastrointestinal transit in mice. *J. Pharmacol. Exp. Ther.*, 224 : 359-63.
- Ward, S. J. & Takemori, A. E. (1983b). Relative involvement of μ , κ and δ receptor mechanisms in opiate-mediated antinociception in mice. *J. Pharmacol. Exp. Ther.*, 224 : 525-30.
- Warhurst, G.; Smith, G. S.; Higg, N.; Tonge, A. & Turnberg, L. (1983). Effects of morphine on net water absorption, mucosal adenylate cyclase activity, and PGE₂ metabolism in rat intestine. *Eur. J. Pharmacol.*, 86 : 77-82.
- Weitz, C. J.; Faull, K. F. & Goldstein, A. (1987). Synthesis of the skeleton of the morphine molecule by mammalian liver. *Nature*, 330 : 674-677.
- Werz, M. A. & MacDonald, R. L. (1983). Opioid peptides selective for μ - and delta opiate receptors reduce calcium dependent action potential duration by increasing potassium conductance. *neurosci.*, 42 : 173-8.
- Werz, M. A. & MacDonald, R. L. (1985). Dynorphin and neoendorphin peptides decrease dorsal root ganglion neuron calcium-dependent action potential duration. *J. Pharmacol. Exp. Ther.*, 234 : 49-56.
- White, G.; Lovinger, D. M. & Weight, F. F. (1989). Transient low-threshold calcium current triggers burst firing through an after-depolarizing potential in an adult mammalian neuron. *Proc. Natl. Acad. Sci. USA*, 86 : 6802-6.
- Wiedle, A.; Manigault, I. & Wajda, I. J. (1979). Distribution of opiate-like substances in rat tissues. *Neurochem. Res.*, 4 : 399-410.
- Williams, J. I.; North, R. A. & Tokimasa, T. (1988). Inward rectification of resting and opiate-activated potassium currents in rat locus coeruleus neurones. *J. Neurosci.*, 8 : 4299-4306.