

References

REFERENCES

- Abramowitz, J., Iyengar, R. and Birnbaumer, L. (1979)
: Guanyl nucleotide regulation of hormonally responsive adenylyl cyclases. Mol. Cell. Endocrinol., 16:129.
- Adler, B.A. and Crowley, W.R. (1984) : Modulation of LH release and catecholamine activity by opiates in the female rat. Neuroendocrinology 38, 248-253.
- Aiyer, M.S., Chiappa, S.A., Fink, G. and Greig, F. (1973) : A priming effect of luteinizing hormone releasing factor on the anterior pituitary gland in the female rat. J. Physiol., Lond., 234, 81-82.
- Aiyer, M.S., Chippa, S.A. and Fink, G. (1974) : The effect of ovarian steroids on pituitary sensitivity to luteinizing hormone releasing factor in the rat, J. Endocrinol., 61, xii.
- Al-Dajaiti, E.A.S., Hope, J., Estivariz, F.E. et al., (1981) : Circulating human pituitary pro-melanotropin enhances the adrenal response to ACTH. Nature 291 : 156-159.
- Almeida, O.F.X., Schulz, R. and Herz, A. (1985) : Paradoxical LH and prolactin responses to naloxone after chronic treatment with morphine. J. Endocr. 108, 181-9.

- Amoroso, E.C. and Porter, D.G. (1966) : In : The pituitary gland, Vol. 2, 364 (G.W. Harris and B.T. Donovan, editors) London : Butterworths.
- Atweh, S.F. and Kuhar, M.J. (1977a) : Autoradiographic localization of opiate receptors in rat brain. I-spinal cord and lower medulla. Brain. Res., 124 : 53.
- Atweh, S.F. and Kuhar, M.J. (1977b) : Autoradiographic localization of opiate receptors in rat brain. II-the brain stem. Brain Res. 129 : 1.
- Atweh, S.F. and Kuhar, M.J. (1977c) : Autoradiographic localization of opiate receptors in rat brain. III-the telencephalon. Brain. Res., 134, 393.
- Atweh, S.F. and Kuhar, M.J. (1983) : Distribution and physiological significance of opioid receptors in the brain. Br. Med. Bull., 39 : 47.
- Audigier, Y., Attali, B., Mazarguil, H. and Cros, J. (1982) : Characterization of H^3 -Etorphire binding in guinea pig striatum after blockade of mu and delta sites. Life, Sci., 31 : 1287.
- Axelrod, J. (1956) : The enzymatic N-demethylation of narcotic drugs. J. Pharmac. Exp. Ther., 117 : 322.
- Bardin, C.W. and Catterall, J.F. (1981) : Testosterone : a major determinant of extragenital sexual dimorphism. Science., 211 : 1285.

- Bardin, C.W. and Paulsen, C.A. (1981) : The testis.
In : Textbook of Endocrinology, edited by Williams, R.H., Philadelphia : W.B. Saunders, 1981. P. 293.
- Barden, N., Merand, Y., Rouleau, D., Garan, M. and Dupont, A. (1981) : Changes in the B-endorphin content of discrete hypothalamic nuclei during the estrous cycle of the rat. Brain Research 204, 441-445.
- Beaumont, A. and Huhges, J. (1979) : Biology of opioid peptides. Ann. Rev. Pharmacol. Toxicol., 19 : 245.
- Beckett, A.H., Casy, A.F. and Harper, N.J. (1956) : Analgesics and their antagonists, some steric considerations. J. of Pharmacy and Pharmacology., 8 : 874.
- Beubler, E. and Lembeck, F. (1980) : Inhibition by morphine of PGE-stimulated secretion and CAMP formation in the rat jejunum. Br. J. Pharmac., 68 : 513.
- Bhanot, R. and Wilkinson, M. (1983) : Control of LH secretion is eliminated by gonadectomy. Endocrinology, Vol., 112, No. 1, 399-401.
- Bhanot, R. and Wilkinson, M. (1984) : Opiatergic the inhibitory effect of opiates on gonadotrophin secretion is dependant upon gonadal steroids. J. Endocr. 102, 133-141.

- Blank, M.S., Panerai, A.E., Friesen, H.G. (1980) :
Effects of naloxone on Luteinizing hormone and prolactin in serum of rats. J. Endocrinol. 85 : 309.
- Blasig, J., Holt, V., Bauerle, U. and Herz, A. (1978)
: Involvement of endorphins in emotional hyperthermia in rats. Life Sci. 23 : 2525.
- Blizzard, R.M., Thompson, R.G. and Baghdassarian, A. (1974) : The inter-relationship of steroid, growth hormone and other hormones on pubertal growth. In: Control of onset of puberty, edited by Grumbach, M.M, Grave, G.D. and Mayer, F.E., John Wiley and Sons, New York,
- Bloom, F.E., Battenberg, E., Rossier, J., Ling, N. and Guillemin, R. (1978) : Neurons containing B-endorphin in rat brain exist separately from those containing enkephalin. Proc. Natl. Acad. Sci. USA. 75 : 1591.
- Brar, A.K., McNeilly, A.S. and Fink, G. (1985) : Effect of hyperprolactinemia and testosterone on the release of LH-releasing hormone and the gonadotropins in intact and castrated rats. J. Endocrinol., 104 : 35.
- Brawer, J.R. and Van Houten, M. (1976) : Subcellular mechanisms in reproductive neuroendocrinology. Amsterdam, Elsevier, P. 1.
- Brown, E.B. (1971) : Drugs and respiratory control. Ann. Rev. Pharmac., 11, 271.

- Bruni, J.F., Watkins, W.B. and Yen, S.S.C. (1979) :
B-endorphin in the human pancreas. J. Clin. Endocrinol. Metab. 49 : 649-651.

- Burni, J.F., Von Vugt, D.A., Marshall, S. and Meites, J. (1977) : Effects of naloxone, morphine, and methionine enkephalin on serum prolactin, luteinizing hormone, follicle stimulating hormone, thyroid stimulating hormone and growth hormone. Life Science 21 : 461-466.

- Butt, W.R. (1967) : Recent research on gonadotropic hormones : Bell E.T. and Loraine J.A. Eds. London : Living Stone.

- Butt, W.R. and Kennedy, J.F. (1971) : In Structure-Activity Relationship of Protein and Polypeptide Hormones, 115 (M. Margoulies and F.C. Greenwood, editors) Amsterdam : Excerpta Medica.

- Canfield, R.E. and Bell, J.J. (1969) : In : Progress in Endocrinology, 402 (C. Gual, editor) Amsterdam : Excerpta Medica.

- Carmel, P.D. and Araki, S. (1976) : Prolonged stalk Portal blood collection in rhesus monkeys. Pulsatile release of gonadotropin releasing hormone. Endocrinology 99 : 243.

- Carr, D.B., Bullen, B.A., Skrinar, G.S. et al. (1981) : Physical conditioning facilitates the exercise-induced secretion of B-endorphin and B-lipotropin in women. N. Engl. J. Med. 305 : 560.

- Channing, C.P. and Seymour, J.F. (1970) : Effects of dibutyryl cyclic-3-5- AMP and other agents upon luteinization of porcine granulosa cells in culture. *Endocrinology*, 87, 165-169.
- Check, W.A. (1982) : Results are better when patients control their own analgesia. *J. of the American Med. Association*, 247 : 945.
- Ching, M. (1982) : Correlative surges of LHRH, LH and FSH in pituitary stalk plasma and systemic plasma of rat during proestrus. Effects of anesthetics. *Neuroendocrinology* 34 : 279.
- Cicero, T.J., Schainker, B.A. and Meyer, E.R. (1979) : Endogenous opioids participate in the regulation of the hypothalamic pituitary-luteinizing hormone axis and testosterone, negative feedback control of luteinizing hormone. *Endocrinology* 104 : 1286.
- Cicero, T.J., Meyer, E.R., Gabriel, S.M., Bell, R.D. and Wilcox, C.E. (1980) : Morphine exerts testosterone-like effects in the hypothalamus of the castrated male rat. *Brain. Res.* 202 : 151.
- Clark, W.G. (1979) : Influence of opioids on central thermoregulatory mechanisms. *Pharmacol. Biochem. Behav.* 10 : 609.
- Clark, R.B., Beard, A.G. and Barclay, D.L. (1975) : Naloxone in the newborn infant. *Anaesthesiology Review*, 2 : 9.

- Clayton, R.N. and Catt, K.J. (1980) : Receptor-binding affinity of gonadotropin-releasing hormone analogs. Analysis by radioligand-receptor assay. *Endocrinology* 106 : 1154.
- Clementt, Jones, V., Lowry, P.J., Rees, L.H. and Besser, G.M. (1980) : Development of a specific extracted radioimmunoassay for met-enkephalin in human plasma and CSF. *J. of Endocrinol.* 86 : 231.
- Colin, F.D.S. and Michael, J.R. (1983) : Opiate receptors in the rat vas deferens. *Life Sci.*, 33 : 327.
- Comb, M., Seeborg, P., Adelman, J., Eiden, L. and Herbert, E. (1982) : Primary structure of the human Met-and Leu-enkephalin precursor and its mRNA. *Nature* 295 : 663.
- Corbett, A.D. Paterson, S.J., McKnight, A.T., Magnan, J. and Kostorlitz, H.W. (1982) : Dynorphin (1-8) and dynorphin (1-9) are ligands for the K-subtype of opiate receptor. *Nature.*, 299 : 79.
- Dajani, E.Z., Bianchi, R.G., East, P.F., Bloss, J.L. Adelstein G.W. and Yen Ch. H. (1977) : The pharmacology of SC-17166 : A novel antidiarrheal agent. *J. Pharmac. Exp. Ther.*, 203, 512.
- Davidson, J.M. (1966) : In : *Neuroendocrinology*, Vol., 1 565 (L. Martini and W.F. Ganong, editors) New York and London : Academic Press.

- Davidson, J.M. (1969) : In : Frontiers in Neuroendocrinology, 343 (W.F. Ganong and L. Martini, editors) New York, London and Toronto : Oxford Univ. Press.
- Davies, T.F., Dufaw, M.L. and Catt, K.J. (1978) : Gonadotrophin receptors : Characteristics and clinical applications. Clin. Obstet. Gynecol., 5 : 329.
- De Kloet, R. and De Weid, D. (1980) : The brain as target tissue for hormones of pituitary origins : Behavioural and biochemical studies. In : Martini L., Ganong, W.F. (eds) : Frontiers in Neuroendocrinology New York, Raven Press, Vol., 6, P. 157.
- De Souza, E.B. and Van Loon, G.R. (1982) : D-ala-met-enkephalinamide, a potent opioid peptide alters pituitary adrenocortical secretion in rats. Endocrinology., 111(3) : 1486.
- Deyo, S.N., Swift, R.M. and Miller, R.J. (1979) : Morphine and endorphins modulate dopamine turnover in rat median eminence. Proc. Natl. Acad. Sci. USA., 46 : 3006.
- Domschke, W., Dickschas, A. and Mitznegg, P. (1979) : CSF B-endorphin in schizophrenia. Lancet., 1 : 1024.
- Donovan, B.T. (1966) : In : The pituitary gland. Vol., 2, 49 (G.W. Harris and B.T., Donovan, editors) London : Butterworths.

- Dorfman, R.I. and Shipley, R.A. (1956) : Relative activities of androgens. In : Androgens, edited by Dorfman, R.I. and Shipley, R.A. Wiley, New York, P. 116.
- Duka, T., Waster, M., Schubert, P., Stoiber, R. and Herz, A. (1981) : Selective localization of different types of opiate receptors in hippocampus as revealed by in vitro autoradiography. Brain. Res. 205, 108.
- Ebling, F.J.P. and Lincoln, G.A. (1985) : Endogenous opioids and the control of seasonal LH-secretion in soay rams. J. Endocr., 107, 341-353.
- Ehrlich, Y. J., Davis, L.G., Keen, P. et al. (1980) : Endorphin-regulated protein phosphorylation in brain membranes. Life. Sci. 26 : 1765.
- Eik-Nes, K.B. (1975) : Biosynthesis and secretion of testicular steroids. In : Handbook of physiology, section 7 : Endocrinology. Vol. V : Male Reproductive system, edited by Hamilton, D.W. and Greep, R.O., Baltimore, Williams and Wilkins, 1975, P. 95.
- Ellingboe, J., Veldhuis, J.D., Mendelson, J.H., Kuehnle, J.C. and Mello, N.K. (1982) : Effect of endogenous opioid blockade on the amplitude and frequency of pulsatile luteinizing hormone secretion in normal Men. J. Clin. Endocrinol. Metab., 54, 854-7.

- Erickson, G.F., (1976) : Stimulation of testosterone production in isolated rabbit thecal tissue by LH/FSH dibutyryl cyclic AMP, PGE_2 and PGE_2 . Endocrinology 99 : 452.

- Evans, L.E.J., Swainson, C.P., Roscoe, P. and Prescott, L.F. (1973) : Treatment of drug overdosage with naloxone, a specific narcotic antagonist. Lancet, i, 452.

- Evans, S.F., Hinds, C.J. and Varley, J.G. (1984a) : A new canine model of endotoxin shock. Br. J. Pharmac. 83 : 433.

- Evans, S.F., Hinds, C.J. and Varley, J.G. (1984b) : Effects of intravascular volume expansion of the cardiovascular response to naloxone in a canine model of severe endotoxin shock. Br. J. Pharmac. 83 : 443.

- Faden, A.I. and Holaday, J.W. (1980a) : Experimental endotoxin shock : The pathophysiologic function of endorphins and treatment with opiate antagonists. J. Inf. Dis., 142(2) : 229.

- Faden, A.I., Haco, T.P. and Holaday, J.W. (1980b) : Endorphin parasympathetic interaction in spinal shock. J. Autonom. Nerv. Sys.

- Famaey, F.P. (1981) : Enkephalins , endorphins perspectives for pain in rheumatology. In recent advances in rheumatology. ed : W.W. Buchanan and W.C. Dick. Churchill Livingstone, Edinburgh, London, New York and Melbourne, PP. 33-50.

- Feder, H.H., Brown Grant, K. and Corker, C.S. (1971)
: Pre-ovulatory progesterone, the adrenal cortex
and the critical period for luteinizing hormone
release in rats. J. Endocr. 50, 29-39.

- Flerko, B. (1966) : In : Neuroendocrinology, Vol.,
1, 613 (L. Martini and W.F. Ganong, editors)
New York and London : Academic Press.

- Flerko, B. and Szentagothai, J. (1957) : Quoted by
F.E. Szontogh, Feedback mechanism in the control
of ovulation. In human reproduction. A campos.
T. Hasegawa, Y. Notake and M. Hayashi. Igaku,
Shoin Ltd./Tokyo 1947 P. 1.

- Foldes, F.F. (1973) : Use of narcotic antagonists during
labour and delivery. In Bases fondamentales de
L'Anaesthesie et de la Reanimation Obstetricales.
Societe Francais L'Anesthesie, 4. Paris, Libraire
Arnett, 370-377.

- Foresta, C., Mioni, R. and Scandellari, C. (1986) :
Evidence for serotonergic system involvement
in opioid control of luteinizing hormone secretion
in man. Clin. Endocr., 25, 573-8.

- Fukada, M. (1982) : Localization of neuropeptides in
the avian retina. Cell. Mol. Biol., 28 : 275.

- Gabriel, S.M., Simpkins, J.W. and Kalra, S.P. (1983)
: Modulation of endogenous opioid influence on
luteinizing hormone secretion by progesterone
and estrogen. Endocrinology 113, 1806-1811.

- Gamber, S.R., Garthwaite, T.C. and Pontzer, C.H. (1980)
: Fasting associated with decrease in hypothalamic B-endorphin. Science., 210 : 1271.
- Ganong, W.F. (1989) : Review, of medical physiology.
14th edition. Librairie du Liban, Beirut, Lebanon.
- Gemzel, C.A., Diezfalusy, E. and Tillinger, K.G. (1958)
: Clinical effects of human pituitary follicle stimulating hormone (FSH). J. Clin. Endocrin. 18 : 1333-1348.
- Gibson, M.J., Liotta, A.S., Krieger, D.T. (1981) :
The Zucker fa/fa rat : Absent circadian corticosterone periodicity and elevated B-endorphin concentrations in brain in neurointermediate pituitary. Neuropeptides 1 : 349.
- Gilbert, P.E. and Martin, W.R. (1976) : The effects of morphine and nalorphine-like drugs in the nondependent and cyclazocine dependent chronic spinal dog. J. Pharmac. Exp. Ther., 198 : 66.
- Gill, G.N. (1985) : Hormonal control of testicular function. In : Physiological Basis of Medical Practice, edited by West, J.B., Baltimore/London., Williams and Wilkins, P. 907.
- Gloyna, R.E., Siiteri, P.K. and Wilson, J.D. (1970)
: Dihydrotestosterone in prostatic hypertrophy
: II the formation and content of dihydrotestosterone in the hypertrophic canine prostate and the effect of dihydrotestosterone on prostatic growth in the dog. J. Clin. Invest., 49 : 1746.

- Goodman, R.L. and Meyer, S.L. (1982) : Evidence that seasonal variations in the control of LH secretion in the ewe reflect activation of inhibitory neurones in anestrus. Biol. Reprod. 26 (Suppl. 1) 26 : 46 A.
- Graesslin, D., Leidenberger, F.A., Lichtenberg, V., Glinsmann, D., Hoss, N. Czygan, P.J. and Betlendorf, G. (1976) : Existence of big and little forms of luteinizing hormone in human serum. Acta. Endocrinol. (Kbb). 83, 466-482.
- Grant, K.B. (1973) : Steroid hormone administration and gonadotrophin secretion in the gonadectomized rat. J. Endocr., 62, 319-32.
- Grossman, A. and Clement-Jones, V. (1983) : Opiate Receptors : Enkephalins and Endorphins. Clinics in Endocrinology and Metabolism Vol. 12(1) : 31-56.
- Grossman, P., Besser, G.M., Milles, J.J. and Baylis, P.H. (1980) : Inhibition of vasopressin release in man by an opiate peptide. Lancet, 2 : 1103.
- Gual, G., Scaglic, H.E., Medgley, R.A. and Alcocer, J. (1975) : Regulatory effect of steroids on the pituitary response to LH-RH. J. Steroid Biochem., 6 : 1067.

- Guerrero-Munzo, F., de Lourdes Guerrero, M. and Way, F.L. (1979) : Effect of B-endorphin on calcium uptake in the brain. Science. 206 : 89.

- Guillemin, R., Ling, N., Lazarus, L., Burgus, R., Minick, S., Bloom, F., Nicol, R. and Segal, D. (1977a) : The Endorphins, novel peptides of brain and hypophyseal origin with opiate-like activity. Ann. Ny. Acad. Sci., 297 : 131.

- Hamburg, M. and Tallman, J.F. (1981) : Chronic morphine administration increases the apparent number of 2-adrenergic receptors in rat brain, Nature 291, 493.

- Harris, G.W. and Naftolin, F. (1970) : The hypothalamus and control of ovulation. British Medical Bulletin, 26, 3-9.

- Harris, G.W. and Campbell, H.J. (1966) : In : The pituitary gland, Vol. 2, 99 (G.W.Harris and B.T. Donovan editors) London : Butterworths.

- Henderson, G., Hughes, J. and Kosterlitz, H.W. (1975) : The effects of morphine on the release of noradrenaline from the cat isolated myenteric membrane and the guinea pig ileum myenteric plexus-longitudinal muscle preparation. Br. J. Pharmac, 53 : 505.

- Herz, A. and Millan, M.J. (1984) : Opioid peptides in the hypothalamic pituitary axis. In : Opioids past, present and future. ed : J. Hughes et al., Taylor and Francis. London and Philadelphia. PP. 79-102.

- Hokfelt, T., Ljungdahl, A., Terenius, L., Elde, R. and Nilsson, G. (1977b) : Immunohistochemical analysis of peptide pathways possibly related to pain and analgesia : Enkephalin and substance P. Proc. Natl. Acad. Sci. USA. 74 : 3081.
- Hokfelt, T., Elde, R.P., Johanson, O. et al. (1980) : Peptidergic neurons. Nature, 294 : 515.
- Holaday, J.W. and Faden, A.I. (1980) : Naloxone acts at central opiate receptors to reverse hypotension, hypothermia and hypoventilation in spinal shock. Brain Res. 187 : 295.
- Hollenberg, M.D. and Cuatrecasas, (1978) : Membrane receptors and hormone action : recent developments. Neuro-psychopharmac 2 : 287-302.
- Hosobuchi, Y., Rossier, J., Bloom, F. and Guillemin R. (1979) : Stimulation of human periaqueductal gray for pain relief increases immunoreactive B-endorphin in ventricular fluid. Science. 203 : 279.
- Hughes, J. (1983) : Biogenesis release and inactivation of enkephalins and dynorphin. Br. Med. Bull. 39(1) : 14.
- Hughes, J., Smith, T.W., Kosterlitz, H.W., Forthergill, L.A., Morgan, B.A. and Morris, H.R. (1975b) : Identification of two related pentapeptides from the brain with potent opiate agonist activity. Nature. 258 : 577.

- Hughes, J., Kosterlitz, H.W. and Smith, T.W. (1977)
: The distribution of methionine-enkephalin and leucine-enkephalin in the brain and peripheral tissues. Br. J. Pharmacol. 61 : 639.
- Ishikawa, S.E. and Schrier, R.W. (1982) : Evidence for a role of opioid peptides in the release of arginine vasopressin in the conscious rat. J. Clin. Invest. 69 : 666.
- Iverson, L.L., Iverson, S.D., Bloom, F.E., Vargo, T. and Guillemin, R. (1978) : Release of enkephalin from rat globus pallidus in vitro. Nature, 271 : 679.
- Jaffe, J.H. and Martin, W.R. (1975) : Narcotic analgesics and antagonists. In : The pharmacological basis of therapeutics, eds: Goodman, L.S. and Gilman, A., New York, Macmillan, Pub, Co. PP. 25 : 258.
- Jaffe, J.H. and Martin, W.R. (1980) : "Opioid analgesics and antagonists". The pharmacological basis of therapeutics 6th ed. (Ed.) : Gilman, A.G. et al., (Pub). Millan co New York.
- Jhamandas, K. and Sutak, M. (1983) : Stereospecific enhancement of evoked release of brain acetyl choline by narcotic antagonists. Br. J. Pharmac., 78 : 433.
- Johannes, D., Veiclhuis and Alan, D. Rogol, (1984) : Role of endogenous opiates in the expression of negative feedback actions of androgen and estrogen on pulsatile properties of luteinizing hormone secretion in man. J. Clin. Invest., 74, 47-55.

- Jones, J.G. and Richter, J.A. (1981) : The site of naloxone in suppressing food and water intake in rats. Life. Sci. 28 : 2055.
- Jutisz, M., Counis, R., Corbani, M. (1983) : Biosynthesis of GnRH : Present status psychoneuroendocrinol. 8 : 251-258.
- Kalra, S.P. and Kalra, P.S. (1983) : Neural regulation of LH secretion in the rat. Endocrine Reviews, 4, 311-351.
- Kamikawa, Y. and Shino, Y. (1983) : Pharmacological characterization of the opioid receptor in the submucous plexus of the guinea pig oesophagus. Br. J. Pharmac., 78 : 693.
- Kaye, W.H., Pickar, D. and Naber, D. (1982) : C.S.F. opioid activity in anorexia nervosa. Am. J. Psychiatry., 139 : 643.
- Kelch, R.P., Jenner, M.R., Weinstein, R., Kaplan, S.L. and Grumbach, M.M. (1972) : Estradiol and testosterone secretion by the gonads. Metabolism 21:563.
- Kendall, J.W., Orwell, E. and Gaudette, D. (1980) : Extrapituitary ACTH-B-endorphin in tissues of the PAUD series program. 6th Inter. Congr. Endocrinol., 528.

- King, A. and Betts, T.A. (1978) : Abuse of pentazocine.
Br. Med. J., ii, 21.
- Kirschner, M.A. and Bardin, C.W. (1972) : Androgen production and metabolism in normal and virilized women.
Metabolism. 21 : 667.
- Knepel, W., Nutto, D., Anhut, H. and Hertting, G. (1982)
: Vasopressin and B-endorphin release after osmotic and non-osmotic stimuli : effect of naloxone and dexamethasone. Eur. J. Pharmacol., 77 : 299.
- Kniewald, Z. and Milkovic, S. (1973) : Testosterone : a regulator of 5 alpha reductase activity in the pituitary of male and female rats.
Endocrinology., 92 : 1772.
- Knobil, E. (1981) : Patterns of hypophysiotropic signals and gonadotropin secretion in the rhesus monkey.
Biol. Reprod. 24 : 44.
- Koenig, J.I., Mijayfield, M.A. and McCann, S.M. (1979)
: Stimulation of prolactin secretion by morphine.
Life. Sci. 25 : 835.
- Kornberg, H.L. and Phillips, D.C. (1974) : In : Biochemistry of Hormones (H.V., Rickenberg, editor)
Butterworths, University Park Press. London.
- Koski, G. and Kee, W.A. (1981) : Opiates inhibit adenylate cyclase by stimulating G.T.P. hydrolysis. Proc. Natl. Acad. Sci. USA. 78 : 85.

- Kosterlitz, H.W. (1978) : Opioid peptides and their receptors. In Endorphins 78. ed. Graf, L., Palkovits, M., PP. 205-216, Budapest : Budapest Akademiai Kiado.
- Krieger, D.T. (1982) : Endorphin and Enkephalin. Disease. a month, 28(10).
- Kuehl, F.A., Humes, J.L., Tarnoff, J., Cirillo, V.J. and Ham, E.A. (1970) : Prostaglandin receptor site, evidence for an essential role in the action of luteinizing hormone. Science 169, 883-886.
- Kuhar, M.J. Pert, C.B. and Snyder, S.H. (1973) : Regional distribution of opiate receptor binding in monkey and human brain. Nature (London). 254 : 447.
- Lampert, A., Nirenberg, M. and Klec, W.A. (1976) : Tolerance and dependence evoked by an endogenous opiate peptide. Proc. Natl. Acad. Sci. USA. 73 : 3165.
- Lang, R.E., Hermann, K., Dietz, R., Gaida, W., Danten, D., Kraft, K. and Cenger, T. (1983) : Evidence for the presence of enkephalins in the heart. Life. Sci., 32(10) : 399.
- Lechner, R.B., Gurll, N.J. and Reynolds, D.G. (1985b) : Intracoronary naloxone in hemorrhagic shock : dose dependent stereospecific effects. Am.J. Physiol., 249 : H 272.

- Lemaire, I., Tseng, R. and Lemaire, S. (1978) : Systemic administration of B-endorphin : Potent hypotensive effect involving a serotonergic pathway. Proc. Natl. Acad. Sci. USA. 75, 6240.
- Lemberger, L. and Rubin, A. (1976) : Physiologic desposition of drugs of abuse. Spectrum Publications, New York, PP. 125-161.
- Leslie, R.D., Eff, C., Barnett, A.H., Spiliopoulos, A.J., Pyke, D.A., Stubbs, W.A. and Albertik, G.M. (1982) : Opiate receptor and the metabolic response to intra venous glucose. Diabetes and Metabolism, 8 : 235.
- Lewis, M.E., Mishkin, M., Bragin, E., Brown, R.M., Pert, C.B. and Pert, A. (1981) : Opiate receptor gradients in monkey cerebral cortex. Correspondence with sensory processing. Science, 211 : 1166.
- Lewis, J.W., Bentley, K.W. and Gowan, A. (1971) : Narcotic analgesics and antagonists. Nature, 201, 924.
- Lewis, J.W., Tordoff, N.G., Sherman, J.E. and Liebeskind, J.S. (1982) : Adrenal medullary enkephalin-like peptides may mediate opioid stress analgesia. Science. 217 : 557.
- Li, C.H. and Chung, D. (1976) : Isolation and stucture of an untriakantapeptide with opiate activity from camel pituitary glands. Proc. Natl. Acad. Sci. USA. 73 : 1145.

- Ling, N., Burgus, R. and Guillemin, R. (1976) : Isolation, primary structure and synthesis of α -endorphin and γ -endorphin. Proc. Natl. Acad. Sci. USA. 73, 3942.
- Liotta, A.S. and Krieger, D.T. (1980) : In vitro biosynthesis and comparative post-translational processing of immunoreactive precursor corticotropin. β -endorphin by human placenta and pituitary cells. Endocrinology. 106 : 1504.
- Livett, B.G., Dean, D.M., Whelan, L.G., Udenfriend, S., Rossier, J. (1981) : Co-release of enkephalins and catecholamines from cultured adrenal chromaffin cells. Nature, 298 : 317.
- Lord, A.H., Waterfield, A.A., Hughes, J. and Kosterlitz H.W. (1977) : Endogenous opioid peptides : multiple agonists and receptors. Nature, 267 : 495.
- Lujan, M. and Rodriguez, R. (1981) : Pharmacological characterization of opiate physical dependence in the isolated ileum of the guinea pig. Br. J. Pharmacol., 73 : 859.
- Lundberg, J.M., Hokfelt, T., Kewenter, J., Pettersson, G., Ahlman, H., Edin, R., Dahlstrom, A., Nilson, G., Terenius, L. and Said, S. (1979) : Substance P., VIP., and enkephalin-like immunoreactivity in human vagus nerve. Gastroenterology., 77 : 467.

- Maclusky, N.J. and Naftolin, F. (1981) : Sexual differentiation of the central nervous system. Science, 211 : 1294.
- Maghuin-Rogister, G. and Hennen, G. (1971) : In : Structure-Activity Relationships of Protein and Polypeptide Hormones, 112 (M. Margoulies and F.C. Greenwood, editors) Amsterdam: Excerpta Medica.
- Mains, R.E. and Eipper, B.A. (1978) : Co-ordinate synthesis of corticotrophins and endorphins by mouse pituitary tumour cells. Journal of Biological Chemistry 253 : 651-655.
- Mainwaring, W.I.P. and Mann, T. (1976) : The mechanism of action of androgens. New York, Springer-Verlag.
- Makin, H.L.J. (1984) : Biochemistry of Steroid Hormone, 2nd edition. Blackwell Scientific Publications, London.
- Martin, W.R., Eades, C.G., Thompson, J.A. Huppler, R. and Gilbert, P.E. (1976) : The effects of morphine and nalorphine-like drugs in the non dependent and morphine dependent chronic spinal dog. J. Pharmac. Exp. Ther. 197, 517.
- Mather, L.F. (1983) : Opiate pharmacokinetic and pharmacodynamic factors. Clinics in Anaesthesiology, Vol. I, No. 1., W.B. Saunders Company Ltd, PP. 8-37.

- Matsuo, H., Baba, Y., Nair, R.M.G., Arimura, A. and Schally, A.V. (1971) : Structure of the porcine LH-and releasing hormone. I. The proposed amino acid sequence. Biochem-biophys. Res. Commun. 43, 1334-1339.
- McDonald, P.C., Gronid, J.M. and Siiteri, P.K. (1971) : In : Control of gonadal steroid secretion, 158 (D.T. Baird and J.A. Strong, editors) Edinburgh University Press, Edinburgh.
- Meites, J., Bruni, J.F., Van Vugt, D.A. and Smith, A.F. (1979) : Relation of endogenous opioid peptides and morphine to neuroendocrine functions. Life. Sci., 24 : 1325.
- McGuire, J.S., Hollis, V.W. and Tomkins, G.M. (1960) : Some characteristics of the microsomal steroid reductases (5 alpha) of rat liver. J. Biol. Chem. 235 : 3122.
- Michael, S. Blank, Alberto, E., Paneral, Henry, G., Friesen, (1979) : Opioid peptides modulate LH secretion during sexual maturation. Science , Vol. 203, 16 march 1129-1131.
- Miller, R.J., Chang, K.J., Cuatrecases, P., Wilkinson, S., Lowe, I., Beddell, C. and Follenfant, R. (1978) : Distribution and pharmacology of the enkephalins and related opiate peptides. In : Centrally acting peptides. Hughes, M.J. (ed.) London, Univ. Park. Press. PP. 195-213.

- Miranda, H., Huidobro, F. and Huidobro-Toro, J.P. (1979)
: Evidence for morphine and morphine-like alkaloid responses resistant to naloxone blockade, in the rat vas deferens. Life Sci., 24 : 1511.
- Moguilevsky, J.A., Scachi, P., Debeljuk, L. and Faigon, M.R. (1975) : Effect of castration upon hypothalamic luteinizing hormone releasing factor (LHRF). Neuroendocrinology 17 : 189.
- Moore, R.J. and Wilson, J.D. (1973) : The effect of androgenic hormones on the reduced nicotinamide adenine dinucleotide phosphate : 3-keto steroid 5 alpha oxido reductase of rat ventral prostate. Endocrinology., 93 : 581.
- Moroni, F., Cheny, D.L. and Costa, E. (1977) : Inhibition of acetylcholine turnover in rat hippocampus by the intraseptal injections of β -endorphin and morphine. Arch. Pharmacol. 299 : 149.
- Motta, M. and L. Martini, (1982) : Effect of opioid peptides on gonadotrophin secretion. Acta. Endocrinologica, 99 : 321-325.
- Mudge, A.W., Leeman, S.E. and Fischbach, G.D. (1979)
: Enkephalin inhibits release of substance P from sensory neurones in culture and decreases action potential duration. Proc. Natl. Acad. Sci., 76 : 526.

- Mulay, S., Finkelberg, R., Pinsky, L. and Solomon, S. (1972) : Metabolism of 4-¹⁴C-testosterone by serially subcultured human skin fibroblasts. J. Clin. Endocrinol., Metab., 34 : 133.
- Muldoon, S.M., Donlon, M.A., Todd, R., Helgeson, E.A. and Freas, W. (1984) : Plasma histamine and hemodynamic responses following administration of nalbuphine and morphine. Agents-Actions. 15(3-4) : 229.
- Naftolin, F. (1977) : Quoted by Naftolin, F. and Tolis, G. in Clinical Obstet and Gynecology, Neuroendocrine Regulation of the menstrual cycle. Vol. 21, No. 1, P. 17 : 29.
- Nakanishi, S., Inoue, A., Kila, J., Nakamura, M., Chang, A.C.Y., Cohen, S.N. and Numa, S. (1979) : Nucleotide sequence of cloned DNA for bovine corticotropin-B-lipotropin precursor. Nature., 278 : 423.
- Nakao, K., Nakai, Y., Oki, S., Horii, K. and Imura, H. (1978) : Presence of immunoreactive B-endorphin in normal human plasma. J. Clin. Invest., 62 : 1395.
- Nathanson, J.A. and Greengard, (1977) : Chemical messages between nerve cells are transmitted into messages within cells. S.Ci. Amer. 237(Feb) 108-19.

- Nisula, B.C. and Dunn, J.F. (1979) : Measurement of the testosterone binding parameters for both testosterone-estradiol binding globulin and albumin in individual serum samples. Steroid., 34 : 771.
- Noda, M., Furutani, Y., Takahashi, H., Toyosata, M. and Hirave, T. (1982) : Cloning and sequence analysis of cDNA for bovine adrenal proenkephalin. Nature. 295.
- Nomof, N., Elliot, H.W. and Parker, K.D. (1968) : The local effect of morphine, nalorphine and codeine on the diameter of the pupil of the eye. Clin. Pharmacol. Ther. 9 : 358.
- Ojeda, S.R., Andrew, W.W., Advis, White, S.S. (1980) : Recent advances in the endocrinology of pubert, Endocr. 1 : 228.
- Oshima, H., Sarada, T. and Ochiai, K. (1970) : 5 alpha hydrogenase in immature rat testis : Its intracellular distribution, enzyme kinetics and influence of administrated gonadotrophin and testosterone propionate. Endocrinology., 86 : 1215.
- Pang, C.N., Zimmermann, E. and Sawyer, C.P. (1977) : Morphine inhibition of the preovulatory. surges of plasma LH and FSH in the rat. Endocrinology 101 : 1726.

- Parvinen, M., Hurme, P. and Niemi, M. (1970) : Penetration of exogenous testosterone, pregnenolone, progesterone and cholesterol into the seminiferous tubules of rats. *Endocrinology*, 87 : 1082.
- Pert, A. (1975). : Analgesia produced by morphine microinjections in primate brain. In : Opiate receptor mechanisms, ed : Snyder, S.H. and Hatthysse, S., Cambridge, MIT Press, PP. 87-91.
- Pert, C.B. and Snyder, S.H. (1973a) : Opiate receptor : Demonstration in nervous tissue. *Science* 197 : 1011.
- Pert, C.B. and Snyder, S.H. (1973b) : Properties of opiate receptor binding in rat brain. *Proc. Natl. Acad. Sci. USA.*, 70 : 2243.
- Peters, W.P., Johnson, M.W., Friedman, P.A. and Mitch, W.E. (1981) : Pressor effect of naloxone in septic shock. *Lancet*, i, 530.
- Petraglia, F., Penalva, A., Locatelli, V., Cocchi, D., Panerai, A.E., Genazani, A.R. and Muller, E.E. (1982) : Effects of gonadectomy and gonadal steroid replacement on pituitary and plasma B. endorphin levels in the rat. *Endocrinology* 111, 1224-1229.
- Petraglia, F., Locatelli, V., Penalva, A., Cochi, C., Genazzani, A.E. and Muller, E.E. (1984) : Gonadal steroid modulation of naloxone-induced luteinizing hormone secretion in the rat. *Journal of Endocrinology* 101, 33-39.

- Pickworth, W.B. and Sharp, L.G. (1985) : Morphine induced mydriasis and inhibition of pupillary light reflex and fluctuations in the cat. J. Pharmacol. Exp. Ther. 234(3) : 603.
- Podesta, E.J., Dafaw, M.L., Solano, A.R. and Catt, K.J. (1978) : Hormonal activation of protein kinase in isolated leydig cells : electrophoretic analysis of cyclic AMP receptors. J. Biol. Chem. 253 : 8994.
- Puig, M.M., Gascon, P., Craviso, G.L. and Musacchio, J.M. (1977) : Endogenous opiate receptors ligand. Science, 195 : 419.
- Quigley, M.E., Sheehan, K.L., Casper, R.F., Yen, S.S.C. (1980) : Evidence for an increased dopaminergic and opioid activity in patients with hypothalamic hypogonadotropic amenorrhea, J. Clin. Endocrinol. Metab. 50 : 949.
- Ramirez, V.D. and Sawyer, C.H. (1974) : Differential dynamic responses of plasma LH and FSH to ovariectomy and to a single injection of estrogen in the rat. Endocrinology 94 : 987.
- Richard, N., Clayton and Keuin, J. Catt, (1981) : Regulation of pituitary gonadotropin-releasing hormone receptors by gonadal hormones. Endocrinology Vol. 108, No. 3, 887-895.

- Richards, J.S. and Midgley, A.R.J.R. (1976) : Protein hormone action : A key to understanding ovarian follicular and luteal cell development. Biol. Reprod. 14 : 82.
- Rivier, C., Vale, W., Ling, N., Brown, M. and Guillemin, R. (1977) : Stimulation in vivo of the secretion of prolactin and growth hormone by B-endorphin. Endocrinology., 100 : 238.
- Rudenstein, R.S., Bigdell, H., MacDonald, M.H. and Snyder, P.J. (1979) : Administration of gonadal steroid to the castrated male rat prevents a decrease in the release of gonadotropin-releasing hormone from the incubated hypothalamus. J. Clin. Invest. 63 : 262.
- Sakamoto, M., Nakao, -K., Yoshimasa, T., Ikeda, Y., Suda, Takasu, K., Shimbo, E. and Imura, H. (1983) : Occurance of met-enkephalin and leu-enkephalin in human gastric antrum. J. Clin. Endocrinol. Metab., 56 : 202.
- Sarkar, D.K. and Fink, G. (1979) : Effects of gonadal steroids on output of (LHRF) into pituitary stalk blood from female rats. J. Endocrinol, 80 : 303.
- Sawynok, J., Pinsky, C. and Labella, F.S. (1979) : Minireview on the specificity of naloxone as an opiate antagonist. Life Sci. 25 : 1621.

- Schriefers, H. (1969) : Factors regulating the metabolism of steroids in the liver. *Advan. Biosci.* 2 : 69.
- Schulz, R., Wuster, M. and Herz, A. (1981) : Pharmacological characterization of the E-opiate receptor. *J. Pharmac. Exp. Ther.*, 216.
- Schultzberg, M., Lundberg, J.M., Hokfelt, T., Terenius, J., Brandt, J., Elde, R.P. and Goldstein, A. (1979) : Enkephalin-immunoreactive nerve fibres and cell bodies in sympathetic ganglia of the guinea pig and rat. *Neuroscience.*, 4 : 249.
- Sevelius, H., McCoy, J.F. and Colmore, J.P. (1971) : Dose response to codeine in patients with chronic cough. *Cl. Pharmac. Ther.*, 12 : 449.
- Sharp, B. and Pekary, A.E. (1981) : β -endorphin 61-91 and other β -endorphin immunoreactive peptides in human semen. *J. Clin. Endocrinol. Metab.*, 52 : 586.
- Siiteri, P.K. and Wilson, J.D. (1974) : Testosterone formation and metabolism during male sexual differentiation in the human embryo. *J. Clin. Endocrinol. Metab.*, 38 : 113.
- Silverman, A.J., Krey, L.C. and Zimmerman, E.A. (1979) : A comparative study of the luteinizing hormone releasing hormone (LHRH) neuronal networks in animals. *Biol. Reprod.*, 20 : 98.

- Simantov, R., Childers, S.R. and Snyder, S.H. (1977a)
: ^3H -opiate binding anomalous properties in kidney
and liver membranes. Mol.Pharmacol., 14 : 69.
- Simantov, R., Kuhar, M.H., Uhl, G.U. and Snyder, S.H.
(1977b) : Opioid peptide enkephalin : immunohis-
tochemical mapping in rat central nervous system.
Proc. Natl. Acad. Sci. USA., 74 : 2167.
- Simantov, R. and Snyder, S.H. (1976) : Brain pituitary
opiate mechanisms : pituitary opiate receptor
binding, radioimmunoassays for met-enk and leu-
enk. In : Opiates and Endogenous Opioid Peptides.
ed. Kosterlitz H.W. Amsterdam : Elsevier North
Holland Press.
- Simon, E.J. and Hiller, J.M. (1978) : The opiate
receptors. Ann. Rev. Pharmacol. Toxicol. 18 :
371-394.
- Simon, E.J., Hiller, J.M., Edelman, I. (1973) : Stereospe-
cific binding of the potent narcotic analgesic
 ^3H etorphine to rat brain homogenate. Proc. Natl.
Acad. Sci., 70 : 1947.
- Spencer, G.M. and Whitehead, S.A. (1986) : A comparison
of the effects of gonadal steroids on naloxone-
induced LH secretion in gonadectomized rats. J.
Endocr. 110, 327-34.
- Sylvester, P.W., D.A. Van Vugt, C.F. Asylworth, E.A.
Hanson and J. Meites (1982) : Effects of morphine
and naloxone on inhibition by ovarian hormones
of pulsatile release of LH in ovariectomized rats.
Neuroendocrinology, 34 : 269-273.

- Tait, J.F. (1963) : Review : The use of isotopic steroids for the measurement of production rates in vivo. J. Clin. Endocrinol. Metab., 23 : 1285.
- Takahara, J., Kageyama, J., Yunoki, S., Yakushiji, W., Yammanuchi, J. Kageyama, N. and Ofuji, T. (1978) : Effects of 2-Bromo- -ergocryptine on B-endorphin-induced growth hormone, prolactin and luteinizing hormone release in urethane anaesthetized rats. Life Sci. 22 : 2205-2208.
- Theodore, J.C., Schainker, B.A. and Meyer, E.R. (1979) : Endogenous opioids participate in the regulation of the hypothalamic -pituitary-LH axis and testosterone's negative feedback control of LH. Endocrinology 104, 1286-91.
- Terenius, L. (1973) : Characteristics of the "receptor" for narcotic analgesics in synaptic plasma membrane fraction from rat brain. Acta. Pharmacol. Toxicol. (Kbh) 33 : 377.
- Terenius, L., Wahlstrom, A. Lindstrom, L. et al. (1976) : Increased CSF levels of endorphins in chronic psychosis. Neurosci. Lett, 3 : 157.
- Thiery, J.C. and Pelletier, J. (1981) : Multiunit activity in the anterior median eminence and adjacent areas of the hypothalamus of the ewe in relation to LH secretion. Neuroendocrinology, 32 : 217.

- Thompson, W.L. and Walton, R.P. (1964) : Elevation of plasma histamine levels in the dog following administration of muscle relaxants, opiates and macromolecular polymers. J. Pharmacol. Exp. Ther. 143 : 131.
- Uhl, G.R., Kuhar, M.J. and Snyder, R.H. (1978) : Enkephalin-containing pathway : amygdaloid efferents the stria terminalis. Brain. Res. 149 : 223.
- VanLoom, G.F. and DeSouza, C.B. (1978) : Effects of B-endorphin in brain serotonin metabolism. Brain. Res. 23 : 971.
- Vargish, T., Reynolds, D.G., Gurll, N.J., Lechner, R.S., Holaday, J.W. and Faden, A.I. (1980) : Naloxone reversal of hypovolemic shock in dogs. Circ. Shock, 7 : 31.
- Vermeulen, A., Verdonck, L., Vander, Straeten, M. and Orie, N. (1969) : Capacity of the testosterone binding globulin in human plasma and influence of specific binding of testosterone on its metabolic clearance rate. J. Clin. Endocrinol. Metab., 29 : 1470.
- Wamsley, J.K., Young, W.S. and Kuhar, M.J. (1980) : Immunohistochemical localization of enkephalin in rat forebrain Brain Res. 190 : 153-274.

- Wamsley, J.K., Young, W.S. and Kuhar, M.J. (1982) : Distribution of opiate receptors in the monkey brain : An autoradiographic study. *Neuroscience.*, 7 : 595.
- Wang, S.C. (1963): Emetic and antiemetic drugs. In : *Physiological pharmacology.* eds: Root W.S. and Hofmann, F.G., Academic Press, New York, PP. 256-328.
- Wardlaw, S.L., Wehrenberg, W.B., Ferin, M., Frantz, A.G. (1981) : Ovarian steroids modulate the release of hypothalamic B-endorphin into hypophyseal portal blood. *Clin. Res.* 29:509 A (Abstract).
- Waterfield, A.A., Hughes, J. and Kosterlitz, H.W. (1976): Cross tolerance between morphine and met-enkephalin. *Nature.* 260 : 625.
- Waterfield, A.A. and Kosterlitz, H.W. (1975): Stereospecific increase by narcotic antagonists of evoked acetyl choline output in guinea pig ileum. In *the opiate Narcotics*, Ed: A Goldstein, Pergamon Press, New York, PP. 35-38.
- Watson, S.J., Akil, H., Ghuzarossian, U.E. and Goldstein, A. (1981): Dynorphin immunocytochemical localization in brain and peripheral nervous system: Preliminary studies. *Proc. Natl. Acad. Sci. USA.* 78:1250.
- Watson, S.J., Akil, H., Khathaturian, H., Young, E. and Lewis, M.E. (1984): Opioid Systems : anatomical physiological and clinical perspectives. In : *Opioids past, present and fusture* ed: J. Hughes and others. Taylor, Francis, London, Philadelphia PP. 145-178.

- Waston, S.J., Akil, H., Sullivan, S.O. and Barchas, J.D. (1977a): Immunocytochemical localization of met. enkephalin: preliminary observations. Life. Sci. 21:783.
- Waston, S.J., Barchas, J.D. and Li, C.H. (1977b): B-lipotropin: Localization of cells and axons in rat brain by immunocytochemistry . Proc. Natl. Acad. Sci. USA. 74:5155.
- Way, E.L. and Adler, T.K. (1962): The biological disposition of morphine and its surrogates. World Health Organization, Geneva.
- Way, W.L. and Way, E.L. (1983): Narcotic analgesics and antagonists. In: Basic and Clinical Pharmacology. Ed: Katzung Pub. Lange, PP. 309-332.
- Weiland, N.G., Barraclough, C.A. and K.J. Catt, (1986): Effects of long and short-term gonadectomy on the hypothalamo-hypophyseal (LH-releasing hormone LH) system in oestroge-treated male and female rats. J. Endocr., 110, 367-373.
- Weinstein, S.H., Pfeffer, M., Schor, J.M., Franklin, L., Mints, M. and Tutko, E.R. (1973): Absorption and distribution of naloxone in rats after oral and intravenous administration. J. Pharmacol. Sci., 62:1416.

- Weinstock, M. (1971): Sites of action of narcotic analgesic drugs : peripheral tissues. In : Narcotic Drugs, Biochemical pharmacology. eds: clouet D.H., Plenum Press, New York, PP. 394-407.
- West, R.E. and Miller, R.J. (1983): Opiates, second messengers and cell response. Br. Med. Bull, 39(1) : 53.
- Whitehead, S.A., Pennington, J.M. and Carter, D.A. (1982): Dynamic changes in pituitary responses to luteinizing hormone releasing hormone after ovariectomy in the rat. Journal of Endocrinology 93, 75-81.
- Wilkinson, M. and Bhanot, R. (1982): A puberty related attenuation of opiate peptide-induced inhibition of LH secretion. Endocrinology 110:1046.
- Wilson, C.A., Herdon, H.J., Bailey, L.C. and Clayton, R.N. (1986): Effect of testosterone on gonadotrophin releasing hormone receptors in the castrated rat : preliminary evidence for a stimulatory effect of testosterone on gonadotrophin function in the male rat. J. Endocrinol., 108 : 441.
- Wilson, J.D. (1975): Metabolism of testicular androgens. In: Handbook of Physiology, Section 7, Endocrinology, Vol. V. Male Reproductive System, edited by Hamiltone, D.W. and Greep, R.O., Baltimore, Williams and Wilkins 1975, P. 491.

- Wise, P.M., Rance, N. and Bar, G.D. (1979): Further evidence that luteinizing hormone releasing hormone is also follicle stimulating hormone releasing hormone. *Endocrinol.* 104:940-947.
- Wolozin, B.L. and Pasternak, G.W. (1981): Classification of multiple morphine and enkephalin binding sites in the CNS. *Proc. Natl. Acad. Sci. USA.* 78:6181.
- Yang, W.H., Sairam, M.R., Papkoff, H. and Li, C.H. (1972): *Science* 175, 637.
- Yen, S.S.C., Lierena, O., Little, B. and Pearson, O.H. (1968): Disappearance rates of endogenous luteinizing hormone and chorionic gonadotropin in man. *J. Clin. Endocrinol. Metab.* 28, 1763-1767.
- Yen, S.S.C., Lierena, L.A., Pearson, O.H. and Little, A.S. (1970): Disappearance rates of endogenous follicle-stimulating hormone in serum following surgical hypophysectomy in man. *J. Clin. Endocrinol. Metab.* 30, 325-329.
- Yen, S.S.C. and Tasi, C.C. (1971): The effect of ovariectomy on gonadotropin release. *J. Clin. Endocrinol. Metab.*, 33, 882.
- Young, W.S., Brid, S.J. and Kuhar, M.J. (1977): Iontophoresis of met-enkephalin in locus ceruleus area. *Brain. Res.*, 129:366.

- Zakarian, S. and Smyth, D.G. (1982): B-endorphin is processed differently in specific regions of rat pituitary and brain. Nature. 296:250.
- Zaneveld Lourens, J.D. and Chatterton Robert, T. (1982): Biochemistry of mammalian reproduction. Wiley-Interscience Publication. New York.
- Zimmermann, E. and Pang, C.N. (1976): Acute effects of opiates administration on pituitary gonadotropin and prolactin release in ford DH, Clouet DH (eds). Tissue responses to addictive Drugs spectrum Publ. Inc., New York. P. 517.

-oo0oo-