

REFERENCES

Allahabadia, A, Daykin, J, Holder, RL, et al., (2000):

Age and gender predict the outcome of treatment for Graves' hyperthyroidism. *J Clin Endocrinol Metab*; 85:1038.

Amin SO, and El-sheikh AS. (1977):

Pituitary-testicular function changes in hypo- and hyperthyroid male rats. *Acta. Anat. (basal)*; 98(2):121-9.

Anderson GM, Barrell GK. (1998):

Effects of thyroidectomy and thyroxine replacement on seasonal reproduction in the red deer hind. *J Reprod Fertil.*; 113:239 -250.

Ariyaratne HBS, Mendis-Handagama SMLC. , (2000-a):

Changes in the testis interstitium of Sprague Dawley rats from birth to sexual maturity. *Biol Reprod*; 62:680–690.

Ariyaratne H.B.S., S.M.L.C. Mendis-Handagama and J.I. Mason ,(2000-b):

Effects of Tri-Iodothyronine on Testicular Interstitial Cells and Androgen Secretory Capacity of the Prepubertal Rat . *Biology of Reproduction* **63**, 493-502 .

Bates JM, St Germain DL, Galton VA. (1999):

Expression profiles of the three iodothyronine deiodinases, D1, D2, and D3, in the developing rat. *Endocrinology* 440:844-851.

Baxter JD, 1979:

Glucocorticoid hormone action. *Pharmacology of adrenal cortical hormones*, edited by Gill Oxford:67-121.

Beamer WG, Eicher EM, Maltais LJ, Southard JL. 1981:

Inherited primary hypothyroidism in mice. *Science*; 212:61–63.

Becks GP, Burrow GN., (1991):

Thyroid disease and pregnancy. *Thyroid diseases. Med Clin North Am* 75:121-150.

Benbrook D, Pfahl M (1998):

A novel thyroid hormone receptor encoded by a cDNA clone from a human testis library. *Science* 238:788–791.

Benton L, Shan L-X, Hardy MP., (1995):

Differentiation of adult Leydig cells. *J Steroid Biochem Mol Biol*; 53:61–68.

Bianco AC, Salvatore D, Gereben B, Berry MJ and Larsen PR.,2002:

Biochemistry, cellular and molecular biology, and physiological roles of the iodothyronine selenodeiodinases. *Endocr Rev*, 23:38-89.

Biswas NM, Ghosh PK, Biswas R, Ghosh D. 1994:

Effect of thyroidectomy, and thyroxine and alpha 2u-globulin replacement therapy on testicular steroidogenic and gametogenic activities in rats. *Endocrinol.Mar*;140(3):343-7.

Braverman LE and SH Ingbar, 1963:

Changes in thyroidal function during adaptation to large doses of iodide. *J Clin Inves*, 42: 1216-1231.

Braverman LE, Utiger RD. 2000:

Introduction to hypothyroidism. In: Werner and Ingbar's The Thyroid (Braverman LE, Utiger RD, eds). 8th ed. Philadelphia:Lippincott Williams & Wilkins, 719-721.

Bruder, J. M., Samuels, M. H., Bremner, W. J., Ridgway, E. C., and Wierman, M. E. (1995):

Hypothyroidism-induced macroorchidism: Use of a gonadotropin-releasing hormone agonist to understand its mechanism and augment adult stature. *J. Clin. Endocrinol. Metab.* 80, 11–16.

Burrow GN, 1991:

The thyroid gland and reproduction. In: Yen SSC, Jaffe RB eds. Reproductive endocrinology, 3rd Ed. Philadelphia: Saunders; 555–575

Canale D, Agostini M, Giorgilli G, Caglieresi C, Scartabelli G, Nardini V, Jannini EA, Martino E, Pinchera A, Macchia E. , (2001):

Thyroid hormone receptors in neonatal, prepubertal, and adult rat testis. *J Androl* 22:284-288.

Cesare Carani, Andrea M. Isidori, Antonio Granata, Eleonora Carosa,

Mario Maggi, Andrea Lenzi and Emmanuele A. Jannini (2005):

Multicenter Study on the Prevalence of Sexual Symptoms in Male Hypo- and Hyperthyroid Patients. *The Journal of Clinical Endocrinology & Metabolism* Vol. 90, No. 12 6472-6479.

Chin WW., (1992).

Current concepts of thyroid action: progress notes for the clinician, Thyroid Today, 15(5).

Chowdury AR, Arora U. 1984:

Role of thyroid in testicular development of immature rat. Arch Androl; 12:49–51.

Choudhury S.¹Chainy G.B.N.; Mishro M.M. (2003):

Experimentally induced hypo- and hyper-thyroidism influence on the antioxidant defence system in adult rat testis. J. Andrologia, Volume 35, Number 3, June 2003 , pp. 131-140(10).

Chubb C, Henry L. 1988:

The fertility of hypothyroid male mice. J Reprod Fertil; 83:819–823.

Cooke PS., 1991:

Thyroid hormones and testis development: a model system for increasing testis growth and sperm production. Ann NY Acad Sci .637:122-132.

Cooke P.S, Kirby, JD and Porcelli J, 1993:

Increased testes growth and sperm production in adult rats following transient neonatal goitrogen treatment: Optimization of the propylthiouracil dose and effects of methimazole. *J. Reprod. Fertil.* 97, 493–499.

Cooke PS, Zhao YD, Bunick D 1994:

Triiodothyronine inhibits proliferation and stimulates differentiation of cultured neonatal Sertoli cells: possible mechanism for increased adult testis weight and sperm production induced by neonatal goitrogen treatment. Biol Reprod 51:1000–1005

Cooke, P. S., Zhao, Y., and Hansen, L. G. (1995):

Neonatal polychlorinated biphenyl (PCB) treatment increases adult testis size and sperm production in the rat. *Toxicol. Appl. Pharmacol.* **136**, 112–117.

Davies TF; 1993:

Thyrotropin to link or unlink? *Endocrinology*, **133**: 1487.

DeGroot LJ, Larsen PR, Refetoff S, Stambury JB (eds.), ; (1984):

Adult hypothyroidism. In: *The Thyroid and Its Diseases*. New York: Wiley: 546–609.

De Groot LJ. , (1991):

Mechanisms of thyroid hormone action. In Bercu BB, Shulman DI, editors: *Advances in perinatal thyroidology*, New York.

Del Rio AG, Valdez CL, Quiros MC., (1979):

Thyroid gland and epididymal function in rats-histological study. *Arch Androl* **3**:19-22,

Del Rio AG, Blanco AM, Pignataro O, Niepomnische H, Juvenal G, Pisarev MA. , (2000):

High-affinity binding of T₃ to epididymis nuclei. *Arch Androl* **44**:187-191.

Denise R. holsberger, Siwanon jirawatnotai, hiroaki Kiyokawa and S. cooke., 2003:

Thyroid hormone regulate the cell cycle inhibitor P27 in postnatal murine Sertoli cells. *Endocrinology* Vol. **144**, NO **9** : 3732-3738.

Dohler KD, Wong CC and Von Zur Muhlen A. 1979:

The rat as model for the study of drug effects on thyroid function. Consideration of methodological problems. *Pharmacol Ther*, 5: 305-318.

Drury MI, Sugrue DD, Drury RM. 1984:

A review of thyroid disease in pregnancy. *Clin Exp Obstet Gynecol* 11:79-89.

Dumont JE, JM Boeynaems, C Decoster, C Erneau, F Lamy, R Lecocq, J Mockel, J Unger and J Vansang. ; 1978:

Brochemical mechanisms in the control of thyroid function and growth. *Adv Cyclic nucleotide Res*, 9: 723-734.

Emmanule A., Anna Crescenzi, Nadia Rucci, Emiliano Screponi, Eleonora Carosa, and Massimino D'Armiento. (2000):

Ontogenetic Pattern of Thyroid Hormone Receptor Expression in the Human Testis. *Journal of Clinical Endocrinology & Metabolism* Vol. 85, No. 9 3453-3457 Copyright © by The Endocrine Society.

Fabrini A and ESE Hafez. ; 1980:

Testis and epididymis. In: *Human Reproduction: conception and contraception*, edited by E.S.E. Hafez. New York. Harper and Row, 35-59.

Fallah -Rad AH, ML Connor, and RP Del Vecchio. (2001):

Effect of transient early hyperthyroidism on onset of puberty in Suffolk ram lambs. *Reproduction* **121** 639-646 .

Filler, R. (1993):

Methods for evaluation of rat epididymal sperm morphology. In *Methods in Toxicology* (R. E. Chapin and J. J. Heindel, Eds.), Vol. 3, Part A, Male Reproductive Toxicology. Academic Press, San Diego.

Fisher DA, Brown RS. 2000:

Thyroid physiology in the perinatal period and during childhood. In: Werner and Ingbar's *The Thyroid* (Braverman LE, Utiger RD, eds). 8th ed. Philadelphia: Lippincott Williams & Wilkins, 959-972.

Fondell JD, Brunel F, Hisatake K, Roeder RG. (1996):

Unliganded thyroid hormone receptor can target TATA-binding protein for transcriptional repression. *Mol Cell Biol*; 16:281–287.

Ford HC, Cooke RR, Keightley EA et al. (1992):

Serum levels of free and bound testosterone in hyperthyroidism. *Clin Endocrinol (Oxf)* 36: 187-192,.

Franklyn, JA., (1994):

Drug therapy: The management of hyperthyroidism. *N Engl J Med*; 330:1731.

Goodman HM, 1994:

Basic medical endocrinology, ed 2 New York, Raven press.

Gomes WR. 1970:

Metabolic and regulatory hormones influencing testis function. In: Johnson AD, Gomes WR, Vandemark NF (eds.), *The Testis*. New York: Academic Press; 68–138.

Gopalkishnan, K.; Gill Sharma, M.K.; Balasinor, N. Padwal, V.; D'souza, S. and Parte, P. (1998):

Tamoxifen induced light and electron microscopic changes in the rat testicular morphology and serum hormonal profile of reproductive hormones. *Contraception* 57 : 261 – 269.

Greenspan FS and Baxter JD. , 1994:

Basic and clinical endocrinology Norwalk. Cohn Appleton and Lange.

Geer MA, Y Grimm and H Studer. ; 1968:

Qualitative changes in the secretion thyroid hormones induced by iodine deficiency. *Endocrinology*, 83:1193-1198.

Griffin JE, M Leshin and JD Wilson. , 1982:

Androgen resistance syndromes. *Am J Physiol*, 243: 81-87.

Griffin JE and Ojeda SR. , 1992:

Textbook of endocrine physiology, ed2, New York, Oxford university press.

Griffin JE., Willson JD., and Foster D W. 1992:

Structural organization of the testis and male reproductive tract. *Williams textbook of endocrinology* :201-213.

Grody WW, WT Schrader and BW O Malley. , 1982:

Activation, translocation and subunit structure of steroid hormone receptors. *Endocr. Rev.* 3: 141-163.

Hardy MP, Kirby JD, Hess RA, Cooke PS. , (1993).

Leydig cells increase their numbers but decline in steroidogenic function in the adult rat after neonatal hypothyroidism. Endocrinology; 132:2417–2420.

Hardy MP, Sharma RS, Arambepola NK, Sottas CM, Russell LD, Bunick D, Hess RA, Cooke PS. (1996).

Increased proliferation of Leydig cells induced by neonatal hypothyroidism in the rat. J Androl; 17:231–237.

Hess RA, Cooke PS, Bunick D, Kirby JD. (1993).

Adult testicular enlargement induced by neonatal hypothyroidism is accompanied by increased Sertoli and germ cell numbers. Endocrinology 132:2607-2613.

Hsueh AJW, KD Dahl, J Vaughan, EM Tucker, J River, CW Bardin and W Vale. , 1987:

Heterodimers nad hromodimers of inhibin subunits have different paracrine action in the modulation of luteinizing hormone stimulated androgen biosynthesis. Proc Natl Acad Sci USA 84: 5082-5086.

Hsueh AJW, ML Dufau, and KJ Catt. , 1978:

Direct inhibitory effect of estrogen on leydig cell function in hypophysectomized rats. Endocrinology 103: 1096-1102.

Hudson RW, Edwards AL 1992:

Testicular function in hyperthyroidism. J Androl 13:117–124

Huhtaiei I and Pelliniemi LJ. , 1990:

Fetal leydig cells: cellular origin, morphology, life span, and special functional features, *proc Soc Exp Biol Med* 201: 125.

Izumi M and PR Larsen. , 1977:

Tri-iodothyronine, thyrosine, and iodine in purified thyroglobulin from patient swith graves disease. *J Clin Inves* 59: 1071-1078

James W. Crissman, Paul S. Cooke , Rex A. Hess , M. Sue Marty and Ashley B. Liberack I, (2000):

Postulated Human Sperm Count Decline May Involve Historic Elimination of Juvenile Iodine Deficiency: A New Hypothesis with Experimental Evidence in the *Rat Toxicological Sciences* **53**, 400-410.

Jana NR, Bhattacharya S.(1994):

Binding of thyroid hormone to the goat testicular Leydig cell induces the generation of a proteinaceous factor which stimulates androgen release. *J Endocrinol* ; 143:549–556.

Jannini EA, Dolci S, Ulisse S, Nikodem VM.,(1994):

Developmental regulation of the thyroid hormone receptor $\alpha 1$ mRNA expression in the rat testis. *Mol Endocrinol*; 8:89–96.

Jannini EA, Ulisse S, D'Armiento M. (1995):

Thyroid hormone and male gonadal function. *Endocr Rev* 16: 443-459.

Jaya Kumar B, Khurana ML, Ammini AC, Karmarkar MG, Ahuja MMS.,(1990) :

Reproductive endocrine functions in men with primary hypothyroidism: effect of thyroxine replacement. *Horm Res*; 34:215–218.

Jean D, Wilson, and Daniel W. Foster. ; (1992):

Textbook of Endocrinology , Chapter 13, Disorders of testes and male reproduction: 799-838 .

Jeremy J. Buzzard, John R. Morrison, Moira K. O'Bryan, Qing Song and Nigel G. Wreford (2000):

Developmental Expression of Thyroid Hormone Receptors in the Rat Testis *Biology of Reproduction* **62**, 664-669.

Jeremy J. Buzzard, Nigel G. Wreford and John R. Morrison (2003):

Thyroid Hormone, Retinoic Acid, and Testosterone Suppress Proliferation and Induce Markers of Differentiation in Cultured Rat Sertoli Cells. *Endocrinology* Vol. 144, No. 9 3722-3731.

Jin-Yi Jiang, Motoaki Umezu and Eimei Sato' (2000):

Characteristics of Infertility and the Improvement of Fertility by Thyroxine Treatment in Adult Male Hypothyroid *rdw* Rats' *Biology of Reproduction* **63**, 1637-1641.

Joel Hamburger 1988:

The thyroid gland : A Book for Thyroid Patients.

John D. Kirby, Niromi Arambepola, Tarja Porkka-Heiskanen², Yvonne K. Kirby, Marsha L. Rhoads, 1997:

Neonatal Hypothyroidism Permanently Alters Follicle-Stimulating Hormone and Luteinizing Hormone Production in the Male Rat. *Endocrinology* Vol. 138, No. 7 2713-2721.

John B, 1991:

Physiological basis of medical practice. Best and Taylor, 12th ed. The testis: 849-859.

Joyce, K. L., Porcelli, J., Cooke, P. S. (1993):

Neonatal goitrogen treatment increases adult testis size and sperm production in the mouse. *J. Androl.* 14, 448–455.

Kaneko JJ. 1989:

Thyroid function in: clinical biochemistry of domestic animals 4th ed.
New York: Academic press 630-649.

Katja J. Teerds, Dirk G. de Rooij, Frank H. de Jong, and Laura H. van Haaste,(1998):

Development of the Adult-Type Leydig Cell Population in the Rat Is Affected by Neonatal Thyroid Hormone Levels¹ *Biology of Reproduction* 59, 344-350.

Kidd GS, Glass AR, Vigersky RA 1979:

The hypothalamic-pituitary-testicular axis in thyrotoxicosis. *J Clin Endocrinol Metab* 48:798–802

Kirby JD, Jetton AE, Cooke PS, Hess RA, Bunick D, Acklanda JF, Turek FW, Schwartz NB, (1992):

Developmental hormonal profiles accompanying the neonatal hypothyroidism-induced increase in adult testicular size and sperm production in the rat. *Endocrinology*; 131:559–565.

Kirby, J. D., Cooke, P. S., Arambepola, N., Bunick, D., Hess, R. A., and Turek, F. W. (1993):

Neonatal hypothyroidism increases adult testis size and sperm production in the hamster (*mesocricetus auratus*). *Program of the XIIth North American Testis Workshop*, Tampa, FL, p. 51

Kirby, J. D., and Mankar, M. V. (1995):

Adult testicular enlargement in broiler breeder males following transient prepubertal propylthiouracil (PTU) treatment. *Poult. Sci.* 74(suppl 1), 43.

Knowlton J A, Siopes T D, Rhoads ML and John D.(1999):

Effect of transient treatment with 6-n-propylthiouracil on testis development and function in breeder Turkeys. J.Poultry science 78: 999-1005.

Kohrle J. , 1999:

Local activation and inactivation of thyroid hormones: the deiodinase family. Mol Cell Endocrinol 151: 103-119.

Krassas GE 2000a:

Thyroid disease and female reproduction (modern trends). Fertil Steril 74:1063–1070 .

Krassas GE 2000b:

Thyroid disease, menstrual function and fertility. Thyroid Int 1:1–11

Krassas G. E., N. Pontikides, V. Deligianni and K. Miras, 2002:

A Prospective Controlled Study of the Impact of hyperthyroidism on Reproductive Function in Males.

The Journal of Clinical Endocrinology & Metabolism Vol. 87, No. 8 3667-3671.

Krassas GE and Perros P (2002)

Reproductive function in patient with thyroid diseases.Department of endocrinology & metabolism , November, No.2. "Panagia", "Thessaloniki", Greece, email:Krassas@the.forthnet.gr

Krassas GE & Pontikides N. (2004):

Male reproductive function in relation with thyroid alterations
Best Practice and Research, Clinical Endocrinology and Metabolism 18 183–195.

Larsen PR, JE Silva, and MM Kaplan. , 1981:

Relationships between circulating and intracellular thyroid hormones:
physiological and clinical implications. *Endocr Rev* 2: 87-102.

Larsen PR and Ingbar SH. , 1992:

The thyroid gland. In: Wilson JD, Foster DW, editors, Williams textbook of endocrinology, 8th ed, Philadelphia, 409-410.

Lazer MA. , (1993):

The thyroid hormone receptors: multiple forms, multiple possibilities.
Endocr Rev 14: 184.

Lissitzky S. , (1990):

Thyroid hormones. In: Baulieu EE, Kelly PA (eds.), *Hormones*. New York: Hermann Publishers; 341–374 .

Lombardo F, Gandini L, Santulli M, Jannini EA, Dondero F, Lenzi A

(2003):

Endocrinological diagnosis in sexology. *J Endocrinol Invest.* 26(Suppl):112–114.

Małgorzata M. Dobrzy ska, Adolf Baumgartner and Diana Anderson(2004):

Antioxidants modulate thyroid hormone- and noradrenaline-induced DNA damage in human sperm, *Mutagenesis* vol. 19 no. 4 pp. 325-330.

Majdic G, Saunders PTK, Teerds KJ,(1998):

Immunoexpression of the steroidogenic enzymes 3-beta hydroxysteroid dehydrogenase and 17 -hydroxylase, C17,20 lyase and the receptor for luteinizing hormone (LH) in the fetal rat testis suggests that the onset of Leydig cell steroid production is independent of LH action. *Biol Reprod*; 58:520–525.

Mangin M, AC Webb, BE Dreyer, JT Poillico, K Ikeda, EC Weir, AF Stewart, NH Bander, L Milstone, DE Barton, U Francke and A E Broadus. , 1988:

Identification of a cDNA encoding a parathyroid hormone like peptide from a human tumor associated with humoral hypercalcemia of malignancy. *Proc Natl Acad Sci USA* 85:597-601.

Marshall WA and Tanner JM. , 1970:

Variations in the pattern of pubertal changes in boys, *Arch Dis Child* 45: 13.

Martini FH. , (1998):

The endocrine system. In: *fundamentals of anatomy and physiology* (Martini FH ed): 4th ed Upper Saddle River, 609: 613.

Mendis-Handagama SMLC, Sharma OP, Hess RA, Cooke PS. (1993):

Effects of neonatal administration of the reversible goitrogen propyl thiouracil (PTU) causes Leydig cell hypotrophy and hyperplasia in adult rats. In: *Proceedings of the XII th North American Testis Workshop*; Tampa, FL. Abstract II-9.

Mendis-Handagama SMLC, Ariyaratne HBS, Teunissen van Manen KR, Haupt RL. 1998:

Differentiation of adult Leydig cells in the neonatal rat testis is arrested by hypothyroidism. Biol Reprod; 59:351–357,

Mooradian, AD, JE Morley and SG Korenaman. , 1987:

Biological actions of androgens. Endocr. Rev 8: 1-28.

Nancy St-Pierre,Julie Dufresne, Andrew A. Rooney and Daniel G. Cyr. (2003):

Neonatal Hypothyroidism Alters the Localization of Gap Junctional Protein Connexin 43 in the Testis and Messenger RNA Levels in the Epididymis of the Rat. BIOLOGY OF REPRODUCTION **68**, 1232–1240.

Nelson JS, Wilcox RB. 1996:

Analytical performance of free and total thyroxine assays, clinical chemistry; 42:1, 146-154.

Page DG, R Mosher, EM Simpson, EMC Fisher, G Mardon, J Pollak, B McGillivray, A Deia Chapelle, and LG Brown. , 1987:

The sex determining region of the human y chromosome encodes a finger protein. Science 51: 1091-1104.

Palmero S, Trucchi P, Prati M, Fugassa E, Lanni A, Goglia F.,1994:

Effect of thyroid status on the oxidative capacity of Sertoli cells isolated from immature rat testis. Eur J Endocrinol Mar;130(3):308-12.

Palmero S, Prati M, Bolla F, Fugassa E, 1995:

Tri-iodothyronine directly affects rat Sertoli cell proliferation and differentiation. J Endocrinol 145:355–362.

Panno ML, Beraldi E, Pezzi V, Salerno M, De Luca G, Lanzino M, Le Pera M, Sisci D, Prati M, Palmero S, Bolla E, Fugassa E, Andò S. 1994:

Influence of thyroid hormone on androgen metabolism in prepubertal rat Sertoli cells. *J Endocrinol*; 140:349–355.

Parvinen M. 1982:

Regulation of the seminiferous epithelium. *Endocr Rev* 3: 404-417.

Payne AH, PG Quinn and SS Rani.(1985):

Regulation of microsomal cytochrome P-450 enzymes and testosterone production leydig cells. *Rec Prog Horm Res* 41: 153-195.

Peczely P. (1985):

The role of thyroid and adrenal cortical hormones in the modulation of the gonadal function in birds. *Acta. Biol.Hung.*, 36(1):45-70.

Pierce JG and TF Parsons. , 1981:

Glycoprotein hormones: structure and function. *Annu Rev Biochem.* 50: 465-495.

Polikar RA, Burger G, Scherrer U, and Nicod P. , 1993:

the thyroid and the heart, *circulation* 87: 1435.

Poppe K, Glinioer D, Tournaye H, Maniewski U, P Haentjens and B Velkeniers (2006):

Is systematic screening for thyroid disorders indicated in subfertile men? *European Journal of Endocrinology*, Vol 154, Issue 3, 363-366.

Porterfield SP and Hendrich CE. , 1993:

The role of thyroid hormones in prenatal and neonatal neurological development current perspectives, *Endocr Rev* 14: 94.

Preslock JP. , 1980:

Steroidogenesis in the mammalian testis. *Endocr Rev* 1: 132-139.

Quigly CA, DeBellis A, Marschke KB, El Awady MK, Wilson EM and French FS. , 1995:

Androgen receptor defects: histological, clinical and molecular perspectives, *Endocr Rev* 16: 271.

Read S, King M, Watson J (1997):

Sexual dysfunction in primary medical care: prevalence, characteristics and detection by the general practitioner. *J Public Health Med* 19:387–391.

ROBERT H. FOOTE.(2002):

Effect of High-Dose Liothyronine on Semen Quality and Recovery Following Withdrawal in Rabbits .*Journal of Andrology*, Vol. 23, No. 6, November/December.

Rodriquez Rigau LG, Z Zukerman, DB Weiss, KD Smith and E Steniberger. , 1980:

Testicular development: Structure and function. Edited by E Steinberger. New York Raven press, 139-146.

Rojdmark S, Berg A, Kallner G 1988:

Hypothalamic-pituitary-testicular axis in patients with hyperthyroidism. *Horm Res* 29:185–190.

Roscoe WA, Barr kJ,and Mhawi AA 2001:

Failure of spermatogenesis in mice lacking CX 43 . *Biol.Reprod.* 65:829-838.

Rosalind brown,M.D, and Reed Larsen,M.D.(2005):

Thyroid gland development and disease in infants and children,
chapter 15, fetal thyroid hysiology, February 28.

Ruder H, Corvol P, Mahoudeau JA, Ross GT, Lipsett MB 1971:

Effects of induced hyperthyroidism on steroid metabolism in man. J
Clin Endocrinol Metab 33:382–387

Saez JM Leydig Cells, 1994:

Endocrine, paracrine and autocrine regulation. Endocr Rev 15: 547.

Samuels HH and JS Tsai, 1973:

Thyroid hormone action in cell structure: demonstration of nuclear
receptors in intact cells and isolated nuclei. Proc Natl Acad Sci USA
70: 3488-3492.

Santen RJ. 1981:

Independent control of luteinizing hormone secretion by testosterone
and estradiol in males. In: Hormones in normal and abnormal human
tissues, vol. Edited by K Fotherby, and SB Pahl Berlin and New
York: Walter de Gruyter, 459-490.

**Sap J, A Munoz, K Damm, Y Gold Berg, J Ghysdael, A Leutz,, H Beug, and B
Jannstrom 1986:**

The c-erb-a protein is a high affinity receptor for thyroid hormone.
Nature 324: 635-640,.

Schlegel PN and Chang TSK. 1997:

Physiology of male reproduction: the testis, epididymis and ductus
deferens. Compbell’s Urology, 7th ed. 1254-1286.

Seed, J., Chapin, R. E., Clegg, E. D., Dostal, L. A., Foote, R. H., Hurtt, M. E., Klinefelter, G. R., Makris, S. L., Perreault, S. D., Schrader, S., Seyler, D., Sprando, R., Treinen, K. A., Veeramachaneni, D. N. R., and Wise, L. D., 1996:

Methods for assessing sperm motility, morphology and counts in the rat, rabbit, and dog: A consensus report. *Reprod. Toxicol.* **10**, 237–244.

Segal J. 1990:

Thyroid hormone action at the level of the plasma membrane. *Thyroid* **1**:83,.

Simpson ER. 1979:

Cholesterol side chain cleavage cytochrome p-450, and the control of steroidogenesis. *Molec. Cell Endocrinol.* **13**: 213-227.

Simorangkir DR, de Kretser DM, Wreford NG (1995):

Increased numbers of Sertoli and germ cells in adult rat testes induced by synergistic action of transient neonatal hypothyroidism and neonatal hemicastration. *J Reprod Fertil* **104**:207–213.

Simorangkir D, Wreford N, De Kretser D. (1997):

Impaired germ cell development in testes of immature rats with neonatal hypothyroidism. *J. Androl.* ;**18**:186-193.

Siril Ariyaratne H.B., J. Ian Mason and S.M.L. Chamindrani Mendis-Handagama (2000-a):

Effects of Thyroid and Luteinizing Hormones on the Onset of Precursor Cell Differentiation into Leydig Progenitor Cells in the Prepubertal Rat Testis. *Biology of Reproduction* **63**, 898-904.

Siril Ariyaratne H.B., J. Ian Mason and S.M.L. Chamindrani Mendis-Handagama (2000-b):

Effects of Thyroid Hormone on Leydig Cell Regeneration in the Adult Rat Following Ethane Dimethane Sulphonate Treatment
Biology of Reproduction, **63**: 1115-1123 .

Skinner MK. 1991:

Cell-cell interactions in the testis, Endocr Rev 15: 45.

Smals AGH, GFFM Pieters, DC Loozekoot, TH J Benraad, and PWC Kloppenborg. , (1980):

Dissociated responses of plasma testosterone and 17-hydroxyprogesterone to repeated human chorionic gonadotropin administration in normal men. J Clin Endocrinol Metab 50: 190-193.

Steiberger A and E Steinberger. 1976:

Secretion of an FSH-inhibiting factor by cultured sertoli cells.
Endocrinology 99: 918-921.

Steinberger E. , 1971:

hormonal control of mammalian spermatogenesis. Physiol Rev. 51: 1.

Stock A, Sies H, Stahl W., (1998).

Enhancement of gap junctional communication and connexin43 expression by thyroid hormones. Biochem Pharmacol ,55:475-479.

Susan P. , (1997):

Endocrine physiology: Mosby-Year Book, Inc. thyroid gland, 57-79,
Male reproductive system 153-171

Teerds KJ, de Rooij DG, de Jong FH, van Haaster LH. (1998):

Development of the adult type Leydig cells cell population in the rat is affected by neonatal thyroid hormone levels. *Biol Reprod*; 59:344–350.

Tietz NW.1995

Clinical guide to laboratory tests. 3rd ed. Philadelphia; Pa: WB Saunders co, 578.

Thompson CC, C Weinberger, R Lebo and RM Evans. 1987:

Identification of a novel thyroid hormone receptor expressed in the mammalian central nervous system. *Science* 237: 1610-1614.

Torring, O, Tallstedt, L, Wallin, G, et al., (1996):

Graves' hyperthyroidism: treatment with anti thyroid drugs, surgery, or radioiodine--a prospective, randomized study. Thyroid Study Group. *J Clin Endocrinol Metab*; 81:2986.

Toth, G. P., Wang, S.-R., McCarthy, H., Tocco, D. R., and Smith, M. K., 1992:

Effects of three male reproductive toxicants on rat cauda epididymal sperm motion. *Reprod. Toxicol.* **6**, 507–515.

Van Haaster L, De Jong F, Docter R, De Rooij D.(1993):

High neonatal triiodothyronine levels reduce the period of Sertoli cell proliferation and accelerate tubular lumen formation in the rat testis, and increase serum inhibin levels. *Endocrinology*; 133:755–760 .

Van Haaster L, De Jong F, Docter R, De Rooij D. (1992):

The effect of hypothyroidism on Sertoli cell proliferation and differentiation and hormone levels during testicular development in the rat. *Endocrinology*; 131:1574–1576.

Van Straaten HWM, Wensing CJG., (1978):

Leydig cell development in testis of the pig. *Biol Reprod*; 18:86–93.

Vitti, P, Rayo, T, Chiovato, L, et al., (1997):

Clinical features of patients with Graves' disease undergoing remission after antithyroid drug treatment. *Thyroid*; 7:369.

Walfish PG and Tseng KH. 1989:

Thyroid physiology and pathology. In: Collu R, Ducharm JR, Guyda JH editors: *Pediatric Endocrinology*, ed 2 New York.

Wang ZX, Wreford NG, De Kretser DM. 1989:

Determination of Sertoli cell numbers in the developing rat testis by stereological methods. *Int J Androl* 12:58–64

Waterman MR and ER Simpson. 1985:

Regulation of the biosynthesis of cytochrome P-450 involved in steroid hormone synthesis. *Molec Cell Endocrinol* 39: 81-89.

Weinberger C, CC Thompson, ES Ong, Lebo R, DJ Groul and RM Evans. 1986:

C-erb-A gene encodes a thyroid hormone receptor. *Nature* 324: 641-646.

William f. Ganong. ; 2001:

Review of medical physiology , 18 ed.,Chapter 23. Development and function of the reproductive system :398-406.

Wilson JD, Griifin JE and Russel DW. 1993:

Steroid 5 α -reductase 2 deficiency. Endocr Rev 14: 577,

Wolf J. 1969:

iodide goiter and the pharmacologic effects of excess iodide. Am J Med 47: 101-14,

Wood, D.S.Cooper, & E.C. Ridgway, 1982:

YOUR THYROID: A Home Reference,:1-800

Yen SSC and RB Jaffe. 1986:

Reproductive Endocrinology, Pathophysiology and clinical management. Philadelphia: WB Saunders, *Rijtjes ., Swarts JJ., kastelijin J.,* Van Kesteren-Buiting b. and Treeds KJ. Fetal neonatal hypo- and hyperthyroidism affects leydig and sertoli cell development