

REFERENCES

REFERENCES

- Adamson JW : The erythropoietin/hematocrit relationship in normal and polycythemic man : implication for marrow regulation.
Blood 32 : 597 - 609 (1968).
- Adamson JW, Eschback JW and Finch CA : The kidney and erythropoiesis.
Am. J. Med. 44 : 725 - 733 (1968).
- Agus, Z.S.; Chiu, P.J.S. and Goldberg, M. : Regulation of urinary calcium excretion in the rat.
Am. J. Physiol. F 232 : 545 - 549 (1977).
- Agus, Z.S.; Gardner, L.B.; Beck, L.H. and Goldberg, M. : Effects of parathyroid hormone on renal tubular reabsorption of calcium, sodium and phosphate.
Am. J. Physiol. 224 : 1143 - 1154 (1973).
- Agus, Z.S. and Gold Farb, S. : Renal regulation of calcium balance; In Seldin, Giebisch, The Kidney: Physiology and pathophysiology of electrolyte metabolism.
P. 256 - 325 Raven Press, New York, (1985).
- Al-Awquati Q.: H transport in urinary epithelia.
Am. J. Physiol. F 235 : 77 - 88 (1978).
- Al-Awquati, Q., Muller, A.; Steinmetz, P.R. : Transport of H against electrochemical gradients in turtle bladder.
Am. J. Physiol. F 233 : 502 - 508 (1977).

- Alpern R.J.; Patricia A. Preisig : Bicarbonate transport mechanisms across peritubular cell membrane of proximal convoluted tubule.

In nephrology: The proceedings of the Xth international congress of nephrology.

Vol. I., P. 202 - 212 (1988).

- Anderson S, Meyer TW, Rennke HG, Brenner B.M. : Control of glomerular hypertension limits glomerular injury in rats with reduced renal mass.

J. Clin. Invest. 76 : 612 - 619 (1985).

- Anderson S, Rennke HG, Brenner BM : Therapeutic advantage of converting enzyme inhibitors in arresting progressive renal disease associated with systemic hypertension in the rat.

J. Clin. Invest. 77 : 1993 - 2000 (1986).

- Anderson, R.J., Taher, M.S., Cronin, R.E., et al.: Effect of beta adrenergic blockade and inhibitors of angiotensin II and prostaglandins on renal autoregulation.

Am. J. Physiol. 229 : 731 (1975).

- Andrassy K, Ritz E. : Uremia as a cause of bleeding.

Am. J. Nephrol. 5 : 313 - 319 (1985).

- Aoki k, Yoshida T, Kato S, Tasumi K, Sato I, Takikawa K and Hotta K : Hypotensive action and increased plasma renin activity by Ca antagonist (nifedipine) in hypertensive patients.

Jpn. Heart J. 17 : 479 - 484 (1976).

- Aoki K, Kondo S, Mochizuki A, Yoshida T, Kato S, Kato K and Takikawa K. : Antihypertensive effect of cardiovascular Ca antagonist in hypertensive patients in the absence and presence of beta-adrenergic blockade.
Am. Heart J. 96 : 218 - 226 (1978).
- Aronson P.S. : Mechanisms of active H secretion in the proximal tubule.
Am. J. Physiol., F 245 : 647 - 650 (1983).
- Arruda, J.A.L.; Kurtzman, N.A.: Mechanisms and classification of deranged distal urinary acidification.
Am. J. Physiol. F 239 : 515 - 523 (1980).
- Ayers CR, Harris RH, JR and Lefer LG : Control of renin release in experimental hypertension.
Circ. Res. 24/25 : Suppl. 1 103 - 112 (1969).
- Barbour GL : Effect of parathyroidectomy on anemia in chronic renal failure.
Arch. Intern. Med. 139 : 889 - 891 (1979).
- Bayliss W.M. : On the local reactions of the arterial wall to changes of internal pressure.
J. Physiol. (Lond.) 28 : 220 (1902).
- Berliner RW : Renal mechanisms for potassium excretion.
Harvey Lect. 55 : 141 - 171 (1961).
- Better OS, Kleeman CR, Gonick H, Varrady PD and Maxwell MH: Renal handling of calcium, magnesium and inorganic phosphate in chronic renal failure.
Isr. J. Med. Sci. 3 : 60 - 79 (1967).

- Better OS, Cr Kleeman, MH Maxwell, H Gonick and L. Chapman:
The effect of induced hypercalcemia on renal handling
of divalent ions in patients with renal disease.
Isr. J. Med. Sci. 5 : 38 - 42 (1969).
- Bilbrey GI, Faloona GR, White MG and Knochel JP; Hypergluc-
agonemia of renal failure.
J. of Clin. Invest. 53 : 841 (1974).
- Bourdeau, J.E.; Buss, S.L.; Vurek, G.G. ; Inhibition of
calcium absorption in the cortical thick ascending limb
of Henle's loop by furosemide.
J. Pharmac. exp. Ther. 211 : 815 - 819 (1982).
- Brenner, B.M. and Berliner, R.W. : The transport of
potassium in J. Orloff and R.W. Berliner (eds.)
Handbook of physiology (section 8). Washington, D.C.
Am. Physiol. Soc. P. 497 (1973).
- Brenner BM, Meyer TW, Hostetter TH: Dietary protein intake
and the progressive nature of kidney disease.
The New England J. of Medicine Vol. 307 : 652 - 659
(1982).
- Brenner BM and Stein JH, Eds. : Chronic renal failure.
Churchill. Livingstone, New York, Edinburgh and London
(1981).
- Bricker NS, RW Schmid, H Favre, L Fine and J.J. Bourgoignie:
The biology of sodium excretion : The search for a
natriuretic hormone.
Yale. J. Biol. Med. 48 : 293 - 303 (1975).

- Breyer, M.D. and Yacobson, H.R. : Mechanisms of regulation of renal H and HCO transport.
American J. Nephrol. 7 : 150 - 161 (1987).
- Breyer, M.D.; Kokko, J.P.; Jacobson, H.R. : Regulation of net bicarbonate transport in rabbit cortical collecting tubule by peritubular PH, carbondioxide tension and bicarbonate concentration.
J. Clin. Invest. 77 : 1650 - 1660 (1986).
- Brod J.:
J. Clinical Invest. 27 : 645 - 654 (1948).
- Burg, M.B.: The renal handling of sodium chloride. In B.M. Brenner and F.C. Rector (eds.), The kidney. Philadelphia. Saunders P. 272 (1976).
- Burke TJ, Arnold PE, Schrier RW : A role of intracellular calcium in the pathogenesis of norepinephrine induced acute renal failure.
Clin. Res. 29 : 457 A (1981).
- Burke TJ, Arnold PE, Grossfeld PD and Schrier RW : Effect of calcium membrane inhibition on norepinephrine-induced acute renal failure. In Eliahou HE, ed. Acute renal failure.
London, John. Libbey 239 - 240 (1982).
- Burke TJ, Arnold PE, Gordon JA, Bulger RE, Dobyan DC and Schrier RW : Protective effect of intrarenal calcium membrane blockers before or after renal ischemia.
J. Clin. Invest. 74 : 1830 - 1841 (1984).

- Burnier M, Van Putten V, Wilson P, Burke T, Schrier R :
Beneficial effects of verapamil (V) and nifedipine (N)
on Ca influx and cell viability in anoxic renal cortical
proximal tubules (CPT) (Abstract) Miner Electrol Metab
11 : 390 - 391 (1985).
- Carafoli E. and Crompton M: The regulation of
intracellular calcium.
Curr. Top. Membranes Transp. 10 : 151 - 217 (1978).
- Caro J, Brown S, Miller O, Murray T and Erslev AJ: Erythr-
opoeitin levels in uremic nephric and anephric patients.
J. Lab. Clin. Med. 93 : 449 - 458 (1979).
- Carriere GN, Wong LM, Dirks JH: Redistribution of renal
blood flow in acute and chronic reduction of renal mass.
Kidney Int. 8 : 365 - 371 (1973).
- Cerletty JM and Engbring NH : Azotemia and glucose
intolerance.
Annals of Internal Medicine 66 : 1097 (1967).
- Chabardes, D.; Imbert, M.; Montegut, M.; Morels, F. : PTH
sensitive adenyle cyclase activity in different
segments of the rabbit nephron.
Pflugers Arch. 354 : 229 - 239 (1975).
- Charles G, Lundin AP III, Delano BG, Brown C and Friedman
EA : Absence of anemia in maintenance hemodialysis.
Int. J. Arti. Organs 4 : 277 - 279 (1981).
- Castaldi P, Rosenberg M and Stewart J : The bleeding
disorder of uremia.
Lancet 11 : 66 - 69 (1966).

- Chan JCM, CM Grushkin, M Blekzadeh, O Better and RN Fine ;
The accentuation of hydrogen ion excretion associated
with nephron reduction in Post-transplant patients.
Pediatr. Res. 712 - 718 (1973).
- Chase R.L. and Aurbach G.D.: Parathyroid function and the
renal excretion of 3, 5 -adenylic acid.
Proc. natn. Acad. Sci. USA 58 : 518 (1967).
- Chopra, I.J.; Chopra, U.; Smith S.R.; Reza, M. and
Solomon, D.H.: Reciprocal changes in serum concentration
of 3, 3, 5 triiodothyronine (reverse T3) and 3, 5, 5,
triiodothyronine (T3) in systemic illness.
J. Clin. Endocrin. and Metab., 41 : 1043 (1975).
- Clark RE, Christlieb IJ, Henry PD, Fisher AE, Nora JD,
Williamson JR, Sobel BE : Anyocardial protective agent.
Amer. J. Cardiol. 44 : 825 - 831 (1979).
- Coburn, J.W. and Massry, S.G.: Changes in serum and
urinary calcium during phosphate depletion : Studies on
mechanisms.
J. Clin. Invest. 49 : 1073 - 1087 (1970).
- Cogan, M.G.; Maddox, A.A.; Lucci, M.S. and Rector, F.C. :
Control of proximal bicarbonate reabsorption in normal
and acidotic rats.
J. Clin. Invest. 64 : 1168 - 1180 (1979).
- Cohen BD : Abnormal carbohydrate metabolism in renal
disease.
Annals of Internal Medicine 57 : 204 (1962).

- Choen J.J. and Kassirer J.P. : Acid base.
(Little Brown, Boston) (1982).
- Cooke, Cr; Ruiz-Maza, F; Kowarski, A; Migfon, CJ and Walker WG : Regulation of plasma aldosterone concentration in anephric man and renal transplant recipients.
Kidney Int. 3 : 160 - 166 (1973).
- Costanzo, L.S.; Conrad, M.P. and Beahm, L.S.: Effect of amiloride on calcium transport by the distal convoluted tubule : in vivo microperfusion study.
Abs. Am. Nephrol. 15 : 4 A (1982).
- Costanzo, L.S. and Windhager, E.E.: Effect of parathyroid hormone and cyclic AMP on calcium and sodium transport in the distal tubule (Abstract).
Kidney Int. 14 : 638 (1978).
- Dandona P, Newton D and Platts MM: Long term haemodialysis and thyroid function.
British Medical Journal 1 : 134 (1977).
- Davidson MB, Lowrie EG and Hampers CL : Lack of dialysable insulin antagonists in uremia.
Metabolism 18 : 387 (1969).
- De Fronzo RA, Andres R, Edgar P and Walker WG : Carbohydrate metabolism in uremia.
Areview. Medicine. 52 : 469 (1973).

- De Fronzo, R.A; Tobin, J.D; Rowey, J.W; Sapir, D.G; Kraner, K.J and Andres, R : Pancreatic B. cell sensitivity to insulin : Quantitation of the disturbances in uremia. J. of Clin. Invest. 53 : 18 A (1974).
- De Strihou, Y.C.: Potassium homeostasis in renal failure. Kidney Int. 11 : P. 491 - 504 (1977).
- De Wardener, H.E.: The control of sodium excretion. Am. J. Physiol. 235 : F. 163 (1978).
- Deykin D. : Uremic bleeding. Kidney Int. 24 : 698 - 705 (1983).
- Du Bose, T.T. Jr.: Application of dysequilibrium PH method to investigate the mechanism of urinary acidification. Am. J. Physiol. 245 : F 535 ~ 544 (1983).
- Dworkin, L.d; Hostetter, T.H; Rennke H.G and Brenner B.M : Hemodynamic basis for glomerular injury in rats with desoxycorticosterone - salt hypertension. J. Clin. Invest. 73 : 1448 (1984).
- Edelman, A.; Curci, S.; Samarzija, I. and Fromter, E.: Determination of intracellular K activity in rat kidney proximal tubular cells. Pfluegers Arch., 378 : 37 - 45 (1978).
- Edwards, B.R.; Sutton, R.A.L. and Dirks, J.H.: Effect of calcium infusion on renal tubular reabsorption in the dog. Am. J. Physiol. 227 : 13 - 18 (1974).

- Eknayan G and Brown C : Biochemical abnormalities of platelets in renal failure.
Am. J. Nephrol. 1 : 17 - 23 (1981).
- Eknayan, G.; Wacksman, S.; Gluek, H. and Will, J.: Platelet function in renal failure.
New England J. Med. 280 : 677 - 681 (1969).
- Elkinton, JR.: Hydrogen ion turnover in health and in renal disease.
Ann, Intern. Med. 57 : 660 - 684 (1962).
- El-Nahas, A.M.; Paraskevaku, H.; Zoob, S.; Rees, A.J and Evans, D.J.: Effect of dietary protein on the development of renal failure after subtotal nephrectomy in rats.
Clin. Sci. 65 : 399 - 406 (1983).
- Emmanouel, D.S.; Lindheimer, M.D. and Katz, A.I.: Pathogenesis of endocrine abnormalities in uremia.
Endocrine Reviews 1 : 28 (1980 b).
- Emmet, M. and Seldin, D.W.: Clinical syndromes of metabolic acidosis and metabolic alkalosis; in seldin, Giebisch.
The kidney. Physiology and Pathophysiology (Raven Press, New York, 1985).
- Eschbach, J.W. and Adamson, J.W.: Anemia of end stage renal disease (ESRD).
Kidney Int. 28 : 1 - 5 (1985).

- Evans, R.W.; Manninen, D.L.; Garrison, L.P.; Hart, L.G.;
Blagg, C.R.; Cutman, R.A.; Hull, A.R. and Lowrie, E.G.:
The quality of life of patients with end stage renal
failure.
N. Engl. J. Med. 312 : 553 - 559 (1985).
- Fenkelstein, F.O. and Kliger, A.S.: Medullary structures
in calcium reabsorption in rats with renal
insufficiency.
Am. J. Physiol. 233 : F 197 - F 200 (1977).
- Fine, L.G.; J.J. Bourgoignie, K.H. Kwang and N.S. Bricker:
On the influence of the natriuretic factor from
patients with chronic uremia on the bioelectric
properties and sodium transport of the isolated
mammalian collecting duct.
J. Clin. Invest. 58 : 590 - 597 (1976).
- Fisher J.W.: Mechanism of anemia of chronic renal failure.
Editorial review.
Nephron 25 : 106 - 111 (1980).
- Freeman, R.B.: Treatment of chronic renal failure.
N. Engl. J. Med. 312 : 577 - 579 (1985).
- Fynn, M.; Onomakpome, N. and Peart, W.W.: The effect of
ionophores (A 23187 and RO - 2985) on renin secretion
and renal vasoconstriction.
Proc. R. Soc. Lond. B. Biol. Soc. 199: 199 - 212 (1977)
- Gamj, P.; Murer, H. and Kinne, R.: Calcium ion transport
across plasma membranes isolated from rat kidney cortex.

Biochem. J. 178 : 549 - 557 (1979).

- Garcia, J.F.; Ebbe, S.N.; Hollander, L.; Cutting, H.O.; Miller, M.E. and Cronkite, E.P.: Radioimmunoassay of erythropoietin: Circulating levels in normal and polycythemic human beings.

J. Lab. Clin. Med. 99 : 624 - 635. (1982).

- Garthoff, B. and Kazda, S.: Calcium antagonist nifedipine normalizes high blood pressure and prevents mortality in salt-loaded DS substrain of Dahl rats.

Eur. J. Pharmacol. 74 : 111 - 112 (1981).

- Giebisch, G. and Stanon, B.: Potassium transport in the nephron.

Annu. Rev. Physiol. 41 : 241 (1979).

- Giovanntti, S. and Maggiore, O.: Low nitrogen diet with protein of high biological value for sever chronic uremia.

Lancet 1 : 1000 (1964).

- Gogelein, H. and Greger, R. : Patch clamp analysis of ionic channel in renal proximal tubules. In nephrology: Proceeding of the Xth international Congress of nephrology Vol. I. P. 159 - 178 (1988).

- Gokal, R.; Weatherall, D.J. and Bunch, C.: Iron induced increase in red cell size in haemodialysis patients.

Q. J. Med. 48 : 393 - 401 (1979).

- Goldberg, J.P. and Schrier, R.W.: Effect of calcium membrane blockers on in vivo vasoconstrictor properties

- of norepinephrine, angiotensin II and vasopressin.
 Miner Electrol Metab. 10 : 178 - 183 (1984).
- Goldfarb, A.; Laina, I.; Serban, S.; Cavendo, S. and Kapuler, H.E.: Beneficial effect of verapamil in ischemic acute renal failure in rats.
 Proc. Sec. Exp. Biol. Med. 172 : 389 (1983).
 - Goldman, E. and S.H. Basset : Phosphorus excretion in renal failure.
 J. Clin. Invest. 33 : 1623 - 1628 (1954).
 - Goligorsky, M.S.; Chaimovitz, C.; Rapaport, J.; Goldstein, J. and Kol, R.: Calcium metabolism in uremic nephrocalcinosis: Preventive effect of verapamil.
 Kidney Int. 27 : 774 - 779 (1985).
 - Gomez-Pan, A.; Alvarez-Ude, F., Yea, P.P.B.; Hall, R.; Evered, D.C. and Kerr, D.N.S.: Function of the hypothalamo - hypophyseal thyroid axis in chronic renal failure.
 Clinical. Endocrinology 11 : 567 (1979).
 - Gonick, H.C.; C.R. Kleeman; M.E. Rubini and M.H. Maxwell: Functional impairment in chronic renal disease II. Studies in acid excretion.
 Nephron 6 : 28 - 49 (1969).
 - Good D.W.: Sodium dependent bicarbonate absorption by cortical thick ascending limb of rat kidney.
 Am. J. Physiol. F 248 : 821 - 829 (1985).
 - Guggino, S.E.; Suarez-Isla, B.B; Guggino, W.B. and Saktor, B.: Antidiuretic hormone stimulate a Ca activated K

channel in cultured kidney cells.

Am. J. Physiol. 249 : F 448 - 455 (1985).

- Gura, V.; Creter, D. and Levi, J. : Elevated thrombocyte calcium content in uremia and its correction by 1 (OH) vit. D treatment.

Nephron 30 : 237 - 239 (1982).

- Hampers, C.L.; Streiff, R.; Nathan, D.G.; Synder, D. and Merril, J.L.: Megaloblastic hematopoiesis in uremia and in patients on long term hemodialysis.

N. Eng. J. Med. 276 : 551 - 554 (1967).

- Harris, D.C.H., Hammond, W.S.; Burke, T.J.; and Schrier, R.W.: Verapamil protects against progression of experimental chronic renal failure.

Kidney Int. 31 : 41 - 46 (1987).

- Hashimoto, K.; Ono, H. and O'Hara, N.: Blockade of renal autoregulatory vasoconstriction by calcium antagonists. In calcium antagonism, ed. by Fleckenstein, A and Roskamm, H.

PP. 221 - 229, Springer Verlag, Berlin, Heidelberg New York (1980).

- Haut, L.L.; Alfrey, A.C.; Suggenheim, S.; Buddington, B.; and Schrier, N.: Renal toxicity of phosphate in rats. Kidney Int. 17 : 722 (1980).

- Hayes, C.P.; Meleod, M.E.; Robinson, R.R. and Sifad, E.A.: An extrarenal mechanism for the maintenance of potassium balance in severe chronic renal failure.

- Trans. Assoc. Am. Physicians 80 : 207 - 216 (1967).
- Hayslett J.L.: Functional adaptation to reduction in renal mass.
Physiological Reviews 59 : No.1 PP. 137 - 163 (1979).
 - Heifets, M.; Purkerson, M. and Klahr, S.: A diet rich in linoleic acid improves renal function with decreases in B.P. in rats with a remnant kidney.
Kidney Int. 27 : 244 (1985).
 - Hierholzer K.: Secretion of potassium and acidification of collecting ducts mammalian kidney.
Am. J. Physiol. 201 : 318 - 324 (1961).
 - Holliday M.A.: Nutrition therapy in renal disease.
Kidney International, Vol. 30 PP. 5.3 - 5.6 (1986).
 - Holliday, M.A.; MC Henry-Richardson and Portale, A.: Nutritional management of chronic renal disease.
Med. Clin. Am. 63 : 945 (1979).
 - Horton, E.S.; Johnson, C. and Lebovitz, H.E.: Carbohydrate metabolism in uremia.
Annals of Internal Medicine 68 : 63 (1968).
 - Hosdan H.:
Clin. Chem. 14 : 222 - 238 (1968).
 - Hostetter, T.H.; Meyer, T.W.; Rennke, H.G. and Brenner, B.M.: Chronic effects of dietary proteins in the rats with intact and reduced renal mass.
Kidney Int. Vol. 30 : 509 - 517 (1986).
 - Hostetter, T.H.; Olson, I.L.; Rennke, H.G.; Venkatachalam, M.A. and Brenner, B.M.: Hyperfiltration in remnant

nephrons: A potentially adverse response to renal ablation.

Am. J. Physiol. 241 (Renal fluid electrolyte physiol. 10): F 85 - F 93 (1981).

- Hugli, K.; Bonjour, J.R. and Fleisch, H.: Renal handling of calcium : Influences of parathyroid hormone and 1, 25 - dihydroxyvitamin D.
Am. J. Physiol F 236 : 349 - 356 (1979).
- Humes H.D.: Role of calcium in pathogenesis of acute renal failure.
Am. J. Physiol 250 : F 579 - F 589 (1986).
- Hyne, B.E.B; Powell, E. and Lee, H.A.: The effect of calorie intake on nitrogen balance in chronic renal failure.
Clin. Sci. 43 : 679 (1974).
- Ichikawa, I.; Miele, J.F. and Brenner, B.M.: Reversal of renal cortical actions of angiotensin II by verapamil and manganese.
Kidney Int. 16 : 137 - 147 (1979).
- Imai, M. and Kokko, J.P.: Sodium, urea and water transport in the thin ascending limb of Henle. Generation of osmotic gradients by passive diffusion of solutes.
J. Clin. Invest. 53 : 393 (1974).
- Joske, R.A.; Mc Alister, J.M. and Pranker, T.A.J.: Isotope investigations of red cell production and destruction in chronic renal disease.

- Clin. Sci. 15 : 511 - 522 (1956).
- Kalk, W.J.; Morley, J.E.; Gold, G.H. and Hagers, A.:
Thyroid function tests in patients with regular
hemodialysis.
Nephron, 25 : 173 (1980).
 - Kasakura, S. and Lowenstein, L.: The effect of uremic
blood on mixed leukocyte reaction and cultures of
leukocytes.
 - Kelepouris, E.: Renal handling of calcium.
Am. J. Nephrol. 8 : 226 - 234 (1988).
 - Kenner, H.C.; Evan, A.P.; Blomgren, P.; Aronoff, R. and
Luft, F.C.: Effect of protein intake on renal function
and structure in partially nephrectomized rats.
Kidney Int. 27 : 739 - 750 (1985).
 - Kleeman, C.R.; Bohannon, J.; Bernstein, D.; Ling, S. and
Maxwell, M.H.: Effect of variations in sodium intake on
calcium excretion in normal humans.
Proc. Soc. Exp. Biol. Med. 115 : 29 - 32 (1964).
 - Kleeman C.R.: Symposium on divalent ion metabolism and
osteodystrophy in chronic renal failure.
Arc. Intern. Med. 124 : 262 - 268 (1969).
 - Kleinknecht, C.; Salusky, I.; Broyer, M. and Gubler, M.C.:
Effect of various protein diets on growth, renal
function and survival of uremic rats.
Kidney Int. 15 : 534 - 541 (1979).
 - Klumper, J.D.; Ullrich, K.J. and Hilger, H.H.: Das
Verhalten des Harnstoffs in des Sammelrohren des

Saugetierniere.

Pflugers Arch. 267 : 238 - 243 (1958).

- Klutsch, K.; Schmidt, P. and Grobwendt, J.: Der einfluss
Von Bayer A 1040 auf die Nierenfunktion des hypertoniques.
Arzneim-Forsch./ Drug Res. 22 : 370 - 380 (1972).
- Knox, F.G. and Diaz-Buxo, J.A.: The hormonal control of
sodium excretion.
Int. Rev. Physiol. 16 : 173 (1977).
- Kock, K.M.; Patyna, W.D.; Shaldon, S. and Werner, E.:
Anemia of the regular hemodialysis patients and its
treatment.
Nephron 12 : 405 - 419 (1974).
- Kokko J.P.: Sodium chloride and water transport in the
descending limb of Henle.
J. Clin. Invest. 49 : 1838 (1970).
- Kokko J.: Proximal tubule potential difference. Dependence
on glucose, HCO₃ and aminoacids.
J. Clin. Invest. 53 : 1362 (1973).
- Koutras, D.A.; Karketas, S.G.; Rigopoulos, G.A. and
Malamos, B.: Iodine metabolism in chronic renal
insufficiency.
Nephron 9 : 55 (1972).
- Kumano, K.; Kogure, K.; Tanaka, T. and Sakai, T.: A new
method of inducing experimental chronic renal failure.
Kidney International 30 : 433 - 436 (1986).

- Landwehr, D.M.; R.M. Klose and G. Giebisch : Renal tubular sodium and water reabsorption in the isotonic sodium chloride loaded rat.
Am. J. Physiol. 212 : 1327 - 1333 (1967).
- Laouari, D.; Kleinknecht, C.; Gubler, M.C. and Broyer, M.: Adverse effects of proteins on remnant kidney; Dissociation from that of other nutrients.
Kidney Int. 24 Suppl. 16 S 248 - S 253 (1983).
- Laouari, D. and Kleinknecht, C.: The role of nutritional factors in the course of experimental renal failure.
Am. J. Kidney Dis. 3 : 147 - 156 (1985).
- Larson, T.S. and Jamison, R.L.: Renal excretion of urea.
Kidney Int. 31 : 629 - 633 (1987).
- Laski, M.E. and Kutzman, N.A.: Characterization of acidification in the cortical and medullary collecting tubule of the rabbit.
J. Clin. Invest. 72 : 2050 - 2059 (1983).
- Lassiter, W.E.; Gottschalk, C.W. and Mylle, M.: Micropuncture study of renal tubular reabsorption of calcium in normal rodents.
Am. J. Physiol. 204 : 771 - 775 (1963).
- Lau, Y.K.; Agus, Z.S; Goldberg, M. and Goldfarb, S.: Renal tubular sites of altered calcium transport in phosphate depleted rats.
J. Clin. Invest. 64 : 1681 - 1687 (1979).

- Lederballe-Pederson, O. and Mikkelsen, E.: Acute and chronic effects of nifedipine in arterial hypertension. Eur. J. Clin. Pharmacol. 14 : 375 - 381 (1978).
- Lederballe-Pedersen, O.; Mikkelsen, E.; Christensen, N.J.; Kornerup, H.J. and Pedersen, E.B.: Effect of nifedipine on plasma renin, aldosterone and catecholamines in essential hypertension. Eur. J. Clin. Pharmacol. 15 : 235 - 240 (1979).
- Lekuni, I.; Joseph, M. and Barry, B.: Reversal of renal cortical actions of angiotensin II. by verapamil and manganese. Kidney Int. 16 : 137 (1979).
- Lemann, J., J.R.; Adams, N.D. and Gray, R.W.: Urinary calcium excretion in human beings. New Engl. J. Med. 301 : 535 - 541 (1979).
- Lewis, J.; Zucker, M. and Ferguson, J.: Bleeding tendency in uremia. Blood 11 : 1073 - 1076 (1956).
- Lewy, J.E. and E.E. Windhager: Peritubular control of proximal fluid reabsorption in the rat kidney. Am. J. Physiol 214 : 948 - 954 (1968).
- Lichtwitz, A.; S De Gese, R.; Parlier, D.; Hioco, and P.H. Bordier : La calcurie dans les nephropathies. Presse. Med. 66 : 2105 - 2116 (1958).
- Lim, V.S.; Fang, V.S.; Katz, A.I. and Refetaff, S.: Thyroid dysfunction in chronic renal failure. A study

of the pituitary-thyroid axis and peripheral turnover kinetics of thyroxine and triiodothyronine.

J. Clin. Invest. 60 : 522 (1977).

- Lindheimer, M.D.; Lalone, R.C. and Levinsky, N.G.:

Evidence that an acute increase in glomerular filtration rate has little effect on sodium excretion in the dog unless extracellular volume is expanded.

J. Clin. Invest. 46 : 256 (1967).

- Liu, S and H.I. Chu : Studies of calcium and phosphorus metabolism with special reference to the pathogenesis and effect of dihydrotachysterol and iron.

Medicine 22 : 103 - 161 (1943).

- Logan, A.G.; Tenyi, I. and Peart, W.S.: The effect of lanthanum on renin secretion and renal vasoconstriction. Proc. R. Soc. London B. Biol. Soc. 195 : 327 - 342 (1977).

- Lowrie, E.G.; Soeldner, J.S.; Hampers, C.L. and Merrill, J.P.: Glucose metabolism and insulin secretion in uremic, prediabetic and normal subjects.

Journal of laboratory and Clinical Medicine 76 : 603 (1970).

- Lumlertgul, D.; Burke, T.J.; Gillum, D.M.; Alfrey, A.C.; Harris, D.C.H.; Hammond, W.S. and Schrier, R.W.: Phosphate depletion arrests progression of chronic renal failure independent of protein intake.

Kidney Int. 29 : 658 - 666 (1986).

- Mac Laughlin, M.; de Mello Ares, M. and Malinic, G.:
Verapamil effect on renal function of normotensive and
hypertensive rats.
Renal Physiol. 8 : 112 - 119 (1985).
- Mac Lean, A. and J.P. Hayslett : Adaptive changes in
ammonia excretion after reduction in nephron population.
Am. Soc. Nephrol. 10 : 77 A (1977).
- Maier, K.P.; Hoppe-Seyler, G.; Talke, H.; Frohlich, J.;
Schollmeyer, P. and Gerok, W.: Enzymatic and metabolic
studies on carbohydrate and amino acid metabolism in
rat liver during acute uremia.
European Journal of Clinical Investigations 3 : 201
(1973).
- Marre, M.; Misumi, J.; Raemsch, K.D.; Corvol, P. and
Menard, J.: Diuretic and natriuretic effects of
nifedipine on isolated perfused rat kidneys.
The Journal of Pharmacology and Experimental
Therapeutics 223 No.1 : 263 - 270 (1982).
- Massry, S.G.; Coburn, J.W.; Champon, L.W. and Kleeman,
C.R.: The effect of long term desoxycorticosterone
acetate administration on the renal excretion of
calcium and magnesium.
J. Lab. Clin. Med. 7 : 212 - 219 (1968).
- Massry, S.G. and Kleeman, C.R.: Calcium and magnesium
excretion during acute rise in glomerular filtration
rate.
J. Lab. Clin. Med. 80 : 654 - 664 (1972).

- MC Crorey, H.L.; Berl, T.; Burke, T.J.; de Torrente, A. and Schrier, R.W.: Effect of calcium transport inhibitors on renal hemodynamics and electrolyte excretion in the dog. In Hormonal Regulation of sodium Excretion, edited by Lichardus B, Schrier RW, Ponce J. New York, Elsevier/North Holland Biochemical Press PP. 133 - 170 (1980).
- Mc Gonigle, R.J.S.; Wallin, J.D.; Shadduck, R.K. and Fisher, J.W.: Erythropoietin deficiency and inhibition of erythropoiesis in renal insufficiency. Kidney Int. 25 : 437 - 444 (1984).
- Mc Queen, E.C. and Hodge, J.V.: Modification of secondary lesions in renal hypertensive rats by control of blood pressure with reserpine. Q. J. Med. 30 : 213 - 233 (1961).
- Mitch, W.E.; Abras, E. and Walser, M.: Long term effects of a new ketoacid-amino acid supplement in patients with chronic renal failure. Kidney Int. 22 : 48 (1982).
- Mondon, C.F.; Dolkas, C.B. and Reaven, G.M.: Effect of acute uremia on insulin removal by the isolated perfused rat liver and muscle. Metabolism 27 : 133 (1978).
- Morel, F.; Chabardes, D. and Imbert, M.: Functional segmentation of the rabbit distal tubule by microdetermination of hormone dependent adenylate

cyclase activity.

Kidney Int. 9 : 264 - 277 (1976).

- Morgan, T. and Berliner, R.W.: A study by continuous microperfusion of water and electrolyte movements of the loop of Henle and distal tubules of the rat. Nephron 6 : 388 (1969).
- Murer, H.; Hopfer, M. and Kinne, R.: Sodium/proton antiporter in brush border membrane vesicles isolated from rat small intestine and kidney. Biochem. J. 154 : 597 - 604 (1976).
- Nayler W.G.: Cardio protective effect of calcium ion antagonists in myocardial ischemia. Clin. Invest. Med. 3 : 91 - 99 (1980).
- Oddi, T.H.; Flanigan, W.J. and Fischer, D.A.: Iodine and thyroxine metabolism in a nephric patients recieving chronic peritoneal dialysis. J. Clin. Endocrin. and Met. 31 : 277 (1970).
- Oslon J.I.: Role of heparin as a protective agent following reduction of renal mass. Kidney Int. 25 : 376 - 382 (1984).
- Oslon, J.L.; Hostetter, T.H.; Rennke, H.G.; Brenner, B.M. and Venkatachalam, M.A.: Altered charge and size-selective properties of the glomerular wall: A response to reduced renal mass. Kidney Int. 22 : 112 - 126 (1983).
- Parent, L.; Cardinal, J. and Sauve, R.: Single channel analysis of a K inward rectifier channel in the

basolateral membrane of the collapsed rabbit proximal convoluted tubule.

Proc. Int. Physiol. Sci. 16 : 346 (1986).

- Patton, C.J. and Crouch, S.R.: Anal Chem.
49 : 464 - 469 (1977).
- Platt, R.; Roscor, R.H. and Smith, F.W.: Experimental renal failure.
Clin. Sci. 11 : 217 - 231 (1952).
- Purkerson, M.L.; Joist, J.M.; Greenberg, J.M.; Kay, D.; Hoffstein, P.E. and Klahr, S.: Inhibition by anticoagulant drugs of the progressive hypertension and uremia associated with renal infarction in rats.
Thromb. Res. 26 : 227 - 240 (1982).
- Purkerson, M.L.; Joist, J.H.; Yates, J.; Valdes, V.; Morrison, A. and Klahr, S.: Inhibition of thromboxane synthesis ameliorates the progressive kidney disease of rats with subtotal renal ablation.
Proc. Natl. Acad. Sci. U.S.A. 82 : 193 - 197 (1985).
- Puschett, J.B.; Fernandez, P.D.; Boyle, I.T.; Gray, R.W.; Omdahl, J.L. and Deluca, H.F.: The acute renal tubular effects of 1, 25 dihydrocholecalciferol.
Proc. Soc. Exp. Biol. Med. 141 : 379 - 390 (1972).
- Quamme, G.A.: Effect of calcitonin on calcium and magnesium transport in rat nephron.
Am. J. Physiol. E 238 : 573 - 578 (1980).

- Rabiner, S. and Hrodek, O.: Platelet factor 3 in normal subjects and patients with renal failure.
J. Clin. Invest. 47 : 901 - 912 (1968).
- Raij, L. and Keane, W.F.: Glomerular mesangium : Its function and relationship to angiotensin II.
Am. J. Med. 79 (suppl. 3C) : 24 - 30 (1985).
- Rau, W. and Fromter, E.: Electrical properties of medullary collecting ducts of the golden hamster kidney.
Pfleugers Arch. 351 : 113 (1974).
- Rector, F.L.; Carter, N.W. and Seldin, D.W.: The mechanism of bicarbonate reabsorption in the proximal and distal tubule in the kidney.
J. Clin. Invest. 44 : 278 - 290 (1965).
- Remuzzi, G.; Benigni, A.; Dodesini, P. and Schiepatti, A.: Parathyroid hormone inhibits human platelet function.
Lancet 11 : 1321 - 1323 (1981).
- Remuzzi, G.; Benigni, A.; Dodesini, P.; Schiepatti, A.; Livio, M.; De Gaetano, G.; Gay, J.S.; Smith, W.L.; Pinca, E.; Patrignani, P. and Patrono, C.: Reduced platelet thromboxane formation in uremia.
J. Clin. Invest. 71 : 762 - 768 (1983).
- Remuzzi, G.; Livio, M.; Roncaglioni, M. and Mecca, G.: Bleeding in renal failure is Von Willebrand factor implicated ?
Br. Med. J. iii : 359 - 361 (1977).

- Richardson, R.M.A. and Kunau, R.T.Jr.: Bicarbonate reabsorption in papillary collecting duct : Effect of acetazolamide.
Am. J. Physiol. F 243 : 74 - 80 (1982).
- Ritz, E.; Mehls, O.; Gilli, G. and Heuck, C.C.; Protein restriction in the conservative management of uremia.
Am. J. Clin. Nutr. 31 : 1703 - 1711 (1978).
- Rouse, D.; Ng, R.C.K. and Suki, W.: Calcium transport in the pars recta and thin descending limb of Henle of the rabbit, perfused in vitro.
J. Clin. Invest. 65 : 37 - 42 (1980).
- Rufer, L.; Su-Tsai, S.M.; Von Riott, A. and Chan, Y.L.: Single ionic channel recordings for isolated proximal cells of the rat kidney.
Clin. Res. 34 : 1006 A (1986).
- Runyan, J.W.; Hurwitz, D. and Robbins, S.L.: Effect of Kimmelstiel-Wilson Syndrome on insulin requirements in diabetes.
New England Journal of Medicine 252 : 385 (1955).
- Sakmann, B. and Nerer, E.: Patch clamp techniques for studying ionic channels in excitable membranes.
Annu. Rev. Physiol. 46 : 455 (1984).
- Salzmann, E. and Neri, L.: Adhesiveness of blood platelets in uremia.
Thromb. Diath. Haemorrh. 15 : 84 - 92 (1966).

- Samaan, N. and Freeman, R.M.: Growth hormone level in
sever renal failure.
Metabolism 19 : 102 (1970).
- Sasaki, S.; Berry, C.A. and Rector, F.C.: Effect of
luminal and peritubular HCO_3 concentration and PCO_2 on
 HCO_3 reabsorption in rabbit proximal convoluted tubules
perfused in vitro.
J. Clin. Invest. 70 : 639 - 649 (1982).
- Schafer, J.A. and Work, J.: Transport properties of the
pars recta.
In Robinson R.R., ed. Nephrology. New York : Springer
Verlag. P. 186 - 195 (1984).
- Schareghi, G.R. and Agus, Z.S.: Phosphate transport in the
light segment of the rabbit cortical collecting tubule.
Am. J. Physiol. F 242 : 379 - 384 (1982).
- Schareghi, G.R.; Goldfarb, S. and Agus, Z.S.: Characteri-
zation of Mg transport in medullary thick ascending
limb of Henle (Abstract).
Clin. Res. 31 : 441 (1983).
- Schareghi, G.R. and Stoner, L.C.: Calcium transport across
segments of the rabbit distal nephron in vitro.
Am. J. Physiol. F 235 : 367 - 375 (1978).
- Schmidt, R.W.; J. Bourgoignie and N.S. Bricker : On the
adaptation of sodium excretion in chronic uremia: The
effects of "Proportional reductions" of sodium intake .
J. Clin. Invest. 53 : 1736 - 1741 (1974).

- Schon, D.A.; Silva, P. and Hayslett, J.P.: Mechanism of potassium excretion in renal insufficiency.
Am. J. Physiol. 227 : 1323 - 1330 (1974).
- Schrier, R.W. and Anderson, R.J.: Renal sodium excretion, edematous disorders and diuretic use. Renal and electrolyte disorders. Edt. Robert W., Schrier, Little, Brown and Comapny.
Boston, (1978).
- Schrier, R.W.; Arnold, P.E. and Burke, T.J.: Alterations in mitochondrial respiration and calcium movements in morepinephrine-induced acute renal failiure: Modification by mannitol. In Eliahou HE, ed. Acute renal failure.
London, John Libbey, PP. 239 - 240 (1982).
- Schrier, R.W.; Arnold, P.E.; Gordon, J.A.; Wilson, D.R. and Burke, T.J.: Pathogenesis and prevention of ischaemia induced acute renal failure.
Kidney Int. 23 : 427 (1983).
- Schrier, R.W. and Regal, E.M.: Influence of aldosterone on sodium, water and potassium metabolism in chronic renal disease.
Kidney Int. 1 : 156 - 168 (1972).
- Schultze, R.G.; Taggart, D.D.; Shapiro, H.; Pennelss, J.P. and Bricker, N.S.: On the adaptation of potassium excretion associated with nephron reduction in the dog. J. Clin. Invest. 50 : 1061 - 1068 (1971).

- Schurek, H.J.; Aulbert, E. and Ebell, H.: The effect of calcium ion antagonist verapamil on ouabain inhibition of renal sodium reabsorption. Studies in the isolated perfused rat kidney, In current problem in clinical biochemistry : 6 renal metabolism in relation to renal function, ed. by U. Schmidt and U.C. Dubach. PP. 281 - 290, Haus Huber Publishers, Bern Stuttgart, Vienna (1976).
- Schwertschlag, U.; Schrier, R.W. and Wilson, P.: **Beneficial effects of calcium channel blockers and calmodulin binding drugs on in vitro renal cell anoxia.** J. Pharm. Exp. Ther. 238 : 119 - 124 (1986).
- Shannon J.A.: Glomerular filtration and urea excretion in relation to urine flow in the dog. Am. J. Physiol. 117 : 206 - 225 (1936).
- Shapiro, J.I.; Cheung, C.; Itabashi, A.; Schrier, R.W. and Chan, L.: The effect of verapamil on renal function after warm and cold ischemia in the isolated perfused rat kidney. Transplantation 40 : 596 - 600 (1985).
- Sharon, A.; Timothy, W.; Meyer and Brenner, B.M.: The role of haemodynamic factors in the initiation and progression of renal disease. J. Urol. 133 : 363 - 368 (1985).
- Shaw A.B.: Hemolysis in chronic renal failure. Br. Med. J. 2 : 213 - 215 (1967).

- Shimamura, T. and Morrison, A.B.: A progressive glomerulo-sclerosis occurring in partial five - sixths nephrectomized rats.
Am. J. Pathol. 79 : 95 - 101 (1975).
- Silberbauer, K., Sinzinger, H. and Winter, M.: Increased prostacyclin availability of vascular tissue in experimentally induced acute uremia in rats.
Artery 4 : 554 - 563 (1978).
- Simpson D.P.: Control of hydrogen ion homeostasis and renal acidosis.
Medicine 50 : 503 - 541 (1971).
- Slatopolsky, E.; L. Gradowska; C. Kashemsant; R. Keltner; C. Manley and N.S. Bricker.: The control of phosphate excretion in uremia.
J. Clin. Invest. 45 : 672 - 677 (1966).
- Slatopolsky, E.; P. Hoffsten; M. Purkerson and N.S. Bricker : On the influence of extracellular fluid volume expansion and of uremia on bicarbonate reabsorption in man.
J. Clin. Invest. 49 : 988 - 998 (1970).
- Smith, M. and Dunn, M.: Impaired platelet thromboxane production in renal failure.
Nephron 29 : 133 - 137 (1981).
- Sobh, M.A. and El-Sharabasy, M.M.: Protective effect of verapamil on ischaemic renal injury in dogs.
International urology and Nephrology 19 (1) : 21 - 26 (1987).

- Soto, M.C.; Thibonnier, M.; Sire, O.; Menard, J.; Corvol, P. and Milliez, P.: Antihypertensive and hormonal effects of single oral doses of captopril and nifedipine in essential hypertension.
Eur. J. Clin. Pharmacol. 20 : 157 - 161 (1981).
- Star, R.A.; Burg, M.B. and Knepper, M.A.: Bicarbonate secretion and chloride absorption by rabbit cortical collecting ducts. Role of chloride/bicarbonate exchange.
J. Clin. Invest. 76 : 1123 - 1130 (1985).
- Stanbury, S.W. and Lunds, G.A.: Metabolic studies of renal osteodystrophy. I. Calcium, phosphorous and nitrogen metabolism in retracts, osteomalacia and hyperparathyroidism complicating chronic uremia and osteomalacia of the adult fanconi syndrome.
Medicine 4 b : 1 31 (1962).
- Steele, T.H.; Wen, S.F.; Evenson, M.A. and Reiselbach: The contribution of the chronically diseased kidney to magnesium homeostasis in man.
J. Lab. Clin. Med. 71 : 455 - 463 (1968).
- Stefoni, S.; Docci, D.; Vangelista, A.; Mosconi, G.; Coli, L. and Prandimi, R.: Long term treatment of chronic renal insufficiency with ibopamine related (SB 7505), a new orally active dopamine related drug.
Clin Nephrol. 18 : 168 - 173 (1982).

- Stein, J.H. and Reineck, H.J.: Effect of alterations in extracellular fluid volume on segmental sodium transport. *Physiol. Rev.* 55 : 127 (1975).
- Suki, W.N.; Rouse, D.; Ng, R.C.K. and Kokko, J.P.: Calcium transport in the thick ascending limb of Henle : Heterogeneity of function in the medullary and cortical segments. *J. Clin. Invest.* 66 : 1004 - 1009 (1980).
- Suki, W.N. and Rouse, D.: Hormonal regulation of calcium transport in thick ascending limb of renal tubules. *Am. J. Physiol.* F 241 : 171 - 174 (1981).
- Suki, W.N.; Schwetzmann, R.S.; Rector, F.C., Jr. and Seldin, D.W.: Effect of chronic mineralocorticoid administration on calcium excretion in the rat. *Am. J. Physiol.* 215 : 71 - 74 (1968).
- Sutton, R.A.L.; Wong, N.L.M. and Dirks, J.H.: Effects of metabolic acidosis and alkalosis on sodium and calcium transport in the dog kidney. *Kidney Int.* 15 : 520 - 533 (1979).
- Swendseid, M.E.; Wang, M.; Vyhmeister, I.; Chan, W.; Siassi, F.; Tam, C.F. and Kopple, J.D.: Amino acid metabolism in the chronically uremic rat. *Clin. Nephrol.* 3 : 240 - 246 (1975).
- Takeda, K.; Kim, J. and Schrier, R.: Effect of angiotensin II (AII) on Ca kinetics and cell contraction in cultured rat mesangial (MS) cells (abstract). *Kidney Int.* 29 : 424 (1986).

- Taylor, A.N.; Mc Intosh, J.E. and Bourdeau, J.E.; Immunocytochemical localization of vitamin D - dependent calcium-binding protein in renal tubules of rabbit, rat and chick.
Kidney Int. 21 : 765 (1982).
- Thibonnier, M.; Bonnet, F. and Corvol, P.: Antihypertensive effect of fractionated sublingual administration of nifedipine in moderate essential hypertension.
Eur. J. Clin. Pharmacol. 17 : 161 - 164 (1980).
- Thorn, G.W.; G.F. Koepf and M. Clinton : Renal failure stimulating adrenocortical insufficiency.
N. Engl. J. Med. 23 : 76 - 85 (1944).
- Ullrich, K.J.; Rumrich, G. and Kloss, S.: Active calcium reabsorption in proximal tubule of the rat kidney.
Pflugers Arch. 364 : 223 - 228 (1976).
- Van C.: Potassium homeostasis in renal failure.
Kidney Int. 11 : 491 - 504 (1977).
- Van Neuten, J.M. and Vanhoutte, P.M.: Improvement of tissue perfusion with inhibitors of calcium ion influx.
Biochem. Pharmacol. 29 : 479 (1980).
- Wallner, S.F and Vautrin, R.M.: Evidence that inhibition of erythropoiesis is important in the anemia of chronic renal failure.
J. Lab. Clin. Med. 97 : 170 - 178 (1981).
- Weber, H.; Lin, K.Y. and Bricker, N.S.: Effect of sodium intake on single nephron glomerular filtration rate and

- sodium reabsorption in experimental uremia.
Kidney Int. 8 : 14 - 20 (1975).
- Wen, S.; Wong, H.L.M.; Evanson, R.L.; Lockhart, E.A. and Dirks, J.H.: Micropuncture studies of sodium transport in the remnant kidney of the dog.
J. Clin. Invest. 52 : 385 - 397 (1973).
 - Westervelt F.B.: Uremia and insulin response.
Archives of Internal. Medicine 126 : 865 (1970).
 - Wright F.: Increasing magnitude of electrical potential along the renal distal tubule.
Am. J. Physiol. 220 : 624 (1971).
 - Wright F.S.: Sites and mechanisms for potassium transport along the renal tubule.
Kidney Int. 11 : 415 - 432 (1977).
 - Wright, F.S. and Briggs, J.P.: Feed back -regulation of glomerular filtration rate.
Am. J. Physiol. F 233 : 1 (1977).
 - Wright, A.D.; Lowry, C.; Fraser, T.R.; Spitz, I.M.; Rubenstein, A.H. and Bersohn, I.: Serum growth hormone and glucose tolerance in renal failure.
Lancet 2 : 798 (1968).
 - Zatz, R.; Dunn, B.R.; Meyer, T.W.; Anderson, S.; Pennke, H.G. and Brenner, B.M.: Prevention of diabetic glomerulopathy by pharmacological amelioration of glomerular capillary hypertension.
J. Clin. Invest. 77 : 1925 - 1930 (1986).

- Zimlichman, R.R.; Chaimovitz, C.; Chaichenco, Y.; Goligorsky, M.; Rapaport, J. and Kaplanski, J.: Vascular hypersensitivity to noradrenaline : A possible mechanism of hypertension in rats with chronic uremia. Clin. Sci. 67 : 161 - 166 (1984).