

REFERENCES

- Aiken J.W., Gorman R.R., Shebuski, R.J (1979):
Prevention of blockage of partially obstructed coronary arteries with prostacyclin correlates with inhibition of platelet aggregation.
Prostaglandins, 17: 483-494 .
- Alfonso S., Bandow G.T., Rowe G.G. (1974):
Indomethacin and the prostaglandin hypothesis
of coronary blood flow regulation.
J. Physiol. 241: 299-308 .
- Allen D.G., Lee I.A., Smith G.L. (1988):
The effects of simulated ischemia on intracellular calcium and tension in isolated ferret ventricular muscle.
J. Physiol (London) 401: 81 P.
- Ambrosio G., Becter L.C., Hutchins G.M. et al., (1986):
Reduction in experimental infarct size by recombinant human superoxide dismutase: Insights into the pathophysiology of reperfusion injury.
Circulation 74: 1424-1433 .
- Ambrosio G., Jacobus W.E., Bergman C.A. (1987a):
Preserved high energy phosphate metabolic reserve in globally "Stunned hearts despite reduction of basal ATP and contractility.
J. Mol Cell Cardiol, 19: 953-964 .

Ambrosio G., Weisfeldt M.L., Jacobus W.E. et al.,
(1987b):

Evidence of a reversible oxygen radical-mediated component of reperfusion injury: Reduction by recombinant human superoxide dismutase administered at the time of reflow. Circulation, 75: 282-291 .

Ashavaid I.F., Colvin R.A., Messineo, F.C., MacAlister T, Katz A.M. (1985):

Effects of fatty acids on $\text{Na}^+/\text{Ca}^{2+}$ exchange in cardiac sarcolemmal membranes.
J. Mol. Coll. Cardiol. 17: 851-61

Asinger R.W., Petersen D.A., Elspeger K.J. et al., (1988):

Long-term recovery of LV wall thickening after one hour of ischemia is not affected when superoxide dismutase and catalase are administered during the 1st 45 minutes of reperfusion (Abstract).
J. Am. Coll. Cardiol 11: 163 A.

Babior B.M. (1984):

The respiratory burst of phagocytes.
J. clin. Invest. 73: 599-601 .

Balschi J.A., Farzer J.C., Fellers J.K., Clarke K., Springer C.S. et al., (1985):

Shift reagent and Na-23 nuclear magnetic resonance discriminates between extra and intracellular sodium pools in ischemic heart. Circulation 72(suppl. III): 355 (Abst.).

Becker, G.L. (1981):

Regulation of free Ca^{2+} by cardiac mitochondria and skinned myocytes. In: Calcium and Phosphate Transport Across Biome- mbranes, edited by F. Bronner and M. Peterlik New york: Academic, P. 77-82.

Becker L.C., Levine J.H., Dipaula A.F., et al., (1986):

Reversal of dysfunction in postischemic stunned myocardium by epinephrine and post-extrasystolic potentiation.

J. Am. Coll Cardiol 7: 580-589 .

Becker L.C., Ambrosio G. (1987):

Myocardial consequences of reperfusion.

Prog. Cardiovasc. Dis. 30: 23-44 .

Berdeaux A., Coutle, R., Giudicelli J.F., Boissier J.R. (1976):

Effects of verapamil on regional myocardial blood flow and ST segment. Role of the induced bradycardia.

Eur. J. Pharmacol. 39: 287-294 .

Berger H.J., Zavet B.L., Speroff L., Cohen L.S., Wolfson S. (1976):

Regional cardiac prostaglandin release during myocardial ischemia in anesthetized dog.

Cir. Res. 1976: 38: 566-571 .

Berne R.M. (1980):

The role of adenosine in the regulation of coronary blood flow.

Cir. Res. 47: 807-813 .

Bills T.K., Smith J.B., Silver M.J. (1977):

Selective release of arachidonic acid from the phospholipids of human platelets in response to thrombin..

J. Clin. Invest. 60: 1-6 .

Boe S.L., Dixon C.M., Sakert T.A., Magovern G.J. (1982):

The control of myocardial Ca^{++} sequestration with nifedipine cardioplegia.

J. thorac Cardiovasc Surg. 84: 678-684.

Bolli R., Patel B.S., Zhu W.X., et al., (1987):

The iron chelator desferrioxamine attenuates post-ischemic ventricular dysfunction.

Am. J. Physiol. 253: H1372-H1380 .

Bolli R., Patel B.S., Jeroudi M.O., Lai E.K., McCay P.B. (1988):

Demonstration of free radical generation in "stunned" myocardium of intact dogs with the use of the spin trap alpha-phenyl N-tert-bulyl nitron.

J. Clin. Invest. 82: 476-485 .

Bolli R., Jeroudi M.O., Patel B.S., et al., (1989):

Marked reduction of free radical generation and contractile dysfunction by antioxidant therapy begun at the time of reperfusion: Evidence that myocardial "Stunning" is a manifestation of reperfusion injury.

Cir. Res. 1989 (in press).

Bourdillon P.D.V., Poole-Wilson, P.A. (1981):

Effects of ischemia and reperfusion on calcium exchange and mechanical function in isolated rabbit myocardium. *Cardiovasc. Res.* 15: 121-30.

Bourdillon P.D., Poole-Wilson P.A. (1982):

The effects of verapamil quiescence, and cardioplegia on calcium exchange and mechanical function in ischemic rabbit myocardium.

Cir. Res. 50: 360-368 .

Boxer L., Allen J., Schemidt M., yoder M., Baehner R. (1980):

Inhibition of polymorphonuclear leuckacyle adherence by prostacyclin.

J. Lab. Clin. Med., 95: 672-678 .

Brandt R.J., Nowak and T. Sonnenfeld (1984):

Prostaglandin formation from exogenous precursor in homogenates of human cardiac tissue.

Basic. Res. Cardial. 79: 135-141 .

Braunwald E., Moroko P.R. (1974):

The reduction of infarct size An Idea whose time (for testing) has come.

Circulation 50: 206 .

Braunwald E., Morako P.R. (1978):

Limitation of infarct size.

Curr. Probl. Cardial. 3:1 .

Braunwald E., Kloner R.A. (1982):

The stunned myocardium: Prolonged, Postischemic ventricular dysfunction.

Circulation 86: 1146-1149 .

Branwald E. (1984):

Heart Disease,

A textbook of cardiovascular Medicine Edited by Branwald E. Second edition. Saunders Company.

Brody M.J. and kadowitz P.J. (1974):

Prostaglandins as modulators of the autonomic nervous system.

Fed. Proc. 33: 48-66 .

Burton K. (1985):

Superoxide dismutase enhances recovery following myocardial ischemia.

Am. J. Physiol. 248: H637-H643 .

Bush L.R., Romson J.L., Ash J.L., Lucchesi B.R. (1982):

Effects of diltiazem on extent of ultimate myocardial injury resulting from temporary coronary artery occlusion in dogs.

J. Cardiovasc. Pharmacol. 4: 285-296 .

Camussi G., Aglietta M., Malavasi F., Tetta C., Piacibello W. Sanavio F. Bussolino F. (1983):

The release of platelet-activating factor from human endothelial cells in culture.

J. Immunol. 131: 2397-2403 .

Carafoli E. (1985):

The homeostasis of calcium in heart cells.
J. Mol. Cell. Cardiol. 17: 203-12 .

Caroni P., Carafoli, E., Bush L.R. (1983):

The regulation of the $\text{Na}^+-\text{Ca}^{2+}$ exchanger of heart sarcolemma.
Eur. J. Biochem. 132:451-60 .

Cavero I., Boudot J.P., Ceuvray D. (1983):

Diltiazem protects the isolated rabbit heart from the mechanical and ultrastructural damage produced by transient hypoxia, low-flow ischemia and exposure to Ca^{++} -free medium.
J. Pharmacol. Exp. Ther. 226: 258-268.

Ceconi C., Curello S., Cargnoni A., et al., (1988):

The role of glutathione status in the protection against ischemic and reperfusion damage: Effects of N-acetyl cysteine.
J. Mol. Cell. Cardiol. 20: 5-13 .

Chan M., Soter D., Ko W.W. (1987):

Effects of morphine on cardiovascular responses to acute myocardial infarction in rats.
Br. J. Pharmac. 90: 537-543 .

Charlat M.L., O'Neill P.G., Egan J.M., et al., (1987):

Evidence for a pathogenetic role of xanthine oxidase in the stunned myocardium.
Am. J. Physiol. 252: H566-H577 .

Chemnitz J.M., Sasaki Y., Burger W., Bing R.J. (1985):
The effects of ischemia and reperfusion on
sarcolemmal function in perfused canine
hearts.
J. Mol. Cell Cardiol. 17: 1139-50 .

Chien K.R., Sherman C., Mittnacht S., Farber J.L.
(1980):
Microsomal membrane structure and functions
subsequent to calcium activation of an
endogenous phospholipase.
Arch. Biochem. Biophys, 205: 614-22 .

Chien K.R., Han A., Sen A., et al., (1984):
Accumulation of unesterified arachidonic acid
in ischemic canine myocardium. Relationship to
a phosphatidylcholine deacylation-reacylation
cycle and the depletion of membrane phospho-
lipids.
Cir. Res. 54: 313-22 .

Christlieb I.Y., Clark R.E., and Sobel B.E. (1981):
Three hours preservation of hypothermic
globally ischemic heart with nifedipine.
Surgery 90: 947 .

Coetzee W.A., Opie L.H. (1987):
Effects of components of ischemia and
metabolic inhibition on delayed after depola-
rizations in the guinea pig. papillary muscle.
Cir. Res. 61: 157-165.

Cobbe S.H., poole- Wilson P.A. (1980):

The time of onset and severity of acidosis in myocardial ischemia.

J. Mol. Cell cardiol, 12: 745-60 .

Cohen C.J., Fozzard H.A., Sheu S.S. (1982):

Increase in intracellular sodium ion activity during stimulation in mammalian cardiac muscle.

Cir. Res. 50: 651-62 .

Coker S.J., Parratt J.R. (1984):

The effects of nafazatrom on arrhythmias and prostanoids release during coronary artery occlusion and reperfusion in anaesthetized greyhounds. J. Mol Cell. Cardiol. 16: 43-52 .

Corr P.B., Shayman J.A., Kramer J.B. Kipnis R.J. (1981):

Increased adrenergic receptors in ischemic cat myocardium.

J. Clin. Invest. 67: 1232-36 .

Corr P.O., Gross R.W. and Sobel B.C. (1982a):

Arrhythmogenic amphipelic lipids and myocardial cell membrane.

J. Mol. Cell. Cardiol. 14: 619 .

Corr P.B., Synder P.W., Lee B.D., Gross R.W., Keim, C.P. and Sobel B.E. (1982b):

Pathophysiological concentrations of lysophosphatides and the slow response.

Am. J. Physiol. 12: 187 .

Crake T., Poole-Wilson P.A. (1986):

Evidence that sodium influx on reoxygenation is not due to cell membrane disruption in isolated rabbit heart.

J. Mol. Cell. Cardiol. 18(suppl IV): 31-36 .

Crap H., Janoff A. (1979):

In vitro suppression of serum elastase-inhibitory capacity by reactive oxygen species generated by phagocytosing polymorphonuclear leuckocytes.

J. Clin. Invest 63: 793-797 .

Crompton M., M. Dunzi and E. Carafoli (1977):

The calcium-induced and sodium-induced effluxes of calcium from heart mitochondria. Evidence for a sodium-calcium carrier.

Eur. J. biochem. 79: 549-558 .

Cronstein B.N., Kramer S.B., Weissmann G. Hirschhorn R. (1983):

Adenosine: A physiologic modulator of superoxide anion generation by human neutrophils.

J. Exp. Med. 158: 1160-1177 .

Cronstein B.N., Levin R.I., Belanoff J. Weissmann G., Hirschhorn R. (1986):

Adenosine: An endogenous inhibition of neutrophil mediated injury to endothelial cells.

J. Clin. Invest 78: 760-770 .

Da Luz P.L., Da Barros L.F.M., Lelfe J.J., Pelleggi I,
Decourt L.V. (1980):

Effect of verapamil on regional coronary and
myocardial perfusion during acute coronary
occlusion.

Am. J. Cardiol, 45: 269-275 .

Daly J.J., Elz J.S., Nayler W.G. (1984):

Sarcolemmal enzymes and $\text{Na}^+ - \text{Ca}^{2+}$ exchange in
hypoxic, ischemic and reperfused rat hearts.

Am. J. Physiol. 247: H237-43 .

De Mey J.G., Vanhoutte P.M. (1982):

Heterogeneous behavior of the canine arterial
and venous wall: Importance of the endothe-
lium.

Cir. Res. 51: 439-447 .

Dhalla N.S., Panagia, V., Singal P.K., Makino N., Dixon
I.M.C. et al. (1988):

Alternations in heart membrane calcium
transport during the development of ischemia-
reperfusion injury.

J. Mol. Cell. Cardiol. 20(suppl. II) 3-13 .

Eisner D.A., Lederer W.J., Watt L.E. (1985):

Na-Ca exchange: Stoichiometry and electrogenicity.

Am. J. Physiol. 248: C189-C202 .

Engler R.L., Dahlgren M.D., Morris D., Peterson M.A.,
Schmid-Schoenbein G. (1986a):

Role of leukocytes in the response to acute
myocardial ischemia and reflow in dogs.

Am. J. Physiol. 251: H314-H323 .

- Engler R.L., Dahlgren M.D., Morris D., Peterson M.A.,
Schmid-Schoenbein G. (1986b):
Accumulation of polymorphonuclear leucocytes
during 3-hours experimental myocardial ischemia
Am. J. Physiol. 251: H93-H100 .
- Engler R. (1987):
Granulocytes and oxidative injury in myo-
cardial ischemia and reperfusion.
Fed. Proc. 46: 2395-2396 .
- Engler R., Covell J.W. (1987):
Granulocytes cause reperfusion ventricular
dysfunction after 15 minute ischemia in the
dog.
Cir. Res. 61: 20-28 .
- Evans R.C., Mejias J.E., Kulevich J., Fischer V.W. and
Muller H.S. (1985):
Evaluation of a rat model for assessing
interventions to salvage ischemic myocardium.
Cardiovas. Res. 19: 132 .
- Fagbemi O., Kane K.A., McDonald, Parratt J.R., Rothaul
A.I. (1984):
The effects of verapamil, premylamine,
flunarizine and cinnarizine on coronary artery
occlusion-induced arrhythmias in anaesthe-
tized rats.
Br. J. Pharmacol. 83: 299-304

Farber J.L. (1982):

Biology of disease: Membrane injury and calcium homeostasis in the pathogenesis of coagulative necrosis.

Lab. Invest. 47: 114-23 .

Farber N.E., Vercellotti G.M., Jacob H.S. et al. (1988):

Evidence for a role of iron catalyzed oxidants in the functional and metabolic stunning in the canine heart.

Circ. Res. 63: 351-360 .

Ferrari R., Ceconi C., Curello S., Guarnieri C., Caldarera C.M., Albertini A., Visioli O. (1985):

Oxygen-mediated myocardial damage during ischemia and reperfusion: Role of the cellular defenses against oxygen toxicity.

J. Mol. Cell. Cardiol. 17: 937-945 .

Ferrari R., Ceconi C., Curello S. et al. (1986):

Intracellular effects of myocardial ischemia and reperfusion: Role of calcium and oxygen.

Eur. Heart J. 7(suppl A): 3-12.

Fiedler V.B. (1988):

Role of arachidonic acid metabolites in cardiac ischemia and reperfusion injury.

Pharmacol. Therap. 8(3): 158-168 .

Fiolet J.W.T., Baartscheer A., Schumacher C.A., Coronel R., Ter Welle H.F. (1984):

The change of the free energy of ATP hydrolysis during global ischemia and anoxia in the rat heart. its possible role in the regulation of trans-sarcolemmal sodium and potassium gradients.

J. Mol. Cell. Cardiol. 16: 1023-36.

Fiskum G., A.L. Iennings (1979):

Regulated release of Ca^{2+} from respiring mitochondria by $\text{Ca}^{2+}/2\text{H}^{+}$ antiport.

J. Biol Chem. 254: 6236-6239 .

Fitzpatrick T.M., Alter A., Corey E.J., Ramwell P.W., Rose J.C., Lot P.A. (1978):

Cardiovascular responses to PGI_2 (Prostacyclin) in the dog.

Cir. Res. 42: 192 .

Fleckenstein A. (1977):

Specific pharmacology of calcium in myocardium and vascular smooth muscle.

Ann. Rev. Pharmacol. Toxicol. 17: 149 .

Forman M.B., Bingham S., Kopelman H.A. et al. (1985):

Reduction of infarct size with intracoronary perfluorochemical in a canine preparation of reperfusion.

Circulation 71: 1060-1068 .

Forman M.B., Puett P.W., Bingham S.E., Virmani R.,
Tantengco M.Y. Light R.T., Bajaj A., Price R.,
Rriesinger G.C. (1987):

Preservation of endothelial cell structure and
function by intracoronary perfluorechemical in
a canine preparation of reperfusion.

Circulation 76: 469-479 .

Forman M.B., Puett D.W., Cates C.U. et al. (1988):

Glutathione redox pathway and reperfusion
injury: Effect of N-acetylcysteine on infarct
size and ventricular function.

Circulation 70: 202-213 .

Furchgott R.F. (1981):

The requirement of endothelial cells in
relaxation of arteries by acetylcholine and
some other vasodilators.

Trends Pharmacol Sci. 2: 173-176 .

Gallagher K.P., Buda A.J., Pace D. et al. (1986):

Failure of superoxide dismutase and catalase
to alter size of infarction in conscious dogs
after 3 hours of occlusion followed by
reperfusion.

Circulation 73: 1065-1076 .

Garlick P.B., Davies M.J., Hearse D.J., Stater T.F.
(1987):

Direct detection of free radicals in the
reperfused rat heart using electron spin
resonance spectroscopy.

Cir. Res. 61: 757-60 .

Ganote C.E., Humphrey S.M. (1985):

Effects of anoxic and oxygenated reperfusion
in globally ischemic, isovolumic perfused rat
hearts.

Am. J. Path. 120: 129-145 .

Geary G.G., Smith G.T., Suehiro G.T., McNamara J.J.
(1982):

Failure of nifedipine therapy to reduce
myocardial infarct size in baboon.

Am. J. Cardiol. 49: 331 .

Geltman E.M., Ehsani A.A., Campbell M.K., Schechtman K.,
Roberts R. and Sobel B.E. (1979):

The influence of location and extent of
myocardial infarction on long term ventricular
dysrhythmia & mortality.

Circulation 60: 805 .

Gerlach E., Nees S., Becker B.F. (1985):

The vascular endothelium: A survey of some
newly evolving biochemical and physiological
features.

Basic Res. Cardiol 80: 459-474 .

Goldstein I.M. (1984):

Neutrophil degranulation in synderman R.
(ed.): contemporary topics in immunobiology:
Regulation of leukocytes function.

Vol. 14, New York, Plenum Publishing Corp. PP.
189-219 .

Goldstone L.A. (1983):

Understanding medical statistics.

Williams Heinemann Medical Books Limited
London.

Grinwald P.M. (1982):

Calcium uptake during postischemic reperfusion
in the isolated rat heart: Influence of
extracellular sodium.

J. Mol. Cell. Cardiol. 14: 359-65 .

Grinwald P.M., Brosnahan C. (1987):

Sodium imbalance as a cause of calcium
overload in post-hypoxic reoxygenation injury.

J. Mol. Cell Cardiol. 19: 487-95 .

Gross G.J., Farber, N.E., Hardman, H.F. et al. (1986):

Beneficial actions of superoxide dismutase and
catalase in stunned myocardium of dogs.

Am. J. Physiol. 250: H372-H377 .

Guarnieri C., Flamignif F., Caldarera C.M. (1980):

role of oxygen in the cellular damage induced
by reoxygenation of hypoxic heart.

J. Mol. Cell. Cardiol. 12: 797-808.

Guyton R.A., Dorsey L.M., Colgan T.K., Hatcher C.R. Jr.
(1983):

Calcium-channel blockade as an adjunct to
heterogeneous delivery of cardioplegia.

Ann. Thorac. Surg. 35: 626-632 .

Hale S.L., Lange R., Alker K.J. et al. (1984):

Correlates of reperfusion ventricular fibril-
lation in dogs.

Am. J. Cardiol. 53: 1397-1400 .

Hamm C.W., Opie L.H. (1983):

Protection of infarcting myocardium by slow
channel inhibitors: Comparative effects of
verapamil, nifedipine, and diltiazem in the
coronary ligated, isolated working rat heart.

Cir. Res. 52: 129-138 .

Harding D.P., Pool-Wilson P.A. (1980):

Calcium exchange in rabbit myocardium during
and after hypoxia: Effect of temperature and
substrate.

Cardiovasc Re. 14: 435-45 .

Harlan J.M. (1985):

Leuckocytes endothelial interactions.

Blood 65: 513-525 .

Harlan J.M., Killen P.D., Senecal F.M., Schwartz B.R.,
yee E.K., Taylor R.R., Beatty P.G., Price
T.H., Ochs H.D. (1985):

The role of neutrophil membrane glycoprotein
G.P.-150 in neutrophil adherence to endo-
thelium in vitro. Blood 66: 167-178 .

- Harmsen E., De Tombe P.P., DeJong J.W. (1983):
 Synergistic effect of nifedipine and propranolol on adenosine (catabolite) release from ischemic rat heart.
 Eur. J. Pharmacol. 90: 401-409 .
- Haworth R.A., Goknur A.B., Hunter D.R., Hegge J.O., Berkoff H.A., (1987):
 Inhibition of calcium influx in isolated adult rat heart cells by ATP depletion.
 Cir. Res. 60: 586-94 .
- Hearse D.J., Humphrey S.M., Chain E.B. (1973):
 Abrupt reoxygenation of the anoxic potassium-arrested perfused rat heart: A study of myocardial enzymes release.
 J. Mol. Cell Cardiol, 5: 395-407.
- Hearse D.J. (1977):
 Reperfusion of the ischemic myocardium.
 J. Mol. Cell Cardiol. 9: 605-616 .
- Hearse D.J., Humphrey S.M. Bullock G.R. (1978):
 The oxygen paradox and the calcium paradox: Two facets of the same problem
 J. Mol. Cell Cardiol. 10: 641-668 .
- Hearse D.J., Tosaki A. (1988):
 Free radicals and calcium: Simultaneous interacting triggers as determinants of vulnerability to reperfusion-induced arrhythmias in the rat heart.
 J. Mol. Cell. Cardiol. 20: 213-223 .

Henry, P.D., R., Shuchleib J., Davis E.S., Weiss, And
B.E., Sobel, (1977):

Myocardial contracture and accumulation of
mitochondrial calcium in ischemic rabbit heart
Am. J. Physiol. 233(Heart Circ. Physiol. 2)
H677-H684 .

Henry P.D., Shuchleib R., Borda L.J., Roberts R.,
Williamson J.R., Sobel B.E. (1978):

Effect of nifedipine on myocardial perfusion
and ischemic injury in dogs.
Cir. Res. 43: 372-380 .

Hess M.L., Manson N.H. (1984):

Molecular oxygen: Friend and foe. the role of
free radical system in the calcium paradox the
oxygen paradox and ischemial reperfusion injury
J. Mol. Cell Cardiol 16: 969-85 .

Himori N. and Matsuura A. (1989):

A simple technique after occlusion and
reperfusion of coronary artery in conscious
rats.
Am. J. Physiol 256 (Heart-Circ. Physiol. 25):
H1719-H1725 .

Hintze T.H., Kaley G. (1977):

Prostaglandins and the control of blood flow
in the canine myocardium.
Cir. Res. 40: 313 - 320 .

Hirsh P.D., Campbell W.B., Willerson J.T. Hillis L.D.
(1981):

Prostaglandins and ischemic heart disease.
Am. J. Med. 71: 1009-26 .

Hoffstein S.T., Friedman R.S., Weissmann G. (1982):

Degranulation, membrane addition and shape
change during chemotactic factor-induced
aggregation of human neutrophils.
J. Cell. Biol. 95: 234-241 .

Hochman J.S. Choo H., Hirsh L.E. (1987):

Limitation of myocardial infarct expansion by
reperfusion independent of myocardial salvage.
Circulation 75 No. 1, 299-306 .

Holmans, B.L., Chishalm R.J. and Braunwald E. (1978):

The prognostic implication of acute myocardial
infarct scintigraphy with ^{99m}Tc-pyrophosphate
Circulation 57: 320 .

Huang W.H., Askari A. (1984):

Regulation of (Na⁺-K⁺)-ATPase by inorganic
phosphate: pH dependence and physiological
implications.
Biochem. Biophys Res. Commun. 123: 438-43 .

Hyslop P.A., Hinshaw D.B., Schraufstatter I.U., Sklar
L.A. Spragg R.G., et al., (1986):

Intracellular calcium homeostasis during
hydrogen peroxide injury to cultured P 388 D₁
cells.
J. Cell Physiol. 129: 356-66 .

Ikeda U., Toyo-Oka T., Arisaka H., Hosoda S. (1987):
Stimulated synthesis of prostaglandin E_2 or
Leukotrien C4 from myocardial cells is not a
cause but a result of their injury under
hypoxia.

J. Mol. Cell Cardiol. 19: 591-9 .

Ikeda, U., Arisaka, H., Takayasu T., Takeda, K.,
Natsume, T. et al., (1988):
Protein kinase C activation aggravates hypoxic
myocardial injury by stimulating Na^+/H^+
exchange.

J. Mol. Cell. Cardiol. 20: 493-500 .

Ito B.R., Tate H., Kobayashi M. et al. (1987):
Reversibly injured postischemic canine myo-
cardium retains normal contractile reserve.

Cir. Res. 61: 834-846 .

Iwamoto K., Chein C., Kato L. (1987):
Effects of urethane anaesthesia and age on
organ blood flow in rats measured by hydrogen
gas clearance method.

J. Pharmacobiodyn. Jun; 10(6): 280-4

Jennings R.B., Shen A.C. (1972):
Calcium in experimental myocardial ischemia,
in Bajusz E., Rona g., (eds.): recent advances
in studies on myocardial ischemia and mela-
bolism.

Baltimore, University Park Press PP. 639-655 .

- Jennings R.B., Ganote C.E., Reimer K.A. (1975):
Ischemic tissue injury.
Am. J. Pathol. 81: 179-198 .
- Jennings R.B., Ganote C. (1976):
Mitochondrial structure and function in acute
myocardial ischemic injury.
Cir. Res. 38(suppl 1): I-80- I-91 .
- Jennings R.B., Hawkins H.K., Lowe J.E., Hill M.L.,
Klotman S., Reimer K.A. (1978):
Relation between high energy phosphate and
lethal injury in myocardial ischemia in the dog.
Am. J. Pathol, 92: 187-214 .
- Jennings R.B., Reimer K.A. (1981):
Lethal myocardial ischemic injury.
Am. J. Pathol. 102: 241-255 .
- Jennings R.B., Reimer K.H. (1983):
Factor involved in salvaging ischemic myoca-
rdium: Effect of reperfusion of arterial blood.
Circulation 68: Suppl 1:1-25 - 1-36 .
- Jennings R.B., Reimer K.A. (1985):
The failure of the xanthine oxidase inhibitor
allpurinol to limit infarct size after ische-
mia and reperfusion in dogs.
Circulation 71: 1069-1075 .
- Jennings R.B., Reimer K.A., Steenbergen C.Jr. (1985a):
Myocardial ischemia and reperfusion: Role of
calcium. In control and manipulation of
calcium movement. New York, Raven Press, P273.

- Jennings R.B., Schaper J., Hill M.L., Steenbergen C.Jr.
Reimer K.A. (1985b):
Effect of reperfusion late in the phase of
reversible ischemic injury. Changes in cell
volume, electrolytes, metabolites and ultra-
structure.
Cir. Res. 56: 262-278 .
- Jennings R.B., Reimer K.A., Steenbergen C. (1986):
The osmolar load, membrane damage, and reper-
fusion.
J. Mol. Cell Cardiol 18: 769-780 .
- Johnson R.G., Jacobs M.A., Aretz . T.H., Geffin G.A.,
O'deefe D.D., DeBoer L.W.V., Guyton R.A.,
Fallon J.T., Daggett W.M. (1982):
Comparison of myocardial preservation with
hypothermic potassium and nifedipin arrest.
circulation: 66: suppl 1:1-73-1-80 .
- Jolly . S.R., Hardman H.F., Gross G.J. (1981):
Comparison of two dihydropyridine calcium
antagonists on coronary collateral flow in
acute myocardial ischemia.
J Pharmacol Exp Ther. 217: 20-25.
- Jolly S.R., Kane W.J., Bailie M.B. et al. (1984):
Canine myocardial reperfusion injury: It's
reduction by the combined administration of
superoxide dismutase and catalase.
Cir. Res. 54: 277-285.

- Jugdutt B.I., Hutchins G.M., Bulkley B.H., Pitt B.,
Becker L.C. (1979):
Effect of indomethacin on collateral blood
flow and infarct size in the conscious dog.
Circulation 59: 734-43 .
- Kaiser L., Sparks H.V. Jr. (1987):
Endothelial cells Not just a cellophane wrapper.
Arch Intern. Med. 147: 569-573 .
- Kajiyama K., Pauly D.F., Hughes H. et al. (1987):
Protection by verapamil of mitochondrial
glutathione equilibrium and phospholipid
changes during reperfusion of ischemic canine
myocardium.
Cir. Res. 61: 301-310.
- Kako K.J. (1987):
Free radical effects on membrane protein in
myocardial ischemia reperfusion injury.
J. Mol. Cell Cardiol. 19: 209-11 .
- Kaneko M., Baeamish R.E., Dhalla N.S. (1989):
Depression of heart sarcolemmal Ca^{2+} pump
activity by oxygen free radicals.
Am. J. Physiol. 256: 14368-74 .
- Karlsberg R.P., Hewry P.D., Ahmed S.A., Sobel B.E.,
Roberts R. (1977):
Lack of protection of ischemic myocardium by
verapamil in conscious dogs.
Eur. J. Pharmacol. 42: 334-346 .

- Karmazyn M., Tuana B.S., Dhalla N.S. (1980):
Inhibition of myocardial Na^+ - K^+ adenosine triphosphatase activity by prostaglandins E_2 , $\text{F}_{2\alpha}$ and I_2 (abstr.). Fed. proc. 39: 1103.
- karmazyn M. and Moffat M.P. (1985):
Toxic properties of arachidonic acid on normal ischemic and reperfused hearts. Indirect evidence of free radical involvement.
Prostagland. Leuk. Med. 17: 251-64.
- Karmazyn M. (1986):
Contribution of prostaglandins to reperfusion-induced ventricular failure in isolated rat hearts.
Am. J. Physiol. 251: H133-40 .
- Karmazyn M. (1986a):
Prostaglandins stimulate calcium linked changes in heart mitochondrial respiration.
Am. J. Physiol. 251: H141-147
- Karwatowska-Krynska, E., Beresewicz A. (1983):
Effects of locally release catecholamines on lipolysis and injury of the hypoxic isolated rabbit heart.
J. Mol. Cell. Cardiol. 15: 523-36.
- Keith A., Reimer and Robert B., Jennings (1985):
Effect of calcium channel blockers on myocardial preservation during experimental acute myocardial infarction.
Am. J. Cardiol. 55: 107B-115B .

- Kirmser R., Berger H.J., Cohen L.S., Wolfson S. (1976):
Effect of indomethacin, a prostaglandin inhibitor, on epicardial S.T. elevation and myocardial blood flow after coronary occlusion
Circulation 54(suppl II): II-194 .
- Kleber A.G. (1983):
Resting membrane potential, extracellular potassium activity, and intracellular sodium activity during acute global ischemia in isolated perfused guinea pig hearts.
Cir. Res. 52: 442-50 .
- Klein I., Levey G.S. (1971):
Effects of prostaglandins on guinea pig myocardial adenyl cyclase.
Metabolism 20: 890-896 .
- Kloner R.A., Ganote C.E., Whalen D, Jennings R.B. (1974):
Effect of a transient period of ischemia on myocardial cells: 11. Fine structure during the first few minutes of reflow.
Am. J. Pathol. 74: 399-422 .
- Korchak H.M., Rienne K., Rutherford L.E., Weissmann, G. (1984):
Neutrophil stimulation: receptor membrane, and metabolic events.
Fed Proc. 43: 2749-2754 .
- Kraemer R.J., Phernetton t.M. and Folts J.D. (1976):
Prostaglandin-like substance in coronary venous blood following myocardial ischemia.
J. Pharmacol. Exp. Ther. 199: 611-619 .

- Kramer J.H., Mak I.T., Weglicki W.B. (1984):
Differential sensitivity of canine cardiac sarcolemmal and microsomal enzymes to inhibition by free radical-induced lipid peroxidation.
Cir. Res. 55: 120-124 .
- Ku D.D. (1982):
Coronary vascular reactivity after acute myocardial ischemia.
Science, 218: 576-578 .
- Kupriyanov V.V., Lakomkin V.L., Steinschneider A. Ya., Severina M. yu., kapelko V.I. et al., (1988):
Relationship between preischemic ATP and glycogen content and post-ischemic recovery of rat heart.
J. Mol. Cell Cardiol. 20: 1151-62.
- Kusuoka H., Porterfield J.K., Weisman H.F. et al. (1987):
Pathophysiology and pathogenesis of stunned myocardium: Depressed Ca^{2+} activation of contraction as a consequence of reperfusion-induced cellular calcium overload in ferret hearts.
J. Clin. Invest. 79: 950-961 .
- Lamer J.M.J., Stinis H.T., Montfoort A., Hulsmann W.C. (1984):
The effect of lipid intermediates on Ca^{2+} and Na^{+} permeability and $(\text{Na}^{+} - \text{K}^{+})$ -ATPase of cardiac sarcolemma.
Biochem. Biophys. Acta 774: 127-37 .

Lange L.G. and Sobel B.E. (1982):

Pharmacological salvage of myocardium.
Ann. Rev. Pharmacol. Toxicol. 22: 115 .

Lavery H.A., Iowe R.D., Scroop G.L. (1971):

General autonomic effects of prostaglandin F_{2α}
on the cardiovascular system of the dog.
Br. J. Pharmacol. 41: 454-461 .

Lazdunski M., Frodin C., Vigne P. (1985):

The sodium hydrogen exchange system in cardiac
cells: Its biochemical and pharmacological
properties and its role in regulating internal
concentrations of sodium and internal pH.
J. Mol. Cell. Cardiol. 17: 1029-42 .

**Lebedev A.V., Levitsky d.O., Loginov V.A., Smirnov V.N.
(1982):**

The effect of primary products of lipid
peroxidation on the transmembrane transport of
Ca²⁺ ions.
J. Mol. Cell Cardiol. 14(suppl III): 99-103.

Lederman S.N., Wenger T.L., Harrell F.E. et al. (1987):

Effects of different paced heart rates on
canine coronary occlusion and reperfusion
arrhythmias.
Am. Heart J. 113: 1365-1369 .

Lee H-C, Smith N., Mohabir R. et al. (1987):

Cytosolic calcium transients from the beating
mammalian heart.
Proc. Natl. Acad. Sci. U.S.A. 84: 7793-7797 .

Lefer A.M., Plansky E.W., Bianchi C.P., Narayan S.
(1979):

Influence of verapamil on cellular integrity
and electrolyte concentrations of ischemic
myocardial tissue in the cat.

Basic Res. Cardiol. 74: 555 .

Limas C.J., Cohn J.N. (1974):

Stimulation of vascular smooth muscle sodium,
potassium adenosine triphosphatase by vaso-
dilators.

Cir. Res. 35: 601-607 .

Lo H-M, Kloner R.A., Braunwald E. (1985):

Effect of intracoronary verapamil on infarct
size in the ischemic, reperfused canine heart:
Critical importance of the timing of treatment.

Am. J. Cardiol. 56: 672-677 .

Lucchesi B.R., Mullane K.M. (1986):

Leukocytes and ischemia-induced myocardial
injury.

Ann. Rev. Pharmacol Toxicol, 26: 201-42 .

Lullmann H., Peters, Preuner J., (1983):

Role of plasmalemma for calcium homeostasis
and for excitation-contraction coupling in
cardiac muscle.

In Cardiac Metabolism, ed. A.J. Drake-Holland,
MIM Noble, PP. 1-18, Chichester: Wiley.

- MacGregor R.R., Macarak E.J., Kefalides N.A. (1978):
Comparative adherence of granulocytes to
endothelial monolayers and nylon fiber.
J. Clin. Invest. 61: 697-702 .
- Mahnensmith R.L., Aronson P.S. (1985):
The plasma membrane sodium hydrogen exchanger
and its role in physiological and pathophysio-
logical process.
Cir. Res. 56: 773-88 .
- Mandel F., Kranias E.G., Grassi de Genede A., Sumida,
M., Schwartz A. (1982):
The effect of pH on the transient state
kinetics of Ca^{2+} -ATPase of cardiac sarco-
plasmic. reticulum.
Cir. Res. 50: 310-17 .
- Maras P., Della Grazia, Klugmann S. et al. (1986):
Reperfusion ventricular arrhythmia during
intracoronary thrombolysis.
Eur. Heart J. 7(suppl A): 23-30 .
- Marklund S.L. (1988):
Role of toxic effects of oxygen in reperfusion
damage.
J. Mol. Cell. Cardiol. 20(suppl. II): 23-30 .
- Maroko P.R., Kjekshus J.K., Sobel B.E., Watanabe T.,
Covell J.W., Ross J., Jr. and Braunwald E. (1978):
Factors influencing infarct size following
experimental coronary artery occlusion.
Circulation 43: 413 .

Matsuura, A., Ishihara T., Nakamura K., Himori N., and Nakamura K. (1986):

Protection by the calcium antagonist tiapamil, against cardiac lymphatic enzyme leakage and arrhythmias in canine hearts during reperfusion.

J. Cardiovasc. Pharmacol. 8: 90-98 .

Meils C.M., Gross G.J., Brooks H.L., Wartlier D.C. (1981):

Reduction of myocardial infarct size by the calcium antagonist F.R. 7534 .

Cardiology 68: 148-160 .

Meno H., Kanaide H., Okada M., nakamura M. (1984):

Total adenine nucleotide stores and sarco-plasmic reticular Ca transport in ischemic rat heart.

Am. J. Physiol. 247: H380-86 .

Mercier J.C., Lando U., Kanmatsuse K. et al. (1982):

Divergent effects of inotropic stimulation on the ischemic and severaly depressed reperfused myocardium.

Circulation 66: 397-400 .

Millard R.W., Grupp G., Grupp I.L., DiSalvo J., Depover A., Schwartz A: (1983):

Chronotropic, inotropic, and vasodilator actions of diltrazem, nifedipine, and vera-pamail. A comparative study of physiological responses and membrane receptor activity.

Cir. Res. 52: 29-39 .

Mitsos S.E., Askew T.E., Fantone I.C. et al. (1985):

Protective effects of N-2. mercaptopropionyl
glycine against myocardial reperfusion injury
after neutrophil depletion in the dog:
Evidence for the role of intracellular-derived
free radicals.

Circulation 73: 1077-1086 .

Miyazawa K., Iutuyama H., Komatsu E. et al. (1986):

Effects of propranolol on myocardial damage
resulting from coronary artery occlusion
followed by reperfusion.

Am. Heart J. 111: 919-524 .

Moncada S. Higgs E.A., Vane J.R. (1977):

Human arterial and venous tissues generate
prostacyclin (Prostaglandin X), a potent
inhibitor of platelet aggregation.

Lancet 1: 18-20 .

Moncada S., Vane J.R. (1979):

Pharmacology and endogenous roles of
prostaglandin endoperoxides, thromboxane A₂,
and prostacyclin.

Pharmacol Rev. 30: 293-331 .

Mukherjee A., Bush I.R., McCoy K.E., Duke R.J., Hagler
H., et al., (1982):

Relationship between β -adrenergic receptor
numbers and physiological responses during
experimental canine myocardial ischemia.

Cir. Res. 50: 735-41 .

Mullane K.M., Salmon J.A., Kraemer A. (1987):

Leuckocyte-derived metabolites of arachidonic acid in ischemia-induced myocardial injury.
Fed. Proc. 46: 2422-2433 .

Murphy E., Coll K., Rich T.L., and Williamson J.R. (1980)

Hormonal effects on calcium homeostasis in isolated hepatocytes.
J. Biol. Chem. 255: 6600-6608 .

Murphy J.g., Smith T.W., Marsh J.D. (1988):

Mechanisms of reoxygenation-induced calcium overload in cultured chick embryo heart cells.
Am. J. Physiol. 254: H1133-41 .

Myers C.L., Weiss S.J., Kirsh M.M. et al. (1985):

Involvement of hydrogen peroxide and hydroxyl radical in the oxygen paradox: Reduction of creatine Kinase release by catalase, allopurinol or deferoxamine, but not by the superoxide dismutase.
J. Mol. Cell Cardiol, 17: 675-684 .

Myers M.L., Bolli R., Lekich R.F. et al. (1986):

N-2-mercaptopropionyl glycine improve recovery of myocardial function after reversible regional ischemia.
Am. J. Cell Cardiol. 8: 1161-1168 .

Nakamura M., Koluaya Y., Yamada A., Kikuchi Y., Senda Y., Ikeo T. Sunagawa K., Mori M., Kanazide H. (1979):

Effects of diltiazem a new antianginal drug on myocardial blood flow following experimental coronary occlusion. In: Winbury M.M., Abiko Y., (eds.) Ischemic Myocardium and Antianginal drugs.

New York: Raven Press, 129-142 .

Nakanishi T., Nishioka K., Jarmakani J.M. (1982):

Mechanism of tissue Ca^{2+} gain during reoxygenation after hypoxia in rabbit myocardium.

Am. J. Physiol. 242: H437-49 .

Nayler W.G., Grau A., Slade A. (1976):

A protective effect of verapamil on hypoxic heart muscle.

Cardiovas. Res. 10: 650-662 .

Nayler W.G., Fassiod E., Yopez C. (1978):

Pharmacological protection of mitochondrial function in hypoxic heart muscle: Effect of verapamil, propranolol, and methylprednisolone
Cardiovas Res. 12: 152-161 .

Nayler W.G., Ferrari R., Williams A. (1980):

Protective effect of pretreatment with verapamil, nifedipine and propranolol on mitochondrial function in the ischemic and reperfused myocardium.

Am. J. Cardiol. 46: 242-248 .

Nayler W.G. (1981):

The role of calcium in ischemic myocardium.
Am. J. Pathol. 120: 262-270 .

Nayler W.G. (1982):

Protection of the myocardium against post-ischemic reperfusion damage.
J. thorac. Cardiovasc. Surg. 84: 897-905 .

Nayler W.G. Gordon M., Stephens D.J., Sturrock W.J. (1985):

The protective effect of prazosin on the ischemic and reperfused myocardium.
J. Mol. Cell Cardiol. 17: 685-99.

Nayler W.G., Elz J.S. (1986):

Reperfusion injury: Laboratory artifact or clinical dilemma?
Circulation 74: 215-21 .

Nayler W.G. (1987):

Calcium antagonists and the ischemic myocardium
Int. J. Cardiol, 15: 267-85 .

Nayler W.G., Papagiorgopoulos S., Elz J.S. Daly M.J. (1988)

Calcium-mediated damage during post-ischemic reperfusion.
J. Mol. Cell Cardiol. 20:(suppl II): 41-54 .

Needlman P., Kulkarni P.S., Raz A. (1977):

Coronary tone modulation: Formation and actions of prostaglandins, edoperoxides and thromboxanes
Science 195: 409 . .

Neely J.R., Whitmer J.T., Rovetto M.J. (1975):

Effects of coronary blood flow on glycolytic flux and intracellular pH in isolated rat hearts.

Cir. Res. 37: 733-41 .

Neely J.R., Grottyhann L.W. (1984):

Role of glycolytic products in damage to ischemic myocardium. Dissociation of adenosine triphosphatase level and recovery of function of reperfused ischemic hearts.

Cir. Res. 55: 816-24 .

Nees S., Gerlach E. (1983):

Adenine nucleotide and adenosine metabolism in cultured coronary endothelial cells: formation and release of adenine compounds and possible functional implications in Berne R.M. Rall T.W., Rubio R. (eds.): Regulatory function of Adenosine.

The Hague/boston/London, Martinus Nijhoff Publishing, PP. 347-360 .

Nees S., Bock M., Herzog V., Becker, B.F., Des Rosiers C., Gerlach E. (1985):

The adenine nucleotide metabolism of coronary endothelium: Implications for the regulation of coronary flow by adenosine, in Schubert P., Stefanovich V. Rudolphi K. (eds.): Adenosine: Receptors and Modulation of cells function.

Oxford, IRC Press PP. 419-436 .

Nejima J., Knight D.R., Fallon J.T. et al. (1989):

Superoxide dismutase reduce reperfusion arrhythmia but fail to salvage regional function of myocardium at risk in conscious dog.

Circulation 79: 143-153 .

Neubauer S., Balschi J.A., Springer C.S., Smith T.W., Ingwall J.S. (1987):

Intracellular Na^+ accumulation in hypoxic vs ischemic rat heart Evidence for Na^+ - H^+ exchange.

Circulation 76(suppl. IV) IV: 56 (Abst.).

Nicholls, S.G. (1978):

The regulation of extramitochondrial free calcium ion concentration by rat liver mitochondria.

Biochems. J. 176: 463-474 .

Ogawa K., Ito t., Enomoto I., Hashimoto H., Kai T., Satake T. (1980):

Increase of coronary flow and levels of PGE_1 and $\text{PGF}_{2\alpha}$ from the ischemic area of experimental myocardial infarction.

Adv. Prost. Thromb. Res. 7: 665-669 .

Ogletree M.B., Lefer A.M. (1978):

Prostaglandin-induced preservation of ischemic myocardium.

Cir. Res. 42: 218 .

Opie L.H., Owen E.P., Dennis S.C. (1985):

Glycolysis prevents ischemic contracture
(Abstract).

Circulation 72(suppl III): III-349 .

Opie L.H., Coetzee W.A. (1988):

Role of calcium ions in reperfusion arrhythmias: Relevance to pharmacological intervention.

Cardiovasc. Drugs Ther. 2: 623-636 .

Opie L.H. (1989):

Reperfusion injury and its pharmacological modification.

Circulation 80(4): 1049-1062 .

Otani H., Engelman R.M., Rousou J.A. et al. (1986):

Enhanced prostaglandin synthesis due to phospholipid breakdown in ischemic-reperfused myocardium. Control of its production by a phospholipase inhibitor or free radical scavengers.

J. Mol. Cell Cardiol. 18: 953-61 .

Otani H., Otani H., Das D.K. (1988a):

α_1 -adrenoreceptor-mediated phosphoinositide breakdown and inotropic response in rat left ventricular papillary muscles.

Cir. Res. 62: 8-17 .

Otani H., Prasad R., Engelman M., Otani H., Cordis G.A.
et al., (1988b):

Enhanced phosphodiesteratic breakdown and
turnover of phospho-inositides during reper-
fusion of ischemic rat heart

Cir. Res. 63: 930-36 .

Pallandi R.T., Perry M.A., Campbell T.J. (1987):

Proarrhythmic effects of an oxygen derived
free radical generating system on action

potential recorded from guinea pig ventricular

myocardium: A possible cause of reperfusion-
induced arrhythmias.

Cir. Res. 61: 50-54 .

Palmer R.M.J., Ferrige A.L. Moncada S. (1987):

Nitric oxide release accounts for the
biological activity of endothelium-derived
relaxing factor.

Nature 327: 524-528 .

Pasyk S., Bloor C.M., Khouri E.M. and Gregg D.E. (1971):

Systemic and coronary effects of coronary
artery occlusion in unanesthetized dog.

Am. J. Physiol. 220: 646 .

Patel B., Jeroudi M.O., O'Neill P.g. et al. (1988):

Human superoxide dismutase fails to limit
infarct size after 2 hours ischemia and

Peng C.F., Murphy M.L., Colwell K., Stranb, K.D. (1989):
Controlled versus hyperemic flow during
reperfusion of jeopardized ischemic myo-
cardium.
Am Heart J. 117: 515-522 .

Philipson K.D. Frank J.S., Nishimoto A.Y. (1983):
Effects of phspholipase C on the Na^+ - Ca^{2+}
permeability of cardiac sarcolemmal vesicles.
J. Biol. Chem. 258: 5905-10 .

Philipson K.D. (1985):
Sodium-calcium exchange in plasma membrane
vesicles.
Annu Rev. Physiol. 47-561-71 .

Philipson K.D., Ward R. (1985):
Effects of fatty acids on Na^+ - Ca^{2+} exchange
and Ca^{2+} permiability of cardiac sarcolemmal
vesicles.
J. Biol. Chem. 260: 9666-71 .

Pike M.M., Kitakaze M., Marban E. (1988):
Increase in intracellular free sodium
concentration during ischemia revealed by ^{23}Na
NMR perfused ferret hearts.
Circulation 78(suppl. II): II-56 (Abstr.).

Piper P.J., Letts L.G., Galton S.A. (1983):
Generation of a leukotrien-like substance from
porcine vascular and other tissues.
Prostaglandins 25: 591-9 .

Piwnica- Worms D., Jacob R., Horres C.R., Liebermann M.
(1985):

Na/H exchange in cultured chick heart cells.
Phi regulation. J. Gen Physiol. 85: 43-64 .

Pober J.S., Bevilacqua M.P., Mendrick D.L., Lapierre
L.A., Fiers W., Gimbrone N.A. Jr. (1986):

Two distinct monokines, interleukin 1 and
tumour necrosis factor, each independently
induces biosynthesis and transient expression
of the same antigen on the surface of cultured

human vascular endothelial cells,

J. Immunol 136: 1680-1687 .

Pool-Wilson P.A., Harding D.P., bourdillon P.D.V., Tones
M.A. (1984):

Calcium out of control.
J. Mol Cell Cardiol. 16: 175-87 .

Przyklenk K., Kloner R.A. (1986):

Superoxide dismutase plus catalase improve
contractile function in the canine model of
the "stunned myocardium".
Cir. Res. 58: 148-156 .

Przyklenk K., Kloner R.A. (1989):

"Reperfusion injury" by oxygen-derived free
radicals: Effect of superoxide dismutase plus
catalase, given at the time of reperfusion, on
myocardial infarct size, contractile function,
coronary microvasculature, and regional myo-
cardial blood flow.
Cir. Res. 64: 86-96 .

Rahamathulla P.M., Asharf M. Schwartz A., Benedict J.
(1983):

Effects of diltazem on anoxic injury in the
isolated rat heart.
JACC 1: 1081-1089 .

Ramwell P.W., Leovey E.M.K., Sintetos A.L. (1977):

Regulation of the arachidonic acid cascade.
Biol Reprod. 16: 70-87 .

Rao P.S., Cohen M.V., Mueller H.S. (1983):

Production of free radicals and lipid
peroxides in early experimental myocardial
ischemia.
J. Mol. Cell. Cardiol. 15: 713-16 .

Rapoport R.M. Murad F., (1983):

Agonist-induced endothelium-dependent relaxa-
tion in rat thoracic aorta may be mediated
through cyclic AMP.
Cir. Res. 52: 352-357 .

Reeves J.P., Bailey C.A., Hale C.c. (1986):

Redox modification of sodium-calcium exchange
activity in cardiac sarcolemmal vesicles.
J. Biol Chem. 261: 4948-55 .

Reimer K.A., Lowe J.E. Rasmussen M.M., Jennings R.B.
(1977):

The wavefront phenomenon of ischemic cell
death I. Myocardial infarct size Vs. duration
of coronary occlusion in dogs.
Circulation 56: 786-794 .

Reimer K.A., Lowe J.E., Jennings R.B. (1977):

Effect of the calcium antagonist verapamil on
necrosis following temporary coronary artery
occlusion in dogs.

circulation 55: 581-587 .

Reimer K.A., Jennings R.B., Hill M.L.O. (1981):

total ischemia in dog hearts, in vitro. High
energy phosphate depletion and associated
defects in energy metabolism, cell volume

regulation and sarcolemmal integrity.

Cir. Res. 40: 901-911 .

Reimer K.A., Jennings R.B. (1985):

Effects of calcium-channel blockers on myo-
cardial infarction.

Am. J. cardiol 55: 1078-1158 .

Renlund D.G., Gerstenblith G., Lakatta E.G., Jacobus
W.E., Kakkman C.H. et al. (1984):

Perfusate sodium during ischemia modifies
post-ischemic function and metabolic recovery
in the rabbit heart.

J. Mol. Cell. Cardiol. 16: 795-801 .

Ribeiro L.G.I., Brandon T.A., Hopkins D.G., Reduto L.A.,
Taylor A., Miller R.R. (1981):

Protacyclin in experimental myocardial
ischemia.

Am. J. Cardio. 47: 835 .

Rich T.L., Langer G.A. (1982):

Calcium depletion in rabbit myocardium.
Calcium paradox protection by hypothermia and
cation substitution.
Cir. Res. 51: 131-141 .

Richard V.J., Murry C.E., Jennings R.B., Reimer K.A.
(1988):

Therapy to reduce free radicals during early

reperfusion does not limit the size of
myocardial infarct caused by 90 minutes of
ischemia in dogs.

Circulation 78: 473-488 .

Robb-Nicholson, Currie W.D., Wechsler A.S. (1978):

Effects of verapamil on myocardial tolerance
to ischemic arrest. Comparison to potassium
arrest.

Circulation 58: suppl 1: 1-119-1-124 .

Rossen R.D., Swain J.L., Michael L.H., Weakley S.,
Giannini E., Entman N.L. (1985):

Selective accumulation of the first component
of complement and leuckocytes in ischemia
canine heart muscle: A possible initiator of an
extramyocardial metabolism of ischemic injury.
Circ. Res. 57: 119-130.

Rottenberg H. and Scarpa A. (1974):

Calcium uptake and membrane potential

Rowe g.T., Manson N.H., Caplan M. et al. (1983):

Hydrogen peroxide and hydrogen radical mediation of activated leukocyte depression of cardiac sarcoplasmic reticulum: Participation of the cyclooxygenase pathway.

Cir. Res. 53: 584-591 .

Rubanyi G.M., Vanhoutte P.M. 1985):

Hypoxia releases a vasoconstrictor substance from the canine vascular endothelium.

J. Physiol. 365: 45-56 .

Rude R.E., Muller J.E. and Braunwald E. (1981):

Efforts to limit size of myocardial infarction.

Ann. Intern. Med. 95: 736.

Ryan U., Schultz D., Ryan J. (1981):

Fc and C3b receptors on pulmonary endothelial cells: Induction by injury.

Science 214: 557-558 .

Sacks T., Moldow C.F., Carddock P.R., Bowers T.K., Jacob H.S. (1978):

Oxygen radicals mediate endothelial damage by complement-stimulated granulocytes.

J. Clin. Invest. 61: 1161-1167 .

Saman S., Coetzee W.A., Opie L.H. (1988):

Inhibition by simulated ischemia or hypoxia of delayed after depolarisations provoked by cyclic AMP: Significance for ischemic and reperfusion arrhythmias.

J. Mol. Cell. Cardiol. 20: 91-95 .

Samuelsson B., Goldyne M., Granstrom E., Hamberg M.,
Hammarstrom S., Molmsten C. (1978):
Prostaglandins and thromboxanes.
Ann. Rev. Biochem. 47: 997-1029 .

Sasayama S., Takahashi M., Nakamura M., Ohyagi A.,
yamamoto A., Shimada T., Kawal C. (1981):
Effect of diltiazem on pacing-induced ischemia

In conscious dogs with coronary stenosis:

Improvement of postpacing deterioration of
ischemic myocardial function.

Am. J. Cardiol. 48: 460-467 .

Schaper W. (1979):

Residual perfusion of acutely ischemic heart
muscle. In: Schper W., (Ed.). The
pathophysiology of Myocardial Perfusion.
New York: elsevier/North-Holland biomedical
Press. 345-378.

Schaper W., Benz K., Sass S., et al., (1987):

Influence of collateral blood flow and of
variation in MVO_2 on tissue ATP content in
ischemic and infarcted myocardium.
J. Mol. Cell. Cardiol. 19: 19-37 .

Schmitz J.M., Apprill P.G., BuJa L.M. et al. (1985):

Vascular prostaglandin and thromboxane
production in canine model of myocardial

Schomig A., Dart A.M., Dietz R., Mayer E., Kubler W. (1984):

Release of endogenous catecholamines in the ischemic myocardium of the rat. Part A: Locally mediated release.

Circ. Res. 55: 689-710 .

Schwartz A., Grupp G., Millard R.W., Grupp I.L. Lathrop D.A., Matlib M.A. Vaghy P.L. and Valle J.R. (1981):

Calcium channel blockers: Possible mechanisms of protective effects in the ischemic myo-

cardium. In: New Perspectives on Calcium Anta-

gonists, edited by Weiss G.B., Bethesda M.D. Am. Physiol. Soc., P. 191-210 .

Sedlis S.P., Corr P.B., Sobel B.E., and Ahumada G.G., (1983):

Lysophosphatidyl choline potentiates Ca^{++} accumulation in rat cardiac myocytes.

Am. J. Physiol. 13: H32 .

Selwyn A.P., Welman E., Fox K., Horlock P., Partt T., Klein M. (1979):

The effects of nifedipine on acute experimental myocardial ischemia and infarction in dogs.

Circ. Res. 44: 16-23 .

Semdlly L.A., tonnesen M.G., Sandhaus R.A., Haslett C., Guthrie L.A., Johnston R.B. Jr., Henson P.M., Worthen G.S. (1986):

Neutrophil-mediated injury to endothelial

Sharma A.D., Saffitz J.E., Lee B. (1983):

Alpha adrenergic mediated accumulation of calcium in reperfused myocardium.

J. Clin. Invest. 72: 802-18 .

Shell, W.E., Kjekshus J.K and Sobel b.E. (1971):

Quantitative assessment of the extent of myocardial infarction in conscious dog by means of analysis of serial changes in serum creatine phosphokinase activity.

J. Clin. Invest. 50: 2614 .

Shen A.C., Jennings R.B. (1972a):

Myocardial calcium and magnesium in acute ischemic injury.

Am. J. Pathol. 67: 417-440 .

Shen A.C. and Jennings R.B. (1972b):

Kinetics of calcium accumulation in acute myocardial ischemic injury.

Am. J. Pathol. 67: 417-440 .

Sherman L.G., Liang C., Boden W.E., Hood W.B. Jr. (1981):

The effect of verapamil on mechanical performance of acute ischemic and reperfused myocardium in the conscious dog.

Cir. Res. 48: 224-232 .

Shine K.I. and Douglas A.M. (1983):

Low calcium reperfusion of ischemic myocardium.

J. Mol. Cell Cardiol. 15: 251-260 .

Siegel M.I., McConnell R.T., Abrahams S.L., Porter N.A.,
Cuatrecasas P. (1979):

Regulation of arachidonic metabolism via
lipoxygenase and cyclooxygenase by 12-HPETE,
the product of human platelet lipoxygenase.

Biochem. Biophys Res. Comm. 89: 1273-1280.

Simionescu M., Simionescu N. (1978):

Isolation and characterization of endothelial
cells from the heart microvasculature.

Microvasc. Res. 16: 426-452 .

Smith H.J., Singh B.N., Nisbet H.D. Norris R.M. (1975):

Effects of verapamil on infarct size following
experimental coronary occlusion.

Cardiovasc. Res. 9: 569 .

Smith H.J., Goldstein R.A., Griffith J.M., Kent K.M. and
Epstein S.E. (1976):

Regional contractility-selective depression of
ischemic myocardium by verapamil.

Circulation 54: 629-635 .

Smith H.J., Singh B.N., Norris, R.M. Nisbet H.D., Hohn
M.B., Hurley P.G. (1977):

The effect of verapamil on experimental myo-
cardial ischemia with a particular reference
to regional myocardial blood flow and
metabolism.

Aust N.Z. J. Med. 114-121 .

Smith J.B. (1980):

The prostanoids in hemostasis and thrombosis,
Am. J. Pathol. 99: 743-804 .

Sobel B.E. and Shell W.E. (1973):

Jaopardized blighted and necrotic myocardium,
Circulation 47: 215 .

Sparks H.V. Jr., Bardenheuer H. (1986):

Regulation of adenosine formation by the
heart,

Cir. Res. 58: 193-201 .

Spedding M., Mir. A.K. (1987):

Direct activation of calcium-channels by
palmityl carnitine, a putative endogenous
ligand.

Br. J. Pharmacol. 92: 457-468 .

Sperelakis N. (1988):

Regulation of calcium slow channels of cardiac
muscle by cyclic nucleotides and phospho-
rylation.

J. Mol. Cell. cardiol. 20(suppl II): 75-106 .

Steenbergen C., Hill M.L. Gennings R.B. (1987):

Cytoskeletal damage during myocardial ische-
mia: changes in vinculin immunofluorescence
staining during total in vitro ischemia in
canine heart.

Cir. Res. 60: 478-86 .

- Stewart J.R., Crute S.L., Loughlin V. et al. (1985):
Prevention of free radical-induced myocardial
reperfusion injury with allopurinol.
J. Thorac Cardiovasc. Surg. 90: 68-72 .
- Sun F. (1974):
Metabolism of PGF_{2α} in the rat.
Biochem. Biophys. Acta 348: 249 .
- Surawicz b. (1972):
Clinical significance of primary T wave
abnormalities. In Schlant, R.C., and Hurst
J.W. (eds.): Advances in electrocardiography.
New York, Grune and Stratton, 1972, PP.
377-421.
- Szasz G., Gruber W., Bernt E. (1976):
Clin. Chem. 22: 650-656 .
- Taegtmeyer H., Roberts A.F.C., Raine A.E.G. (1985):
Energy metabolism in reperfused heart muscle:
Metabolic correlates to return of function.
Am. J. Cell Cardiol 6: 864-870 .
- Takahashi K., Kako K.J. (1983):
The effect of a calcium channel antagonist,
nisoldipine on the ischemic-induced change of
canine sarcolemmal membrane.
Basic Res. Cardiol 78: 326-337 .

Tanabe M., Terashita Z., Nishikawa K., Hirata M. (1984):
Inhibition of coronary circulatory failure and
thromboxane A₂ release during coronary
occlusion and reperfusion.
J. Cardiovasc Pharmacol 6: 442-448 .

Tani M., Neely J.R. (1988a):
Hearts from diabetic rats are more resistant
to invitro ischemia: Possible role of altered
Ca²⁺ metabolism.
Cir. Res. 62: 931-40 .

Tani M. Neely J.R. (1988b):
Intracellular Na(NaI) calcium uptake and vent-
ricular function of reperfused ischemic rat heart
circulation 78(suppl II) II-642 (Abstr.).

Tani M., Neely J.R. (1988c):
Intermittent perfusion of ischemic hearts
lowers intracellular Na(NaI) accumulation and
improves recovery of function.
Circulation 78: (suppl. II) II-641 (Abstr.).

Tani M., Neely J.R. (1988d):
Low flow anoxic perfusion of ischemic hearts
reduces intracellular Na(NaI) and attenuates
reperfusion Ca²⁺ overload and depressed
ventricular function.
Circulation 78(suppl. II) II-215 (Abstr.).

Tani M., Neely J.R. (1988e):

Failure of anti free radical interventions to attenuate Ca^{2+} overload and depressed ventricular function of reperfused ischemic hearts. Circulation 78 (Suppl. II) II: 343 (Abst.)

Tani M., Neely J.R. (1989):

Role of intracellular Na^+ in Ca^{2+} overload and depressed recovery of ventricular function of reperfused ischemic rat hearts.

Possible involvement of H^+-Na^+ and $\text{Na}^+-\text{Ca}^{2+}$ exchange..

Cir. Res. 15: In press .

Tani M., Neely J.R. (1990a):

Intermittent perfusion of ischemic myocardium: Possible mechanisms of the protective effects on mechanical function in isolated rat heart. circulation 81: In press .

Tani M., Neely J.R. (1990b):

Na^+ accumulation increases Ca^{2+} overload and impairs function in anoxic rat heart.

J. Mol. Cell cardiol. 22: In press.

Tani M., Neely J.R. (1990c):

Vascular washout reduces Ca^{2+} overload and improves function of reperfused ischemic hearts. Am. J. Physiol 258: In press.

Tani M., Neely J.R. (1990d):

Mechanisms of reduced reperfusion injury by low Ca^{2+} and/or high K^+ .

Am J. Physiol. 258 .

Tani M. (1990e):

Mechanisms of Ca^{2+} overload in reperfused ischemic myocardium.

Annu Rev. Physiol. 52: 543-59 .

Tillmanns H., Leinberger H., Neumann F.J., Steinhausen M., parkeh N., Zimmermann R. 91984):

Early microcirculatory changes during brief ischemia-Primary events in ischemic myocardial injury (abstract)?

Circulation 70(suppl II) II-88 .

Tosaki A., Szekeres L., Hearse D.J. (1987):

Diltiazem and the reduction of reperfusion-induced arrhythmias in the rat: Protection is secondary to modification of ischemic injury and heart rate.

J. Mol. Cell. Cardiol. 19: 441-451 .

Trachte G.J., Lefer A.M., Aharany D., Smith J.B.(1979):

Potent constriction of cat coronary arteries by hydroperoxides of arachidonic acid and its blockade by anti-inflammatory agents.

Prostaglandins 8: 909-914 .

Tripathi R.M. and Kaushal R. (1988):

Effect of some non-steroidal anti-inflammatory drugs on ouabain-induced arrhythmias in guinea Pigs. Br. J. Pharmacol 93: 747-750 .

- Uraizee A., Reimer K.A., Murry C.E. et al. (1987):
 Failure of superoxide dismutase to limit
 infarct size after 40 minutes of ischemia and
 4 days of reperfusion in dogs.
 Circulation 75: 1237-1248 .
- Vaghy P.L., J.L., J.D. Hohnson, M.A. Matlib, T. Wang,
 and A. Schwartz (1982):
 Selective inhibition of Na^+ - induced Ca^{2+}
 release from heart mitochondria by diltiazem
 and certain other Ca^{2+} autoagonist drugs.
 J. Biol. Chem. 257: 6000-6006 .
- Vanhoutte P.M., Pinule T.J., Elz C.E. (1982):
 Calcium and α -adrenoreceptors in activation of
 vascular smooth muscle.
 J. Cardiovasc. Pharmacol, 4: 5280-86 .
- Vanhaecke J., Van de Werf F., Jang I-K et al. (1988):
 Despite superoxide dismutase treatment,
 post-ischemic contractile dysfunction persists
 after 4 hours of reperfusion (abstract).
 Am. J. Cell Cardiol 11: 164A .
- Vivaldi M.T., Kloner R.A., Frederick J.S. (1985):
 Triphenyltetrazolium staining of irreversible
 ischemic injury following coronary artery
 occlusion in rats.
 Am. J. Pathol. 121: 522-530 .
- Vouche P.R., Helias J., Grondin C.M. (1980):
 Myocardial protection through cold cardioplegia
 using diltiazem. a calcium channel- blocker.
 Ann Thorac Surg. 30: 342-348 .

Watts J.A., Koch C.D., LaNoue K.F. (1980):

Effects of Ca^{2+} antagonism on energy metabolism: Ca^{2+} and heart function after ischemia.
Am. J. Physiol. 238: H909-16 .

Weintraub W.S., Hattori S., Agarwal J., Bodenheimer M.M., Banka V.S., Holfant R.H. (1981):

Variable effect of nifedipine on myocardial blood flow at three grades of coronary occlusion in the dog.
Cir. Res. 48: 937-942 .

Weishaar R., Askikawa K., Bing R.J. (1970):

Effect of diltiazem, a calcium antagonist, on myocardial ischemia .
Am. J. Cardiol 43: 1137-1143 .

Weishaar R.E., Bing R.J. (1980):

The beneficial effect of a channel blocker, diltiazem on the ischemic reperfused heart.
J. Mol. Cell cardiol. 12: 993-1009 .

Wende W., Bleifeld W., Meyer J., Stuhlen H.W. (1975):

Reduction of the size of acute, experimental myocardial infarction by verapamil.
Basic Res. Cardiol. 70: 198 .

Werns S.W., Shea M.J., Driscoll E.M. et al. (1985):

The independent effects of oxygen radical scavengers on canine infarct size: Reduction by superoxide dismutase but not catalase.
Cir. Res. 56: 895-898 .

Werns S.W., Shea M.J., Mitsos S.E. et al. (1986):

Reduction of the infarct size of infarction by allopurinol in the ischemic-reperfused canine heart.

Circulation 73: 518-524 .

Whalen D.A., Hamilton D.G., Ganote C.E., Jennings R.B. (1974):

Effect of transient period of ischemia on myocardial cells. 1. Effects on cell volume regulation.

Am J. Pathol. 74: 831-897 .

Wilde A.A.M., Kleber A.G. (1986):

The combined effects of hypoxia, high K^+ , and acidosis on the intracellular sodium activity and resting potential in guinea pig papillary muscle.

Cir. Res. 58: 249-56 .

Williamson, J.R., Cooper R.H. and Hoek J.B. (1981):

Role of calcium in the hormonal regulation of liver metabolism.

Biochem. Biophys. Acta. 639: 243-295 .

Williams A. (1983):

Mitochondria. In cardiac metabolism, ed. A.J.

Drake-Holland,

MIM Noble, PP. 151-171, Chichester: Wiley.

Wolkowicz P.E., Michael L.H., Lewis R.M., McMillin-Wood J. (1983):

Sodium-calcium exchange in dog heart mitochondria: Effects of ischemia and verapamil.
Am. J. Physiol 244: H644-H651 .

Word P.A., Hill J.H. (1970):

C5 chemotactic fragments produced by an enzyme in lysosomal granules of neutrophils.
J. Immunol 104: 535-543 .

Yamazaki S., Fujibayashi Y., Rajagopalan R.E. et al. (1986):

Effects of staged versus sudden reperfusion after acute coronary occlusion in the dog.
J. Am. Coll. Cardiol. 7: 564-572 .

Yanagisawa M., Kurihara H., Kimura S., Tomobe Y., Kobayashi J., Mitsui Y., Yaazaki Y., Goto K., Masaki T. (1988):

A novel potent vasoconstrictor peptide produced by vascular endothelium.
Nature 332: 411-415 .

Ytrehus K., Gumes S., Myklebust R. et al. (1987):

Protection by superoxide dismutase and catalase in the isolated rat heart reperfused after prolonged cardioplegia: A combined study of metabolic, functional, and morphometric ultrastructural variables.
Cardiovasc. Res. 21: 492-499 .

Zimmerman A.N.E., Hulsmann W.C. (1986):

Paradoxical influence of calcium ions on the permeability of the isolated rat heart.

Nature 211: 646-647 .

Zweier J.L., Flaherty J.T., Weisfeldt M.L. (1987):

Direct measurement of free radical generation following reperfusion of ischemic myocardium.

Proc. Natl. Acad. Sci U.S.A. 84: 1404-1407 .

Zweier J.L. (1988):

Measurement of superoxide-derived free radicals in the reperfused heart.

J. Biol Chem. 263: 1353-57

Zweier J.L., Kuppusamy P., Lutty G.A. (1988):

Measurement of endothelial cell free radical generation: Evidence for a central mechanism of free radical injury postischemic tissues.

Proc. Natl. Acad. Sci 85: 4046-4050 .

Zyvoloski M.G., Brooks H.L., Gross G.J., Warltier D.C. (1982):

Myocardial perfusion distal to an acute or chronic coronary artery occlusion: Effects of diltiazem and nifedipine.

J. Pharmacol Exp. Ther. 222: 494-500 .