

REFERENCES

REFERENCES

Abdou, A.A. (1994):

Family reactions and interactions towards mentally retarded children. M.Sc thesis. Faculty of medicine. Cairo university.

Abramowicz, H.K., Richardson, S.A. (1975):

Epidemiology of severe M.R in children community studies.
Am. J. Ment. Defic., 80 (1): 18-39.

American Psychiatric association, (1994) :

Diagnostic and statistical manual of mental disorders.4th edition, revised, p. 28-33. American Psychiatric association, Washington.

Antt-Ramo, I. and Granstrom, M.L. (1991):

The effect of intrauterine alcohol exposition in various durations on early cognitive development,
Neuropediatrics, 22 (4): 203 - 10.

Baker, B. L. Landen, S. J. and Kashima, K.J. (1991) :

Effects of parent training on families of children with mental retardation: increased burden or generalized benefit?
Am. J. Ment. Retard., 96: 127-137.

Bateson, G. (1993):

Diagnosis in orthopaedics, Apley's system of orthopaedics and fractures. (ed. A. Graham Apley), 17thed, P.P.(3-31), Butterworth, Heinemann, Ltd, Oxford, Great Britain.

Beckman, P. J. (1983) :

Influence of selected child characteristics on stress in families of handicapped infants.
Am. J. Ment. Defic., 88: 150 - 156.

Bennet, F.C. and Guralnick, M.J. (1991) :

Effectiveness of development intervention in the first 5 years of life.
Paediatr. Clin. North Am., 38: 1513 - 8.

- Escobar, G. J., Littenberg, B. and Petitti, D.B. (1991);**
Outcome among surviving very low birth weight infants.
Arch. Dis. Child., 66: 204 –11.
- Fahmi, S. I. and EL-Sherbini, A.F. (1983):**
Determining simple parameters for social classification for health research. Bulletin of H.I.P.H.
- Falloon, J.; Eddy, J. and Wiener, L. (1989):**
Human immune deficiency virus infection in children.
J. Pediatr., 114:1-30.
- Fang, F. and Dong, Y.S. (1997):**
Effects of cytomegalovirus hepatitis on growth, development and nervous system of infants. A follow up study.
Chin. Med. J. Engl., 104 (2):138 – 41.
- Farmer, R.D.T., and Miller, D.L., (1983):**
The epidemiology of some diseases of importance or interest, Lecture notes on epidemiology and community medicine. 2nd ed., pp.88- 107, Black well scientific publications, Boston Mel Bourne, oxford, London, Edinburgh.
- Filbey, D.; Berseus, O.; Lindberg, S. and Westrom, G. (1987):**
A management program for Rhesus allo immunization during pregnancy.
Early Human Development, 15: 11.
- Flynt, S.W and Wood, T.A. (1989):**
Stress and coping of mothers of children with moderate mental retardation.
Am. J. Ment. Retard., 94: 278 – 283.
- Forfar, J.O. and Arneil, G.C. (1973):**
Text book of paediatrics. P. 270, Churchill Livingstone, Longman group limited. Edinburgh. London.
- Fredericks, D.W. and Williams, W.L. (1998):**
New definition of mental retardation for the American Association of Mental retardation.
Image. J. Nurs. Sch., 30:153-6.

Frey, K.S., Green Berg, M.T and Fewell, R.R (1989):

Stress and coping among parents of handicapped children: a multidimensional approach.
Am. J. Ment. Retard. 94: 240-249.

Fryers, T. (1997) :

Persons with mental handicaps, Oxford text book of psychiatry, The practice of public health. (ed. Roger Deteles), third ed.. Volume 3. pp. (1451 : 1477), Oxford university press, New York, U.SA.

Gandahusada, S. (1991):

Study on the prevalence of toxoplasmosis in Indonesia : A review, Southeast Asians.
J. Trop. Med. Public Health, 22: 93 – 8.

Gelder, M., Gath, D. and Mayou, R. (1993):

Mental retardation, Oxford textbook of psychiatry. 2nd edition, p.825 – 845, Oxford University press, Oxford, Great Britain.

Gillberg, C. (1997):

Practitioner review: Physical investigations in mental retardation.
J. Child psychol. Psychiatry, 38(8):889-97.

Gildden , L.M. (1993):

What we don't know about families with Children who have developmental disabilities. Questionnaire on resources and stress as a case study.
American Journal on Mental Retardation, 97: 487-495.

Halpern, J.P., Boyages, S.C, Maberly, G.F, Collins, J.K., Eastman, C.J. and Morris, J.G. (1991):

The neurology of endemic cretinism. A study of two endemias.
Brain., 114 (Pt2): 825-47.

Hamza, G.M. (1992):

The effects of counseling programs for parents on changing their attitudes towards their mentally retarded children and on improving their child's adaptation. PH.D. thesis in education. Faculty of education, Ain shams university, Cairo, Egypt.

Hayes, A. and Batshaw, M.L. (1993):

Down syndrome.
 Pediatr. Clin. North. Am., 49: 523-535.

Herbst, D.S and Miller J.R. (1980):

Non specific X linked mental retardation , the frequency in
 British coulumbia.
 Am. J. Med. Genet. ,7 :461 – 469.

Herzig, M.E. (1972):

Intellectual levels of school aged children severely mal-
 nourished during the first two years of life.
 Pediatrics, 49: 814.

Hetzel, B.S. (1986):

Mental defect due to iodine deficiency. A major international
 public health problem that can be eradicated . In science and
 service in mental retardation. (ed). J. M. Berg, P. 297, Methuen.
 London.

Innes, G., Kidd, C. and Ross, H.S (1968):

Mental subnormality in North East Scotland .
 British Journal of psychiatry, 114: 35-40

Islam, S., Durkin, M.S. and Zaman, S.S. (1993):

Socio-economic status and the prevalence of mental retardation
 in Bangladesh.
 Men. Retard., 31 9(6): 412

Jervis, G.A, (1953):

Phenylpyruvic oligopherenia: deficiency of pyhenylalanine
 oxidizing system.
 Proc. Soc. Exp. Bol. Med., 82: 514.

Kamal, S. (1995):

Audiological and visual manifestations in Down syndrome as a
 contributing factor for mental retardation. M.Sc. thesis in
 pediatrics, Cairo university.

Kaplan, H.T and Sadock, B.J. (1989):

Mental retardation, comprehensive text book of psychiatry.
 Michael G. fisher (ed.), Volume 2,pp. 1782 – 1772, Williams,
 Wilkins, Baltimore, U.S.A.

- Kaplan, H., T., Sadock, B.J and Grebb, J.A. (1998):**
Mental retardation, Kaplan and sadock's synopsis of psychiatry, Behavioral sciences, Clinical psychiatry. David C. ret ford (ed.), 1015 : 1041, Williams, Wilkins, USA.
- Katusic, S.K, Coliogan, R.C., Beard, C.M., O'fallon, W.M., Bergstrath, E.J., Jacobsen, S.J. and Kurland, L.T. (1995):**
Mental retardation in a birth cohort: 1976-1980, Rochester, Minnesota.
Am. J. Ment. Retard., 100:335-344.
- Kerby, D.S and Dawson, B.L. (1994):**
Autistic features, personality and adaptive behaviour in males with the fragile X syndrome and no autism.
Am. J. Ment. Retard., 98:455 – 462.
- Kerr, A.M. and Stervenson, J. B.P (1985):**
Rett's syndrome in the west of Scotland.
British Medical Journal, 291: 579 – 582.
- Khalil, I.F. (1995):**
Child health, Handicapping, Public Health administration, Community medicine.PP.111-115, El-Faress, Cairo, Egypt.
- Kiehy, M. (1987):**
The prevalence of mental retardation.
Epidemiol. Rev., 9: 194 – 218.
- Kinnell, H.G. (1987):**
Fragile X syndrome : an important preventable cause of mental handicap.
British medical Journal, 295:564.
- Kinsbourne, M. (1990):**
Disorders of mental development, Textbook of child neurology. (John H. Menkes ed.), Fourth edition, P.P. 767 – 769, Lea and febiger, USA.
- Kirkilionis, A.J., Cludley, A.E.; Gregory, C.A. and Hamerton, J.L (1997):**
Molecular and clinical overlap of Angelman and prader-Willi syndrome phenotypes.
Am. J. Med. Genet., 15; 40 (4) : 454 –9.

Hayes, A. and Batshaw, M.L. (1993):

Down syndrome.
 Pediatr. Clin. North. Am., 49: 523-535.

Herbst, D.S and Miller J.R. (1980):

Non specific X linked mental retardation , the frequency in
 British coulumbia.
 Am. J. Med. Genet. ,7 :461 – 469.

Herzig, M.E. (1972):

Intellectual levels of school aged children severely mal-
 nourished during the first two years of life.
 Pediatrics, 49: 814.

Hetzel, B.S. (1986):

Mental defect due to iodine deficiency. A major international
 public health problem that can be eradicated . In science and
 service in mental retardation. (ed). J. M. Berg, P. 297, Methuen.
 London.

Innes, G., Kidd, C. and Ross, H.S (1968):

Mental subnormality in North East Scotland .
 British Journal of psychiatry, 114: 35-40

Islam, S., Durkin, M.S. and Zaman, S.S. (1993):

Socio-economic status and the prevalence of mental retardation
 in Bangladesh.
 Men. Retard., 31 9(6): 412

Jervis, G.A, (1953):

Phenylpyruvic oligophrenia: deficiency of pyhenylalanine
 oxidizing system.
 Proc. Soc. Exp. Bol. Med., 82: 514.

Kamal, S. (1995):

Audiological and visual manifestations in Down syndrome as a
 contributing factor for mental retardation. M.Sc. thesis in
 pediatrics, Cairo university.

Kaplan, H.T and Sadock, B.J. (1989):

Mental retardation, comprehensive text book of psychiatry.
 Michael G. fisher (ed.), Volume 2,pp. 1782 – 1772, Williams,
 Wilkins, Baltimore, U.S.A.

- Kaplan, H., T., Sadock, B.J and Grebb, J.A. (1998):**
Mental retardation, Kaplan and sadock's synopsis of psychiatry, Behavioral sciences, Clinical psychiatry. David C. ret ford (ed.), 1015 : 1041, Williams, Wilkins, USA.
- Katusic, S.K, Coliogan, R.C., Beard, C.M., O'fallon, W.M., Bergstrath, E.J., Jacobsen, S.J. and Kurland, L.T. (1995):**
Mental retardation in a birth cohort; 1976-1980, Rochester, Minnesota.
Am. J. Ment. Retard., 100:335-344.
- Kerby, D.S and Dawson, B.L. (1994):**
Autistic features, personality and adaptive behaviour in males with the fragile X syndrome and no autism.
Am. J. Ment. Retard., 98:455 – 462.
- Kerr, A.M. and Stervenson, J. B.P (1985):**
Rett's syndrome in the west of Scotland.
British Medical Journal, 291: 579 – 582.
- Khalil, I.F. (1995):**
Child health, Handicapping, Public Health administration, Community medicine.PP.111-115, El-Faress, Cairo, Egypt.
- Kiely, M. (1987):**
The prevalence of mental retardation.
Epidemiol. Rev., 9: 194 – 218.
- Kinnell, H.G. (1987):**
Fragile X syndrome : an important preventable cause of mental handicap.
British medical Journal, 295:564.
- Kinsbourne, M. (1990):**
Disorders of mental development, Textbook of child neurology. (John H. Menkes ed.), Fourth edition, P.P. 767 – 769, Lea and febiger, USA.
- Kirkilionis, A.J., Chudley, A.E.; Gregory, C.A. and Hamerton, J.L (1997):**
Molecular and clinical overlap of Angelman and prader-Willi syndrome phenotypes.
Am. J. Med. Genet., 15: 40 (4) : 454 –9.

Krauss, M.W. (1993):

Child related and parenting stress: similarities and differences between mothers and fathers of children with disabilities.
Am. J. Ment. Retard., 97: 393 – 404.

Lee, W.R. and Moore, M.R. (1990):

Low level exposure to lead.
Br. Med. J., 301: 504 – 505.

Liederman, J. and Flamunery, K.A. (1995):

The sex ratios of families with a neuro-developmentally disordered child.
Journal of child psychology and psychiatry, 36: 511 – 517.

Madhavan, T. and Narayan, J. (1991):

Consanguinity and mental retardation
J. Ment. Defic. Res., 35 (Pt2) : 132 –9.

Malm, G., Forsgren, M., El Azazi, M. and Persson, A. (1991):

A follow up study of children with neonatal herpes simplex virus infections with particular regard to late nervous disturbances.
Acta. Paediatr. scand., 80 (2) : 226 –34.

Martin, S.L. Ramey, C.T. and Ramey, S. (1990):

The prevention of intellectual impairment in children of impoverished families: Findings of a randomized trial of educational day care.
Am. J. public Health , 80:844 – 847.

McKay, H. F., McKay, A.C. and Sinisterra, I. (1969):

Behavioral effects nutritional recuperation and programmed stimulation of moderately malnourished preschool age children. Read before the annual meeting of the American Association for the advancement of science, Boston.

McKeown T.; Record R.G. (1976):

Relationship between childhood infections and measured intelligence.
Br. J. Prev. Soc. Med., 30 (2): 101-6.

McLaren, J. and Bryson S.E. (1987):

Review of recent epidemiological studies of mental retardation: Prevalence, associated disorders and etiology.
Am. J. Ment. Retard., 92: 243 – 254.

Meier, J.H. (1972):

A survey of infant stimulation and intervention programs; In parent counseling and infant stimulation. Workshop proceeding, April, Denver, Col: Mountain. Plains Regional center.

Melika, L.K. and Ahmed, M.A. (1991):

مقياس "ستانفورد- بينيه" للذكاء، كراسة التعليمات ومعايير ونماذج التصحيح، مراجعة سنة ١٩٧٣ ميلادية مكتبة النهضة المصرية القاهرة - مصر

Mervis, C.A.; Decufle, P.; Murphy, C.C and Yeargin. Allsopp. M. (1995):

Low birth weight and the risk for mental retardation later in childhood.
paediatr. Perinat. Epidemiol., 9 (4): 455 –68.

Minnes, P.M. (1988):

Family resources and stress associated with having a mentally retarded child.
Am. J. Ment. Retard., 93:184-192.

Munro, J.D., (1986) :

Epidemiology and the extent of mental retardation, Psychiatric perspectives on mental retardation.
Psychiatr. Clin. North Am., 9 : 591-624.

Murphy, C.C, Yeargin-Allsopp, M. Decoufle, P. and Drews, C.D. (1995):

The administrative prevalence of mental retardation in 10- year old children in metropolitan Atlanta (1985), through (1987).
Am. J. Public Health, 85: 319 –323.

Nelson, W.E., Behrman, R.E. and Vaughan, V.C. (1987):

Growth and development, Nelson textbook of pediatrics.
Thirteenth edition, PP. 18-19, W.B. Saunders company.
Harcourt Brace Jovanovich, Inc, Philadelphia.

Nikolic, V. and Jovanoic, G. (1991):

Social factors related to deficient mental development.
Med. Pregl., 44 (9-10) : 419-22.

Nutritional Institute Manual (1996):

دليل الغذاء الصحي للأسرة المصرية - معهد التغذية - الطبعة الثانية - جمهورية مصر العربية .

Otake, M., Schull, W.J. and Yoshimaru, H. (1991):

A review of forty five years study of Hiroshima and Nagasaki atomic bomb survivors, brain damage among the prenatally exposed.
J. Radiat- Res. Tokyo, 32 Suppl.: 249-64.

Peckham, C.S. (1984):

Cytomegalovirus. In scientific studies in mental retardation.
(ed. J. Doobing), P.220, Macmillan, London.

Pitt, D.B. and Danks, D.M. (1991):

The natural history of untreated phenyl ketonuria over 20 years.
J. Peadiatr-Child. Health, 27 (3): 189-90.

Pruess, J.B.; Fewell, R.R and Bennett, F.C. (1989):

Vitamin therapy and children with Down syndrome.
Exptional. Children, 55 :336-41.

Pullarkat, R.K. (1991):

Hypothesis: Prenatal ethanol-induced birth defects and retinoic acid.
Alochol. Clin. Exp. Res., 15 (3): 565-7.

Rantakallio, P. (1987):

Social class differences in mental retardation and subnormality.
Scand. J. Lsoc. Med., 15 (2) : 63-6.

Richardsan, S.A., Katz, M. and Koller, H. (1986):

Sex differences in number of children administratively classified as mildly mentally retarded: an epidemiological review.
Am. J. Ment. Defic., 91: 250 -256.

Roy, S. and Arant, B.S. (1981):

Hypokalemic metabolic alkalosis in normotensive infants with elevated plasma renin activity and hyperaldosteronism: Role of dietary chloride deficiency.
Pediatrics, 67:423.

Salisbury, C.L. (1990):

Characteristics of users and nonusers of respite care.
Ment. Retard., 28:291-297.

Sbonkoff, J.P. (1996):

Mental retardation, Nelson textbook of pediatrics. (Waldo E. Nelson), 15th ed. p.128-131, W.B. Saunders company, Philadelphia.

Schalock, R.L., Stark, J.A., Snell, M.E., Coulter, D.L., Polloway, E.A. Luckasson, R., Reiss, S. and spitalnik, D.M., (1994):

The changing conception of mental ratardation: implications for the field.
Ment. Retard., 32 : 81-93.

Schoenthaler, S.J., Amos, S.P., Eysench, H.J., Peritz, E. and Yudkin, J. (1991):

Controlled trial of vitamin - mineral supplementation: effects on intelligence and performance.
Pers. individual differences, 12 : 315 - 362.

Seltzer, M.M and Krauss, M.W. (1989):

Aging parents with adult mentally retarded children: Family risk factors and sources of support.
Am. J. Ment. Retard., 94 (3): 303 -12.

Smithells, R.W. and Sheppard, S. (1982):

National congenital rubella surveillance program, 1971-81.
British Medical Journal, 285:1363.

Sonnamder, K. and Claesseon, M. (1997):

Classification, prevalence, prevention and rehabilitation of intellectual disability: an overview of research in the people's republic of China.
J. Intellect. Disabil. Res. ,41 (Pt 2): 180-92.

Stein Z.A. and Susser, M. (1963):

The social distribution of mental retardation
Am. J. Ment. Defic., 67: 811 – 821.

Stein, Z. A. and Susser, M.W. (1972):

Changes over time in the incidence and prevalence of mental retardation. (Hellumth ed.), Volume 2., PP. 305-340 , Brunner Mazel, New York.

Stein, Z.A. and susser, M.W. (1992):

Mental retardation, Maxcy-Rosenau-Last public health and preventive medicine. (John M. last), 13th ed., P. 963-972, Appleton, Lange, U.S.A.

Stern, J. (1985):

Biochemical aspects in mental deficiency: The changing outlook. (ed. A.M. clarke, A.D.B. clarke, and J. Berg),(4th ed), P. 133, Menthuen, London.

Stromme, P. and Valvatne. K. (1998):

Mental retardation in Norway: prevalence and sub-classification. in a cohort of 300,37 children born between 1980 and 1985.
Acta-Paediatr., 87 (3): 291-6.

Swash, M.(1990):

Hutchinson's clinical methods, the nervous system, motor function pp. 338-341, 19th ed, Bailliere Tindall. London.

Temtamy, S.A.; Kandil, M.R.; Demerdash, A.M.; Hassan, W.A.; Meguid, N.A. and Affifi, H.H. (1994):

An epidemiological genetic study of mental subnormality in Assiut Governorate, Egypt.
Clinic. Genet. ,46 : 5: 347 – 51.

Thommessen, M., Herberg. A., Dase. B.F., Larsen. S. and Riis. G. (1991):

Feeding problems, height and weight in different groups of disabled children.
Acta. paediatr. Scand., 80 (5): 527 – 33.

Turner, G.; Robinson, H., Laing, S., and privs-smith, S. (1986):

Preventive screening for the fragile X syndrome.
New England journal of medicine, 325: 607.

UNICEF (1988):

The state of Egyptian children. pp. 1:10 UNICEF, Egypt.

Weatherall, J.A.C. (1982):

A review of some effects of recent medical practices in reducing the numbers of children born with congenital abnormalities. *Health trends*, 14: 85.

Wellesley, D.; Hockey, A. and Stanley F. (1991):

The aetiology of intellectual disability in western Australia: a community based study,
Dev. Med. child Neurol., 33 (11):963 – 73.

Wilton K.M. and Irvine. J. (1983):

Nutritional intakes of socioculturally mentally retarded children V.S. children of low and average socioeconomic status.
Am. J. Ment. Defic., 88 (1): 79 – 85.

Winick, M., and Rosso, P. (1969):

The effect of severe early malnutrition on cellular growth of human brain.
Pediatr. Res., 3 : 191.

World Health organization (1992):

The ICD- 10 classification of mental and behavioral disorders: clinical descriptions and diagnostic Guidelines. WHO Geneva,.

World Health organization publications, (1991 - 1998):

Mental Health, Nations for mental Health. W.H.O. Geneva.

Yeargin-Allsopp, M. Drews, C.D. Decoufle, P. and Murphy, C.C. (1995):

Mild mental retardation in black and white children in metropolitan Atlanta: a case. Control study.
Am. J. Public Health, 85 : 324 – 328.

Zou, Q.H. Lei, Z.W. and Zhang, Z.X. (1994):

An epidemiologic study on etiology of mental retardation. *change Hua I. Hsueh Tsa. Chin.*, 74 (3): 134 –7- 189.