

REFERENCES

- Abdel-Karim, A.A.; Wassif, S.M.; Ahmed-Refat, A.R.; Wassif, O.M. and El-Morsy, E.A. (1990):*
Some biological and haematological changes in workers exposed to lead.
Egyp. J. occup. med.; 14,2: 179-188.
- Absoy, M. Eadem, S.; Dincal, K.; Hepyuksel, I. and Dincal, G. (1974):*
"Aromatic hydrocarbons and incidence of cancer.
Arch environ. health; 39: 191-175.
- A.C.G.I.H, American conference of Governmental Industrial Hygiene (1987):*
Recommended procedures for sampling.
New York, Cincinnati.
- Acres, J.C. and Kryger, M.H. (1981):*
Upper air way obstruction.
Chest, 80: 207.
- Actfield, M.D.; Ross, R.S.; (1978):*
Radiological Abnormalitis in electric arc welders.
Br. J. Ind. Med.; 35: 117-122.
- Adam, R.M. (1983):*
Occupational skin disease.
Am. Ind. Hyg-Assoc. J., 21; 23-26.
- Ahmed, S.B. and Whitson, R.S. (1991):*
"health hazards due to exposure to hydrocarbons".
Scand. J. work. Environ. health; 19: 301-308.
- Akbarkhanzadeh, F. (1980):*
Long term effects of welding fumes upon respiratory system and pulmonary function.
Br. j. Ind. Med; 42: 337.
- Andersson, H.F. Dahlberg, J.A. (1975):*
Phosgene formation during welding in air contaminated with perchloroethylene.
Ann-occup hyg; 18: 129-132.

Andlauer, J.S. and Reinberg, S. (1979):

Threshold Limit Values and Biological Exposure Indices in
Zenz, C. "Occupational medicine principles and practical
applications" 2nd ed.

Year book medical publications, inc,
Chicago-London, Boca Raton, P. 1136-1176.

Anne, T.F.; El-Baker, Reletz (1987):

Questionnaire data: A tool for epidemiological investigations.
Br. J. Ind.. Med.; 44: 133-141.

Arndt, K.A. (1983):

Manual of dermatologic therapeutic with Essential of
Diagnosis.

Boston: little, Brown and Co.

Aronsson, M. and Barlof, H. (1980):

Performance considerations for size selective samplers.
Am. Ind. Hyg. Assoc. J., 111: 219.

Arthur, L. and Knight, L. (1988):

Mercury and its compounds in Zenz, C. "Occupational
medicine principles and practical applications"

2nd ed. Year book medical publications, inc,
Chicago-London, Boca Raton, P. 594.

Axelsson, O. (1988):

Solvents and the liver.

Toxicol. Appl. Pharmacol. 92: 436-444.

Axelsson, O. and Hogstedt, C. (1988):

On the health effects of solvents in Zenz, C. "Occupational
medicine principles and practical applications"

2nd ed. Year book medical publications, inc,
Chicago-London, Boca Raton, P. 775-780.

Bader, M.H. Shalaby, M.M. and El-Nagar, E.M. (1990):

"ECG abnormalities in different groups in different
occupations".

Egyp. Card. J., 161: 191-197.

Baker, E.L. Landrigen, P.J. and Barbour, E.G. (1979):

Occupational lead poisoning in the United States.
Clinical and biochemical findings related to blood lead levels.
Br. J. Ind. Med; 36: 314.

Banister, S.D. (1992):

Incidence of myocardial infarction in different groups of workers.
Am. j., Epidemiol; 211: 191-195.

Bates, D. (1973):

Hydrocarbons and oxidants, clinical studies paper presented at conference on health effect of air pollutants. National Academy of Sciences. Washington DC.

Batumen, V. Maesaka, J.K. and Haddad, B. (1980):

The role of lead in gout nephropathy.
Am. J., Epidemiol; 520.

Beaumont, J.J.; Weiss, N.S. (1980):

Mortality of welders ship fitters and other metal trades workers.
Am. J. epidemiology; 112-775-786.

Bender, N.S.; Brown, D.A. and Addad, B. (1991):

Exhaust gases and performance.
Am. Ind. Hyg. Assoc. J. 54: 17-21.

Brasser, L.J.; Josling, P.E. and Van Zuilen, D. (1987):

Sulfur dioxide effects on health.
Research institute for public health engineering,
Netherlands; 14: 175.

Broch, J. (1984):

Acoustic noise measurements, a paper discussed by Chicago National Safety Council.

Brochton, S. (1988):

Occup. eye. diseases. in "hand book of occupational medicine" Edited by McCunney, R.J.
Little Brown and Co. Boston, Toronto P: 373.

Buan, J.; Cassan, G.; Kofman, J. (1982):

Committee on indoor pollutants; VII 52: 53.
National Academy Press.

Buck, S.F. and Brown, D.A. (1984):

Mortality from lung cancer in relation to smoke and sulfur dioxide concentration, research paper No 70 tobacco research council, London.

Burge, P.S.; Harries, H.G. O'Berint (1980):

Bronchial provocation studies in welders exposed to the fumes of electronic soldering fluxes.
Am. J. Epidemiol., 110: 137-149.

Burgess, W.A. (1981):

Recognition of health hazards in Industry.
New York John Wiley and Sons; 101-4.

Cates, J.E.; Feinnann, E.L.; Male, V.J.; Rennie, F.S.; Wickham, C.A.S. (1989):

Respiratory symptoms and impairment in shipyard welders.
Br. J. Ind. Med; 46: 292-301.

Carnow, B.W.; Senior, R.M.; Karsh, R. and Wesler, S. (1990):

The effects of exposure to SO₂ and respiratory symptoms.
J. Am. Med. Assoc., 214: 894.

Clayton, G.D.; Clayton, C.I.H. (1991):

Air pollution in patty's industrial hygiene and toxicology".
4 th revised Edition Vol. I. part 2, Inter Science Pub. John wiley and sons, inc.
New York, Chicheste, Brisbane, Toronto, Singopore, P.2253.

Conard, S.A. (1984):

Lung volumes, "pulmonary function testing principles and practice".
Churchill livingstone.
New York, Edinburg, London and Melbourne; 129.

Cook, D.G. (1974):

Chronic manganese intoxication.
Arch neurol; 38: 503.

Corbett, T. (1976):

Cancer and Congenital anomalies associated with anesthetics.
J. Natl Cancer Inst; 51: 1993-1995.

Craft, S.T. (1983):

The solvents and its effects on health.
Br. J. Ind. Med.; 11: 78-83.

Croften, J. and Douglas, A. (1983):

Chronic bronchitis and emphysema, " in Croften Respiratory disease" 3rd Ed.
Black well scientific puplicaton, Oxford, London, Edinburgh, Boston, Melbourne; P. 436-478.

Dahlberg, J.A. (1975):

The intensity and spectral distribution of ultraviolet emission from welding arcs, in relation to the photocomposition of gases.
Ann. occup. hyg; 18: 259-267.

Dahlberg, J.A. Myrin, L.M. (1971):

The formation of dichloro-acetyl-chloride and phosgene from trichloroethylene in atmosphere of welding shops.
Ann. occup. hyg.; 4: 269-274.

Donald, M. Rowe, L. Joesph, A. Solomayer, G. and Zenz, C. (1988):

Other metals toxicology in Zenz, C. "Occupational medicine principles and practical applications"
2nd ed. Year book medical publications, inc,
Chicago-London, Boca Raton, P.655-657.

Dossing, M. Arlien, soborg. P. and Petersen, L.M. (1983):

Liver damage associated with occupational expsoure to organic solvents in house painters.
Eur. J. Clin. invest; 13: 151-157.

Douglas, J.W. and Waller, R.E. (1986):

The pollution effects on respiratory disease in london children.
Br. J. Ind. Med; 28: 112.

Eisen, E.A. Oliver, L.C. Christiani, D.C. Rolins, M. and Wegman, D.H. (1985):

Effects of spirometry standards in two occupational studies.
Am. Rev. Respir. Disease; 132: 120-4.

Eisinger, J. (1978):

Biochemistry and measurement of environmental lead intoxication.

Scand. J. Work Environ Health; 4 : 14-21.

Elofsson, S. Gamberale, F. and Hindmarsh, T. (1980):

A cross sectional epidemiologic investigation on occupationally exposed car and Industrial spray painters with special reference to the nervous system.

Scand. J. work Environ health; 6: 239-273.

Evans, M. (1983):

Accident. "Encyclopaedia of occupational health and safety", 3rd. Edition, Vol.I. international labour office, Geneva. P. 21-23.

Evans, M.J.; Ingle, J.; Molyneux, M.K. (1979):

An occupational hygiene study of a controlled welding task using a general purpose rutile electrode.

Ann. Occup. hyg.; 22: 1-17.

Fahim, M.S.; Fahim, Z. and Hall, D.G. (1976):

Effects of subtoxic lead levels on kidney.

Chem pathol. pharmacol; 13: 309.

Fernandez, H.S. (1975):

Trace element determination by the flame atomic absorption spectrophotometer.

"Encyclopaedia of occupational health and safety", 3rd. Edition, Vol. II international labour Office, Geneva. P. 1939-1942.

Fischbein, A. (1983):

Environmental and occupational lead Exposure.

Rom, W.N. "Environmental and occupational medicine".

Little, Brown and Company, Boston; P. 433.

Fisher, A.S. (1986):

Contact dermatitis.
Lea and felrigger, Philadelphia.

Fletcher, C.M.; Tinker, C.M.; Hill, T.D. and Speizer, F.E. (1988):

"A five years prospective field study of early obstructive air way disease".
Arch environ. health; 71: 210.

Flodin, U.; Andersson, L. and Anjou, C.G. (1981):

A case reference study on acute myeloid leukemia, back ground radiation and exposure to solvents and other agents.
Scand. J. work. environ. health; 7: 169-178.

Flodin, U.; Edling, C. and Axelson, O. (1984):

Cinical studies of psychoorganic syndromes among workers with exposure to solvents.
Am. J. Ind.. med.; 115: 287-295.

Food, H. (1990):

Ear, nose, and throat, for medical student. P. 70-73.

Fox, A. Goldblatt, P. and Kinlen, I. (1981):

A study of the mortality of cornish tin miner.
Br. J. ind med.; 68: 78-80.

Funes, C.F.; Zapata, G.C. and Kolmodin, H.B. (1977):

Chromosome aberrations and sister chromatide exchange in workers in chemical laboratories and a rototyping factory and in children of women laboratory workers.
Lancet; 2:322-325.

Gamberate, F. Lisper, H. and Anshelm-Olson, B. (1975):

The influence from styrene on reaction ability in plastic boot Industry.
Scand. J. Work. Environ. Health, 2: 30-35.

Gasaway, S.T. (1988):

"Noise" in hand book of occupational medicine.
Little Brown and Co. Boston, Toronto, P. 273.

Garnuozewski, Z.; Dobrzynski, W. (1987):

Regression of pulmonary radiological changes in dockyard welders after cessation of exposure to Welding fumes.
Pol.Med. J. 6: 620-613.

Geary, A.; Mc Candless, George, B. (1983):

Noise Rom, W.N. "Environmental and occupational medicine". Little, Brown and Company. Boston; P. 783.

Gotell, S.B.; Bansk, S.T.; Menop, R.T. (1983):

Exposure to styrene.
Br. J.Ind. Med.; 66: 100-105.

Greaves, W.W. (1983):

Toxic substance's control act.
Rom. W.N. "Environmental and occupational medicine".
Little, Brown and company, Boston; P. 875.

Grzesik, J. and Pluta, E. (1986):

Noise. auditory and extra auditory effects.
Inter. Arch. occup. Environ. Health; 77: 615-619.

Hammer, D.I. Hasselblad, V. Portnoy, R. and Wohrle, P.F. (1974):

Effect of exposure to aliphatic hydrocarbons on human health.
Arch environ. Health; 19; 128.

Hanguenoer, J.A. (1990):

The development of car Industry in Egypt.
Br. Eng. J.; 108: 130-138.

Hanninen, H. Mantere, P. and Hernberg, S. (1979):

Subjective symptoms to low level exposure to lead
Neurotoxicology.
Toxicol. Appl. Pharmacol; 59: 74-80.

Hardell, L. Bengtsson, N.O. and Jossan, U. (1984):

Etiological aspects on primary liver cancer with regard to alcohol and organic solvents an epidemiological study.
Br. J.Cancer; 50; 389-397.

Harkonen, H. and Holmberg, P.C. (1982):

Obstetric studies of women occupationally exposed to styrene.

Scand. J. work Environ. Health; 8: 74-77.

Harrington, J.M. (1987):

The health experience of workers in the petroleum Manufacturing and distribution Industry.

Am. J. Ind. Med.; 162: 475-497.

Harrington, J.M. Whitley, H. Jreid, F. Gray, C.N. Caw T and Waterhuse, J.A. (1989):

Renal disease and occupational exposure to organic solvents, a case referent approach.

Br. J. Ind. Med.; 46: 643-650.

Haward, J. (1991):

Electric arc welding in "Patty's Industrial hygiene and toxicology" Vol.,11 4th revised edition, interscience pub. John wiley and Sons, inc. New york, Chichester, Brisbane, Toronto, Singapore, P. 2170.

Hazucha, M. Silverman, F. Parent, C. and Bates, D.V. (1973):

The effect of exposure to exhaust gases on health.

Arch environ. health; 18: 79.

Hearne, T. and Friedlander, B.R. (1981):

Follow up of the liver in solvents exposed worker.

J. Occup Med.; 23: 660.

Hernberg, S. Korkola, M.L. and Asikainen, U. (1984):

Primary liver cancer and exposure to solvents.

Int. Arch. occup. Environ. Health; 54: 147-153.

Hernberg, S. Mc-Cann, M. and Barazani, G. (1988):

Environmental and occupational exposure.

Int. Arch. Occup. Environ. health; 97: 27-29.

Hernberg, S. and Tola, S. (1979):

The battle against lead poisoning in Finland (experiences during the 15 year period- (63-1973).

scand. J. work Environ. Health; 4: 336.

Hodgkins, D.G.; thomas, G.R.; David, L.H. (1992):

A longitudinal study of the relation of lead in blood to lead in air concentrations among battery workers.
Br. J. -Ind. Med; 49: 241-248.

Holme, S.T.; Savell, J.S. and Thomas, J.F. (1977):

"Smoking and CVS development".
Am. J. epidemiol. 81: 131-135.

Hoskoha, J.S. (1991):

CO. concentration, Carboxyhaemoglobin and visual perception.
Am. Ind. Hyg. Assoc. J. 52: 71-76.

Hyden, D. Larsby, B. and Andersson, H. (1983):

Impairment of Vestibulovestibular interaction in humans exposed to toluene.
Br. J. Otolaryngology; 45: 262-269.

Joe, A. and Deleon, S. (1988):

Xylene in Zenz, C. "Occupational medicine principles and practical application", 2nd ed.
Year book medical publications, inc,
Chicago-London, Boca Raton, P. 1011-1013.

Joe, A. Deleon, S. Frank, B. Stern, M.S. Leela, I. and Murthy, J. (1987):

Threshold limit values for chemical substances and physical agents in the workroom Environment.
ACGLH. Cincinnati; P. 195-197.

Johnson, B.L. Burg, J.R. and Xintaras, C. (1980):

A neurobehavioral examination of workers from a primary nonferrous smelter.
Br. J. Ind. Med. 32: 561.

Jones, T.S. (1985):

Manganese, in minerals year book.
Vol. I. Metal and minerals.
Government printing office: 573.

Jossting, P.E. (1989):

Study of environmental factors associated with lung cancer and bronchitis mortality in areas of north east England.
Br. J. Ind. Med. 46: 221.

Julian, B.; Olishifski, P.E. (1988):

Occupational hearing loss, noise and hearing conservation in Zenz, C. Occupational medicine principles and practical applications,
2nd ed. Year book medical publications inc. Chicago
London, Boca raton P. 275.276.

Juntunen, J. Hupli, V. and Hernberg, S. (1980):

Excess mortality from coronary heart disease in viscose rayon workers exposed to carbon disulphide.
Int. Arch. Occup. Environ. health; 46: 219-231.

Kalliomaki, K.; Aittoniemik, K. and Kalliomaki, P.L. (1981):

Measurement of lung retained contaminants in vivo among workers exposed to metal aerosols.
Am. Ind. Hyg. Assoc. J., 42: 234-238.

Kalliomaki, P.L. Kalliomaki, K. and Burneister, L.F. (1983):

Respiratory symptoms and pulmonary function in welders of mild steel, Across sectional study.
Am. J., Ind. Med; 4: 489-499.

Kaplan and Lieberman, (1982):

Clinical significance of pulmonary function tests.
Chest, 75: 712.

Kershaw, T.G. (1980):

The relationship between blood levels and dose of mercury in man.
Arch. Environ. Health; 35: 28.

Kerstin, S.N. (1988):

Combined exposure to solvent.
Am. Ind. Hyg. Assoc. J. 160: 140-145.

Keskinen, H.; Kalliomaki, P.L.; Alanko, K. (1980):

Occupational asthma due to stainless steel welding fumes.
Am. J., epidemiol. 110; 151-159.

Knave, S.T.; Kanve, T.R.; Hupli, V. (1976):

Solvents neurotoxicity.
Am. Ind. Hyg. Assoc. J. 21: 212-219.

Lalit, T.; Pekkurinen, J.; Starck, J. (1984):

New noise level definition.
Int. Arch occup. Environ. health; 57: 137-142.

Lane, E.R. (1993):

The care of the lead workers.
Br. J. Ind. Med; 50: 193-212.

Lane, R.E. Gilson, J.c. Roach, S.A. Smith, S. Addingley, C.G. Holmes, S. Hunt, R. Knox, J.F. and King, E. (1968):

Committee on hygiene standards.
Ann. Occup. Hyg., 11: 47.

Lawther, A. and Robinson, D.W. (1987):

Further investigation of tests for susceptibility to noise induced hearing loss technical report.
NIOSH; 149: 120-125.

Lawrence, J. and Hawkins, S. (1989):

The pathophysiology of noise induced hearing loss.
Br. J. Audiol, 34 (2): 10-15.

Lazarus, A. (1980):

Pulmonary function tests in upper air way obstruction.
Scand, J. Work, Environ. Health; 6: 11.

Lee, J.S. (1983):

Industrial Hygiene measurement and control.
Rom, W.N. "Environmental and occupational medicine".
Little, Brown and company, Boston; P. 875.

Levine, S.P. (1982):

Elemental mercury exposure.
Br. J. Ind. Med; 39: 136.

Lilis, R. Valciukas, J. Fischbein, A. (1979):

Renal function impairment in secondary lead smelter workers.
J. Environ. pathol. Toxicol; 2:1447.

Lipscomb, D.M. (1988):

Hearing conservation in Industry, schools and the military.
Br. J. Audiol; 32 (1): 31-33.

Logan, S.P. (1988):

"Hutchinson's clinical Methods"
Ninth edition, the english language book society and bailliere,
findall london. pp (314, 315).

Louis, S. Beliczky, M.S. Zenz, C. (1988):

Occupational health aspects of plastics. Rubber
manufacturing and related materials in Zonc, C.
"Occupational medicine principles and practical applications"
2nd ed. Year book medical publications, inc, Chicago-
London, Boca Raton; P. 991-993.

Lucas, P.A, Jariwalla, A.G.; Fones, J.H. (1980):

Health hazards associated with inert gas shielded metal arc
welding.
Am. J. epidomel.; 111: 605.

Lundberg, I.; Sjogren, B.; Hallne, U. (1984):

Environmental factors and uptake of cadmium among brazers
using cadmium containing hard solders.
Am. Ind. Hyg. Assoc. J. 45: 353-359.

Manson, S. and Swash, M. (1980):

"Hutchinson's clinical methods".
Seventeenth edition, the english language book society and
Bailliere, Tindall London. pp. (2-30) (137-138), (141,142)
and 150.

Marters, R.L. (1971):

Air Pollution and effects on human health.
Mc Cosmac ed. Dordrecht. Holand

Mc Cammon, C.S. (1980):

Methods for the determination of mercury hazards.
Am. Ind. Hyg. Assoc. J.; 41: 528.

McCandless, S.A. (1983):

Noise.
Am. Ind. Hyg. Assoc. J. 59: 17-22.

Mc Cann, M. and Barazani, G. (1980):

Health hazards in the Arts and crafts.
Washington.Dc, : Society for occupational Environmental
health. P. 349-353.

MC Cormic, W. (1984):

Manufacture of paint and Allied coating products.
NIOSH, Cincinnati, Ohio, P: 530.

Mc-Cunney, R.J.(1988):

Discovery of occupational disease.
Noise
Toxicology
In hand book of occupational medicine.
Little Brown and Co; Boston. Toronto P; 33-43. P; 221-228.
P; 230-238.

Mc Millan, G.H.G. Pethybridge, R.J. (1983):

Proportional mortality study of welders and two control
groups in dockyards.
J. Occup. Med; 33: 75-84.

McMillan, H.G. and Heath, S.A. (1979):

X-ray changes in British shipyard workers.
Br. J. Ind. Med. 9: 211-217.

Mena, I. (1976):

The role of manganese in human disease.
Am. Ind. Hyg. Assoc. J. 27: 40-45.

Michael, P.L. (1989):

Physics of sound in the work environment. its evaluation and
control.
NIOSH Cincinnati, Ohio, P: 183.

Michael, P.L. (1991):

Industrial noise and conservation of hearing .
In "Patty's Industrial hygiene and toxicology".
4th revised Edition Vol. I. Inter science Pub. John Wiley and
sons, inc. New York, Chicheste, Brisbane, Toronto,
Singopore, P. 859-867.

Monis, E.A. (1991):

"Occupational inactivity and development of coronory heart
disease".
Am. Ind. Hyg. Assoc. J.; 41: 211-219.

Morrill, S.T. (1991):

Formaldehyde irritant effects on mucous membrane.
Am. ind. Hyg. Assoc. J.; 41: 221-230.

Mutti, A. Lucertini, S. and Falzoi, M. (1981):

Organic solvents and chronic glomerulonephritis.
J. Appl. Toxicol. 4: 224-226.

Myerson, S. (1983):

Occupational safety and health Administration, Occupational
exposure to lead.
Int. Arch. Occup. Environ. Health; 41: 217.

Nabelek, I.V. (1985):

Noise measurement and hearing conservation in Industry.
Am.Ind. Hyg. Assoc. J.; 27: 71-76.

National Accdemy of sciences. (1982):

Vapor phase organic pollutants, volatile hydrocarbons and
oxidation products, in series of medical and biological effects
of environmental pollutants.
NAS, washington. D.C. P. 745-750.

National institute for accupational saftey and health (1987):

"Occupational exposure to noise.

Odkvist, L. Larsby, B. and Tham, R. (1983):

Vestibulo oculomotor disturbances caused by solvents in industry.

Otolaryngal heads neck surg.; 91: 537-539.

Olishifski, J.B.; Harford, E.R. (1987):

Industrial noise and hearing conservation.

Scand J. work. Environ. health; 14: 314-325.

Oxhaj, H. Bake, B. and Wedel, H. (1979):

Effect of electric arc welding on lung function.

Arch. Environ. health; 34: 211-217.

Peyps, J.; Pickering, C.A.C. (1972):

Asthma due to inhaled.

Ethyl ethanolamine in aluminum soldering flux.

Clin. Allergy. J. 2: 197-204.

Pepys, J.; Pickering, C.A.C.; Breslin, A.B. (1972):

Asthma due to inhaled chemical toluene di isocyanate.

Clin. Allergy J. 2: 225-236.

Pieckurski, G. (1962):

"Medical parasitology in plates'.

University of Cambridge, England PP. 164-167.

Pietre, A.N.; Ford, P.C.; Postfach, K. (1990):

Classification of car maintenance duties

Br. Eng. J.; 109: 11-17.

Rainskov, U. Forsberg, B. and Skerfving, S. (1979):

Glomerulonephritis and exposure to organic solvents.

Acta. Med. Scand.; 205: 575-579.

Rey, C. Reinecke, H. and Besser, R. (1989):

Methyl intoxication in six men; toxicologic and clinical aspects.

Vet hum toxical; 26: 2.

Robinson, D.W. (1987):

Noise effects on hearing.

Br. J. Audiol; 22 (1): 5-20.

Ress, D.S. (1974):

Welder's metal fume fever.
B. J. ind Med; 24: 125-129.

Robert, S.R. (1988):

Eye injury in industrial workers.
Br. J. Ind. Med.; 47: 11-17.

Rose, R.S. (1976):

"Risk factors in ischemic heart disease".
Am. J. epidemiol; 78: 171-178.

Sabroe, S. and Olsen, J. (1979):

Health complaints and work condition among lacquerer in the
Dannish furniture Industry.
Scand. J. Work. Environ. Health; 7: 97-104.

Sano, S. (1982):

An epidemiological survey and clinical investigations on
retired workers from manganese mines and arc grinders in
kyoto prefecutre.
Nippon. Elseigakuzasshi. Japan; 37: 566.

Saric, M. (1983):

Manganese alloys and compounds.
Encyclopaedia of occupational health and safety, 3rd, Ed. by
the international labour office.
Geneva, Switzerland, Vol.II, P: 1670.

Savell, J.F. and Toothman, E.H. (1987):

Noise measurement and engineering controls.
Am. Ind. Hyg. Ass. J; 48: 23-27.

Schiling, R.S.F. (1983):

Environmental monitoring "Encyclopaedia of occupational
health and safety" 3rd Ed. published by the International
labour office (I.L.O.).
Geneva, Switzerland, Vol., P: 350.

Shoethlin, C. and Landau, E. (1975):

Air pollution and obtructive air way diseases.
Arch environ. health; 12: 130.

Schulte, J.H. (1991):

Air pollution in "Patty's Industrial hygiene and toxicology",
4th Edition, Vol. I, part B. Inter Science, Pub. John Wiley
and sons, inc. New York, Chichester, Brisbane, Toronto,
Singapore, P. 233-240.

Selikoff, I.J. (1975):

Investigations of health hazards in the painting trades.
New York, Environmental Sciences laboratory. Mount Sinai
school of medicine Report.
Contract C.D.C.; 99: 74-91.

Selikoff, I.J.; Vicholson, W.J.; Lilis, R. (1980):

Radiological evidence of asbestosis disease among ship repair
workers.
Am. J. Ind. Med; 1: 9-22.

Seppalainen, A.M. Antti, and Polkam. (1983):

Time course of electrophysiological findings for patients with
solvent, poisoning.
Scand. J. work Environ. Health; 9: 15-24.

Seven, S. (1988):

Effects of Exposure to lead on blood in zenz, C.
"Occupational medicine principles and practical applications"
2nd ed.
Year book medical publications, inc,
Chicago-London, Boca Raton; P. 336.

Shepherd, S.P. (1974):

Committee on hygiene standards.
Ann. occup. Hyg. 70: 41.

Shy, C.M.; Niemeyer, L. and Truppi, L. (1990):

Studies of the health criteria for NO₂ exposure.
National Environmental Research Center.

Silbergeid, E.K. and Hroska, K.E. (1980):

Neurochemical investigations of low level lead exposure in
H.L. Needleman (ed) clinical implications of current
Research.
New York, Raven; 41: 217-230.

Sjogren, B. (1988):

Respiratory hazard in welding and soldering processes in
Zenz, C. "Occupational medicine principles and practical
applications" 2nd ed. year book medical publications inc.
Chiago, London, Boca Raton: P: 1053.

Sjogren, B.; Gustavassen, A.; Helstroma, L. (1987):

Mortality in two cohorts of welders exposed to high and low
levels of hexavalent chromium.
Scand. J. work. environ. Health; 13, 247-251.

Sjogren, B. Hedstrom, L. and Lindstedt, G. (1984):

Urinary fluoride concentration as an estimator of welding
fume exposure from banc electrode.
Br. J. Ind. Med; 41: 192-194.

***Speizer, F.E. Dockery, D.W. Ferris, B.G. Ware, J.H. and Louis, T.A.
(1985):***

A simple model for the loss of pulmonary function associated
with cigarette smoking.
Am. Rev. Respir. Dis.; 131: 177A.

Stern, R.M. (1981):

Health hazards among welders.
Arch. Environ. health; 41: 235-253.

Stern, R.M.; Berln, A. Fletcher, A. (1980):

Hazards and Biological effects of welding fumes.
Am. J. Ind. Med; 11:9-22.

Steven, K.S. (1988):

Occupational skin disorders in "Hand book of occupational
medicine "Edited by, Mc cunney R.J.
Little Brown and Co. Boston, Toronto, P: 373.

Suppl, S.R. and Lyon, S.M. (1982):

Solvent and cancer.
Am. Ind. Hyg. Assoc. J.; 78: 111-118.

Svensson, E. Alexandersson, R. and Bergman, K. (1982):

Chronic changes after exposure to freon.
Arch. Environ. health; 79: 198-199.

Tanka, S. (1988):

Manganese and its compounds in Zenz, C. "Occupational medicine principles and practical applications"
2nd ed. Year book medical publications, inc,
Chicago-London, Boca Raton; P. 583-585.

Tanaka, S. Lieben, J. (1969):

Manganese poisoning and exposure in pennsylvania.
Arch. Environ. health; 19: 1749.

Tengroth, B.; Vulcan, J.; Welding hight (1977):

Strahlen therapie 153: 267-272.

Tengroth, B. and Vulcan, J. (1977):

Health hazards in welding process.
Br. J. Ind. Med; 153:267-272.

Thomas, J.F. Rose, R.S. and Savell, E.H. (1979):

"The prevalence of CVS in different oceupations".
Am. J. epidem; 107: 121-129.

Tonigawa, S.O. Hjortsberg, U. and Welinder, H.(1990):

Effect of fumes in shipyard arc welders.
Br. J. Ind. Med.; 48: 140-145.

Tuesday, C.S. D'Alleva, B.A. Huess, J.M. and Nebel, G.J. (1991):

"The general motors smog chamber" research puplication No
490, General motors crop warner.

Tunek, A. Platt, K.L. and Bentley, P. (1978):

Microsomal metaboliom of benzene to species irreveessibly
binding to incrosomal protein and effects of modifications of
this metabolism.
Mol. Pharmacol. J.; 14: 920-929.

Ulfvarson, M. (1981):

Survery of air contaminants from welding.
Scand. J. work environ. Heaht, 7 (suppl2).

Viadana, E. Bross, I. and Houten, L. (1976):

Cancer experience of men exposed to inhalation of chemicals
or to combustion products.
J. Occup. Med.; 18: 787-792.

**Von, Nieding, G.D.; Kreckler, R.H. Tuchs, R. Wagner, H.M. and
Kopenhagen, K. (1973):**

Exposure to NO₂.
Arch environ. Health; 14: 11-17.

Waldron, H.A. (1985):

Diseases of the Skin.
Resins toxicology.
Mercury Industrial toxicology.
in "Lecture Notes on Occupational Medicine".
3rd ed. Black well Scientific publications; P. 137-148. P.83:
84., P. 20-25.

Waldren, H.A. and Stofen, D. (1985):

Subclinical lead poisoning.
Am. Ind. Hyg. Assoc. J.; 31: 310.

Wasserman, D.E. and Taylor, W. (1983):

Environmental and occupational medicine.
Rom. W.N. "Environmental and occupational medicine"
Little, Brown and company, Boston.; P. 743-749.

Welinder, H.; Hittorin, M. and Gullberg, B. (1983):

Elimination of chromium in urine after stainless steel welding.
Scand. J. work. environ. health; 9: 397-403.

West, I. and Lim, J. (1968):

Mercury poisoning among workers in california's mercury.
J. Occup. Med.; 10: 697.

White, M. and El Baker, (1988):

Measurements of respiratory illness among construction
painters.
Br. J. Ind. Med.; 45: 523-531.

William, A. (1990);

Eye tection in industry.

Am. ind. Hyg. Ass. J.; 117: 11-118.

William, A. and Barga, Et. H. (1991):

Potential exposure in the manufacturing Industry, their recognition and control.

in "Patty's industrial hygiene and toxicology", 4 th edition, Vol. I, Part B. Inter since publication John wiley and Sons, inc. New York, Chicherter, Brisbane, Toronto, Singapore, P. 859-867.

Wooten, I.P.D. (1974):

"Micro-analysis in medical biochemistry".

5th ed. Churchill Livingstone Edinburgh and London., P 37:39.

Wostal, J.J. and Clarkson, T.W. (1973):

Mercury as an environmental hazard.

J. occup. Med.; 15: 649.

Zenz, C. Seven, S. Johnson, B. (1988):

Lead toxicity in Zene, C. "Occupational medicine principles and practical applications"

2nd Ed. Year book medical publications, Inc. Chicago. London, Boca Rton; P.370.