

- **Akbar-Khanzadeh F. and Rivas R.D. (1996)**
Exposure to isocyanates and organic solvents, and pulmonary function changes in workers in a polyurethane molding process. J Occup Environ Med., 38:1205 – 1212.

- **Alkan A., Kutlu R., Hallac T., Sigirci A., Emul M., Pala N., Altinok T., Aslan M., Sarac K. and Ozcan C. (2007)**
Occupational prolonged organic solvent exposure in shoemakers: brain MR spectroscopy findings. Mag. Res. Imag., 22: 707-713.

- **Alrefaiand W. A. and Gill R. K. (2007)**
Bile Acid Transporters: Structure, Function, Regulation and Pathophysiological Implications. Pharma. Research, 24(10): 1803-1823.

- **American Thoracic Society (1995)**
Standardization of spirometry 1994 Update. Am. J. Respir Crit Care Med, 152:1107–1360.

- **Aslam M., Asif M. and Altaf S. (2011)**
Estimation of smoking index for male smokers in Multan City. Pakistan J. of Nut., 10(1):80-85.

- **Attarchi M. S., Aminian O., Dolati M. and Mazaheri M. (2007)**
Evaluation of liver enzyme levels in workers exposed to vinyl chloride vapors in a petrochemical complex: a cross-sectional study. J. of Occup. Med. and Toxicol., 8(2):1-6.

- **Ban M., Morel G., Langonné I., Huguet N, Pépin E. and Binet S. (2006)**
TDI can induce respiratory allergy with TH2-dominated response in mice. *Toxicol*, 218:39-47.
- **Bratveit M., Hollund B. E. and Moen B. E. (2004)**
Reduced exposure to organic solvents by use of water-based paint systems in car repair shops. *Int Arch Occup Environ Health*, 77: 31–38
- **Brautbar N. (2008)**
Forensic Medicine Solvents and Kidney Disease: Scientific Methodology between Solvents& Kidney Disease Symptoms. Manuscript at [http:// www.environmentaldiseases.com](http://www.environmentaldiseases.com).
- **Brautbar N. and Williams J. (2002)**
Industrial solvents and liver toxicity: Risk Assessment, risk factors and mechanisms. *Int. J. Hyg. Environ. Health*, 205: 479 – 491.
- **British Columbia Medical Association (2004)**
Liver Chemistry Abnormalities in Adults - Evaluation and Interpretation.
- **Brodkin C. A., Moon J-D., Camp J., Echeverria D., Redlich C. A., Willson R. A. and Checkoway H. (2001)**
Serum hepatic biochemical activity in two populations of workers exposed to styrene. *Occup Environ Med*, 58:95–102

- **Chen J. D., Wang J. D., Jang J. P. and Chen Y. Y. (1991).**
Exposure to mixtures of solvents among paint workers and biochemical alterations in liver function. *Br J Ind Med.*, 48: 696 – 701.

- **Chiang J. Y. L. (2003)**
Bile Acid Regulation of Hepatic Physiology III. Bile acids and nuclear receptors. *Am J Physiol Gastrointest Liver Physiol*, 284: 349–356.

- **Chouaniere D., Wild P. and Fontana J.M. (2002)**
Neurobehavioral disturbances arising from occupational toluene exposure. *Am J Ind Med.*, 41:77–88.

- **Collins M.A. (2002)**
Toxicology of toluene diisocyanate. *Appl Occup Environ Hyg.*, 17(12):846-855.

- **Cranmer J.M. and Goldberg L. (1986)**
Proceedings of the workshop on the neurobehavioral effects of solvents. *Neurotoxicology*, 7:1-123.

- **Dick F., Semple S., Osborne A., Soutar A., Seaton A., Cherrie J.W., Walker L.G. and Haites N. (2002)**
Organic solvent exposure, genes, and risk of neuropsychological impairment. *Q J Med.*, 95:379–387.

- **Driscoll T. R., Hamdan H. H., Wang G., Wright P. F. A. and Stacey N. H. (1992)**
Concentrations of individual serum or plasma bile acids in workers exposed to chlorinated aliphatic hydrocarbons. *British J. of Ind. Med.*, 49:700-705.
- **Ebbehøj N. E., Ole Hein H., Suadicani P. and Gyntelberg F. (2008)**
Occupational Organic Solvent Exposure, Smoking, and Prevalence of Chronic Bronchitis—An Epidemiological Study of 3387 Men. *JOEM*, 50(7): 730-735.
- **Edoardo G. Giannini, Roberto Testa and Vincenzo Savarino (2005)**
Liver enzyme alteration: a guide for clinicians. *CMAJ*, 172 (3):367-379.
- **Fernández-D'Pool J. and Oroño-Osorio A. (2001)**
Liver function of workers occupationally exposed to mixed organic solvents in a petrochemical industry. *Invest Clin.*, 42(2): 87-106.
- **Fiedler N. L. and Lerman S. (2007)**
“Organic Solvents and Fuels”, in *Environmental and Occupational Medicine*, 4th Edition, Rom W. N. (ed). Lippincott Williams and Wilkins, pp 1103-1122.
- **Flegal K. M., Graubard B. I., and Williamson D. F. (2004)**
Methods of Calculating Deaths Attributable to Obesity. *Am J Epidemiol*, 160:331–338.

- **Fleiss J., Levin B., and Paik C.M. (2003)**
Statistical Methods for Rates and Proportions, Wiley.
- **Franco G. , Fonte R , Tempini G, and Candurat F (1986)**
Serum bile acid concentrations as a liver function test in workers occupationally exposed to organic solvents. Int Arch Occup Environ Health , 58:157-164.
- **Global Initiative for Chronic Obstructive Lung Disease (2007).**
Global strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease. <http://www.goldcopd.org>.
- **Ghasemkhani M., Kumashiro M., Rezaei M., Anvari A. R., Mazloumi A. and Sadeghipour H. R. (2006)**
Prevalence of Respiratory Symptoms among Workers in Industries of South Tehran, Iran. Industrial Health, 44: 218–224.
- **Harving H., Dahl, R. and Molhave L. (1991)**
Lung function and bronchial reactivity in asthmatics during exposure to volatile organic compounds. Am. Rev. respir. Dis., 143: 751-754.
- **Haussament T.U. (1977).**
Quantitative determination of serum alkaline phosphatase. Clin. Chem. Acta, 35: 271-273.
- **Henry J.B. (1974)**
Clinical Diagnosis and Management by Laboratory Method. W. B. Saunders Co. Philadelphia, PA: 361.

- **Hussein A. S. A., Abdalla M. S., Hussein J. S., Shousha W. G. and Mohamed A. H. (2008)**
Antioxidants in Shoe-makers Exposed to Organic Solvents. J. of Applied Sci. Research, 4(9): 1107-1117.
- **Jafari M. J., Karimi A. and Azari M. R. (2009)**
The Challenges of Controlling Organic Solvents in a Paint Factory due to Solvent Impurity. Ind. Health, 47: 326–332.
- **James R. C., Roberts S. M., and Williams P. L. (2004)**
“General Principles of Toxicology”, in Principles of Toxicology: Environmental and Industrial Applications, Second Edition. Williams P. L. (ed), John Wiley & Sons, Inc. pp 3-34.
- **Julvez J. and Grandjean P. (2009)**
Neurodevelopmental Toxicity Risks Due to Occupational Exposure to Industrial Chemicals during Pregnancy. Ind. Health, 47: 459–468.
- **Jungermann K. and Kietzmann T. (2000)**
Oxygen: Modulator of metabolic zonation and disease of the liver. Hepatology, 31:255–260.
- **Kachel T. (2003)**
Effect of occupational exposure and smoking on spirometric tests and symptoms of chronic bronchitis. Pneumonol Alergol Pol., 71(9-10):428-39.

- **Kaukiainen A., Riala R., Martikainen R., Reijula K., Riihimäki H. and Tammilehto L. (2005)**
Respiratory symptoms and diseases among construction painters. Int Arch Occup Environ Health, 78: 452–458.
- **Klaassen C. D. (2008)**
Casarett and Doull's Toxicology, The Basic Science of Poisons
Seventh Edition.
- **Kogevinas M., Anto J.M., Sunyer J., Tobias A., Kromhout H. and Burney P. (1999)**
Occupational asthma in Europe and other industrialised areas: a population-based study. European Community Respiratory Health Survey Study Group. Lancet, 353:1750-1754.
- **Lee B.W., Kelsey K.T., Hashimoto D., Yakes B., Seitz T. and Christiani D.C. (1997)**
The prevalence of pulmonary and upper respiratory tract symptoms and spirometric test findings among newspaper pressroom workers exposed to solvents. Occup Environ Med, 39:960 –969.
- **Liu J.J.Y., Bai C., Williamson A.M., Qu S.X., Hamdan H. and Stancey N.H. (1996)**
Individual serum bile acids in apprentice spray painters in association with solvent exposure. Int. Arch. of Occup. and Env. Health, 69:21-26.

- **Liu J., Drane W., Liu X. and Wu T. (2009)**
Examination of the relationships between environmental exposures to volatile organic compounds and biochemical liver tests: Application of canonical correlation analysis. *Environmental Research*, 109: 193–199.

- **Loh C. H., Liou S.H., Jiau S.S., Cheng W.T., Shih T.S. and Chen H.I. (2008)**
Hepatic Effects among Workers Exposed to Ethylene Glycol Monoethyl Ether Acetate. *Ind. Health*, 46: 463–469

- **Lundberg I., Hogstedt C., Linden C. and Nise G. (2005)**
Organic solvents and related compounds. In: Rosenstock L, Cullen M. *Textbook of clinical occupational and environmental medicine*, 2nd edition. Elsevier-Saunders Press, Philadelphia, p 991.

- **Manno M. and Sannolo N. (2004)**
Toxicological significance of biological markers. *G Ital Med Lav Ergon.*, 26(4):270-277.

- **Mashige F., Osuga T., Tanaka N., Imai K. and Yamanaka M. (1978)**
Continuous-flow determination of bile acids in serum, and its clinical application. *Clin. Chem.*, 24(7):1150-1154.

- **Mastrangelo G., Fedeli U., Fadda E., Milan G. and Saia B. (2004)**
Occupational chronic obstructive pulmonary disease. Italian law (decree no. 336/1994) and epidemiological evidence. *Med Lav.*, 95:11–16.

- **McCuskey R.S. (2006)**
Anatomy of the liver, in Boyer TD, Wright TL, Manns M (eds.): *Zakim and Boyer's Hepatology*, 5th edn. Philadelphia: Saunders-Elsevier, p. 37.

- **McDermott C., Allshire A., Van Pelt F. and Heffron J. J. A. (2008)**
In Vitro Exposure of Jurkat T-Cells to Industrially Important Organic Solvents in Binary Combination: Interaction Analysis. *Toxicol. Sci.*, 101(2): 263–274.

- **Metwally F.M. and EL-Shabrawy I.M. (2000)**
Biochemical Alteration of Liver and Kidney Functions among Spray Painters. *Kasr El Aini Med. J.*, 6(3): 141-151.

- **Miller M.R., Hankinson J., Brusasco V., Burgos F., Casaburi R., Coates A., Crapo R., Enright P., van der Grinten C.P.M., Gustafsson P., Jensen R., Johnson D.C., MacIntyre N., McKay R., Navajas D., Pedersen O.F., Pellegrino R., Viegi G. and Wanger J. (2005)**
Standardisation of spirometry. *Euro. Resp. J.*, 26: 319 – 338.

- **Mohammadi S. , Mehrparvar A., Labbafinejad Y. and Attarchi M. S. (2010)**
The effect of exposure to a mixture of organic solvents on liver enzymes in an auto manufacturing plant. J Public Health, 18:553–557.
- **Neghab M., Qu S., Bai C. L., Caples J. and Stacey N. H. (1997)**
Raised concentration of serum bile acids following occupational exposure to halogenated solvents, 1, 1, 2-trichloro-1, 2, 2-trifluoroethane and trichloroethylene. Int Arch Occup Environ Health, 70: 187-194.
- **Neghab M. and Stacey N. H. (2000)**
Serum bile acids as a sensitive biological marker for evaluating hepatic effects of organic solvents. BIOMARKERS, 5(2), 81–107.
- **Nunes de Paiva M.J. and Pereira Bastos de Siqueira M.E. (2005)**
Increased serum bile acids as a possible biomarker of hepatotoxicity in Brazilian workers exposed to solvents in car repainting shops. Biomarkers, 10(6):456-463.
- **Ould-Kadi F., Nawrot T.S., Hoet P.H. and Nemery B. (2007)**
Respiratory function and bronchial responsiveness among industrial workers exposed to different classes of occupational agents: a study from Algeria. J. of Occup. Med. and Toxicol., 2:11.

- **Park C.K., Kwon K.T., Lee D.S., Jo C.M., Tak W.Y., Kweon Y.O., Kim S.K and Choi Y.H. (2003).**
A case of toxic hepatitis induced by habitual glue sniffing. Taehan Kan Hakhoe Ch., 9(4): 332-336.

- **Parker D. L., Wailer K., Himrck B., Martinez A., and Marri F. (1991).**
A Cross-sectional Study of Pulmonary Function in Autobody Repair Workers. Am. J. of Public Health, 81 (6): 768-771.

- **Pool F. and Orono A. (2001)**
Liver function of workers occupationally exposed to mixed organic solvents in a petrochemical industry. Invest Clin, 42:87–106.

- **Ramaiah S. K. (2007)**
A toxicologist guide to the diagnostic interpretation of hepatic biochemical parameters. Food and Chem Toxicol, 45: 1551–155.

- **Röder-Stolinski C., Fischäder G., Oostingh G.J., Feltens R., Kohse F., Von Bergen M., Mörbt N., Eder K., Duschl A. and Lehmann I. (2008)**
Styrene induces an inflammatory response in human lung epithelial cells via oxidative stress and NF-kappaB activation. Toxicol. Appl. Pharmacol., 231(2):241-247.

- **Saygun M., Cakmak A., Ekici A., Pinar T., Bulcun E., Ulu N. and Ekici M. (2007)**
Five Annual Observations of Respiratory Findings in Gun Factory Workers Exposed to Solvents. JOEM, 49 (8): 909-912.
- **Schachter E.N., Zuskin E., Moshier E.L., Godbold J., Mustajbegovic J., Pucarin-Cvetkovic J. and Chiarelli A.(2009)**
Gender and respiratory findings in workers occupationally exposed to organic aerosols: A meta analysis of 12 cross-sectional studies. Env. Health, 8:1.
- **Schenker M. B. and Jacobs, J. A. (1996).**
Respiratory effects of organic solvent exposure. Tubercle Lung Dis., 77: 4-18.
- **Schweigert M., Sax S., House R. and Henderson B. (2002)**
Investigation of Pulmonary Function Among Employees Exposed to Low Levels of Monomeric Isocyanates and Solvents at an Automobile Finishings Plant. JOEM, 44 (11): 1083-1090.
- **Shankar A. and Li J. (2007)**
Association between Serum Gamma-Glutamyltransferase Level and Prehypertension among US Adults. Circ. J., 71: 1567–1572.
- **Soyinka O.O., Adeniyi F.A and Ajose O.A. (2007)**
Biochemical parameters of liver function in artisans occupationally exposed to "vat dyes". Indian Journal of Occup. and Env. Med., 11(2): 76-79.

- **Takada S., Okamoto S., Yamada C., Ukai H. , Samoto H., Ohashi F. and Ikeda M. (2008)**
Chemical Exposures in Research Laboratories in a University. *Ind. Health*, 46: 166–173.

- **Talini D., Monteverdi A. and Benvenuti A. (1998)**
Asthma-like symptoms, atopy, and bronchial responsiveness in furniture workers. *Occup Environ Med.*, 55: 786–791.

- **Uuksulainen S., Heikkila P., Olkinuora P. and Kiilunen M. (2002)**
Self reported occupational health hazards and measured exposures to airborne impurities and noise in shoe repair work. *Int J Occup Environ Health*, 8:320–327.

- **Voss J.U., Roller M., Brinkmann E. and Mangelsdorf I. (2005)**
Nephrotoxicity of organic solvents: biomarkers for early detection. *Int. Arch Occup Environ Health*, 78(6):475-485.

- **Walker H. K., Hall W. D., and Hurst J. W. (1990)**
Clinical Methods, 3rd edition. The History, Physical, and Laboratory Examinations.

- **Walker J.T., Bloom T.F., Stern F.B., Okum A.H., Fingerhut M.A. and Halperin W.E. (1993)**
Mortality of workers employed in shoe manufacturing. *Scand J Work Environ Health*, 19:89-95.

- **Walters M.L. and Gerarde R.W. (1970)**
Ultramicromethod for the determination of conjugated and total bilirubin in serum or plasma. *Microchem.*, 15:231-36.

- **Warnes T., Jain S. and Smith A. (2000)**
“Hepatotoxic effects of workplace exposures”, in *Hunter diseases of occupations*, 3rd edition. Baxter P, Adams P, Tar-Ching A (eds) Arnold, London, p 501.

- **Watson WP and Mutti A.(2004)**
Role of biomarkers in monitoring exposures to chemicals: present position, future prospects. *Biomarkers* , 9(3):211-242.

- **Wieslander G., Norback D. and Edling C. (1997)**
Airway Symptoms among House Painters in Relation to Exposure to Volatile Organic Compounds (VOCS) - A Longitudinal Study. *Am Occup- Hyg* , 41(2), 155-166.

- **Winder C. and Stacey N. (2005)**
“Toxicity of organic solvents”, in *Occupational Toxicology*, Second edition, Winder and Stacey (ed). CRC press, 14: pp 364-388.

- **World Health Organization, Nordic Council of Ministers. (1985)**
Organic Solvents and the Central Nervous System, EHS. Copenhagen, Denmark: World Health Organization, Nordic Council of Ministers, 1-39.

- **Wypych, G. (2000)**
Handbook of Solvents. Toronto: ChemTech Publishing.

- **Xiao J. Q. and Levin S. M. (2000)**
The Diagnosis and Management of Solvent-Related Disorders.
Am. J. of Ind Med, 37:44-61.

- **Yoon H.I., Hong Y.C., Cho S.H., Kim H., Kim Y.H. , Sohn J.R.,
Kwon M., Park S.H., Cho M.H. and Cheong H.K. (2010)**
Exposure to Volatile Organic Compounds and Loss of Pulmonary
Function in Elderly. Eur Respir J., 36(6): 1270-1276.

- **Young D.S. (2000)**
Effects of Drugs on Clinical Lab. Test; 5th Ed. AACC Press.

- **Zuskin E., Mustajbegovic J., Schachter E.N. , Doko-Jelinic J.
and Bradic V. (1997)**
Respiratory function in shoe manufacturing workers. Am J Ind
Med., 31:50–55.